

DATA PACKAGE

METALS

PROJECT NAME : CHILDRENS HARBOR MONTESSORI SCHOOL

SAFETY ENVIRONMENTAL CO. OF NY, INC.

33 Clinton Avenue

Staten Island, NY - 10301

Phone No: 718-390-0914

ORDER ID : Q2520

ATTENTION : Francis Owoh



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) Metals-AES- Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Metals-AES Data	7
6) Shipping Document	35
6.1) CHAIN OF CUSTODY	36
6.2) Lab Certificate	39

1

2

3

4

5

6

Cover Page

Order ID : Q2520

Project ID : Childrens Harbor Montessori School

Client : Safety Environmental Co. of NY, Inc.

Lab Sample Number

Client Sample Number

Q2520-01	A-1
Q2520-02	A-2
Q2520-03	A-3
Q2520-04	A-4
Q2520-05	A-5
Q2520-06	A-6
Q2520-07	A-7
Q2520-08	A-8
Q2520-09	A-9
Q2520-10	A-10
Q2520-11	A-11
Q2520-12	A-12
Q2520-13	A-13
Q2520-14	A-14
Q2520-15	A-15
Q2520-16	A-16
Q2520-17	A-17
Q2520-18	A-18
Q2520-19	A-19
Q2520-20	A-20
Q2520-21	A-21
Q2520-22	A-22
Q2520-23	A-23
Q2520-24	A-24

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 7/17/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Safety Environmental Co. of NY, Inc.

Project Name: Childrens Harbor Montessori School

Project # N/A

Order ID # Q2520

Test Name: Metals Group3

A. Number of Samples and Date of Receipt:

24 Water samples were received on 07/08/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Metals Group3. This data package contains results for Metals Group3.

C. Analytical Techniques:

The analysis and digestion of Metals Group3 was based on method 200.7.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2520

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 07/17/2025

Hit Summary Sheet
SW-846

SDG No.:	Q2520	Order ID:	Q2520
Client:	Safety Environmental Co. of NY, Inc.	Project ID:	Childrens Harbor Montessori School

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : A-3								
Q2520-03	A-3	Water	Lead	1.63	J	1.21	6.00	ug/L
Client ID : A-4								
Q2520-04	A-4	Water	Lead	1.21	J	1.21	6.00	ug/L
Client ID : A-5								
Q2520-05	A-5	Water	Lead	1.86	J	1.21	6.00	ug/L
Client ID : A-7								
Q2520-07	A-7	Water	Lead	2.00	J	1.21	6.00	ug/L
Client ID : A-8								
Q2520-08	A-8	Water	Lead	1.22	J	1.21	6.00	ug/L
Client ID : A-12								
Q2520-12	A-12	Water	Lead	1.62	J	1.21	6.00	ug/L
Client ID : A-13								
Q2520-13	A-13	Water	Lead	1.23	J	1.21	6.00	ug/L
Client ID : A-17								
Q2520-17	A-17	Water	Lead	2.02	J	1.21	6.00	ug/L
Client ID : A-18								
Q2520-18	A-18	Water	Lead	1.31	J	1.21	6.00	ug/L
Client ID : A-19								
Q2520-19	A-19	Water	Lead	1.69	J	1.21	6.00	ug/L
Client ID : A-20								
Q2520-20	A-20	Water	Lead	1.31	J	1.21	6.00	ug/L
Client ID : A-21								
Q2520-21	A-21	Water	Lead	1.44	J	1.21	6.00	ug/L
Client ID : A-23								
Q2520-23	A-23	Water	Lead	2.13	J	1.21	6.00	ug/L
Client ID : A-24								
Q2520-24	A-24	Water	Lead	1.53	J	1.21	6.00	ug/L



SAMPLE DATA

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-1	SDG No.:	Q2520
Lab Sample ID:	Q2520-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 03:56	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-2	SDG No.:	Q2520
Lab Sample ID:	Q2520-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 04:01	EPA 200.7	E200.7

Color Before: Colorless Clarity Before: Clear Texture:

Color After: Colorless Clarity After: Clear Artifacts:

Comments: Metals Group3

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-3	SDG No.:	Q2520
Lab Sample ID:	Q2520-03	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.63	J	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 04:05	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-4	SDG No.:	Q2520
Lab Sample ID:	Q2520-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	J	1	1.21	6.00	ug/L	07/09/25 10:25	07/15/25 22:30	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-5	SDG No.:	Q2520
Lab Sample ID:	Q2520-05	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.86	J	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 04:31	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-6	SDG No.:	Q2520
Lab Sample ID:	Q2520-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	07/09/25 10:25	07/15/25 22:25	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-7	SDG No.:	Q2520
Lab Sample ID:	Q2520-07	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	2.00	J	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 04:40	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-8	SDG No.:	Q2520
Lab Sample ID:	Q2520-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.22	J	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 04:44	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-9	SDG No.:	Q2520
Lab Sample ID:	Q2520-09	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 04:49	EPA 200.7	E200.7

Color Before: Colorless Clarity Before: Clear Texture:

Color After: Colorless Clarity After: Clear Artifacts:

Comments: Metals Group3

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-10	SDG No.:	Q2520
Lab Sample ID:	Q2520-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 04:53	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-11	SDG No.:	Q2520
Lab Sample ID:	Q2520-11	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 04:58	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-12	SDG No.:	Q2520
Lab Sample ID:	Q2520-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.62	J	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 05:02	EPA 200.7	E200.7

Color Before: Colorless Clarity Before: Clear Texture:

Color After: Colorless Clarity After: Clear Artifacts:

Comments: Metals Group3

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-13	SDG No.:	Q2520
Lab Sample ID:	Q2520-13	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.23	J	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 05:06	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-14	SDG No.:	Q2520
Lab Sample ID:	Q2520-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 05:11	EPA 200.7	E200.7

Color Before: Colorless Clarity Before: Clear Texture:

Color After: Colorless Clarity After: Clear Artifacts:

Comments: Metals Group3

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-15	SDG No.:	Q2520
Lab Sample ID:	Q2520-15	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 05:33	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-16	SDG No.:	Q2520
Lab Sample ID:	Q2520-16	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 05:37	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-17	SDG No.:	Q2520
Lab Sample ID:	Q2520-17	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	2.02	J	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 05:41	EPA 200.7	E200.7

Color Before: Colorless Clarity Before: Clear Texture:

Color After: Colorless Clarity After: Clear Artifacts:

Comments: Metals Group3

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-18	SDG No.:	Q2520
Lab Sample ID:	Q2520-18	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.31	J	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 05:46	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-19	SDG No.:	Q2520
Lab Sample ID:	Q2520-19	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.69	J	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 05:50	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-20	SDG No.:	Q2520
Lab Sample ID:	Q2520-20	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.31	J	1	1.21	6.00	ug/L	07/09/25 10:25	07/11/25 05:55	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-21	SDG No.:	Q2520
Lab Sample ID:	Q2520-21	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.44	J	1	1.21	6.00	ug/L	07/09/25 10:16	07/11/25 03:34	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-22	SDG No.:	Q2520
Lab Sample ID:	Q2520-22	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.21	U	1	1.21	6.00	ug/L	07/09/25 10:16	07/11/25 03:39	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-23	SDG No.:	Q2520
Lab Sample ID:	Q2520-23	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	2.13	J	1	1.21	6.00	ug/L	07/09/25 10:16	07/11/25 03:43	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Safety Environmental Co. of NY, Inc.	Date Collected:	06/26/25
Project:	Childrens Harbor Montessori School	Date Received:	07/08/25
Client Sample ID:	A-24	SDG No.:	Q2520
Lab Sample ID:	Q2520-24	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.53	J	1	1.21	6.00	ug/L	07/09/25 10:16	07/10/25 20:26	EPA 200.7	E200.7

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group3			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2520	OrderDate:	7/8/2025 11:18:03 AM
Client:	Safety Environmental Co. of NY, Inc.	Project:	Childrens Harbor Montessori School
Contact:	Francis Owoh	Location:	O23

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2520-01	A-1	Water	Metals Group3	200.7	06/26/25	07/09/25	07/11/25	07/08/25
Q2520-02	A-2	Water	Metals Group3	200.7	06/26/25	07/09/25	07/11/25	07/08/25
Q2520-03	A-3	Water	Metals Group3	200.7	06/26/25	07/09/25	07/11/25	07/08/25
Q2520-04	A-4	Water	Metals Group3	200.7	06/26/25	07/09/25	07/15/25	07/08/25
Q2520-05	A-5	Water	Metals Group3	200.7	06/26/25	07/09/25	07/11/25	07/08/25
Q2520-06	A-6	Water	Metals Group3	200.7	06/26/25	07/09/25	07/15/25	07/08/25
Q2520-07	A-7	Water	Metals Group3	200.7	06/26/25	07/09/25	07/11/25	07/08/25
Q2520-08	A-8	Water	Metals Group3	200.7	06/26/25	07/09/25	07/11/25	07/08/25
Q2520-09	A-9	Water	Metals Group3	200.7	06/26/25	07/09/25	07/11/25	07/08/25
Q2520-10	A-10	Water	Metals Group3	200.7	06/26/25	07/09/25	07/11/25	07/08/25
Q2520-11	A-11	Water	Metals Group3	200.7	06/26/25	07/09/25	07/11/25	07/08/25
Q2520-12	A-12	Water			06/26/25			07/08/25

LAB CHRONICLE

			Metals Group3	200.7		07/09/25	07/11/25	
Q2520-13	A-13	Water			06/26/25			07/08/25
			Metals Group3	200.7		07/09/25	07/11/25	
Q2520-14	A-14	Water			06/26/25			07/08/25
			Metals Group3	200.7		07/09/25	07/11/25	
Q2520-15	A-15	Water			06/26/25			07/08/25
			Metals Group3	200.7		07/09/25	07/11/25	
Q2520-16	A-16	Water			06/26/25			07/08/25
			Metals Group3	200.7		07/09/25	07/11/25	
Q2520-17	A-17	Water			06/26/25			07/08/25
			Metals Group3	200.7		07/09/25	07/11/25	
Q2520-18	A-18	Water			06/26/25			07/08/25
			Metals Group3	200.7		07/09/25	07/11/25	
Q2520-19	A-19	Water			06/26/25			07/08/25
			Metals Group3	200.7		07/09/25	07/11/25	
Q2520-20	A-20	Water			06/26/25			07/08/25
			Metals Group3	200.7		07/09/25	07/11/25	
Q2520-21	A-21	Water			06/26/25			07/08/25
			Metals Group3	200.7		07/09/25	07/11/25	
Q2520-22	A-22	Water			06/26/25			07/08/25
			Metals Group3	200.7		07/09/25	07/11/25	
Q2520-23	A-23	Water			06/26/25			07/08/25
			Metals Group3	200.7		07/09/25	07/11/25	
Q2520-24	A-24	Water			06/26/25			07/08/25
			Metals Group3	200.7		07/09/25	07/10/25	



SHIPPING DOCUMENTS



CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

CHEMTECH PROJECT NO. 193

QUOTE NO.

COC Number

2044011

Q2520

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: Safety Environmental
ADDRESS: 33 Clinton Avenue
CITY: Staten Island STATE: NY ZIP: 10301
ATTENTION: Dr. Francis O'Woh
PHONE: 718 390 0914 FAX: 718 390 0915

CLIENT PROJECT INFORMATION

PROJECT NAME: children's school
PROJECT NO.: 256-140 LOCATION: 1000
PROJECT MANAGER: Dr. Francis O'Woh
e-mail: SafetyEnvironmental@comcast.net
PHONE: 718 390 0914 FAX: 718-0915

CLIENT BILLING INFORMATION

BILL TO: Safety Environmental
ADDRESS: 33 Clinton Ave
CITY: Staten Island STATE: NY ZIP: 10301
ATTENTION: Dr. Francis O'Woh PHONE: 718 390 0914

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☐ EDD FORMAT

PRESERVATIVES

COMMENTS

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES										← Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-OTHER
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1. A-1	Lead in water ev			✓	6/26/25	11:00	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2. A-2	2nd run in class room 1			✓			1	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3. A-3	Lead in water ev			✓			1	✓	✓	✓	✓	✓	✓	✓	✓	✓	
4. A-4	2nd run in class room 2			✓			1	✓	✓	✓	✓	✓	✓	✓	✓	✓	
5. A-5	Lead in water ev			✓			1	✓	✓	✓	✓	✓	✓	✓	✓	✓	
6. A-6	2nd run in class room 3			✓			1	✓	✓	✓	✓	✓	✓	✓	✓	✓	
7. A-7	Lead in water ev			✓			1	✓	✓	✓	✓	✓	✓	✓	✓	✓	
8. A-8	2nd run in kitchen			✓			1	✓	✓	✓	✓	✓	✓	✓	✓	✓	
9. A-9	Lead in water ev			✓			1	✓	✓	✓	✓	✓	✓	✓	✓	✓	
10. A-10	2nd run in Nicole's class room			✓			1	✓	✓	✓	✓	✓	✓	✓	✓	✓	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: Francis O'Woh	DATE/TIME: 6/26/25	RECEIVED BY: [Signature]	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP 5.3°C
RELINQUISHED BY SAMPLER: 2.	DATE/TIME:	RECEIVED BY: 2.	Comments:
RELINQUISHED BY SAMPLER: 3.	DATE/TIME:	RECEIVED BY: 3.	

Page ____ of ____

CLIENT: ☐ Hand Delivered ☐ Other
CHEMTECH: ☐ Picked Up ☐ Field Sampling

Shipment Complete
☐ YES ☐ NO



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

CHEMTECH PROJECT NO.

QUOTE NO.

COC Number

er 2044012 Q4520

CLIENT INFORMATION			CLIENT PROJECT INFORMATION			CLIENT BILLING INFORMATION																									
COMPANY: Safety Environmental Controlling Inc REPORT TO BE SENT TO:			PROJECT NAME: Harbor Montross			BILL TO: Safety Environmental Controlling Inc. PO#: 25-6-14																									
ADDRESS: 33 Clinton Avenue			PROJECT NO.: 25-6-14			LOCATION: 300 Richmond Road																									
CITY: Staten Island STATE: NY ZIP: 10301			PROJECT MANAGER: Dr Francis O'Woh			CITY: Staten Island STATE: NY ZIP: 10301																									
ATTENTION: Dr Francis O'Woh			e-mail: Safety Environmental Inc			ATTENTION: Dr Francis O'Woh																									
PHONE: 718 390-0914 FAX: 718 390-0914			PHONE: 718 390 0914 FAX: 718 390 0915			PHONE: 718 390 0914																									
DATA TURNAROUND INFORMATION			DATA DELIVERABLE INFORMATION			ANALYSIS																									
FAX (RUSH): _____ DAYS*			<input type="checkbox"/> Level 1 (Results Only) <input type="checkbox"/> Level 4 (QC + Full Raw Data)			<div style="text-align: center;"> 3 4 5 6 7 8 9 Lead in water Lead in water Lead in water Lead in water Lead in water Lead in water Lead in water </div>																									
HARDCOPY (DATA PACKAGE): _____ DAYS*			<input type="checkbox"/> Level 2 (Results + QC) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> US EPA CLP																												
EDD: _____ DAYS*			<input type="checkbox"/> Level 3 (Results + QC) <input type="checkbox"/> NYS ASP A <input type="checkbox"/> NYS ASP B																												
*TO BE APPROVED BY CHEMTECH			<input type="checkbox"/> + Raw Data <input type="checkbox"/> Other																												
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS			EDD FORMAT																												
CHEMTECH SAMPLE ID		PROJECT SAMPLE IDENTIFICATION		SAMPLE MATRIX		SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES		PRESERVATIVES									COMMENTS										
						COMP		GRAB		DATE		TIME																			
1. A-11		Lead in water								6/25/99		11 AM		1																	
2. A-12		Lead in water												1																	
3. A-13		Lead in water												1																	
4. A-14		Lead in water												1																	
5. A-15		Lead in water												1																	
6. A-16		Lead in water												1																	
7. A-17		Lead in water												1																	
8. A-18		Lead in water												1																	
9. A-19		Lead in water												1																	
10. A-20		Lead in water												1																	
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																															
RELINQUISHED BY SAMPLER:				DATE/TIME: 6-26-99				RECEIVED BY:				DATE/TIME: 7/1/99				Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP: 5.3 °C															
RELINQUISHED BY SAMPLER:				DATE/TIME:				RECEIVED BY:				DATE/TIME:				Comments:															
RELINQUISHED BY SAMPLER:				DATE/TIME:				RECEIVED BY:				DATE/TIME:				Comments:															
RELINQUISHED BY SAMPLER:				DATE/TIME:				RECEIVED BY:				DATE/TIME:				Comments:															
Page _____ of _____														CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other																	
CHEMTECH: <input type="checkbox"/> Picked Up <input type="checkbox"/> Field Sampling														Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO																	

3 of 3
Q2520

CHEMTECH - FORD ANALYTICAL LABORATORY

COMPANY: Safety Environmental Co of NY Inc
ADDRESS: 33 Clinton Ave
CITY/STATE/ZIP: Staten Island NY 10301
PHONE #: 718 390-0914 FAX: 718 390-0915
CONTACT: Dr Francis W. PROJECT:
EMAIL: Safety Environ Co of NY Inc
* Expedited turnaround subject to additional charge

* Expedited turnaround subject to additional charge

CHAIN OF CUSTODY

BILLING ADDRESS: Safety Environmental
BILLING CITY/STATE/ZIP: 33 Clinton Ave PS-NY
PURCHASE ORDER: 25-110 10301

PURCHASE ORDER: 25-~~1~~-110


CHEMTECH-FORD
LARGE-ORBIT

TURNAROUND TIME REQUIRED: 10 days 10 days 1A

* Expedited turnaround subject to additional charge

State System Number	Send to State
	Yes <input type="checkbox"/> No

TAT = 10 days

Lab Use Only		CLIENT SAMPLE INFORMATION					Lab Use Only	
LOCATION		DATE	TIME	FACILITY ID (source code)	POINT CODE (DEP)	Field: Residual Chlorine	Lab Use Only	
A-21	1. 1st sink	9/11/07	9am-11am				Total Coliform	Total Coliform
A-22	2. 2nd sink	9/11/07	9am-11am				HPC (Plate C)	
A-23	3. 3rd sink	9/11/07	9am-11am					
A-24	4. 4th sink	9/11/07	9am-11am					
	5.							
	6.							
	7.							
	8.							
	9.							
	10.							
Sampled by: (print)			Sampled by: (signature)		<div> <div>ON ICE</div> <div>NOT ON ICE</div> <div>Temp (C°):</div> </div>			
Special Instructions: 					Samples received outside the EPA recommended temperature range of 0-6 C° may be rejected.			
Relinquished by: (signature)			Date/Time		Received by: (signature)		Date/Time	
Relinquished by: (signature)			Date/Time		Received by: (signature)		Date/Time	
Relinquished by: (signature)			Date/Time		Received by: (signature)		Date/Time	

801.262.7299 PHONE
866.792.0093 FAX
www.ChemtechFord.com

Payment Terms are net 30 days OAC. 1.5% interest charge per month (18% per annum).
Client agrees to pay collection costs and attorney's fees.

5-30

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488