

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB071125\
Data File : FB032089.D
Signal(s) : FID2B.CH
Acq On : 11 Jul 2025 11:06
Sample : BSF0711S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB062325.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.714	4.559	4.857	BV	7652	543315	60.87%	11.396%
2	7.425	7.218	7.639	PV	8741	741822	83.11%	15.560%
3	7.758	7.639	7.824	VV	3763	205452	23.02%	4.309%
4	7.897	7.824	8.186	VV	5569	301696	33.80%	6.328%
5	8.798	8.629	8.975	BV	5279	297202	33.30%	6.234%
6	10.627	10.499	10.986	BV	18063	892538	100.00%	18.721%
7	13.063	12.946	13.124	BV	5836	263867	29.56%	5.535%
8	13.196	13.124	13.474	VB	11457	552082	61.86%	11.580%
9	13.923	13.597	14.051	BV	11038	526098	58.94%	11.035%
10	16.198	16.035	16.347	BV	10267	443485	49.69%	9.302%

Sum of corrected areas: 4767558

FB062325.M Sat Jul 12 00:51:55 2025