

Report of Analysis

Client:	CDM Smith	Date Collected:	
Project:	South River WM Replacement	Date Received:	
Client Sample ID:	PB168767BS	SDG No.:	Q2529
Lab Sample ID:	PB168767BS	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	100
Sample Wt/Vol:	30.03 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025084.D	1	07/09/25 08:55	07/10/25 15:30	PB168767

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	1700		160	330	ug/Kg
108-95-2	Phenol	1700		22.1	170	ug/Kg
111-44-4	bis(2-Chloroethyl)ether	1600		24.3	170	ug/Kg
95-57-8	2-Chlorophenol	1700		24.4	170	ug/Kg
95-48-7	2-Methylphenol	1800		29.9	170	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	1600		37.5	170	ug/Kg
98-86-2	Acetophenone	1600		29.5	170	ug/Kg
65794-96-9	3+4-Methylphenols	1700		41.1	330	ug/Kg
621-64-7	n-Nitroso-di-n-propylamine	1500		47.4	79.9	ug/Kg
67-72-1	Hexachloroethane	1700		17.6	170	ug/Kg
98-95-3	Nitrobenzene	1700		18.3	170	ug/Kg
78-59-1	Isophorone	1700		32.8	170	ug/Kg
88-75-5	2-Nitrophenol	1500		58.1	170	ug/Kg
105-67-9	2,4-Dimethylphenol	2400		64.7	170	ug/Kg
111-91-1	bis(2-Chloroethoxy)methane	1600		30.8	170	ug/Kg
120-83-2	2,4-Dichlorophenol	1800		28.3	170	ug/Kg
91-20-3	Naphthalene	1600		22.7	170	ug/Kg
106-47-8	4-Chloroaniline	1100		35.4	170	ug/Kg
87-68-3	Hexachlorobutadiene	1600		25.3	170	ug/Kg
105-60-2	Caprolactam	1600		52.0	330	ug/Kg
59-50-7	4-Chloro-3-methylphenol	1700		28.7	170	ug/Kg
91-57-6	2-Methylnaphthalene	1400		25.6	170	ug/Kg
77-47-4	Hexachlorocyclopentadiene	6900	E	120	330	ug/Kg
88-06-2	2,4,6-Trichlorophenol	1800		19.8	170	ug/Kg
95-95-4	2,4,5-Trichlorophenol	1800		29.1	170	ug/Kg
92-52-4	1,1-Biphenyl	1600		21.8	170	ug/Kg
91-58-7	2-Chloronaphthalene	1600		22.5	170	ug/Kg
88-74-4	2-Nitroaniline	1700		48.1	170	ug/Kg
131-11-3	Dimethylphthalate	1600		27.1	170	ug/Kg

Report of Analysis

Client:	CDM Smith	Date Collected:	
Project:	South River WM Replacement	Date Received:	
Client Sample ID:	PB168767BS	SDG No.:	Q2529
Lab Sample ID:	PB168767BS	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	100
Sample Wt/Vol:	30.03 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025084.D	1	07/09/25 08:55	07/10/25 15:30	PB168767

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	1800		28.9	170	ug/Kg
606-20-2	2,6-Dinitrotoluene	1800		33.6	170	ug/Kg
99-09-2	3-Nitroaniline	1300		46.0	170	ug/Kg
83-32-9	Acenaphthene	1600		21.3	170	ug/Kg
51-28-5	2,4-Dinitrophenol	3400	E	230	330	ug/Kg
100-02-7	4-Nitrophenol	3700	E	110	330	ug/Kg
132-64-9	Dibenzofuran	1600		22.7	170	ug/Kg
121-14-2	2,4-Dinitrotoluene	1800		50.0	170	ug/Kg
84-66-2	Diethylphthalate	1600		28.3	170	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	1600		26.7	170	ug/Kg
86-73-7	Fluorene	1600		25.3	170	ug/Kg
100-01-6	4-Nitroaniline	1800		64.1	170	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	1600		100	330	ug/Kg
86-30-6	n-Nitrosodiphenylamine	1700		32.9	170	ug/Kg
101-55-3	4-Bromophenyl-phenylether	1700		27.8	170	ug/Kg
118-74-1	Hexachlorobenzene	1700		25.3	170	ug/Kg
1912-24-9	Atrazine	2100		34.0	170	ug/Kg
87-86-5	Pentachlorophenol	3500	E	51.2	330	ug/Kg
85-01-8	Phenanthrene	1700		20.9	170	ug/Kg
120-12-7	Anthracene	1800		33.3	170	ug/Kg
86-74-8	Carbazole	1700		31.2	170	ug/Kg
84-74-2	Di-n-butylphthalate	1800		47.9	170	ug/Kg
206-44-0	Fluoranthene	1700		30.0	170	ug/Kg
129-00-0	Pyrene	1700		36.0	170	ug/Kg
85-68-7	Butylbenzylphthalate	1700		71.3	170	ug/Kg
91-94-1	3,3-Dichlorobenzidine	1300		36.7	330	ug/Kg
56-55-3	Benzo(a)anthracene	1700		23.0	170	ug/Kg
218-01-9	Chrysene	1600		19.9	170	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	1800		59.1	170	ug/Kg
117-84-0	Di-n-octyl phthalate	1600		86.7	330	ug/Kg
205-99-2	Benzo(b)fluoranthene	1700		19.0	170	ug/Kg

Report of Analysis

Client:	CDM Smith	Date Collected:	
Project:	South River WM Replacement	Date Received:	
Client Sample ID:	PB168767BS	SDG No.:	Q2529
Lab Sample ID:	PB168767BS	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	100
Sample Wt/Vol:	30.03 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025084.D	1	07/09/25 08:55	07/10/25 15:30	PB168767

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	1700		22.4	170	ug/Kg
50-32-8	Benzo(a)pyrene	1900		29.5	170	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	1800		29.1	170	ug/Kg
53-70-3	Dibenzo(a,h)anthracene	1800		27.4	170	ug/Kg
191-24-2	Benzo(g,h,i)perylene	1700		25.7	170	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	1600		25.6	170	ug/Kg
123-91-1	1,4-Dioxane	1300		45.2	170	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	1800		27.4	170	ug/Kg

SURROGATES

367-12-4	2-Fluorophenol	155		18 - 112	103%	SPK: 150
13127-88-3	Phenol-d6	148		15 - 107	98%	SPK: 150
4165-60-0	Nitrobenzene-d5	103		18 - 107	103%	SPK: 100
321-60-8	2-Fluorobiphenyl	98.8		20 - 109	99%	SPK: 100
118-79-6	2,4,6-Tribromophenol	161		10 - 116	107%	SPK: 150
1718-51-0	Terphenyl-d14	105		10 - 105	105%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	420000	7.443
1146-65-2	Naphthalene-d8	1680000	10.184
15067-26-2	Acenaphthene-d10	1080000	14.084
1517-22-2	Phenanthrene-d10	2210000	16.913
1719-03-5	Chrysene-d12	2320000	21.354
1520-96-3	Perylene-d12	2460000	24.483

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products