

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070925\
 Data File : BF143065.D
 Acq On : 09 Jul 2025 19:33
 Operator : RC/JU
 Sample : Q2529-06 5X
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-102

Quant Time: Jul 10 00:57:28 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 24 05:28:21 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	44597	20.000	ng	-0.01
21) Naphthalene-d8	8.157	136	162685	20.000	ng	-0.01
39) Acenaphthene-d10	9.910	164	74800	20.000	ng	-0.01
64) Phenanthrene-d10	11.404	188	114652	20.000	ng	0.00
76) Chrysene-d12	14.051	240	120675	20.000	ng	0.00
86) Perylene-d12	15.545	264	79996	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.492	112	32425	12.105	ng	0.00
7) Phenol-d6	6.504	99	37926	12.001	ng	0.00
23) Nitrobenzene-d5	7.433	82	22723	7.661	ng	-0.01
42) 2,4,6-Tribromophenol	10.710	330	6783	8.812	ng	0.00
45) 2-Fluorobiphenyl	9.227	172	52370	9.197	ng	-0.02
79) Terphenyl-d14	12.986	244	53542	6.130	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070925\
Data File : BF143065.D
Acq On : 09 Jul 2025 19:33
Operator : RC/JU
Sample : Q2529-06 5X
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-102

Quant Time: Jul 10 00:57:28 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 24 05:28:21 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.869 min Scan# 797
 Delta R.T. -0.012 min
 Lab File: BF143065.D
 Acq: 09 Jul 2025 19:33




Instrument :
 BNA_F
 ClientSampleId :
 TP-102


Tgt Ion:152 Resp: 44597
 Ion Ratio Lower Upper
 152 100
 150 158.5 127.2 190.8
 115 59.5 46.6 69.8



#5
 2-Fluorophenol
 Concen: 12.105 ng
 RT: 5.492 min Scan# 561
 Delta R.T. 0.000 min
 Lab File: BF143065.D
 Acq: 09 Jul 2025 19:33

Tgt Ion:112 Resp: 32425
 Ion Ratio Lower Upper
 112 100
 64 53.3 48.2 72.2
 63 29.1 25.7 38.5









#7
Phenol-d6
Concen: 12.001 ng
RT: 6.504 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF143065.D
Acq: 09 Jul 2025 19:33




Instrument :
BNA_F
ClientSampleId :
TP-102


Tgt Ion: 99 Resp: 37926
Ion Ratio Lower Upper
99 100
42 19.2 15.9 23.9
71 34.6 27.8 41.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1014
Delta R.T. -0.012 min
Lab File: BF143065.D
Acq: 09 Jul 2025 19:33

Tgt Ion: 136 Resp: 162685
Ion Ratio Lower Upper
136 100
137 10.6 8.4 12.6
54 7.2 6.3 9.5
68 4.2 3.7 5.5





#23

Nitrobenzene-d5

Concen: 7.661 ng

RT: 7.433 min Scan# 891

Delta R.T. -0.012 min

Lab File: BF143065.D

Acq: 09 Jul 2025 19:33

Instrument :

BNA_F

ClientSampleId :

TP-102





Tgt Ion: 82 Resp: 22723

Ion Ratio Lower Upper

82 100

128 48.9 37.7 56.5

54 55.6 45.7 68.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.910 min Scan# 1312

Delta R.T. -0.012 min

Lab File: BF143065.D

Acq: 09 Jul 2025 19:33




Tgt Ion:164 Resp: 74800


Ion Ratio Lower Upper

164 100

162 100.8 81.8 122.8

160 44.8 36.0 54.0









#42
2,4,6-Tribromophenol
Concen: 8.812 ng
RT: 10.710 min Scan# 1449
Delta R.T. -0.006 min
Lab File: BF143065.D
Acq: 09 Jul 2025 19:33




Instrument :
BNA_F
ClientSampleId :
TP-102


Tgt Ion: 330 Resp: 6783
Ion Ratio Lower Upper
330 100
332 96.1 75.0 112.6
141 29.5 25.3 37.9



#45
2-Fluorobiphenyl
Concen: 9.197 ng
RT: 9.227 min Scan# 1196
Delta R.T. -0.018 min
Lab File: BF143065.D
Acq: 09 Jul 2025 19:33

Tgt Ion: 172 Resp: 52370
Ion Ratio Lower Upper
172 100
171 35.1 28.2 42.4
170 23.1 18.5 27.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.404 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF143065.D

Acq: 09 Jul 2025 19:33

Instrument :

BNA_F

ClientSampleId :

TP-102





Tgt Ion:188 Resp: 114652

Ion Ratio Lower Upper

188 100

94 8.2 6.7 10.1

80 8.4 6.9 10.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.051 min Scan# 2016

Delta R.T. -0.006 min

Lab File: BF143065.D

Acq: 09 Jul 2025 19:33




Tgt Ion:240 Resp: 120675


Ion Ratio Lower Upper

240 100

120 10.3 8.2 12.2

236 24.1 19.8 29.8









#79
 Terphenyl-d14
 Concen: 6.130 ng
 RT: 12.986 min Scan# 1835
 Delta R.T. -0.012 min
 Lab File: BF143065.D
 Acq: 09 Jul 2025 19:33

Instrument :
 BNA_F
 ClientSampleId :
 TP-102

Tgt Ion:244 Resp: 53542
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.4 8.0
 122 10.7 8.2 12.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.545 min Scan# 2270
 Delta R.T. -0.000 min
 Lab File: BF143065.D
 Acq: 09 Jul 2025 19:33

Tgt Ion:264 Resp: 79996
 Ion Ratio Lower Upper
 264 100
 260 22.4 18.1 27.1
 265 21.7 16.6 25.0

