

SOP ID : M9030B-Sulfide-13

SDG No : N/A

Matrix : WATER

Pipette ID : WC

Balance ID : N/A

Hood ID : HOOD#2

Block ID : WC-DIST-BLOCK-1

Weigh By : N/A

Start Digest Date: 07/10/2025 Time : 08:40 Temp : 70 °C

End Digest Date: 07/10/2025 Time : 10:10 Temp : 70 °C

Digestion tube ID : M5595

Filter paper ID : N/A

pH Meter ID : N/A

Block Thermometer ID : WC CYANIDE

Prep Technician Signature: RH

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
LCSW	1.25ML	WP113879
PBW	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP111004
FORMALDEHYDE	2.0ML	W2725
CONC H2SO4	N/A	M6041
pH Paper 0-14	N/A	W3215
KI-starch paper	N/A	W3155
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

07/10/2025
RH

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB168778BL	PBW778	50	50	>12	N/A	Negative	N/A	N/A	N/A
PB168778BS	LCS778	50	50	>12	N/A	Negative	N/A	N/A	N/A
Q2536-01DUP	RW5-SP100-20250708DUP	50	50	>12	N/A	Negative	N/A	N/A	N/A
Q2536-01MS	RW5-SP100-20250708MS	50	50	>12	N/A	Negative	N/A	N/A	N/A
Q2536-01MSD	RW5-SP100-20250708MSD	50	50	>12	N/A	Negative	N/A	N/A	N/A
Q2536-01	RW5-SP100-20250708	50	50	>12	N/A	Negative	N/A	N/A	N/A
Q2536-02	RW7-SP100-20250708	50	50	>12	N/A	Negative	N/A	N/A	N/A
Q2536-03	RW8-SP100-20250708	50	50	>12	N/A	Negative	N/A	N/A	N/A