

Report of Analysis

Client:	CDM Smith	Date Collected:	07/09/25
Project:	South River WM Replacement	Date Received:	07/09/25
Client Sample ID:	TP-23-99	SDG No.:	Q2543
Lab Sample ID:	Q2543-04	Matrix:	SOIL
Analytical Method:	8081B	% Solid:	85.4
Sample Wt/Vol:	30.05	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	1.0	Injection Volume :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PD089443.D	1	07/10/25 08:35	07/10/25 16:17	PB168784

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.15	U	0.15	2.00	ug/kg
319-85-7	beta-BHC	0.21	U	0.21	2.00	ug/kg
319-86-8	delta-BHC	0.46	U	0.46	2.00	ug/kg
58-89-9	gamma-BHC (Lindane)	0.16	U	0.16	2.00	ug/kg
76-44-8	Heptachlor	0.14	U	0.14	2.00	ug/kg
309-00-2	Aldrin	0.14	U	0.14	2.00	ug/kg
1024-57-3	Heptachlor epoxide	0.22	U	0.22	2.00	ug/kg
959-98-8	Endosulfan I	0.16	U	0.16	2.00	ug/kg
60-57-1	Dieldrin	0.16	U	0.16	2.00	ug/kg
72-55-9	4,4-DDE	0.16	U	0.16	2.00	ug/kg
72-20-8	Endrin	0.16	U	0.16	2.00	ug/kg
33213-65-9	Endosulfan II	0.34	U	0.34	2.00	ug/kg
72-54-8	4,4-DDD	0.18	U	0.18	2.00	ug/kg
1031-07-8	Endosulfan Sulfate	0.15	U	0.15	2.00	ug/kg
50-29-3	4,4-DDT	0.16	U	0.16	2.00	ug/kg
72-43-5	Methoxychlor	0.43	U	0.43	2.00	ug/kg
53494-70-5	Endrin ketone	0.22	U	0.22	2.00	ug/kg
7421-93-4	Endrin aldehyde	0.43	U	0.43	2.00	ug/kg
5103-71-9	alpha-Chlordane	0.14	U	0.14	2.00	ug/kg
5103-74-2	gamma-Chlordane	0.18	U	0.18	2.00	ug/kg
8001-35-2	Toxaphene	6.30	U	6.30	38.6	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	12.9		20 - 144	65%	SPK: 20
877-09-8	Tetrachloro-m-xylene	19.8		19 - 148	99%	SPK: 20

Report of Analysis

Client:	CDM Smith		Date Collected:	07/09/25	
Project:	South River WM Replacement		Date Received:	07/09/25	
Client Sample ID:	TP-23-99		SDG No.:	Q2543	
Lab Sample ID:	Q2543-04		Matrix:	SOIL	
Analytical Method:	8081B		% Solid:	85.4	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PD089443.D	1	07/10/25 08:35	07/10/25 16:17	PB168784

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit