

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM071025\
 Data File : BM050403.D
 Acq On : 10 Jul 2025 23:59
 Operator : RC/JU
 Sample : Q2543-04
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-23-99

Quant Time: Jul 11 01:29:16 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM070925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 08 18:32:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.863	152	639438	20.000	ng	0.00
21) Naphthalene-d8	10.657	136	2330149	20.000	ng	0.00
39) Acenaphthene-d10	14.486	164	1499849	20.000	ng	0.00
64) Phenanthrene-d10	17.221	188	3029764	20.000	ng	0.00
76) Chrysene-d12	21.444	240	3157432	20.000	ng	-0.01
86) Perylene-d12	24.480	264	2929698	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.434	112	3088026	83.127	ng	0.00
7) Phenol-d6	7.022	99	3921531	83.741	ng	0.00
23) Nitrobenzene-d5	9.016	82	2271663	49.738	ng	0.00
42) 2,4,6-Tribromophenol	15.968	330	1648470	90.459	ng	0.00
45) 2-Fluorobiphenyl	13.116	172	5344210	44.003	ng	0.00
79) Terphenyl-d14	19.839	244	9058207	50.476	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM071025\
Data File : BM050403.D
Acq On : 10 Jul 2025 23:59
Operator : RC/JU
Sample : Q2543-04
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-23-99


Quant Time: Jul 11 01:29:16 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM070925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 08 18:32:25 2025
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM071025\
Data File : BM050403.D
Acq On : 10 Jul 2025 23:59
Operator : RC/JU
Sample : Q2543-04
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-23-99

Quant Time: Jul 11 01:29:16 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM070925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 08 18:32:25 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.863 min Scan# 81
Delta R.T. -0.000 min
Lab File: BM050403.D
Acq: 10 Jul 2025 23:59




Instrument :
BNA_M
ClientSampleId :
TP-23-99


Tgt Ion:152 Resp: 639438
Ion Ratio Lower Upper
152 100
150 155.4 126.2 189.4
115 54.4 45.8 68.8



#5
2-Fluorophenol
Concen: 83.127 ng
RT: 5.434 min Scan# 416
Delta R.T. -0.000 min
Lab File: BM050403.D
Acq: 10 Jul 2025 23:59

Tgt Ion:112 Resp: 3088026
Ion Ratio Lower Upper
112 100
64 56.0 45.5 68.3
63 29.7 24.2 36.4









#7
Phenol-d6
Concen: 83.741 ng
RT: 7.022 min Scan# 686
Delta R.T. -0.000 min
Lab File: BM050403.D
Acq: 10 Jul 2025 23:59




Instrument :
BNA_M
ClientSampleId :
TP-23-99


Tgt Ion: 99 Resp: 3921531
Ion Ratio Lower Upper
99 100
42 18.1 15.0 22.6
71 31.8 25.9 38.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.657 min Scan# 1304
Delta R.T. -0.006 min
Lab File: BM050403.D
Acq: 10 Jul 2025 23:59

Tgt Ion:136 Resp: 2330149
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 7.7 6.3 9.5
68 5.3 4.2 6.2









#23
 Nitrobenzene-d5
 Concen: 49.738 ng
 RT: 9.016 min Scan# 1025
 Delta R.T. -0.006 min
 Lab File: BM050403.D
 Acq: 10 Jul 2025 23:59

Instrument :
 BNA_M
 ClientSampleId :
 TP-23-99

Tgt Ion: 82 Resp: 2271663




Ion	Ratio	Lower	Upper
82	100		
128	44.0	35.2	52.8
54	51.6	41.5	62.3




#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.486 min Scan# 1955
 Delta R.T. -0.006 min
 Lab File: BM050403.D
 Acq: 10 Jul 2025 23:59

Tgt Ion: 164 Resp: 1499849

Ion	Ratio	Lower	Upper
164	100		
162	100.5	79.9	119.9
160	45.2	36.2	54.4





#42

2,4,6-Tribromophenol

Concen: 90.459 ng

RT: 15.968 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM050403.D

Acq: 10 Jul 2025 23:59

Instrument :

BNA_M

ClientSampleId :

TP-23-99





Tgt Ion:330 Resp: 1648470

Ion Ratio Lower Upper

330 100

332 96.3 76.9 115.3

141 33.6 27.4 41.0



#45

2-Fluorobiphenyl

Concen: 44.003 ng

RT: 13.116 min Scan# 1722

Delta R.T. -0.006 min

Lab File: BM050403.D

Acq: 10 Jul 2025 23:59




Tgt Ion:172 Resp: 5344210


Ion Ratio Lower Upper

172 100

171 35.1 27.7 41.5

170 23.6 18.8 28.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.221 min Scan# 24

Delta R.T. -0.006 min

Lab File: BM050403.D

Acq: 10 Jul 2025 23:59

Instrument :

BNA_M

ClientSampleId :

TP-23-99





Tgt Ion:188 Resp: 3029764

Ion Ratio Lower Upper

188 100

94 7.7 6.0 9.0

80 8.6 6.5 9.7



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.444 min Scan# 3138

Delta R.T. -0.012 min

Lab File: BM050403.D

Acq: 10 Jul 2025 23:59




Tgt Ion:240 Resp: 3157432


Ion Ratio Lower Upper

240 100

120 9.1 6.7 10.1

236 26.2 20.7 31.1









#79
 Terphenyl-d14
 Concen: 50.476 ng
 RT: 19.839 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM050403.D
 Acq: 10 Jul 2025 23:59

Instrument :
 BNA_M
 ClientSampleId :
 TP-23-99

Tgt Ion:244 Resp: 9058207
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.7 8.5
 122 8.2 6.2 9.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.480 min Scan# 3654
 Delta R.T. -0.018 min
 Lab File: BM050403.D
 Acq: 10 Jul 2025 23:59

Tgt Ion:264 Resp: 2929698
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.2 28.8
 265 21.7 17.8 26.6

