

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	White Plains Housing Authority - WPHAU006	Date Received:	
Client Sample ID:	VX0714WBS01	SDG No.:	Q2553
Lab Sample ID:	VX0714WBS01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX046968.D	1	07/14/25 13:10	VX071425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	17.0		0.22	5.00	ug/L
74-87-3	Chloromethane	15.6		0.32	5.00	ug/L
75-01-4	Vinyl Chloride	17.4		0.26	5.00	ug/L
74-83-9	Bromomethane	17.8		1.40	5.00	ug/L
75-00-3	Chloroethane	18.3		0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	18.1		0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	18.8		0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	17.1		0.23	5.00	ug/L
67-64-1	Acetone	110		1.50	25.0	ug/L
75-15-0	Carbon Disulfide	14.3		0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	22.8		0.16	5.00	ug/L
79-20-9	Methyl Acetate	30.0		0.27	5.00	ug/L
75-09-2	Methylene Chloride	19.4		0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	18.7		0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	19.7		0.23	5.00	ug/L
110-82-7	Cyclohexane	18.8		1.50	5.00	ug/L
78-93-3	2-Butanone	140		0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	18.8		0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	19.3		0.19	5.00	ug/L
74-97-5	Bromochloromethane	20.9		0.22	5.00	ug/L
67-66-3	Chloroform	19.9		0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	19.9		0.20	5.00	ug/L
108-87-2	Methylcyclohexane	17.6		0.16	5.00	ug/L
71-43-2	Benzene	19.2		0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	20.5		0.22	5.00	ug/L
79-01-6	Trichloroethene	18.5		0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	19.8		0.20	5.00	ug/L
75-27-4	Bromodichloromethane	19.2		0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	140		0.68	25.0	ug/L
108-88-3	Toluene	19.7		0.14	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	White Plains Housing Authority - WPHAU006	Date Received:	
Client Sample ID:	VX0714WBS01	SDG No.:	Q2553
Lab Sample ID:	VX0714WBS01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX046968.D	1	07/14/25 13:10	VX071425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	19.7		0.17	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	19.6		0.16	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	21.5		0.21	5.00	ug/L
591-78-6	2-Hexanone	140		0.89	25.0	ug/L
124-48-1	Dibromochloromethane	19.3		0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	20.7		0.15	5.00	ug/L
127-18-4	Tetrachloroethene	18.4		0.23	5.00	ug/L
108-90-7	Chlorobenzene	19.4		0.12	5.00	ug/L
100-41-4	Ethyl Benzene	19.5		0.13	5.00	ug/L
179601-23-1	m/p-Xylenes	39.9		0.24	10.0	ug/L
95-47-6	o-Xylene	20.2		0.12	5.00	ug/L
100-42-5	Styrene	20.4		0.15	5.00	ug/L
75-25-2	Bromoform	20.1		0.19	5.00	ug/L
98-82-8	Isopropylbenzene	19.7		0.12	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	22.6		0.26	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	19.7		0.16	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	18.9		0.19	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	19.7		0.16	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	24.8		0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	19.1		0.20	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	20.0		0.20	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.5		70 (74) - 130 (125)	111%	SPK: 50
1868-53-7	Dibromofluoromethane	53.5		70 (75) - 130 (124)	107%	SPK: 50
2037-26-5	Toluene-d8	52.6		70 (86) - 130 (113)	105%	SPK: 50
460-00-4	4-Bromofluorobenzene	55.0		70 (77) - 130 (121)	110%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	311000	5.568			
540-36-3	1,4-Difluorobenzene	518000	6.769			
3114-55-4	Chlorobenzene-d5	465000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	241000	12.018			

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	White Plains Housing Authority - WPHAU006	Date Received:	
Client Sample ID:	VX0714WBS01	SDG No.:	Q2553
Lab Sample ID:	VX0714WBS01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX046968.D	1	07/14/25 13:10	VX071425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products