

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	07/09/25
Project:	White Plains Housing Authority - WPHAU006	Date Received:	07/09/25
Client Sample ID:	AOC-202	SDG No.:	Q2553
Lab Sample ID:	Q2553-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX046944.D	1	07/10/25 15:04	VX071025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	5.00	U	0.22	5.00	ug/L
74-87-3	Chloromethane	5.00	U	0.32	5.00	ug/L
75-01-4	Vinyl Chloride	5.00	U	0.26	5.00	ug/L
74-83-9	Bromomethane	5.00	U	1.40	5.00	ug/L
75-00-3	Chloroethane	5.00	U	0.47	5.00	ug/L
75-69-4	Trichlorofluoromethane	5.00	U	0.33	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	5.00	U	0.25	5.00	ug/L
75-35-4	1,1-Dichloroethene	5.00	U	0.23	5.00	ug/L
67-64-1	Acetone	25.0	U	1.50	25.0	ug/L
75-15-0	Carbon Disulfide	0.39	J	0.21	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	5.00	U	0.16	5.00	ug/L
79-20-9	Methyl Acetate	5.00	U	0.27	5.00	ug/L
75-09-2	Methylene Chloride	5.00	U	0.28	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	5.00	U	0.23	5.00	ug/L
75-34-3	1,1-Dichloroethane	5.00	U	0.23	5.00	ug/L
110-82-7	Cyclohexane	5.00	U	1.50	5.00	ug/L
78-93-3	2-Butanone	25.0	U	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	5.00	U	0.25	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	5.00	U	0.19	5.00	ug/L
74-97-5	Bromochloromethane	5.00	U	0.22	5.00	ug/L
67-66-3	Chloroform	5.00	U	0.25	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	5.00	U	0.20	5.00	ug/L
108-87-2	Methylcyclohexane	5.00	U	0.16	5.00	ug/L
71-43-2	Benzene	5.00	U	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	5.00	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	5.00	U	0.090	5.00	ug/L
78-87-5	1,2-Dichloropropane	5.00	U	0.20	5.00	ug/L
75-27-4	Bromodichloromethane	5.00	U	0.22	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	25.0	U	0.68	25.0	ug/L
108-88-3	Toluene	5.00	U	0.14	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	07/09/25
Project:	White Plains Housing Authority - WPHAU006	Date Received:	07/09/25
Client Sample ID:	AOC-202	SDG No.:	Q2553
Lab Sample ID:	Q2553-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX046944.D	1	07/10/25 15:04	VX071025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	5.00	U	0.17	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	5.00	U	0.16	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	5.00	U	0.21	5.00	ug/L
591-78-6	2-Hexanone	25.0	U	0.89	25.0	ug/L
124-48-1	Dibromochloromethane	5.00	U	0.18	5.00	ug/L
106-93-4	1,2-Dibromoethane	5.00	U	0.15	5.00	ug/L
127-18-4	Tetrachloroethene	5.00	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	5.00	U	0.12	5.00	ug/L
100-41-4	Ethyl Benzene	5.00	U	0.13	5.00	ug/L
179601-23-1	m/p-Xylenes	10.0	U	0.24	10.0	ug/L
95-47-6	o-Xylene	5.00	U	0.12	5.00	ug/L
100-42-5	Styrene	5.00	U	0.15	5.00	ug/L
75-25-2	Bromoform	5.00	U	0.19	5.00	ug/L
98-82-8	Isopropylbenzene	3.20	J	0.12	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	5.00	U	0.26	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	5.00	U	0.16	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	5.00	U	0.19	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	5.00	U	0.16	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	5.00	U	0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	5.00	U	0.20	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	5.00	U	0.20	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	50.4		70 (74) - 130 (125)	101%	SPK: 50
1868-53-7	Dibromofluoromethane	46.9		70 (75) - 130 (124)	94%	SPK: 50
2037-26-5	Toluene-d8	50.6		70 (86) - 130 (113)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.6		70 (77) - 130 (121)	105%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	457000	5.568			
540-36-3	1,4-Difluorobenzene	803000	6.769			
3114-55-4	Chlorobenzene-d5	753000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	387000	12.018			

TENTATIVE IDENTIFIED COMPOUNDS

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	07/09/25
Project:	White Plains Housing Authority - WPHAU006	Date Received:	07/09/25
Client Sample ID:	AOC-202	SDG No.:	Q2553
Lab Sample ID:	Q2553-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX046944.D	1	07/10/25 15:04	VX071025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000078-78-4	Butane, 2-methyl-	13.1	J		1.77	ug/L
000075-83-2	Butane, 2,2-dimethyl-	7.10	J		2.36	ug/L
000079-29-8	Butane, 2,3-dimethyl-	23.3	J		2.80	ug/L
000096-14-0	Pentane, 3-methyl-	15.7	J		3.12	ug/L
001638-26-2	Cyclopentane, 1,1-dimethyl-	5.90	J		5.86	ug/L
000473-91-6	Cyclopentene, 1,2,3-trimethyl-	7.80	J		9.16	ug/L
103-65-1	n-propylbenzene	4.20	J		11.3	ug/L
98-06-6	tert-Butylbenzene	0.38	J		11.7	ug/L
95-63-6	1,2,4-Trimethylbenzene	1.10	J		11.8	ug/L
135-98-8	sec-Butylbenzene	2.10	J		11.9	ug/L
000105-05-5	Benzene, 1,4-diethyl-	15.4	J		12.2	ug/L
104-51-8	n-Butylbenzene	0.63	J		12.3	ug/L
007525-62-4	Benzene, 1-ethenyl-3-ethyl-	10.7	J		12.7	ug/L
000527-53-7	Benzene, 1,2,3,5-tetramethyl-	18.7	J		12.9	ug/L
020836-11-7	2,2-Dimethylindene, 2,3-dihydro-	7.40	J		13.1	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products