

## Report of Analysis

|                   |                        |                 |          |
|-------------------|------------------------|-----------------|----------|
| Client:           | Nobis Group            | Date Collected: | 07/09/25 |
| Project:          | Raymark Superfund Site | Date Received:  | 07/10/25 |
| Client Sample ID: | OU4-TS-30-070925       | SDG No.:        | Q2555    |
| Lab Sample ID:    | Q2555-04               | Matrix:         | Water    |
| Level (low/med):  | low                    | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL   | LOD  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. | Prep Met. |
|-----------|-----------|-------|------|----|-------|------|------------|-------|----------------|----------------|----------|-----------|
| 7440-36-0 | Antimony  | 1.25  | UD   | 5  | 0.55  | 1.25 | 10.0       | ug/L  | 07/15/25 12:32 | 07/16/25 17:19 | 6020B    | 3010A     |
| 7440-38-2 | Arsenic   | 53.0  | D    | 50 | 4.45  | 12.5 | 50.0       | ug/L  | 07/15/25 12:32 | 07/24/25 12:24 | 6020B    | 3010A     |
| 7440-39-3 | Barium    | 109   | DN   | 5  | 1.05  | 6.25 | 50.0       | ug/L  | 07/15/25 12:32 | 07/16/25 17:19 | 6020B    | 3010A     |
| 7440-41-7 | Beryllium | 17.7  | D    | 5  | 1.60  | 3.75 | 5.00       | ug/L  | 07/15/25 12:32 | 07/16/25 17:19 | 6020B    | 3010A     |
| 7440-43-9 | Cadmium   | 10.8  | D    | 5  | 1.70  | 2.50 | 5.00       | ug/L  | 07/15/25 12:32 | 07/16/25 17:19 | 6020B    | 3010A     |
| 7440-47-3 | Chromium  | 54.7  | D    | 5  | 1.05  | 3.75 | 10.0       | ug/L  | 07/15/25 12:32 | 07/16/25 17:19 | 6020B    | 3010A     |
| 7440-50-8 | Copper    | 468   | D    | 5  | 1.50  | 7.50 | 10.0       | ug/L  | 07/15/25 12:32 | 07/16/25 17:19 | 6020B    | 3010A     |
| 7439-92-1 | Lead      | 75.4  | D    | 5  | 1.05  | 3.75 | 5.00       | ug/L  | 07/15/25 12:32 | 07/16/25 17:19 | 6020B    | 3010A     |
| 7439-97-6 | Mercury   | 0.16  | U    | 1  | 0.076 | 0.16 | 0.20       | ug/L  | 07/15/25 08:35 | 07/15/25 13:50 | 7470A    |           |
| 7440-02-0 | Nickel    | 238   | D    | 5  | 1.35  | 3.75 | 5.00       | ug/L  | 07/15/25 12:32 | 07/16/25 17:19 | 6020B    | 3010A     |
| 7782-49-2 | Selenium  | 225   | UD   | 50 | 145   | 225  | 250        | ug/L  | 07/15/25 12:32 | 07/24/25 12:24 | 6020B    | 3010A     |
| 7440-22-4 | Silver    | 0.50  | JDN  | 5  | 0.30  | 2.50 | 5.00       | ug/L  | 07/15/25 12:32 | 07/16/25 17:19 | 6020B    | 3010A     |
| 7440-28-0 | Thallium  | 0.35  | JD   | 5  | 0.30  | 2.50 | 5.00       | ug/L  | 07/15/25 12:32 | 07/16/25 17:19 | 6020B    | 3010A     |
| 7440-62-2 | Vanadium  | 133   | D    | 5  | 0.39  | 1.25 | 25.0       | ug/L  | 07/15/25 12:32 | 07/16/25 17:19 | 6020B    | 3010A     |
| 7440-66-6 | Zinc      | 1630  | D    | 5  | 6.25  | 7.50 | 25.0       | ug/L  | 07/15/25 12:32 | 07/16/25 17:19 | 6020B    | 3010A     |

|               |              |                 |       |            |
|---------------|--------------|-----------------|-------|------------|
| Color Before: | Colorless    | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless    | Clarity After:  | Clear | Artifacts: |
| Comments:     | SPLP Mercury |                 |       |            |

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits