

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL070725\
 Data File : PL096240.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Jul 2025 10:53
 Operator : AR\AJ
 Sample : PSTDICC100
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC100

Manual Integrations
 APPROVED

Reviewed By : Abdul Mirza 07/08/2025
 Supervised By : mohammad ahmed 07/09/2025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 07 13:52:34 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 07 13:50:13 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.829	368.7E6	577.1E6	101.101	100.218
28)	SA Decachlor...	9.019	7.995	273.5E6	478.8E6	100.092	99.128
Target Compounds							
2)	A alpha-BHC	3.985	3.335	557.1E6	884.8E6	103.261	101.511
3)	MA gamma-BHC...	4.314	3.667	527.7E6	814.0E6	102.664	101.113
4)	MA Heptachlor	4.906	4.017	464.4E6	766.2E6	101.575	99.973
5)	MB Aldrin	5.247	4.300	504.4E6	747.6E6	102.285	100.786
6)	B beta-BHC	4.500	3.964	208.3E6	336.1E6	100.978	99.598
7)	B delta-BHC	4.745	4.197	480.4E6	801.4E6	103.084	101.347
8)	B Heptachlo...	5.666	4.802	436.1E6	658.8E6	101.607	99.221
9)	A Endosulfan I	6.047	5.174	410.4E6	641.6E6	101.629	98.818
10)	B gamma-Chl...	5.919	5.055	457.0E6	709.7E6	101.780	100.837
11)	B alpha-Chl...	6.000	5.119	446.8E6	704.6E6	101.494	99.867
12)	B 4,4'-DDE	6.170	5.308	392.7E6	673.9E6	103.496	101.524
13)	MA Dieldrin	6.319	5.438	441.2E6	694.6E6	102.223	100.151
14)	MA Endrin	6.546	5.713	327.9E6	617.9E6	101.964	100.270
15)	B Endosulfa...	6.758	6.004	343.6E6	584.8E6	100.989	100.302
16)	A 4,4'-DDD	6.678	5.860	302.6E6	557.2E6	101.912	103.879
17)	MA 4,4'-DDT	6.992	6.113	314.0E6	592.5E6	102.050	101.137
18)	B Endrin al...	6.887	6.183	221.6E6	412.5E6	100.089	98.301
19)	B Endosulfa...	7.120	6.406	313.7E6	556.8E6	101.719	99.788
20)	A Methoxychlor	7.464	6.685	152.0E6	294.9E6	99.505	98.686
21)	B Endrin ke...	7.599	6.909	337.0E6	616.3E6	101.073	99.269m
22)	Mirex	8.079	7.101	272.3E6	474.8E6	99.763	99.059

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL070725\
Data File : PL096240.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Jul 2025 10:53
Operator : AR\AJ
Sample : PSTDICC100
Misc :
ALS Vial : 5 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PSTDICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 07/08/2025
Supervised By :mohammad ahmed 07/09/2025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 07 13:52:34 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
Quant Title : GC Extractables
QLast Update : Mon Jul 07 13:50:13 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene

R.T.: 3.537 min
Delta R.T.: 0.000 min
Response: 368713396
Conc: 101.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 07/08/2025
Supervised By :mohammad ahmed 07/09/2025




#1 Tetrachloro-m-xylene

R.T.: 2.829 min
Delta R.T.: 0.000 min
Response: 577119747
Conc: 100.22 ng/ml




#2 alpha-BHC


R.T.: 3.985 min
Delta R.T.: 0.000 min
Response: 557101929
Conc: 103.26 ng/ml



#2 alpha-BHC

R.T.: 3.335 min
Delta R.T.: 0.000 min
Response: 884814859
Conc: 101.51 ng/ml






#5 Aldrin

R.T.: 5.247 min
Delta R.T.: 0.000 min
Response: 504421526
Conc: 102.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 07/08/2025
Supervised By :mohammad ahmed 07/09/2025




#5 Aldrin

R.T.: 4.300 min
Delta R.T.: 0.000 min
Response: 747589776
Conc: 100.79 ng/ml




#6 beta-BHC

R.T.: 4.500 min
Delta R.T.: 0.000 min
Response: 208282525
Conc: 100.98 ng/ml



#6 beta-BHC

R.T.: 3.964 min
Delta R.T.: 0.000 min
Response: 336093656
Conc: 99.60 ng/ml




#7 delta-BHC

R.T.: 4.745 min
Delta R.T.: 0.000 min
Response: 480409974
Conc: 103.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 07/08/2025
Supervised By :mohammad ahmed 07/09/2025




#7 delta-BHC

R.T.: 4.197 min
Delta R.T.: 0.000 min
Response: 801442796
Conc: 101.35 ng/ml




#8 Heptachlor epoxide

R.T.: 5.666 min
Delta R.T.: 0.000 min
Response: 436123549
Conc: 101.61 ng/ml



#8 Heptachlor epoxide

R.T.: 4.802 min
Delta R.T.: 0.000 min
Response: 658834978
Conc: 99.22 ng/ml




#9 Endosulfan I

R.T.: 6.047 min
Delta R.T.: 0.000 min
Response: 410449369
Conc: 101.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 07/08/2025
Supervised By :mohammad ahmed 07/09/2025




#9 Endosulfan I

R.T.: 5.174 min
Delta R.T.: 0.000 min
Response: 641606385
Conc: 98.82 ng/ml




#10 gamma-Chlordane

R.T.: 5.919 min
Delta R.T.: 0.000 min
Response: 456960375
Conc: 101.78 ng/ml



#10 gamma-Chlordane

R.T.: 5.055 min
Delta R.T.: 0.000 min
Response: 709660522
Conc: 100.84 ng/ml




#11 alpha-Chlordane

R.T.: 6.000 min
Delta R.T.: 0.000 min
Response: 446783941
Conc: 101.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 07/08/2025
Supervised By :mohammad ahmed 07/09/2025




#11 alpha-Chlordane

R.T.: 5.119 min
Delta R.T.: 0.000 min
Response: 704603748
Conc: 99.87 ng/ml




#12 4,4'-DDE

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 392691754
Conc: 103.50 ng/ml



#12 4,4'-DDE

R.T.: 5.308 min
Delta R.T.: 0.000 min
Response: 673912776
Conc: 101.52 ng/ml




#13 Dieldrin

R.T.: 6.319 min
Delta R.T.: 0.000 min
Response: 441219717
Conc: 102.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 07/08/2025
Supervised By :mohammad ahmed 07/09/2025




#13 Dieldrin

R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 694581916
Conc: 100.15 ng/ml




#14 Endrin

R.T.: 6.546 min
Delta R.T.: 0.000 min
Response: 327856737
Conc: 101.96 ng/ml



#14 Endrin

R.T.: 5.713 min
Delta R.T.: 0.000 min
Response: 617911586
Conc: 100.27 ng/ml




#15 Endosulfan II

R.T.: 6.758 min
Delta R.T.: 0.000 min
Response: 343602098
Conc: 100.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 07/08/2025
Supervised By :mohammad ahmed 07/09/2025




#15 Endosulfan II

R.T.: 6.004 min
Delta R.T.: 0.000 min
Response: 584758568
Conc: 100.30 ng/ml




#16 4,4'-DDD

R.T.: 6.678 min
Delta R.T.: 0.000 min
Response: 302553480
Conc: 101.91 ng/ml



#16 4,4'-DDD

R.T.: 5.860 min
Delta R.T.: 0.000 min
Response: 557157332
Conc: 103.88 ng/ml




#17 4,4'-DDT

R.T.: 6.992 min
Delta R.T.: 0.000 min
Response: 313998795
Conc: 102.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 07/08/2025
Supervised By :mohammad ahmed 07/09/2025




#17 4,4'-DDT

R.T.: 6.113 min
Delta R.T.: 0.000 min
Response: 592514272
Conc: 101.14 ng/ml




#18 Endrin aldehyde

R.T.: 6.887 min
Delta R.T.: 0.000 min
Response: 221570723
Conc: 100.09 ng/ml



#18 Endrin aldehyde

R.T.: 6.183 min
Delta R.T.: 0.000 min
Response: 412506550
Conc: 98.30 ng/ml




#19 Endosulfan Sulfate

R.T.: 7.120 min
Delta R.T.: 0.000 min
Response: 313710860
Conc: 101.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 07/08/2025
Supervised By :mohammad ahmed 07/09/2025




#19 Endosulfan Sulfate

R.T.: 6.406 min
Delta R.T.: 0.000 min
Response: 556818702
Conc: 99.79 ng/ml




#20 Methoxychlor

R.T.: 7.464 min
Delta R.T.: 0.000 min
Response: 152013274
Conc: 99.50 ng/ml



#20 Methoxychlor

R.T.: 6.685 min
Delta R.T.: 0.000 min
Response: 294925098
Conc: 98.69 ng/ml




#21 Endrin ketone

R.T.: 7.599 min
Delta R.T.: 0.000 min
Response: 337044938
Conc: 101.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100


Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 07/08/2025
Supervised By :mohammad ahmed 07/09/2025




#21 Endrin ketone

R.T.: 6.909 min
Delta R.T.: 0.000 min
Response: 616281878
Conc: 99.27 ng/ml m




#22 Mirex

R.T.: 8.079 min
Delta R.T.: 0.000 min
Response: 272266974
Conc: 99.76 ng/ml



#22 Mirex

R.T.: 7.101 min
Delta R.T.: 0.000 min
Response: 474838332
Conc: 99.06 ng/ml




#28 Decachlorobiphenyl

R.T.: 9.019 min
Delta R.T.: 0.000 min
Response: 273475929
Conc: 100.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100

Manual Integrations
APPROVED

Reviewed By :Abdul Mirza 07/08/2025
Supervised By :mohammad ahmed 07/09/2025



#28 Decachlorobiphenyl

R.T.: 7.995 min
Delta R.T.: 0.000 min
Response: 478791037
Conc: 99.13 ng/ml