



A

B

C

SAMPLE DATA

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A5-01-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-02	Matrix:	SOIL
		% Solid:	84.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	1010		1	6.84	29.4	mg/Kg		07/15/25 11:45	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		07/14/25 09:50	9095B
pH	11.7	H	1	0	0	pH		07/11/25 14:55	9045D
TS	84.8		1	1.00	5.00	%		07/11/25 11:00	SM 2540 B-20
TVS	2.90	J	1	1.00	10.0	%		07/11/25 16:00	160.4

Comments: pH result reported at temperature 20.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A5-01-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-03	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.7	H	1	0	0	pH		07/11/25 14:55	9045D
Ignitability	NO		1	0	0	oC		07/14/25 08:30	1030
Reactive Cyanide	0.0083	U	1	0.0083	0.049	mg/Kg	07/11/25 08:45	07/11/25 13:06	9012B
Reactive Sulfide	6.30	J	1	0.20	10.0	mg/Kg	07/11/25 12:45	07/11/25 15:34	9034

Comments: pH result reported at temperature 20.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A5-01-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-04	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.23		1	0.030	0.10	mg/L	07/14/25 12:50	07/14/25 16:17	SM 4500-NH3 B plus NH3 G-11
ASTM COD	48.9		1	1.50	10.0	mg/L		07/15/25 12:27	SM 5220 D-11
ASTM Oil and Grease	0.30	J	1	0.29	5.00	mg/L		07/14/25 13:00	SW1664A
ASTM TS	658		1	1.00	5.00	mg/L		07/14/25 12:00	SM 2540 B-20

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-09-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-06	Matrix:	SOIL
		% Solid:	75.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	538		1	7.72	33.2	mg/Kg		07/15/25 11:45	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		07/14/25 10:05	9095B
pH	11.4	H	1	0	0	pH		07/11/25 15:00	9045D
TS	74.3		1	1.00	5.00	%		07/11/25 11:00	SM 2540 B-20
TVS	4.10	J	1	1.00	10.0	%		07/11/25 16:00	160.4

Comments: pH result reported at temperature 21.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-09-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-07	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.4	H	1	0	0	pH		07/11/25 15:00	9045D
Ignitability	NO		1	0	0	oC		07/14/25 08:45	1030
Reactive Cyanide	0.0084	U	1	0.0084	0.050	mg/Kg	07/11/25 08:45	07/11/25 13:06	9012B
Reactive Sulfide	6.39	J	1	0.20	10.0	mg/Kg	07/11/25 12:45	07/11/25 15:36	9034

Comments: pH result reported at temperature 21.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-09-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-08	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.38		1	0.030	0.10	mg/L	07/14/25 12:50	07/14/25 16:17	SM 4500-NH3 B plus NH3 G-11
ASTM COD	51.0		1	1.50	10.0	mg/L		07/15/25 12:29	SM 5220 D-11
ASTM Oil and Grease	0.30	J	1	0.29	5.00	mg/L		07/14/25 13:00	SW1664A
ASTM TS	534		1	1.00	5.00	mg/L		07/14/25 12:00	SM 2540 B-20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-10-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-10	Matrix:	SOIL
		% Solid:	71.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	160		1	8.06	34.7	mg/Kg		07/15/25 11:45	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		07/14/25 10:12	9095B
pH	11.5	H	1	0	0	pH		07/11/25 15:05	9045D
TS	71.6		1	1.00	5.00	%		07/11/25 11:00	SM 2540 B-20
TVS	6.00	J	1	1.00	10.0	%		07/11/25 16:00	160.4

Comments: pH result reported at temperature 21.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-10-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-11	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.5	H	1	0	0	pH		07/11/25 15:05	9045D
Ignitability	NO		1	0	0	oC		07/14/25 08:52	1030
Reactive Cyanide	0.0083	U	1	0.0083	0.050	mg/Kg	07/11/25 08:45	07/11/25 13:06	9012B
Reactive Sulfide	6.34	J	1	0.20	10.0	mg/Kg	07/11/25 12:45	07/11/25 15:39	9034

Comments: pH result reported at temperature 21.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-10-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-12	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.93		1	0.030	0.10	mg/L	07/14/25 12:50	07/14/25 16:17	SM 4500-NH3 B plus NH3 G-11
ASTM COD	45.9		1	1.50	10.0	mg/L		07/15/25 12:30	SM 5220 D-11
ASTM Oil and Grease	0.50	J	1	0.29	5.00	mg/L		07/14/25 13:00	SW1664A
ASTM TS	872		1	1.00	5.00	mg/L		07/14/25 12:00	SM 2540 B-20

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-11-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-14	Matrix:	SOIL
		% Solid:	82.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	283		1	7.00	30.1	mg/Kg		07/15/25 11:45	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		07/14/25 10:20	9095B
pH	11.7	H	1	0	0	pH		07/11/25 15:15	9045D
TS	83.8		1	1.00	5.00	%		07/11/25 11:00	SM 2540 B-20
TVS	2.00	J	1	1.00	10.0	%		07/11/25 16:00	160.4

Comments: pH result reported at temperature 21.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-11-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-15	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.7	H	1	0	0	pH		07/11/25 15:15	9045D
Ignitability	NO		1	0	0	oC		07/14/25 09:00	1030
Reactive Cyanide	0.0083	U	1	0.0083	0.050	mg/Kg	07/11/25 08:45	07/11/25 13:06	9012B
Reactive Sulfide	3.16	J	1	0.20	10.0	mg/Kg	07/11/25 12:45	07/11/25 15:42	9034

Comments: pH result reported at temperature 21.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-11-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-16	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.15		1	0.030	0.10	mg/L	07/14/25 12:50	07/14/25 16:17	SM 4500-NH3 B plus NH3 G-11
ASTM COD	14.4		1	1.50	10.0	mg/L		07/15/25 12:30	SM 5220 D-11
ASTM Oil and Grease	0.40	J	1	0.29	5.00	mg/L		07/14/25 13:00	SW1664A
ASTM TS	718		1	1.00	5.00	mg/L		07/14/25 12:00	SM 2540 B-20

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-12-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-18	Matrix:	SOIL
		% Solid:	65.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	30.5	J	1	8.87	38.2	mg/Kg		07/15/25 11:45	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		07/14/25 10:27	9095B
pH	11.8	H	1	0	0	pH		07/11/25 15:25	9045D
TS	66.0		1	1.00	5.00	%		07/11/25 11:00	SM 2540 B-20
TVS	4.00	J	1	1.00	10.0	%		07/11/25 16:00	160.4

Comments: pH result reported at temperature 21.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-12-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-19	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.8	H	1	0	0	pH		07/11/25 15:25	9045D
Ignitability	NO		1	0	0	oC		07/14/25 09:08	1030
Reactive Cyanide	0.0084	U	1	0.0084	0.050	mg/Kg	07/11/25 08:45	07/11/25 13:06	9012B
Reactive Sulfide	3.16	J	1	0.20	10.0	mg/Kg	07/11/25 12:45	07/11/25 15:45	9034

Comments: pH result reported at temperature 21.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-12-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-20	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.83		1	0.030	0.10	mg/L	07/14/25 12:50	07/14/25 16:28	SM 4500-NH3 B plus NH3 G-11
ASTM COD	19.5		1	1.50	10.0	mg/L		07/15/25 12:31	SM 5220 D-11
ASTM Oil and Grease	0.29	U	1	0.29	5.00	mg/L		07/14/25 13:00	SW1664A
ASTM TS	1030		1	1.00	5.00	mg/L		07/14/25 12:00	SM 2540 B-20

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2578	OrderDate:	7/10/2025 3:30:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Austin Farmerie	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2578-02	WC-A5-01-C	SOIL			07/10/25 12:00			07/10/25
			Oil and Grease	9071B			07/15/25 11:45	
			Paint Filter	9095B			07/14/25 09:50	
			pH	9045D			07/11/25 14:55	
			TS	SM2540 B			07/11/25 11:00	
			TVS	160.4			07/11/25 16:00	
Q2578-03	WC-A5-01-C	SOIL			07/10/25 12:00			07/10/25
			Corrosivity	9045D			07/11/25 14:55	
			Ignitability	1030			07/14/25 08:30	
			Reactive Cyanide	9012B		07/11/25	07/11/25 13:06	
			Reactive Sulfide	9034		07/11/25	07/11/25 15:34	
Q2578-04	WC-A5-01-C	WATER			07/10/25 12:00			07/10/25
			ASTM Ammonia	SM4500-NH3		07/14/25	07/14/25 16:17	
			ASTM COD	SM5220 D			07/15/25 12:27	
			ASTM Oil and Grease	1664A			07/14/25 13:00	

LAB CHRONICLE

Q2578-06	WC-A2-09-C	SOIL	ASTM TS	SM2540 B	07/10/25 12:00	07/14/25 12:00	07/10/25 12:00		
			Oil and Grease	9071B				07/15/25 11:45	
			Paint Filter	9095B				07/14/25 10:05	
			pH	9045D				07/11/25 15:00	
			TS	SM2540 B				07/11/25 11:00	
			TVS	160.4				07/11/25 16:00	
			Q2578-07	WC-A2-09-C				SOIL	Corrosivity
Ignitability	1030	07/14/25 08:45							
Reactive Cyanide	9012B	07/11/25			07/11/25 13:06				
Reactive Sulfide	9034	07/11/25			07/11/25 15:36				
Q2578-08	WC-A2-09-C	WATER			ASTM Ammonia	SM4500-NH3	07/10/25 12:00		07/14/25
			ASTM COD	SM5220 D	07/14/25 16:17				
			ASTM Oil and Grease	1664A	07/15/25 12:29				
			ASTM TS	SM2540 B	07/14/25 13:00				
			ASTM TS	SM2540 B	07/14/25 12:00				
Q2578-10	WC-A2-10-C	SOIL	Oil and Grease	9071B	07/10/25 12:00	07/15/25 11:45	07/10/25 12:00		

LAB CHRONICLE

Q2578-11	WC-A2-10-C	SOIL	Paint Filter	9095B		07/14/25 10:12
			pH	9045D		07/11/25 15:05
			TS	SM2540 B		07/11/25 11:00
			TVS	160.4		07/11/25 16:00
					07/10/25 12:00	07/10/25
Q2578-12	WC-A2-10-C	WATER	Corrosivity	9045D		07/11/25 15:05
			Ignitability	1030		07/14/25 08:52
			Reactive Cyanide	9012B	07/11/25	07/11/25 13:06
			Reactive Sulfide	9034	07/11/25	07/11/25 15:39
					07/10/25 12:00	07/10/25
Q2578-14	WC-A2-11-C	SOIL	ASTM Ammonia	SM4500-NH3	07/14/25	07/14/25 16:17
			ASTM COD	SM5220 D		07/15/25 12:30
			ASTM Oil and Grease	1664A		07/14/25 13:00
			ASTM TS	SM2540 B		07/14/25 12:00
					07/10/25 12:00	07/10/25
			Oil and Grease	9071B		07/15/25 11:45
			Paint Filter	9095B		07/14/25 10:20
			pH	9045D		07/11/25 15:15
			TS	SM2540 B		07/11/25 11:00

LAB CHRONICLE

Q2578-15	WC-A2-11-C	SOIL	TVS	160.4		07/11/25 16:00	07/10/25 12:00	07/10/25
			Corrosivity	9045D		07/11/25 15:15		
			Ignitability	1030		07/14/25 09:00		
			Reactive Cyanide	9012B	07/11/25	07/11/25 13:06		
			Reactive Sulfide	9034	07/11/25	07/11/25 15:42		
Q2578-16	WC-A2-11-C	WATER	ASTM Ammonia	SM4500-NH3	07/14/25	07/14/25 16:17	07/10/25 12:00	07/10/25
			ASTM COD	SM5220 D		07/15/25 12:30		
			ASTM Oil and Grease	1664A		07/14/25 13:00		
			ASTM TS	SM2540 B		07/14/25 12:00		
Q2578-18	WC-A2-12-C	SOIL	Oil and Grease	9071B		07/15/25 11:45	07/10/25 12:00	07/10/25
			Paint Filter	9095B		07/14/25 10:27		
			pH	9045D		07/11/25 15:25		
			TS	SM2540 B		07/11/25 11:00		
			TVS	160.4		07/11/25 16:00		
Q2578-19	WC-A2-12-C	SOIL					07/10/25 12:00	07/10/25
			Corrosivity	9045D		07/11/25 15:25		

LAB CHRONICLE

Q2578-20	WC-A2-12-C	WATER	Ignitability	1030			07/14/25 09:08	
			Reactive Cyanide	9012B		07/11/25	07/11/25 13:06	
			Reactive Sulfide	9034		07/11/25	07/11/25 15:45	
						07/10/25 12:00		07/10/25
			ASTM Ammonia	SM4500-NH3		07/14/25	07/14/25 16:28	
			ASTM COD	SM5220 D			07/15/25 12:31	
			ASTM Oil and Grease	1664A			07/14/25 13:00	
			ASTM TS	SM2540 B			07/14/25 12:00	