

Cover Page

Order ID : Q2578

Project ID : 540 Degraw St, Brooklyn, NY - E9309

Client : ENTACT

Lab Sample Number

Q2578-01
Q2578-02
Q2578-03
Q2578-04
Q2578-05
Q2578-06
Q2578-07
Q2578-08
Q2578-09
Q2578-10
Q2578-11
Q2578-12
Q2578-13
Q2578-14
Q2578-15
Q2578-16
Q2578-17
Q2578-18
Q2578-19
Q2578-20

Client Sample Number

WC-A5-01-G
WC-A5-01-C
WC-A5-01-C
WC-A5-01-C
WC-A2-09-G
WC-A2-09-C
WC-A2-09-C
WC-A2-09-C
WC-A2-10-G
WC-A2-10-C
WC-A2-10-C
WC-A2-10-C
WC-A2-11-G
WC-A2-11-C
WC-A2-11-C
WC-A2-11-C
WC-A2-12-G
WC-A2-12-C
WC-A2-12-C
WC-A2-12-C

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 7/21/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2578

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: PRADIP PRAJAPATI

Date: 07/21/2025

LAB CHRONICLE

OrderID:	Q2578	OrderDate:	7/10/2025 3:30:00 PM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Austin Farmerie	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2578-02	WC-A5-01-C	SOIL			07/10/25 12:00			07/10/25
			Oil and Grease	9071B			07/15/25 11:45	
			Paint Filter	9095B			07/14/25 09:50	
			pH	9045D			07/11/25 14:55	
			TS	SM2540 B			07/11/25 11:00	
			TVS	160.4			07/11/25 16:00	
Q2578-03	WC-A5-01-C	SOIL			07/10/25 12:00			07/10/25
			Corrosivity	9045D			07/11/25 14:55	
			Ignitability	1030			07/14/25 08:30	
			Reactive Cyanide	9012B		07/11/25	07/11/25 13:06	
			Reactive Sulfide	9034		07/11/25	07/11/25 15:34	
Q2578-04	WC-A5-01-C	WATER			07/10/25 12:00			07/10/25
			ASTM Ammonia	SM4500-NH3		07/14/25	07/14/25 16:17	
			ASTM COD	SM5220 D			07/15/25 12:27	
			ASTM Oil and Grease	1664A			07/14/25 13:00	

LAB CHRONICLE

			ASTM TS	SM2540 B		07/14/25 12:00	
Q2578-06	WC-A2-09-C	SOIL			07/10/25 12:00		07/10/25
			Oil and Grease	9071B		07/15/25 11:45	
			Paint Filter	9095B		07/14/25 10:05	
			pH	9045D		07/11/25 15:00	
			TS	SM2540 B		07/11/25 11:00	
			TVS	160.4		07/11/25 16:00	
Q2578-07	WC-A2-09-C	SOIL			07/10/25 12:00		07/10/25
			Corrosivity	9045D		07/11/25 15:00	
			Ignitability	1030		07/14/25 08:45	
			Reactive Cyanide	9012B	07/11/25	07/11/25 13:06	
			Reactive Sulfide	9034	07/11/25	07/11/25 15:36	
Q2578-08	WC-A2-09-C	WATER			07/10/25 12:00		07/10/25
			ASTM Ammonia	SM4500-NH3	07/14/25	07/14/25 16:17	
			ASTM COD	SM5220 D		07/15/25 12:29	
			ASTM Oil and Grease	1664A		07/14/25 13:00	
			ASTM TS	SM2540 B		07/14/25 12:00	
Q2578-10	WC-A2-10-C	SOIL			07/10/25 12:00		07/10/25
			Oil and Grease	9071B		07/15/25 11:45	

LAB CHRONICLE

Q2578-11	WC-A2-10-C	SOIL	Paint Filter	9095B		07/14/25 10:12	07/10/25 12:00	07/10/25
			pH	9045D		07/11/25 15:05		
			TS	SM2540 B		07/11/25 11:00		
			TVS	160.4		07/11/25 16:00		
Q2578-12	WC-A2-10-C	WATER	Corrosivity	9045D		07/11/25 15:05	07/10/25 12:00	07/10/25
			Ignitability	1030		07/14/25 08:52		
			Reactive Cyanide	9012B	07/11/25	07/11/25 13:06		
			Reactive Sulfide	9034	07/11/25	07/11/25 15:39		
Q2578-14	WC-A2-11-C	SOIL	ASTM Ammonia	SM4500-NH3	07/14/25	07/14/25 16:17	07/10/25 12:00	07/10/25
			ASTM COD	SM5220 D		07/15/25 12:30		
			ASTM Oil and Grease	1664A		07/14/25 13:00		
			ASTM TS	SM2540 B		07/14/25 12:00		
Q2578-14	WC-A2-11-C	SOIL	Oil and Grease	9071B		07/15/25 11:45	07/10/25 12:00	07/10/25
			Paint Filter	9095B		07/14/25 10:20		
			pH	9045D		07/11/25 15:15		
			TS	SM2540 B		07/11/25 11:00		

LAB CHRONICLE

Q2578-15	WC-A2-11-C	SOIL	TVS	160.4		07/11/25 16:00	07/10/25 12:00	07/10/25
			Corrosivity	9045D		07/11/25 15:15		
			Ignitability	1030		07/14/25 09:00		
			Reactive Cyanide	9012B	07/11/25	07/11/25 13:06		
			Reactive Sulfide	9034	07/11/25	07/11/25 15:42		
Q2578-16	WC-A2-11-C	WATER	ASTM Ammonia	SM4500-NH3	07/14/25	07/14/25 16:17	07/10/25 12:00	07/10/25
			ASTM COD	SM5220 D		07/15/25 12:30		
			ASTM Oil and Grease	1664A		07/14/25 13:00		
			ASTM TS	SM2540 B		07/14/25 12:00		
Q2578-18	WC-A2-12-C	SOIL	Oil and Grease	9071B		07/15/25 11:45	07/10/25 12:00	07/10/25
			Paint Filter	9095B		07/14/25 10:27		
			pH	9045D		07/11/25 15:25		
			TS	SM2540 B		07/11/25 11:00		
			TVS	160.4		07/11/25 16:00		
Q2578-19	WC-A2-12-C	SOIL	Corrosivity	9045D		07/11/25 15:25	07/10/25 12:00	07/10/25

LAB CHRONICLE

Q2578-20	WC-A2-12-C	WATER	Ignitability	1030		07/14/25 09:08	
			Reactive Cyanide	9012B	07/11/25	07/11/25 13:06	
			Reactive Sulfide	9034	07/11/25	07/11/25 15:45	
					07/10/25 12:00		07/10/25
			ASTM Ammonia	SM4500-NH3	07/14/25	07/14/25 16:28	
			ASTM COD	SM5220 D		07/15/25 12:31	
			ASTM Oil and Grease	1664A		07/14/25 13:00	
			ASTM TS	SM2540 B		07/14/25 12:00	



SAMPLE DATA

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A5-01-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-02	Matrix:	SOIL
		% Solid:	84.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	1010		1	6.84	29.4	mg/Kg		07/15/25 11:45	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		07/14/25 09:50	9095B
pH	11.7	H	1	0	0	pH		07/11/25 14:55	9045D
TS	84.8		1	1.00	5.00	%		07/11/25 11:00	SM 2540 B-20
TVS	2.90	J	1	1.00	10.0	%		07/11/25 16:00	160.4

Comments: pH result reported at temperature 20.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A5-01-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-03	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.7	H	1	0	0	pH		07/11/25 14:55	9045D
Ignitability	NO		1	0	0	oC		07/14/25 08:30	1030
Reactive Cyanide	0.0083	U	1	0.0083	0.049	mg/Kg	07/11/25 08:45	07/11/25 13:06	9012B
Reactive Sulfide	6.30	J	1	0.20	10.0	mg/Kg	07/11/25 12:45	07/11/25 15:34	9034

Comments: pH result reported at temperature 20.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A5-01-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-04	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.23		1	0.030	0.10	mg/L	07/14/25 12:50	07/14/25 16:17	SM 4500-NH3 B plus NH3 G-11
ASTM COD	48.9		1	1.50	10.0	mg/L		07/15/25 12:27	SM 5220 D-11
ASTM Oil and Grease	0.30	J	1	0.29	5.00	mg/L		07/14/25 13:00	SW1664A
ASTM TS	658		1	1.00	5.00	mg/L		07/14/25 12:00	SM 2540 B-20

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-09-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-06	Matrix:	SOIL
		% Solid:	75.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	538		1	7.72	33.2	mg/Kg		07/15/25 11:45	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		07/14/25 10:05	9095B
pH	11.4	H	1	0	0	pH		07/11/25 15:00	9045D
TS	74.3		1	1.00	5.00	%		07/11/25 11:00	SM 2540 B-20
TVS	4.10	J	1	1.00	10.0	%		07/11/25 16:00	160.4

Comments: pH result reported at temperature 21.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-09-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-07	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.4	H	1	0	0	pH		07/11/25 15:00	9045D
Ignitability	NO		1	0	0	oC		07/14/25 08:45	1030
Reactive Cyanide	0.0084	U	1	0.0084	0.050	mg/Kg	07/11/25 08:45	07/11/25 13:06	9012B
Reactive Sulfide	6.39	J	1	0.20	10.0	mg/Kg	07/11/25 12:45	07/11/25 15:36	9034

Comments: pH result reported at temperature 21.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-09-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-08	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.38		1	0.030	0.10	mg/L	07/14/25 12:50	07/14/25 16:17	SM 4500-NH3 B plus NH3 G-11
ASTM COD	51.0		1	1.50	10.0	mg/L		07/15/25 12:29	SM 5220 D-11
ASTM Oil and Grease	0.30	J	1	0.29	5.00	mg/L		07/14/25 13:00	SW1664A
ASTM TS	534		1	1.00	5.00	mg/L		07/14/25 12:00	SM 2540 B-20

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-10-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-10	Matrix:	SOIL
		% Solid:	71.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	160		1	8.06	34.7	mg/Kg		07/15/25 11:45	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		07/14/25 10:12	9095B
pH	11.5	H	1	0	0	pH		07/11/25 15:05	9045D
TS	71.6		1	1.00	5.00	%		07/11/25 11:00	SM 2540 B-20
TVS	6.00	J	1	1.00	10.0	%		07/11/25 16:00	160.4

Comments: pH result reported at temperature 21.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-10-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-11	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.5	H	1	0	0	pH		07/11/25 15:05	9045D
Ignitability	NO		1	0	0	oC		07/14/25 08:52	1030
Reactive Cyanide	0.0083	U	1	0.0083	0.050	mg/Kg	07/11/25 08:45	07/11/25 13:06	9012B
Reactive Sulfide	6.34	J	1	0.20	10.0	mg/Kg	07/11/25 12:45	07/11/25 15:39	9034

Comments: pH result reported at temperature 21.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-10-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-12	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.93		1	0.030	0.10	mg/L	07/14/25 12:50	07/14/25 16:17	SM 4500-NH3 B plus NH3 G-11
ASTM COD	45.9		1	1.50	10.0	mg/L		07/15/25 12:30	SM 5220 D-11
ASTM Oil and Grease	0.50	J	1	0.29	5.00	mg/L		07/14/25 13:00	SW1664A
ASTM TS	872		1	1.00	5.00	mg/L		07/14/25 12:00	SM 2540 B-20

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-11-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-14	Matrix:	SOIL
		% Solid:	82.9

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	283		1	7.00	30.1	mg/Kg		07/15/25 11:45	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		07/14/25 10:20	9095B
pH	11.7	H	1	0	0	pH		07/11/25 15:15	9045D
TS	83.8		1	1.00	5.00	%		07/11/25 11:00	SM 2540 B-20
TVS	2.00	J	1	1.00	10.0	%		07/11/25 16:00	160.4

Comments: pH result reported at temperature 21.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-11-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-15	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.7	H	1	0	0	pH		07/11/25 15:15	9045D
Ignitability	NO		1	0	0	oC		07/14/25 09:00	1030
Reactive Cyanide	0.0083	U	1	0.0083	0.050	mg/Kg	07/11/25 08:45	07/11/25 13:06	9012B
Reactive Sulfide	3.16	J	1	0.20	10.0	mg/Kg	07/11/25 12:45	07/11/25 15:42	9034

Comments: pH result reported at temperature 21.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-11-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-16	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.15		1	0.030	0.10	mg/L	07/14/25 12:50	07/14/25 16:17	SM 4500-NH3 B plus NH3 G-11
ASTM COD	14.4		1	1.50	10.0	mg/L		07/15/25 12:30	SM 5220 D-11
ASTM Oil and Grease	0.40	J	1	0.29	5.00	mg/L		07/14/25 13:00	SW1664A
ASTM TS	718		1	1.00	5.00	mg/L		07/14/25 12:00	SM 2540 B-20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-12-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-18	Matrix:	SOIL
		% Solid:	65.4

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Oil and Grease	30.5	J	1	8.87	38.2	mg/Kg		07/15/25 11:45	SW9071B
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		07/14/25 10:27	9095B
pH	11.8	H	1	0	0	pH		07/11/25 15:25	9045D
TS	66.0		1	1.00	5.00	%		07/11/25 11:00	SM 2540 B-20
TVS	4.00	J	1	1.00	10.0	%		07/11/25 16:00	160.4

Comments: pH result reported at temperature 21.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-12-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-19	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	11.8	H	1	0	0	pH		07/11/25 15:25	9045D
Ignitability	NO		1	0	0	oC		07/14/25 09:08	1030
Reactive Cyanide	0.0084	U	1	0.0084	0.050	mg/Kg	07/11/25 08:45	07/11/25 13:06	9012B
Reactive Sulfide	3.16	J	1	0.20	10.0	mg/Kg	07/11/25 12:45	07/11/25 15:45	9034

Comments: pH result reported at temperature 21.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ENTACT	Date Collected:	07/10/25 12:00
Project:	540 Degraw St, Brooklyn, NY - E9309	Date Received:	07/10/25
Client Sample ID:	WC-A2-12-C	SDG No.:	Q2578
Lab Sample ID:	Q2578-20	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
ASTM Ammonia	0.83		1	0.030	0.10	mg/L	07/14/25 12:50	07/14/25 16:28	SM 4500-NH3 B plus NH3 G-11
ASTM COD	19.5		1	1.50	10.0	mg/L		07/15/25 12:31	SM 5220 D-11
ASTM Oil and Grease	0.29	U	1	0.29	5.00	mg/L		07/14/25 13:00	SW1664A
ASTM TS	1030		1	1.00	5.00	mg/L		07/14/25 12:00	SM 2540 B-20

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits



QC RESULT SUMMARY

Initial and Continuing Calibration Verification

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

RunNo.: LB136439

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV1 Reactive Cyanide	mg/L	0.098	0.099	99	85-115	07/11/2025
Sample ID: CCV1 Reactive Cyanide	mg/L	0.25	0.25	100	90-110	07/11/2025
Sample ID: CCV2 Reactive Cyanide	mg/L	0.25	0.25	100	90-110	07/11/2025
Sample ID: CCV3 Reactive Cyanide	mg/L	0.25	0.25	100	90-110	07/11/2025
Sample ID: CCV4 Reactive Cyanide	mg/L	0.25	0.25	100	90-110	07/11/2025

Initial and Continuing Calibration Verification

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

RunNo.: LB136451

Analyte		Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID:	ICV						
pH		pH	7.01	7	100	90-110	07/11/2025
Sample ID:	CCV1						
pH		pH	2.01	2.00	101	90-110	07/11/2025
Sample ID:	CCV2						
pH		pH	12.02	12.00	100	90-110	07/11/2025

Initial and Continuing Calibration Verification

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

RunNo.: LB136452

Analyte		Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID:	ICV						
Corrosivity		pH	7.01	7	100	90-110	07/11/2025
Sample ID:	CCV1						
Corrosivity		pH	2.01	2.00	101	90-110	07/11/2025
Sample ID:	CCV2						
Corrosivity		pH	12.02	12.00	100	90-110	07/11/2025

Initial and Continuing Calibration Verification

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

RunNo.: LB136468

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV1 ASTM Ammonia	mg/L	0.99	1	99	90-110	07/14/2025
Sample ID: CCV1 ASTM Ammonia	mg/L	0.98	1	98	90-110	07/14/2025
Sample ID: CCV2 ASTM Ammonia	mg/L	1	1	100	90-110	07/14/2025
Sample ID: CCV3 ASTM Ammonia	mg/L	0.99	1	99	90-110	07/14/2025

Initial and Continuing Calibration Verification

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

RunNo.: LB136478

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV ASTM COD	mg/L	50.962	50	102	95-105	05/28/2025
Sample ID: CCV1 ASTM COD	mg/L	48.931	50	98	95-105	07/15/2025
Sample ID: CCV2 ASTM COD	mg/L	50.962	50	102	95-105	07/15/2025
Sample ID: CCV3 ASTM COD	mg/L	49.946	50	100	95-105	07/15/2025

Initial and Continuing Calibration Blank Summary

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

RunNo.: LB136439

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB1 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	07/11/2025
Sample ID: CCB1 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	07/11/2025
Sample ID: CCB2 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	07/11/2025
Sample ID: CCB3 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	07/11/2025
Sample ID: CCB4 Reactive Cyanide	mg/L	< 0.0025	0.0025	U	0.00096	0.005	07/11/2025

Initial and Continuing Calibration Blank Summary

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

RunNo.: LB136468

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB1 ASTM Ammonia	mg/L	< 0.0500	0.0500	U	0.030	0.1	07/14/2025
Sample ID: CCB1 ASTM Ammonia	mg/L	< 0.0500	0.0500	U	0.030	0.1	07/14/2025
Sample ID: CCB2 ASTM Ammonia	mg/L	< 0.0500	0.0500	U	0.030	0.1	07/14/2025
Sample ID: CCB3 ASTM Ammonia	mg/L	< 0.0500	0.0500	U	0.030	0.1	07/14/2025

Initial and Continuing Calibration Blank Summary

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

RunNo.: LB136478

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB ASTM COD	mg/L	< 5.0000	5.0000	U	1.50	10	05/28/2025
Sample ID: CCB1 ASTM COD	mg/L	< 5.0000	5.0000	U	1.50	10	07/15/2025
Sample ID: CCB2 ASTM COD	mg/L	< 5.0000	5.0000	U	1.50	10	07/15/2025
Sample ID: CCB3 ASTM COD	mg/L	< 5.0000	5.0000	U	1.50	10	07/15/2025

Preparation Blank Summary

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: LB136448BL TS	%	< 2.5000	2.5000	U	1	5	07/11/2025
Sample ID: LB136449BL TVS	%	< 5.0000	5.0000	U	1	10	07/11/2025
Sample ID: LB136455BL ASTM TS	mg/L	< 2.5000	2.5000	U	1	5	07/14/2025
Sample ID: LB136456BL ASTM Oil and Grease	mg/L	< 2.5000	2.5000	U	0.29	5.0	07/14/2025
Sample ID: LB136474BL Oil and Grease	mg/Kg	< 12.5000	12.5000	U	5.8	25	07/15/2025
Sample ID: LB136478BL ASTM COD	mg/L	< 5.0000	5.0000	U	1.5	10.0	07/15/2025
Sample ID: PB168800BL Reactive Sulfide	mg/Kg	< 5.0000	5.0000	U	0.201	10	07/11/2025
Sample ID: PB168801BL Reactive Cyanide	mg/Kg	< 0.0250	0.0250	U	0.0084	0.05	07/11/2025
Sample ID: PB168836BL ASTM Ammonia	mg/L	< 0.0500	0.0500	U	0.03	0.1	07/14/2025
Sample ID: PB168836TB ASTM Ammonia	mg/L	< 0.0500	0.0500	U	0.03	0.1	07/14/2025

Matrix Spike Summary

Client:	ENTACT	SDG No.:	Q2578
Project:	540 Degraw St, Brooklyn, NY - E9309	Sample ID:	Q2578-04
Client ID:	WC-A5-01-CMS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
ASTM COD	mg/L	75-125	98.7		48.9		50.0	1	100		07/15/2025
ASTM Ammonia	mg/L	75-125	1.10		0.23		1	1	87		07/14/2025
ASTM Oil and Grease	mg/L	78-114	20.4		0.30	J	20.0	1	101		07/14/2025

Matrix Spike Summary

Client:	ENTACT	SDG No.:	Q2578
Project:	540 Degraw St, Brooklyn, NY - E9309	Sample ID:	Q2578-04
Client ID:	WC-A5-01-CMSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
ASTM COD	mg/L	75-125	97.7		48.9		50.0	1	98		07/15/2025
ASTM Ammonia	mg/L	75-125	1.30		0.23		1	1	107		07/14/2025
ASTM Oil and Grease	mg/L	78-114	20.5		0.30	J	20.0	1	101		07/14/2025

Matrix Spike Summary

Client:	ENTACT	SDG No.:	Q2578
Project:	540 Degraw St, Brooklyn, NY - E9309	Sample ID:	Q2579-06
Client ID:	WC-A2-14-CMS	Percent Solids for Spike Sample:	82.5

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/Kg	75-125	200		127		121	1	60	*	07/15/2025

Matrix Spike Summary

Client:	ENTACT	SDG No.:	Q2578
Project:	540 Degraw St, Brooklyn, NY - E9309	Sample ID:	Q2579-06
Client ID:	WC-A2-14-CMSD	Percent Solids for Spike Sample:	82.5

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/Kg	75-125	181		127		121	1	45	*	07/15/2025

Duplicate Sample Summary

Client:	ENTACT	SDG No.:	Q2578
Project:	540 Degraw St, Brooklyn, NY - E9309	Sample ID:	Q2519-04
Client ID:	TP-15DUP	Percent Solids for Spike Sample:	100

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Reactive Cyanide	mg/Kg	+/-20	0.0083	U	0.0083	U	1	0		07/11/2025
Reactive Sulfide	mg/Kg	+/-20	3.16	J	3.16	J	1	0		07/11/2025

Duplicate Sample Summary

Client: ENTACT	SDG No.: Q2578
Project: 540 Degraw St, Brooklyn, NY - E9309	Sample ID: Q2578-02
Client ID: WC-A5-01-CDUP	Percent Solids for Spike Sample: 84.9

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
TS	%	+/-5	84.8		84.8		1	0		07/11/2025
TVS	%	+/-5	2.90	J	2.80	J	1	3.51		07/11/2025
pH	pH	+/-20	11.7		11.7		1	0.17		07/11/2025
Paint Filter	ml/100gm	+/-20	1.00	U	1.00	U	1	0		07/14/2025

Duplicate Sample Summary

Client: ENTACT Project: 540 Degraw St, Brooklyn, NY - E9309 Client ID: WC-A5-01-CDUP	SDG No.: Q2578 Sample ID: Q2578-03 Percent Solids for Spike Sample: 100
---	--

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Corrosivity	pH	+/-20	11.7		11.7		1	0.17		07/11/2025
Ignitability	oC	+/-20	NO		NO		1	0		07/14/2025

Duplicate Sample Summary

Client: ENTACT Project: 540 Degraw St, Brooklyn, NY - E9309 Client ID: WC-A5-01-CDUP	SDG No.: Q2578 Sample ID: Q2578-04 Percent Solids for Spike Sample: 0
---	--

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
ASTM TS	mg/L	+/-5	658		647		1	1.69		07/14/2025
ASTM Oil and Grease	mg/L	+/-18	0.30	J	0.30	J	1	0		07/14/2025
ASTM Ammonia	mg/L	+/-20	0.23		0.23		1	0		07/14/2025
ASTM COD	mg/L	+/-20	48.9		49.9		1	2.02		07/15/2025

Duplicate Sample Summary

Client: ENTACT Project: 540 Degraw St, Brooklyn, NY - E9309 Client ID: WC-A5-01-CMSD	SDG No.: Q2578 Sample ID: Q2578-04 Percent Solids for Spike Sample: 0
---	--

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
ASTM Oil and Grease	mg/L	+/-18	20.4		20.5		1	0.49		07/14/2025
ASTM Ammonia	mg/L	+/-20	1.10		1.30		1	17		07/14/2025
ASTM COD	mg/L	+/-20	98.7		97.7		1	1.02		07/15/2025

Duplicate Sample Summary

Client:	ENTACT	SDG No.:	Q2578
Project:	540 Degraw St, Brooklyn, NY - E9309	Sample ID:	Q2579-06
Client ID:	WC-A2-14-CDUP	Percent Solids for Spike Sample:	82.5

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Oil and Grease	mg/Kg	+/-20	127		127		1	0.06		07/15/2025

Duplicate Sample Summary

Client:	ENTACT	SDG No.:	Q2578
Project:	540 Degraw St, Brooklyn, NY - E9309	Sample ID:	Q2579-06
Client ID:	WC-A2-14-CMSD	Percent Solids for Spike Sample:	82.5

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Oil and Grease	mg/Kg	+/-20	200		181		1	10		07/15/2025

Laboratory Control Sample Summary

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

Run No.: LB136456

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136456BS							
ASTM Oil and Grease	mg/L	20.0	16.7		84	1	78-114	07/14/2025

Laboratory Control Sample Summary

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

Run No.: LB136474

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136474BS							
Oil and Grease	mg/Kg	100	94.9		95	1	80-120	07/15/2025

Laboratory Control Sample Summary

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

Run No.: LB136478

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136478BS							
ASTM COD	mg/L	50	51.0		102	1	90-110	07/15/2025

Laboratory Control Sample Summary

Client: ENTACT

SDG No.: Q2578

Project: 540 Degraw St, Brooklyn, NY - E9309

Run No.: LB136468

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB168836BS							
ASTM Ammonia	mg/L	1	1.00		100	1	90-110	07/14/2025



RAW DATA

LB136439

Test results

AquaKem 7.2AQ1

Page:

Alliance Technical Group
284 Sheffield Street, Mountainside, NJ 07092Reviewed by : RM

Instrument ID : Konelab

7/11/2025 13:32

Test: Total CN

Sample Id	Result	Dil. 1 +	Response	Errors
ICV1	97.530	0.0	0.079	
ICB1	-0.062	0.0	0.001	
CCV1	246.971	0.0	0.197	
CCB1	-0.290	0.0	0.001	
PB168801BL	-0.556	0.0	0.001	
Q2519-01	-0.523	0.0	0.001	
Q2519-04DUP	-0.594	0.0	0.001	
Q2523-01	-0.520	0.0	0.001	
Q2526-05	-0.309	0.0	0.001	
Q2526-06	-0.397	0.0	0.001	
Q2556-01	-0.457	0.0	0.001	
Q2565-02	-0.490	0.0	0.001	
Q2565-03	-0.617	0.0	0.001	
Q2565-04	-0.482	0.0	0.001	
CCV2	246.625	0.0	0.197	
CCB2	-0.202	0.0	0.001	
Q2565-05	-0.247	0.0	0.001	
Q2571-04	-0.371	0.0	0.001	
Q2571-08	-0.532	0.0	0.001	
Q2578-03	-0.375	0.0	0.001	
Q2578-07	-0.543	0.0	0.001	
Q2578-11	-0.309	0.0	0.001	
Q2578-15	-0.464	0.0	0.001	
Q2578-19	-0.422	0.0	0.001	
Q2579-03	-0.427	0.0	0.001	
Q2579-07	-0.243	0.0	0.001	
CCV3	248.058	0.0	0.198	
CCB3	0.005	0.0	0.001	
PB168777BL	0.001	0.0	0.001	
Q2545-01	-0.418	0.0	0.001	
Q2545-01DUP	0.190	0.0	0.002	
Q2550-01	0.093	0.0	0.002	
Q2551-01	0.122	0.0	0.002	
Q2565-01	0.207	0.0	0.002	
CCV4	251.464	0.0	0.201	
CCB4	0.174	0.0	0.002	

N 36
Mean 30.044
SD 79.9298
CV% 266.04

Aquakem v. 7.2AQ1

Results from time period:

Fri Jul 11 12:51:15 2025

Fri Jul 11 13:21:13 2025

Sample Id	Sam/Ctr/c/	Test short name	Test type	Result	Result unit	Result date and time	Stat
0.0PPBCN	A	Total CN	P	-0.9536	µg/l	7/11/2025 8:54:36	
5.0PPBCN	A	Total CN	P	4.1163	µg/l	7/11/2025 8:54:37	
10PPBCN	A	Total CN	P	9.0972	µg/l	7/11/2025 8:54:38	
50PPBCN	A	Total CN	P	49.9481	µg/l	7/11/2025 8:54:39	
100PPBCN	A	Total CN	P	100.6483	µg/l	7/11/2025 8:54:40	
250PPBCN	A	Total CN	P	254.4826	µg/l	7/11/2025 8:54:41	
500PPBCN	A	Total CN	P	497.6612	µg/l	7/11/2025 8:54:42	
ICV1	S	Total CN	P	97.5303	µg/l	7/11/2025 12:51:16	
ICB1	S	Total CN	P	-0.0623	µg/l	7/11/2025 12:51:17	
CCV1	S	Total CN	P	246.971	µg/l	7/11/2025 12:51:20	
CCB1	S	Total CN	P	-0.2903	µg/l	7/11/2025 12:51:21	
PB168801BL	S	Total CN	P	-0.5562	µg/l	7/11/2025 12:51:24	
Q2519-01	S	Total CN	P	-0.5232	µg/l	7/11/2025 12:51:25	
Q2519-04DUP	S	Total CN	P	-0.594	µg/l	7/11/2025 12:58:50	
Q2523-01	S	Total CN	P	-0.5198	µg/l	7/11/2025 12:58:51	
Q2526-05	S	Total CN	P	-0.3094	µg/l	7/11/2025 12:58:52	
Q2526-06	S	Total CN	P	-0.3968	µg/l	7/11/2025 12:58:53	
Q2556-01	S	Total CN	P	-0.4571	µg/l	7/11/2025 12:58:54	
Q2565-02	S	Total CN	P	-0.4898	µg/l	7/11/2025 12:58:55	
Q2565-03	S	Total CN	P	-0.6171	µg/l	7/11/2025 12:58:56	
Q2565-04	S	Total CN	P	-0.4819	µg/l	7/11/2025 12:58:57	
CCV2	S	Total CN	P	246.6253	µg/l	7/11/2025 12:59:00	
CCB2	S	Total CN	P	-0.2024	µg/l	7/11/2025 13:06:27	
Q2565-05	S	Total CN	P	-0.2467	µg/l	7/11/2025 13:06:28	
Q2571-04	S	Total CN	P	-0.3713	µg/l	7/11/2025 13:06:29	
Q2571-08	S	Total CN	P	-0.5316	µg/l	7/11/2025 13:06:30	
Q2578-03	S	Total CN	P	-0.375	µg/l	7/11/2025 13:06:31	
Q2578-07	S	Total CN	P	-0.5433	µg/l	7/11/2025 13:06:32	
Q2578-11	S	Total CN	P	-0.3092	µg/l	7/11/2025 13:06:33	
Q2578-15	S	Total CN	P	-0.4644	µg/l	7/11/2025 13:06:34	
Q2578-19	S	Total CN	P	-0.4218	µg/l	7/11/2025 13:06:35	
Q2579-03	S	Total CN	P	-0.4266	µg/l	7/11/2025 13:13:57	
Q2579-07	S	Total CN	P	-0.2425	µg/l	7/11/2025 13:13:58	
CCV3	S	Total CN	P	248.0581	µg/l	7/11/2025 13:14:01	
CCB3	S	Total CN	P	0.0046	µg/l	7/11/2025 13:14:03	
PB168777BL	S	Total CN	P	0.0012	µg/l	7/11/2025 13:14:06	
Q2545-01	S	Total CN	P	-0.4177	µg/l	7/11/2025 13:14:07	
Q2545-01DUP	S	Total CN	P	0.1904	µg/l	7/11/2025 13:21:04	
Q2550-01	S	Total CN	P	0.0932	µg/l	7/11/2025 13:21:05	
Q2551-01	S	Total CN	P	0.1218	µg/l	7/11/2025 13:21:06	
Q2565-01	S	Total CN	P	0.2075	µg/l	7/11/2025 13:21:07	
CCV4	S	Total CN	P	251.4644	µg/l	7/11/2025 13:21:10	
CCB4	S	Total CN	P	0.1738	µg/l	7/11/2025 13:21:13	

Calibration results

Aquakem 7.2AQ1

Page: 1

Alliance Technical Group
284 Sheffield Street, Mountainside, NJ 07092

Reviewed by : RM

Instrument ID : Konelab

7/11/2025 8:55


Test Total CN

Accepted 7/11/2025 8:55

Factor 1261
Bias 0.001

Coeff. of det. 0.999861

Errors



	Calibrator	Response	Calc. con.	Conc.	Errors
1	0.0PPBCN	0.001	-0.9536	0.0000	-
2	5.0PPBCN	0.005	4.1163	5.0000	-17.7
3	10PPBCN	0.009	9.0972	10.0000	-9.0
4	50PPBCN	0.041	49.9481	50.0000	-0.1
5	100PPBCN	0.081	100.6483	100.0000	0.6
6	250PPBCN	0.203	254.4826	250.0000	1.8
7	500PPBCN	0.396	497.6612	500.0000	-0.5

07/11/2025
RM

Analysis Method: 9034

ANALYST: rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB136443

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W3105
IODINE SOLUTION .025N 1L	W3213
Starch Solution, 4L	W3149

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB168800BL		1	5.00	50	2.00	0.00	1.94	1.94	0.06	0.00	0.00	07/11/2025	15:00
2	Q2519-04		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.04	3.16	07/11/2025	15:03
3	Q2519-04DUP		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.04	3.16	07/11/2025	15:06
4	Q2523-01		1	5.03	50	2.00	0.00	1.86	1.86	0.14	0.08	6.36	07/11/2025	15:09
5	Q2526-05		1	5.03	50	2.00	0.00	1.90	1.90	0.10	0.04	3.18	07/11/2025	15:12
6	Q2526-06		1	5.07	50	2.00	0.00	1.86	1.86	0.14	0.08	6.31	07/11/2025	15:14
7	Q2556-01		1	5.01	50	2.00	0.00	1.88	1.88	0.12	0.06	4.79	07/11/2025	15:17
8	Q2565-02		1	5.07	50	2.00	0.00	1.90	1.90	0.10	0.04	3.16	07/11/2025	15:20
9	Q2565-03		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.04	3.16	07/11/2025	15:22
10	Q2565-04		1	5.02	50	2.00	0.00	1.86	1.86	0.14	0.08	6.37	07/11/2025	15:24
11	Q2565-05		1	5.06	50	2.00	0.00	1.88	1.88	0.12	0.06	4.74	07/11/2025	15:27
12	Q2571-04		1	5.02	50	2.00	0.00	1.90	1.90	0.10	0.04	3.19	07/11/2025	15:30

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume

Analysis Method: 9034

Parameter: Reactive Sulfide

Run Number: LB136443

ANALYST: rubina

SUPERVISOR REVIEW BY: Iwona

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W3105
IODINE SOLUTION .025N 1L	W3213
Starch Solution, 4L	W3149

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
13	Q2571-08		1	5.01	50	2.00	0.00	1.88	1.88	0.12	0.06	4.79	07/11/2025	15:32
14	Q2578-03		1	5.08	50	2.00	0.00	1.86	1.86	0.14	0.08	6.30	07/11/2025	15:34
15	Q2578-07		1	5.01	50	2.00	0.00	1.86	1.86	0.14	0.08	6.39	07/11/2025	15:36
16	Q2578-11		1	5.05	50	2.00	0.00	1.86	1.86	0.14	0.08	6.34	07/11/2025	15:39
17	Q2578-15		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.04	3.16	07/11/2025	15:42
18	Q2578-19		1	5.06	50	2.00	0.00	1.90	1.90	0.10	0.04	3.16	07/11/2025	15:45
19	Q2579-03		1	5.03	50	2.00	0.00	1.86	1.86	0.14	0.08	6.36	07/11/2025	15:47
20	Q2579-07		1	5.05	50	2.00	0.00	1.88	1.88	0.12	0.06	4.75	07/11/2025	15:49

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume

TOTAL SOLIDS - SM2540B

SUPERVISOR: Iwona

ANALYST: jignesh

Date: 07/11/2025

Run Number: LB136448

BalanceID: WC SC-6

OvenID: WC OVEN-1

ThermometerID: WET OVEN#1

TEMP1 IN: 104 °C 07/11/2025 11:00 **TEMP1 OUT:** 104 °C 07/11/2025 12:00
TEMP2 IN: 104 °C 07/11/2025 12:30 **TEMP2 OUT:** 103 °C 07/11/2025 13:00
TEMP3 IN: 104 °C 07/11/2025 16:00 **TEMP3 OUT:** 103 °C 07/14/2025 07:00
TEMP4 IN: 104 °C 07/14/2025 07:30 **TEMP4 OUT:** 103 °C 07/14/2025 08:00

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Dish + Sample Weight (g)	Original weight 1st Dish+Sample weight after Drying @103-@105°C (g)	Constant weight 2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Constant weight Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result %
1	LB136448BL	LB136448BL	65.2317	65.2317	65.2317	65.2317	65.2317	65.2317	0.0000	0
2	Q2578-02	WC-A5-01-C	78.4185	78.4185	99.9115	96.6456	96.6456	96.6456	18.2271	84.8
3	Q2578-02DUP	WC-A5-01-CDUP	82.3636	82.3636	102.0585	99.0655	99.0655	99.0655	16.7019	84.8
4	Q2578-06	WC-A2-09-C	78.4792	78.4792	99.5985	94.1689	94.1689	94.1689	15.6897	74.3
5	Q2578-10	WC-A2-10-C	53.5697	53.5697	76.1793	69.7568	69.7568	69.7568	16.1871	71.6
6	Q2578-14	WC-A2-11-C	88.4181	88.4181	110.5384	106.9513	106.9513	106.9510	18.5332	83.8
7	Q2578-18	WC-A2-12-C	90.0686	90.0686	113.2805	105.3776	105.3776	105.3780	15.3090	66
8	Q2579-02	WC-A2-13-C	87.3613	87.3613	110.9608	104.2760	104.2760	104.2760	16.9147	71.7
9	Q2579-06	WC-A2-14-C	96.9996	96.9996	117.7224	114.0235	114.0235	114.0240	17.0239	82.2

A = Final Empty Dish Weight (g)

B = Dish + Sample Weight (g)

C = Final Dish+Sample weight after Drying @103-@105°C (g)

$$\text{Result \%} = (C - A) * 100 / (B - A)$$

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TS S Q2589 WorkList ID : 190680 Department : Wet-Chemistry Date : 07-11-2025 13:45:01

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2578-02	WC-A5-01-C	Solid	TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B
Q2578-06	WC-A2-09-C	Solid	TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B
Q2578-10	WC-A2-10-C	Solid	TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B
Q2578-14	WC-A2-11-C	Solid	TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B
Q2578-18	WC-A2-12-C	Solid	TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B
Q2579-02	WC-A2-13-C	Solid	TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B
Q2579-06	WC-A2-14-C	Solid	TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B

Date/Time 07-11-25 14:00
 Raw Sample Received by: CP SM
 Raw Sample Relinquished by: CP SM

Date/Time 07-11-25 16:30
 Raw Sample Received by: CP SM
 Raw Sample Relinquished by: CP SM

TOTAL VOLATILE SOLIDS 160.4

TEMP1 IN: 104 °C 07/11/2025 16:00 **TEMP1 OUT:** 103 °C 07/14/2025 07:00
TEMP2 IN: 104 °C 07/14/2025 07:30 **TEMP2 OUT:** 103 °C 07/14/2025 08:00
TEMP3 IN: 550 °C 07/14/2025 08:30 **TEMP3 OUT:** 550 °C 07/14/2025 10:00
TEMP4 IN: 540 °C 07/14/2025 10:30 **TEMP4 OUT:** 550 °C 07/14/2025 12:00

Run Number: LB136449

SUPERVISOR: Iwona

ANALYST: jignesh

BalanceID: WC SC-6

OvenID: WC OVEN-1

Dish #	Lab ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Empty Dish + Sample Weight (g)	1st Dish + SampleWt Drying @103-@105°C (g)	Final Dish + SampleWt Drying @103-@105°C (g)	Dish + Samplewt Drying @550 (±50) °C (g)	Final Dish + Samplewt Drying @550 (±50) °C (g)	Weight Diff (g)	Result (%)
1	LB136449BL	65.2317	65.2317	65.2317	65.2317	65.2317	65.2317	65.2317	0.0000	0
2	Q2578-02	78.4185	78.4185	99.9115	96.6456	96.6456	96.1234	96.1234	0.5222	2.9
3	Q2578-02DUP	82.3636	82.3636	102.0585	99.0655	99.0655	98.6000	98.6000	0.4655	2.8
4	Q2578-06	78.4792	78.4792	99.5985	94.1689	94.1689	93.5319	93.5319	0.6370	4.1
5	Q2578-10	53.5697	53.5697	76.1793	69.7568	69.7568	68.7883	68.7883	0.9685	6
6	Q2578-14	88.4181	88.4181	110.5384	106.9513	106.9513	106.5734	106.5734	0.3779	2
7	Q2578-18	90.0686	90.0686	113.2805	105.3776	105.3776	104.7636	104.7636	0.6140	4
8	Q2579-02	87.3613	87.3613	110.9608	104.2760	104.276	103.4899	103.4899	0.7861	4.6
9	Q2579-06	96.9996	96.9996	117.7224	114.0235	114.0235	113.7102	113.7102	0.3133	1.8

A = Sample Weight (g)

B = Final Dish + Samplewt Drying @550 (±50) °C (g)

C = Final Dish + SampleWt Drying @103-@105°C (g)

D = Weight (g)

E = Final Empty Dish Weight (g)

F = Final Dish + SampleWt Drying @103-@105°C (g)

Weight D = C - B

Result % = $\frac{D}{F - E} \star 100$

WORKLIST(Hardcopy Internal Chain)

136449

WorkList Name : TVS Q2579 S WorkList ID : 190881 Department : Wet-Chemistry Date : 07-11-2025 13:45:52

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2578-02	WC-A5-01-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4
Q2578-06	WC-A2-09-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4
Q2578-10	WC-A2-10-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4
Q2578-14	WC-A2-11-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4
Q2578-18	WC-A2-12-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4
Q2579-02	WC-A2-13-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4
Q2579-06	WC-A2-14-C	Solid	TVS	Cool 4 deg C	ENTA05	D41	07/10/2025	160.4

Date/Time 07-11-25 14:00
 Raw Sample Received by: SP WCI
 Raw Sample Relinquished by: CP SM

Date/Time 07-11-25
 Raw Sample Received by: CP SM
 Raw Sample Relinquished by: SP WCI

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB136451

Slope : 98.5

BalanceID: WC SC-7

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3178
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER, COLOR CD 475ML	W3191
buffer solution pH 7 yellow	W3217
Buffer Solution, PH2 (500ml)	W3161
pH 12.00 Buffer	W3200

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.05].

True Value of CCV2 = 12.00 Control Limits[+/- 0.05].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.2	4.01	07/11/2025	14:20
2	CAL2	1	Water	NA	NA	20.2	7.01	07/11/2025	14:21
3	CAL3	1	Water	NA	NA	20.2	10.02	07/11/2025	14:22
4	ICV	1	Water	NA	NA	20.2	7.01	07/11/2025	14:25
5	CCV1	1	Water	NA	NA	20.2	2.01	07/11/2025	14:33
6	Q2578-02	1	Solid	20.02	20	20.8	11.66	07/11/2025	14:55
7	Q2578-02DUP	1	Solid	20.03	20	20.9	11.68	07/11/2025	14:56
8	Q2578-06	1	Solid	20.02	20	21.3	11.38	07/11/2025	15:00
9	Q2578-10	1	Solid	20.03	20	21.2	11.51	07/11/2025	15:05
10	Q2578-14	1	Solid	20.04	20	21.2	11.69	07/11/2025	15:15
11	Q2578-18	1	Solid	20.02	20	21.3	11.81	07/11/2025	15:25
12	Q2579-02	1	Solid	20.03	20	21.1	11.39	07/11/2025	15:35
13	Q2579-06	1	Solid	20.04	20	21.2	11.91	07/11/2025	15:45
14	Q2589-01	1	Solid	20.02	20	21.9	8.22	07/11/2025	16:00
15	CCV2	1	Water	NA	NA	20.3	12.02	07/11/2025	16:02

WORKLIST(Hardcopy Internal Chain)

87736451

WorkList Name : PH S Q2589 WorkList ID : 190679 Department : Wet-Chemistry Date : 07-11-2025 13:44:18

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2578-02	WC-A5-01-C	Solid	pH	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2578-06	WC-A2-09-C	Solid	pH	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2578-10	WC-A2-10-C	Solid	pH	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2578-14	WC-A2-11-C	Solid	pH	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2578-18	WC-A2-12-C	Solid	pH	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2579-02	WC-A2-13-C	Solid	pH	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2579-06	WC-A2-14-C	Solid	pH	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2589-01	AU-06-071125	Solid	pH	Cool 4 deg C	PSEG05	D31	07/11/2025	9045D

Date/Time 071125 13:50

Raw Sample Received by: RM

Raw Sample Relinquished by: RM

Date/Time 071125 18:00

Raw Sample Received by: RM

Raw Sample Relinquished by: RM

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: Corrosivity

Supervisor Review By : Iwona

Run Number: LB136452

Slope : 98.5

BalanceID: WC SC-7

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3178
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER,COLOR CD 475ML	W3191
buffer solution pH 7 yellow	W3217
Buffer Solution, PH2 (500ml)	W3161
pH 12.00 Buffer	W3200

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.05].

True Value of CCV2 = 12.00 Control Limits[+/- 0.05].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.2	4.01	07/11/2025	14:20
2	CAL2	1	Water	NA	NA	20.2	7.01	07/11/2025	14:21
3	CAL3	1	Water	NA	NA	20.2	10.02	07/11/2025	14:22
4	ICV	1	Water	NA	NA	20.2	7.01	07/11/2025	14:25
5	CCV1	1	Water	NA	NA	20.2	2.01	07/11/2025	14:33
6	Q2578-03	1	Solid	20.02	20	20.8	11.66	07/11/2025	14:55
7	Q2578-03DUP	1	Solid	20.03	20	20.9	11.68	07/11/2025	14:56
8	Q2578-07	1	Solid	20.02	20	21.3	11.38	07/11/2025	15:00
9	Q2578-11	1	Solid	20.03	20	21.2	11.51	07/11/2025	15:05
10	Q2578-15	1	Solid	20.04	20	21.2	11.69	07/11/2025	15:15
11	Q2578-19	1	Solid	20.02	20	21.3	11.81	07/11/2025	15:25
12	Q2579-03	1	Solid	20.03	20	21.1	11.39	07/11/2025	15:35
13	Q2579-07	1	Solid	20.04	20	21.2	11.91	07/11/2025	15:45
14	Q2586-04	1	Solid	20.02	20	21.9	9.02	07/11/2025	15:56
15	CCV2	1	Water	NA	NA	20.3	12.02	07/11/2025	16:02

WORKLIST(Hardcopy Internal Chain)

136452

WorkList Name : corrosivity q2589

WorkList ID : 190678

Department : Wet-Chemistry

Date : 07-11-2025 13:43:46

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2578-03	WC-A5-01-C	Solid	Corrosivity	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2578-07	WC-A2-09-C	Solid	Corrosivity	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2578-11	WC-A2-10-C	Solid	Corrosivity	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2578-15	WC-A2-11-C	Solid	Corrosivity	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2578-19	WC-A2-12-C	Solid	Corrosivity	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2579-03	WC-A2-13-C	Solid	Corrosivity	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2579-07	WC-A2-14-C	Solid	Corrosivity	Cool 4 deg C	ENTA05	D41	07/10/2025	9045D
Q2586-04	TP-16	Solid	Corrosivity	Cool 4 deg C	PSEG03	D41	07/11/2025	9045D

Date/Time 07/11/25 13:50
 Raw Sample Received by: SPWCL
 Raw Sample Relinquished by: RHCWCL

Date/Time 07/11/25 18:00
 Raw Sample Received by: RHCWCL
 Raw Sample Relinquished by: SPWCL

TOTAL SOLIDS - SM2540B

SUPERVISOR: Iwona

ANALYST: jignesh

Date: 07/14/2025

Run Number: LB136455

BalanceID: WC SC-6

OvenID: WC OVEN-1

ThermometerID: WET OVEN#1

TEMP1 IN: 103 °C 07/14/2025 12:00 **TEMP1 OUT:** 103 °C 07/14/2025 13:00
TEMP2 IN: 104 °C 07/14/2025 13:30 **TEMP2 OUT:** 104 °C 07/14/2025 14:30
TEMP3 IN: 104 °C 07/14/2025 15:40 **TEMP3 OUT:** 103 °C 07/15/2025 07:30
TEMP4 IN: 104 °C 07/15/2025 08:00 **TEMP4 OUT:** 104 °C 07/15/2025 09:35

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Vol (ml)	Original weight 1st Dish+Sample weight after Drying @103-@105°C (g)	Constant weight 2nd Dish+Sample weight after Drying @103-@105°C (g)	Final Constant weight Final Dish+Sample weight after Drying @103-@105°C (g)	Weight (g)	Result (mg/L)
1	LB136455BL	LB136455BL	85.9631	85.9631	100	85.9631	85.9631	85.9631	0.0000	0
2	Q2578-04	WC-A5-01-C	156.5811	156.5811	100	156.6469	156.6469	156.6470	0.0658	658
3	Q2578-04DUP	WC-A5-01-CDUP	142.7876	142.7876	100	142.8523	142.8523	142.8520	0.0647	647
4	Q2578-08	WC-A2-09-C	152.1814	152.1814	100	152.2348	152.2348	152.2350	0.0534	534
5	Q2578-12	WC-A2-10-C	106.1470	106.1470	100	106.2342	106.2342	106.2340	0.0872	872
6	Q2578-16	WC-A2-11-C	110.2228	110.2228	100	110.2946	110.2946	110.2950	0.0718	718
7	Q2578-20	WC-A2-12-C	70.8490	70.8490	100	70.9515	70.9515	70.9515	0.1025	1025
8	Q2579-04	WC-A2-13-C	76.7959	76.7959	100	76.8487	76.8487	76.8487	0.0528	528
9	Q2579-08	WC-A2-14-C	69.0157	69.0157	100	69.1035	69.1035	69.1035	0.0878	878

A = Sample Volume (ml)

B = Final Empty Dish Weight (g)

C = Final Dish+Sample weight after Drying @103-@105°C (g)

$$\text{Result mg/L} = ((C - B) / A) * 1000 * 1000$$

WORKLIST(Hardcopy Internal Chain)

W7196455

WorkList Name : astm ts q2579

WorkList ID : 190707

Department : Wet-Chemistry

Date : 07-14-2025 10:50:23

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2578-04	WC-A5-01-C	Solid	ASTM TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B
Q2578-08	WC-A2-09-C	Solid	ASTM TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B
Q2578-12	WC-A2-10-C	Solid	ASTM TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B
Q2578-16	WC-A2-11-C	Solid	ASTM TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B
Q2578-20	WC-A2-12-C	Solid	ASTM TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B
Q2579-04	WC-A2-13-C	Solid	ASTM TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B
Q2579-08	WC-A2-14-C	Solid	ASTM TS	Cool 4 deg C	ENTA05	D41	07/10/2025	SM2540 B

Date/Time 07/14/25 12:30

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

Date/Time 07/14/25 16:00

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

Extraction and Analytical Summary Report

Analysis Method: 1664A
Test: ASTM Oil and Grease
Run Number: LB136456
Analysis Date: 07/14/2025
BalanceID: WC SC-6
OvenID: EXT OVEN-3

ANALYST: jignesh
REVIEWED BY: Iwona
Extraction Date: 07/14/2025
Extraction IN Time: 11:15
Extraction OUT Time: 12:00
Thermometer ID: EXT OVEN#3

Dish #	Lab ID	Client ID	Matrix	pH	Sample Weight (g)	Final Volume (ml)	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Silica Gel Weight (g)	Weight After Drying (g)	Final Weight After Drying (g)	Change Weight (g)	Result in ppm
1	LB136456BL	LB136456BL	WATER	1.3	1000	100	2.5983	2.5983	0	2.5984	2.5984	0.0001	0.1
2	LB136456BS	LB136456BS	WATER	1.3	1000	100	3.0214	3.0214	0	3.0381	3.0381	0.0167	16.7
3	Q2578-04	WC-A5-01-C	WATER	1.6	1000	100	2.7415	2.7415	0	2.7418	2.7418	0.0003	0.3
4	Q2578-04DUP	WC-A5-01-CDUP	WATER	1.6	1000	100	3.1526	3.1526	0	3.1529	3.1529	0.0003	0.3
5	Q2578-04MS	WC-A5-01-C	WATER	1.6	1000	100	3.0188	3.0188	0	3.0392	3.0392	0.0204	20.4
6	Q2578-04MSD	WC-A5-01-C	WATER	1.6	1000	100	2.1411	2.1411	0	2.1616	2.1616	0.0205	20.5
7	Q2578-08	WC-A2-09-C	WATER	1.6	1000	100	3.0299	3.0299	0	3.0302	3.0302	0.0003	0.3
8	Q2578-12	WC-A2-10-C	WATER	1.6	1000	100	2.4074	2.4074	0	2.4079	2.4079	0.0005	0.5
9	Q2578-16	WC-A2-11-C	WATER	1.6	1000	100	3.1966	3.1966	0	3.1970	3.1970	0.0004	0.4
10	Q2578-20	WC-A2-12-C	WATER	1.6	1000	100	2.7044	2.7044	0	2.7046	2.7046	0.0002	0.2
11	Q2579-04	WC-A2-13-C	WATER	1.6	1000	100	3.1691	3.1691	0	3.1696	3.1696	0.0005	0.5
12	Q2579-08	WC-A2-14-C	WATER	1.6	1000	100	2.4855	2.4855	0	2.4858	2.4858	0.0003	0.3

WORKLIST(Hardcopy Internal Chain)

VB 136456

WorkList Name : astm oil & grease q2589 WorkList ID : 190708 Department : Wet-Chemistry Date : 07-14-2025 10:51:24

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2578-04	WC-A5-01-C	Solid	ASTM Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	1664A
Q2578-08	WC-A2-09-C	Solid	ASTM Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	1664A
Q2578-12	WC-A2-10-C	Solid	ASTM Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	1664A
Q2578-16	WC-A2-11-C	Solid	ASTM Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	1664A
Q2578-20	WC-A2-12-C	Solid	ASTM Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	1664A
Q2579-04	WC-A2-13-C	Solid	ASTM Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	1664A
Q2579-08	WC-A2-14-C	Solid	ASTM Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	1664A

Date/Time 07/14/25 11:10

Raw Sample Received by: SB WCC

Raw Sample Relinquished by: SB WCC

Date/Time 07/14/25

Raw Sample Received by: SB WCC

Raw Sample Relinquished by: SB WCC

Analytical Summary Report

Analysis Method: 1030
Parameter: Ignitability
Run Number: LB136462

Reviewed By: Eman

Supervisor Review By: Iwona

Seq	LabID	ClientID	DF	matrix	Result Status	Burning Rate	Anal Date	Anal Time
1	Q2578-03	WC-A5-01-C	1	Solid	NO	0.00	07/14/2025	08:30
2	Q2578-03DUP	WC-A5-01-CDUP	1	Solid	NO	0.00	07/14/2025	08:37
3	Q2578-07	WC-A2-09-C	1	Solid	NO	0.00	07/14/2025	08:45
4	Q2578-11	WC-A2-10-C	1	Solid	NO	0.00	07/14/2025	08:52
5	Q2578-15	WC-A2-11-C	1	Solid	NO	0.00	07/14/2025	09:00
6	Q2578-19	WC-A2-12-C	1	Solid	NO	0.00	07/14/2025	09:08
7	Q2579-03	WC-A2-13-C	1	Solid	NO	0.00	07/14/2025	09:15
8	Q2579-07	WC-A2-14-C	1	Solid	NO	0.00	07/14/2025	09:22
9	Q2586-01	TP-16	1	Solid	NO	0.00	07/14/2025	09:30
10	Q2586-04	TP-16	1	Solid	NO	0.00	07/14/2025	09:37

$$\text{Burning Rate} = \frac{\text{Length (mm)}}{\text{Total Time (sec)}}$$

WORKLIST(Hardcopy Internal Chain)

1b136462

WorkList Name : IGN-071425 WorkList ID : 190686 Department : Wet-Chemistry Date : 07-14-2025 08:07:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2578-03	WC-A5-01-C	Solid	Ignitability	Cool 4 deg C	ENTA05	D41	07/10/2025	1030
Q2578-07	WC-A2-09-C	Solid	Ignitability	Cool 4 deg C	ENTA05	D41	07/10/2025	1030
Q2578-11	WC-A2-10-C	Solid	Ignitability	Cool 4 deg C	ENTA05	D41	07/10/2025	1030
Q2578-15	WC-A2-11-C	Solid	Ignitability	Cool 4 deg C	ENTA05	D41	07/10/2025	1030
Q2578-19	WC-A2-12-C	Solid	Ignitability	Cool 4 deg C	ENTA05	D41	07/10/2025	1030
Q2579-03	WC-A2-13-C	Solid	Ignitability	Cool 4 deg C	ENTA05	D41	07/10/2025	1030
Q2579-07	WC-A2-14-C	Solid	Ignitability	Cool 4 deg C	ENTA05	D41	07/10/2025	1030
Q2586-01	TP-16	Solid	Ignitability	Cool 4 deg C	PSEG03	D41	07/11/2025	1030
Q2586-04	TP-16	Solid	Ignitability	Cool 4 deg C	PSEG03	D41	07/11/2025	1030

Date/Time 07/14/25 08:20
 Raw Sample Received by: EM(WC)
 Raw Sample Relinquished by: EM(WC)

Date/Time 07/14/25 11:15
 Raw Sample Received by: EM(WC)
 Raw Sample Relinquished by: EM(WC)

Analytical Summary Report

Analysis Method: 9095B

Parameter: Paint Filter

Run Number: LB136463

Reviewed By: Eman

Supervisor Review By: Iwona

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	Q2578-02	WC-A5-01-C	1	100.02	0.00	07/14/2025	09:50
2	Q2578-02DUP	WC-A5-01-CDUP	1	100.05	0.00	07/14/2025	09:57
3	Q2578-06	WC-A2-09-C	1	100.03	0.00	07/14/2025	10:05
4	Q2578-10	WC-A2-10-C	1	100.01	0.00	07/14/2025	10:12
5	Q2578-14	WC-A2-11-C	1	100.06	0.00	07/14/2025	10:20
6	Q2578-18	WC-A2-12-C	1	100.04	0.00	07/14/2025	10:27
7	Q2579-02	WC-A2-13-C	1	100.02	0.00	07/14/2025	10:35
8	Q2579-06	WC-A2-14-C	1	100.01	0.00	07/14/2025	10:42
9	Q2586-01	TP-16	1	100.06	0.00	07/14/2025	10:50
10	Q2590-01	NB-7-071125	1	100.03	0.00	07/14/2025	10:58

WORKLIST(Hardcopy Internal Chain)

161364625

WorkList Name : PF-071425

WorkList ID : 190687

Department : Wet-Chemistry

Date : 07-14-2025 08:07:45

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2578-02	WC-A5-01-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	D41	07/10/2025	9095B
Q2578-06	WC-A2-09-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	D41	07/10/2025	9095B
Q2578-10	WC-A2-10-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	D41	07/10/2025	9095B
Q2578-14	WC-A2-11-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	D41	07/10/2025	9095B
Q2578-18	WC-A2-12-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	D41	07/10/2025	9095B
Q2579-02	WC-A2-13-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	D41	07/10/2025	9095B
Q2579-06	WC-A2-14-C	Solid	Paint Filter	Cool 4 deg C	ENTA05	D41	07/10/2025	9095B
Q2586-01	TP-16	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	07/11/2025	9095B
Q2590-01	NB-07-071125	Solid	Paint Filter	Cool 4 deg C	PSEG05	D51	07/11/2025	9095B

Date/Time 07/14/25 08:20
 Raw Sample Received by: EM (wsc)
 Raw Sample Relinquished by: 28 (wsc)

Date/Time 07/14/25 11:15
 Raw Sample Received by: 28 (wsc)
 Raw Sample Relinquished by: EM (wsc)

0136468

Test results

Aquakem 7.2AQ1

Page: 1

Alliance Technical Group
284 Sheffield Street, Mountainside, NJ 07092

Reviewed by : RM

Instrument ID : Konelab

7/14/2025 16:39

Test: Ammonia-N

Sample Id	Result	Dil. 1 +	Response	Errors
ICV1	0.986	0.0	0.209	
ICB1	0.002	0.0	0.018	
CCV1	0.980	0.0	0.208	
CCB1	0.001	0.0	0.017	
PB168836BL	0.003	0.0	0.018	
PB168836BS	1.002	0.0	0.212	
PB168836TB	0.003	0.0	0.018	
Q2578-04	0.233	0.0	0.062	
Q2578-04DUP	0.229	0.0	0.062	
Q2578-04MS	1.146	0.0	0.240	
Q2578-04MSD	1.290	0.0	0.268	
Q2578-08	0.377	0.0	0.090	
Q2578-12	0.929	0.0	0.198	
Q2578-16	0.149	0.0	0.046	
CCV2	1.034	0.0	0.218	
CCB2	0.008	0.0	0.019	
Q2578-20	0.831	0.0	0.179	
Q2579-04	0.400	0.0	0.095	
Q2579-08	0.260	0.0	0.068	
CCV3	0.986	0.0	0.209	
CCB3	0.010	0.0	0.019	
N	21			
Mean	0.517			
SD	0.4687			
CV%	90.64			

07/14/2025
RM

Aquakem v. 7.2AQ1

Results from time period:

Mon Jul 14 16:06:34 2025

Mon Jul 14 16:32:54 2025

Sample Id	Sam/Ctr/c/	Test short r	Test type	Result	Result unit	Result date and time	Stat
0.0PPM	A	Ammonia-1 P		0.0074	mg/l	7/14/2025 10:59:54	
0.1PPM	A	Ammonia-1 P		0.1037	mg/l	7/14/2025 10:59:55	
0.2PPM	A	Ammonia-1 P		0.1989	mg/l	7/14/2025 10:59:56	
0.4PPM	A	Ammonia-1 P		0.3879	mg/l	7/14/2025 10:59:57	
1.0PPM	A	Ammonia-1 P		0.9878	mg/l	7/14/2025 10:59:58	
1.3PPM	A	Ammonia-1 P		1.3509	mg/l	7/14/2025 10:59:59	
2.0PPM	A	Ammonia-1 P		1.9967	mg/l	7/14/2025 11:00:00	
ICV1	S	Ammonia-1 P		0.9865	mg/l	7/14/2025 16:06:34	
ICB1	S	Ammonia-1 P		0.0021	mg/l	7/14/2025 16:06:37	
CCV1	S	Ammonia-1 P		0.9795	mg/l	7/14/2025 16:06:38	
CCB1	S	Ammonia-1 P		0.0007	mg/l	7/14/2025 16:06:41	
PB168836BL	S	Ammonia-1 P		0.0027	mg/l	7/14/2025 16:06:42	
PB168836BS	S	Ammonia-1 P		1.0025	mg/l	7/14/2025 16:06:45	
PB168836TB	S	Ammonia-1 P		0.0032	mg/l	7/14/2025 16:17:19	
Q2578-04	S	Ammonia-1 P		0.2331	mg/l	7/14/2025 16:17:21	
Q2578-04DUP	S	Ammonia-1 P		0.2295	mg/l	7/14/2025 16:17:23	
Q2578-04MS	S	Ammonia-1 P		1.1462	mg/l	7/14/2025 16:17:24	
Q2578-04MSD	S	Ammonia-1 P		1.2896	mg/l	7/14/2025 16:17:25	
Q2578-08	S	Ammonia-1 P		0.3767	mg/l	7/14/2025 16:17:26	
Q2578-12	S	Ammonia-1 P		0.9288	mg/l	7/14/2025 16:17:27	
Q2578-16	S	Ammonia-1 P		0.1492	mg/l	7/14/2025 16:17:28	
CCV2	S	Ammonia-1 P		1.034	mg/l	7/14/2025 16:28:03	
CCB2	S	Ammonia-1 P		0.0076	mg/l	7/14/2025 16:28:05	
Q2578-20	S	Ammonia-1 P		0.8307	mg/l	7/14/2025 16:28:06	
Q2579-04	S	Ammonia-1 P		0.4004	mg/l	7/14/2025 16:28:07	
Q2579-08	S	Ammonia-1 P		0.2598	mg/l	7/14/2025 16:28:08	
CCV3	S	Ammonia-1 P		0.9858	mg/l	7/14/2025 16:28:10	
CCB3	S	Ammonia-1 P		0.0098	mg/l	7/14/2025 16:32:53	

Calibration results

Aquakem 7.2AQ1

Page:

Alliance Technical Group

284 Sheffield Street, Mountainside, NJ 07092

Reviewed by : RM

Instrument ID : Konelab

7/14/2025 11:07

Test Ammonia-N


Accepted 7/14/2025 11:07

Factor 5.141

Bias 0.017

Coeff. of det. 0.999798

Errors



	Calibrator	Response	Calc. con.	Conc.	Errors
1	0.00PPM	0.019	0.0074	0.0000	-
2	NH3-2PPM	0.037	0.1037	0.1000	3.7
3	NH3-2PPM	0.056	0.1989	0.2000	-0.6
4	NH3-2PPM	0.093	0.3879	0.4000	-3.0
5	NH3-2PPM	0.209	0.9878	1.0000	-1.2
6	NH3-2PPM	0.280	1.3509	1.3333	3.9
7	NH3-2PPM	0.406	1.9967	2.0000	-0.2

07/14/2025
RM

Extraction and Analytical Summary Report

Analysis Method: 9071B
Test: Oil and Grease
Run Number: LB136474
Analysis Date: 07/15/2025
BalanceID: WC SC-6
OvenID: EXT OVEN-3

ANALYST: jignesh
REVIEWED BY: Iwona
Extraction Date: 07/15/2025
Extraction IN Time: 09:00
Extraction OUT Time: 09:50
Thermometer ID: EXT OVEN#3

Dish #	Lab ID	Client ID	Matrix	pH	Sample Weight (g)	Final Volume (ml)	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Silica Gel Weight (g)	Weight After Drying (g)	Final Weight After Drying (g)	Change Weight (g)	Result in ppm
1	LB136474BL	LB136474BL	SOLID		20.02	100	2.9601	2.9601	0	2.9602	2.9602	0.0001	5
2	LB136474BS	LB136474BS	SOLID		20.03	100	2.7414	2.7414	0	2.7433	2.7433	0.0019	94.86
3	Q2578-02	WC-A5-01-C	SOLID		20.02	100	2.9981	2.9981	0	3.0153	3.0153	0.0172	859.14
4	Q2578-06	WC-A2-09-C	SOLID		20.03	100	3.0005	3.0005	0	3.0086	3.0086	0.0081	404.39
5	Q2578-10	WC-A2-10-C	SOLID		20.04	100	3.0036	3.0036	0	3.0059	3.0059	0.0023	114.77
6	Q2578-14	WC-A2-11-C	SOLID		20.02	100	3.0571	3.0571	0	3.0618	3.0618	0.0047	234.77
7	Q2578-18	WC-A2-12-C	SOLID		20.03	100	3.0929	3.0929	0	3.0933	3.0933	0.0004	19.97
8	Q2579-02	WC-A2-13-C	SOLID		20.04	100	3.0662	3.0662	0	3.0716	3.0716	0.0054	269.46
9	Q2579-06	WC-A2-14-C	SOLID		20.03	100	3.0835	3.0835	0	3.0856	3.0856	0.0021	104.84
10	Q2579-06DUP	WC-A2-14-CDUP	SOLID		20.02	100	3.0252	3.0252	0	3.0273	3.0273	0.0021	104.9
11	Q2579-06MS	WC-A2-14-C	SOLID		20.03	100	3.0268	3.0268	0	3.0301	3.0301	0.0033	164.75
12	Q2579-06MSD	WC-A2-14-C	SOLID		20.04	100	3.0530	3.0530	0	3.0560	3.0560	0.0030	149.7

QC Batch# LB136474

Test: Oil and Grease

Analysis Date: 07/15/2025

Chemicals Used:

Chemical Name	Chemical Lot #
HEXANE	W3204
pH Paper 0-14	NA
Sodium Sulfate	EP2625
1:1 HCL	NA
Silica Gel	NA
Sand	W3186

Standards Used:

Standard Name	Amount Used	Standard Lot #
LCSS	1.00 ML	WP112785
LCSSD	NA	NA
MS/MSD	1.00 ML	WP112786

BALANCE CALIBRATION / OVEN Dessicator Data

Analytical Balance ID # : WC SC-6

Before Analysis

0.0020 gram Balance: 0.0018 (0.0018-0.0022) In OVEN TEMP1 : 71 °C Dessicator Time In1 : 12:31

1.0000 gram Balance: 1.0004 (0.9950-1.0050) In Time1: 11:45

Bal Check Time: 09:10 Out OVEN TEMP1: 71 °C Dessicator Time Out1: 13:05

Out Time1: 12:30

After Analysis

0.0020 gram Balance: 0.0019 (0.0018-0.0022) In OVEN TEMP2 : 70 °C Dessicator Time In2 : 14:31

1.0000 gram Balance: 1.0003 (0.9950-1.0050) In Time2: 13:37

Bal Check Time: 15:15 Out OVEN TEMP2: 70 °C Dessicator Time Out2: 15:10

Out Time2: 14:30

WORKLIST(Hardcopy Internal Chain)

W 136474

WorkList Name : OIL & GREASE Q2589

WorkList ID : 190715

Department : Wet-Chemistry

Date : 07-15-2025 08:17:44

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2578-02	WC-A5-01-C	Solid	Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	9071B
Q2578-06	WC-A2-09-C	Solid	Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	9071B
Q2578-10	WC-A2-10-C	Solid	Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	9071B
Q2578-14	WC-A2-11-C	Solid	Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	9071B
Q2578-18	WC-A2-12-C	Solid	Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	9071B
Q2579-02	WC-A2-13-C	Solid	Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	9071B
Q2579-06	WC-A2-14-C	Solid	Oil and Grease	Cool 4 deg C	ENTA05	D41	07/10/2025	9071B

07/15/25 08:30

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

Date/Time 07/15/25

Raw Sample Received by:

Raw Sample Relinquished by:

15.0

AP 5m

W 136474

Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Iwona

Parameter: ASTM COD

SUPERVISOR REVIEW BY: jignesh

Run Number: LB136478

Reagent/Standard	Lot/Log #
COD calibration std. 150 ppm	WP113238
COD calibration std. 100 ppm	WP113237
COD calibration std. 50 ppm	WP113235
COD calibration std. 10 ppm	WP113234
COD calibration std. 0 ppm	WP113233
COD ICV-LCS std, 50ppm	WP113240
COD calibration std. 75 ppm	WP113236
COD Digestion Vials Low Level 0-150Mg/L	W3129
COD CCV std, 50ppm	WP113940
COD ICV-LCS std, 50ppm	WP113941
RL CHECK	WP113942

Temp In (C): 148	Date In: 07/15/2025	Time In: 09:05
Temp Out (C): 151	Date Out: 07/15/2025	Time Out: 11:05

Intercept: 0.8179

Slope: 0.9847

Regression: 0.9995

Seq	Lab ID	TrueValue (mg/l)	DF	MATRIX	Reading	Result (mg/l)	%D	Anal Date	Anal Time
1	CAL1	0	1	Water	0.000	-0.831		05/28/2025	13:10
2	CAL2	10	1	Water	9.000	8.309	-16.9	05/28/2025	13:10
3	CAL3	50	1	Water	52.000	51.977	4	05/28/2025	13:11
4	CAL4	75	1	Water	77.000	77.366	3.2	05/28/2025	13:11
5	CAL5	100	1	Water	99.000	99.708	-0.3	05/28/2025	13:12
6	CAL6	150	1	Water	147.000	148.453	-1	05/28/2025	13:12

Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Iwona

Parameter: ASTM COD

SUPERVISOR REVIEW BY: jignesh

Run Number: LB136478

Seq	Lab ID	True Value (mg/l)	Initial Weight (g)	Final Vol (ml)	DF	MATRIX	Reading	Result	AnalDate	AnalTime
1	ICV	50	NA	NA	1	Water	51.000	50.962	05/28/2025	13:13
2	ICB		NA	NA	1	Water	0.000	-0.831	05/28/2025	13:13
3	CCV1	50	NA	NA	1	Water	49.000	48.931	07/15/2025	12:25
4	CCB1		NA	NA	1	Water	1.000	0.185	07/15/2025	12:25
5	RL Check	10	NA	NA	1	Water	9.000	8.309	07/15/2025	12:16
6	LB136478BL		NA	NA	1	Water	1.000	0.185	07/15/2025	12:26
7	LB136478BS	50	NA	NA	1	Water	51.000	50.962	07/15/2025	12:27
8	Q2578-04		NA	NA	1	Water	49.000	48.931	07/15/2025	12:27
9	Q2578-04DUP		NA	NA	1	Water	50.000	49.946	07/15/2025	12:28
10	Q2578-04MS	50	NA	NA	1	Water	98.000	98.692	07/15/2025	12:28
11	Q2578-04MSD	50	NA	NA	1	Water	97.000	97.677	07/15/2025	12:29
12	Q2578-08		NA	NA	1	Water	51.000	50.962	07/15/2025	12:29
13	Q2578-12		NA	NA	1	Water	46.000	45.884	07/15/2025	12:30
14	Q2578-16		NA	NA	1	Water	15.000	14.402	07/15/2025	12:30
15	Q2578-20		NA	NA	1	Water	20.000	19.480	07/15/2025	12:31
16	CCV2	50	NA	NA	1	Water	51.000	50.962	07/15/2025	12:31
17	CCB2		NA	NA	1	Water	1.000	0.185	07/15/2025	12:32
18	Q2579-04		NA	NA	1	Water	47.000	46.900	07/15/2025	12:32
19	Q2579-08		NA	NA	1	Water	6.000	5.263	07/15/2025	12:33
20	CCV3	50	NA	NA	1	Water	50.000	49.946	07/15/2025	12:33
21	CCB3		NA	NA	1	Water	1.000	0.185	07/15/2025	12:34

WORKLIST(Hardcopy Internal Chain)

2 B136478

WorkList Name : ASTM COD-071425 WorkList ID : 190692 Department : Wet-Chemistry Date : 07-14-2025 08:55:41

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2578-04	WC-A5-01-C	Solid	ASTM COD	Cool 4 deg C	ENTA05	D41	07/10/2025	SM5220 D
Q2578-08	WC-A2-09-C	Solid	ASTM COD	Cool 4 deg C	ENTA05	D41	07/10/2025	SM5220 D
Q2578-12	WC-A2-10-C	Solid	ASTM COD	Cool 4 deg C	ENTA05	D41	07/10/2025	SM5220 D
Q2578-16	WC-A2-11-C	Solid	ASTM COD	Cool 4 deg C	ENTA05	D41	07/10/2025	SM5220 D
Q2578-20	WC-A2-12-C	Solid	ASTM COD	Cool 4 deg C	ENTA05	D41	07/10/2025	SM5220 D
Q2579-04	WC-A2-13-C	Solid	ASTM COD	Cool 4 deg C	ENTA05	D41	07/10/2025	SM5220 D
Q2579-08	WC-A2-14-C	Solid	ASTM COD	Cool 4 deg C	ENTA05	D41	07/10/2025	SM5220 D

Date/Time 07/15/25 08:40
 Raw Sample Received by: 12/20/25
 Raw Sample Relinquished by: 08/10/25

Date/Time NA
 Raw Sample Received by: 1
 Raw Sample Relinquished by: 1

SOP ID : M9030B-Sulfide-13

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#1

Block ID : MC-1,MC-2

Weigh By : RM

Start Digest Date: 07/11/2025 Time : 12:45 Temp : N/A

End Digest Date: 07/11/2025 Time : 14:15 Temp : N/A

Digestion tube ID : M5595

Filter paper ID : N/A

pH Meter ID : N/A

Block Thermometer ID : N/A

Prep Technician Signature: RM

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP113086
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

07/11/2025 RM

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB168800BL	PBS800	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2519-04DUP	TP-15DUP	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2519-04	TP-15	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2523-01	MOO-25-0190	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2526-05	LAW-25-0101	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2526-06	LAW-25-0102	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2556-01	RT3997	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2565-02	MOO-25-0194-0195	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2565-03	MOO-25-0191	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2565-04	MOO-25-0196	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2565-05	MOO-25-0180	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2571-04	TP-18	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2571-08	TP-17	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2578-03	WC-A5-01-C	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2578-07	WC-A2-09-C	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2578-11	WC-A2-10-C	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2578-15	WC-A2-11-C	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2578-19	WC-A2-12-C	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2579-03	WC-A2-13-C	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2579-07	WC-A2-14-C	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A

WORKLIST(Hardcopy Internal Chain)

WorkList Name : RSUL-SOIL-7-11

WorkList ID : 190669

Department : Distillation

Date : 07-11-2025 08:02:37

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2519-04	TP-15	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	O11	07/08/2025	9034
Q2523-01	MOO-25-0190	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	O21	07/08/2025	9034
Q2526-05	LAW-25-0101	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	O13	07/08/2025	9034
Q2526-06	LAW-25-0102	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	O13	07/08/2025	9034
Q2556-01	RT3997	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	--Sele	07/10/2025	9034
Q2565-02	MOO-25-0194-0195	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	O11	07/10/2025	9034
Q2565-03	MOO-25-0191	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	O11	07/10/2025	9034
Q2565-04	MOO-25-0196	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	O11	07/10/2025	9034
Q2565-05	MOO-25-0180	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	O11	07/10/2025	9034
Q2571-04	TP-18	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	O11	07/10/2025	9034
Q2571-08	TP-17	Solid	Reactive Sulfide	Cool 4 deg C	PSEG03	O22	07/10/2025	9034
Q2578-03	WC-A5-01-C	Solid	Reactive Sulfide	Cool 4 deg C	ENTA05	D41	07/10/2025	9034
Q2578-07	WC-A2-09-C	Solid	Reactive Sulfide	Cool 4 deg C	ENTA05	D41	07/10/2025	9034
Q2578-11	WC-A2-10-C	Solid	Reactive Sulfide	Cool 4 deg C	ENTA05	D41	07/10/2025	9034
Q2578-15	WC-A2-11-C	Solid	Reactive Sulfide	Cool 4 deg C	ENTA05	D41	07/10/2025	9034
Q2578-19	WC-A2-12-C	Solid	Reactive Sulfide	Cool 4 deg C	ENTA05	D41	07/10/2025	9034
Q2579-03	WC-A2-13-C	Solid	Reactive Sulfide	Cool 4 deg C	ENTA05	D41	07/10/2025	9034
Q2579-07	WC-A2-14-C	Solid	Reactive Sulfide	Cool 4 deg C	ENTA05	D41	07/10/2025	9034

Date/Time 07/11/2025 08:10
Raw Sample Received by: RH (wg)
Raw Sample Relinquished by: JPC (wg)

Date/Time 07/11/2025 11:40
Raw Sample Received by: JPC (wg)
Raw Sample Relinquished by: RH (wg)

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Start Digest Date: 07/11/2025 Time : 08:45 Temp : N/A

Matrix : SOIL

End Digest Date: 07/11/2025 Time : 10:15 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
07/11/2025 10:25	RM (WC)	RM (WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB168801BL	PBS801	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2519-04DUP	TP-15DUP	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2519-04	TP-15	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2523-01	MOO-25-0190	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2526-05	LAW-25-0101	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2526-06	LAW-25-0102	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2556-01	RT3997	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2565-02	MOO-25-0194-0195	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2565-03	MOO-25-0191	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2565-04	MOO-25-0196	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2565-05	MOO-25-0180	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2571-04	TP-18	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2571-08	TP-17	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2578-03	WC-A5-01-C	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2578-07	WC-A2-09-C	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2578-11	WC-A2-10-C	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2578-15	WC-A2-11-C	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2578-19	WC-A2-12-C	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2579-03	WC-A2-13-C	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2579-07	WC-A2-14-C	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A

WORKLIST(Hardcopy Internal Chain)

WorkList Name : RCN-SOIL-7-11

WorkList ID : 190670

Department : Distillation

Date : 07-11-2025 08:01:45

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2519-04	TP-15	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	O11	07/08/2025	9012B
Q2523-01	MOO-25-0190	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	O21	07/08/2025	9012B
Q2526-05	LAW-25-0101	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	O13	07/08/2025	9012B
Q2526-06	LAW-25-0102	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	O13	07/08/2025	9012B
Q2556-01	RT3997	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	--Sele	07/10/2025	9012B
Q2565-02	MOO-25-0194-0195	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	O11	07/10/2025	9012B
Q2565-03	MOO-25-0191	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	O11	07/10/2025	9012B
Q2565-04	MOO-25-0196	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	O11	07/10/2025	9012B
Q2565-05	MOO-25-0180	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	O11	07/10/2025	9012B
Q2571-04	TP-18	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	O11	07/10/2025	9012B
Q2571-08	TP-17	Solid	Reactive Cyanide	Cool 4 deg C	PSEG03	O22	07/10/2025	9012B
Q2578-03	WC-A5-01-C	Solid	Reactive Cyanide	Cool 4 deg C	ENTA05	D41	07/10/2025	9012B
Q2578-07	WC-A2-09-C	Solid	Reactive Cyanide	Cool 4 deg C	ENTA05	D41	07/10/2025	9012B
Q2578-11	WC-A2-10-C	Solid	Reactive Cyanide	Cool 4 deg C	ENTA05	D41	07/10/2025	9012B
Q2578-15	WC-A2-11-C	Solid	Reactive Cyanide	Cool 4 deg C	ENTA05	D41	07/10/2025	9012B
Q2578-19	WC-A2-12-C	Solid	Reactive Cyanide	Cool 4 deg C	ENTA05	D41	07/10/2025	9012B
Q2579-03	WC-A2-13-C	Solid	Reactive Cyanide	Cool 4 deg C	ENTA05	D41	07/10/2025	9012B
Q2579-07	WC-A2-14-C	Solid	Reactive Cyanide	Cool 4 deg C	ENTA05	D41	07/10/2025	9012B

Date/Time 07/11/2025 08:10
 Raw Sample Received by: RM WLS
 Raw Sample Relinquished by: [Signature]

Date/Time 07/11/2025 11:00
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: RM WLS

SOP ID : MSM4500-NH3 B,G-Ammonia-18

SDG No : N/A

Matrix : WATER

Pipette ID : WC

Balance ID : N/A

Hood ID : HOOD#2

Block ID : WC-DIST-BLOCK-1

Weigh By : N/A

Start Digest Date: 07/14/2025 Time : 12:50 Temp : 150 °C

End Digest Date: 07/14/2025 Time : 13:50 Temp : 160 °C

11 batch
07/14/2025 14:10 150°C
07/14/2025 15:10 160°C

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Filter paper ID : N/A

Prep Technician Signature: *RM*

pH Meter ID : N/A

Supervisor Signature: *12*

Standard Name	MLS USED	STD REF. # FROM LOG
LCSW	1.0ML	WP113889
MS/MSD SPIKE SOL.	1.0ML	WP113888
PBW	50.0ML	W3112
RL CHECK	N/A	AS PER PB168835
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
BORATE BUFFER	2.5ML	WP113886
NAOH 6N	0.5-2.0ML	WP113887
H2SO4 0.04N	5.0ML	WP112828
pH strip-Ammonia	N/A	W3133
KI-starch paper	N/A	W3155
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
07/14/2025 15:20	<i>RM W31</i>	<i>RM W31</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB168836BL	PBW836	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
PB168836BS	LCS836	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
PB168836TB	LEB836	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2578-04DUP	WC-A5-01-CDUP	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2578-04MS	WC-A5-01-CMS	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2578-04MSD	WC-A5-01-CMSD	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2578-04	WC-A5-01-C	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2578-08	WC-A2-09-C	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2578-12	WC-A2-10-C	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2578-16	WC-A2-11-C	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2578-20	WC-A2-12-C	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2579-04	WC-A2-13-C	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2579-08	WC-A2-14-C	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A

WORKLIST(Hardcopy Internal Chain)

WorkList Name : astm-ammonia-07-14

WorkList ID : 190699

Department : Distillation

Date : 07-14-2025 11:02:08

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2578-04	WC-A5-01-C	Solid	ASTM Ammonia	Cool 4 deg C	ENTA05	D41	07/10/2025	SM4500-NH3
Q2578-08	WC-A2-09-C	Solid	ASTM Ammonia	Cool 4 deg C	ENTA05	D41	07/10/2025	SM4500-NH3
Q2578-12	WC-A2-10-C	Solid	ASTM Ammonia	Cool 4 deg C	ENTA05	D41	07/10/2025	SM4500-NH3
Q2578-16	WC-A2-11-C	Solid	ASTM Ammonia	Cool 4 deg C	ENTA05	D41	07/10/2025	SM4500-NH3
Q2578-20	WC-A2-12-C	Solid	ASTM Ammonia	Cool 4 deg C	ENTA05	D41	07/10/2025	SM4500-NH3
Q2579-04	WC-A2-13-C	Solid	ASTM Ammonia	Cool 4 deg C	ENTA05	D41	07/10/2025	SM4500-NH3
Q2579-08	WC-A2-14-C	Solid	ASTM Ammonia	Cool 4 deg C	ENTA05	D41	07/10/2025	SM4500-NH3

Date/Time 07/14/2025 11:05
 Raw Sample Received by: RY (wsc)
 Raw Sample Relinquished by: [Signature]

Date/Time N/A
 Raw Sample Received by: ''
 Raw Sample Relinquished by: ''

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB136439

Review By	rubina	Review On	7/14/2025 10:30:26 AM
Supervise By	Iwona	Supervise On	7/14/2025 10:33:59 AM
SubDirectory	LB136439	Test	Reactive Cyanide
STD. NAME	STD REF.#		
ICAL Standard	WP113905,WP113906,WP113907,WP113908,WP113909,WP113910,WP113911		
ICV Standard	WP113912		
CCV Standard	WP113906		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP112643,WP112900,WP113913		

Sr#	SampleID	ClientID	QcType	Date	Comment	Operator	Status
1	0.0PPBCN	0.0PPBCN	CAL1	07/11/25 08:54		rubina	OK
2	5.0PPBCN	5.0PPBCN	CAL2	07/11/25 08:54		rubina	OK
3	10PPBCN	10PPBCN	CAL3	07/11/25 08:54		rubina	OK
4	50PPBCN	50PPBCN	CAL4	07/11/25 08:54		rubina	OK
5	100PPBCN	100PPBCN	CAL5	07/11/25 08:54		rubina	OK
6	250PPBCN	250PPBCN	CAL6	07/11/25 08:54		rubina	OK
7	500PPBCN	500PPBCN	CAL7	07/11/25 08:54		rubina	OK
8	ICV1	ICV1	ICV	07/11/25 12:51		rubina	OK
9	ICB1	ICB1	ICB	07/11/25 12:51		rubina	OK
10	CCV1	CCV1	CCV	07/11/25 12:51		rubina	OK
11	CCB1	CCB1	CCB	07/11/25 12:51		rubina	OK
12	PB168801BL	PB168801BL	MB	07/11/25 12:51		rubina	OK
13	Q2519-04	TP-15	SAM	07/11/25 12:51		rubina	OK
14	Q2519-04DUP	TP-15DUP	DUP	07/11/25 12:58		rubina	OK
15	Q2523-01	MOO-25-0190	SAM	07/11/25 12:58		rubina	OK
16	Q2526-05	LAW-25-0101	SAM	07/11/25 12:58		rubina	OK
17	Q2526-06	LAW-25-0102	SAM	07/11/25 12:58		rubina	OK
18	Q2556-01	RT3997	SAM	07/11/25 12:58		rubina	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB136439

Review By	rubina	Review On	7/14/2025 10:30:26 AM
Supervise By	Iwona	Supervise On	7/14/2025 10:33:59 AM
SubDirectory	LB136439	Test	Reactive Cyanide
STD. NAME	STD REF.#		
ICAL Standard	WP113905,WP113906,WP113907,WP113908,WP113909,WP113910,WP113911		
ICV Standard	WP113912		
CCV Standard	WP113906		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP112643,WP112900,WP113913		

19	Q2565-02	MOO-25-0194-0195	SAM	07/11/25 12:58		rubina	OK
20	Q2565-03	MOO-25-0191	SAM	07/11/25 12:58		rubina	OK
21	Q2565-04	MOO-25-0196	SAM	07/11/25 12:58		rubina	OK
22	CCV2	CCV2	CCV	07/11/25 12:59		rubina	OK
23	CCB2	CCB2	CCB	07/11/25 13:06		rubina	OK
24	Q2565-05	MOO-25-0180	SAM	07/11/25 13:06		rubina	OK
25	Q2571-04	TP-18	SAM	07/11/25 13:06		rubina	OK
26	Q2571-08	TP-17	SAM	07/11/25 13:06		rubina	OK
27	Q2578-03	WC-A5-01-C	SAM	07/11/25 13:06		rubina	OK
28	Q2578-07	WC-A2-09-C	SAM	07/11/25 13:06		rubina	OK
29	Q2578-11	WC-A2-10-C	SAM	07/11/25 13:06		rubina	OK
30	Q2578-15	WC-A2-11-C	SAM	07/11/25 13:06		rubina	OK
31	Q2578-19	WC-A2-12-C	SAM	07/11/25 13:06		rubina	OK
32	Q2579-03	WC-A2-13-C	SAM	07/11/25 13:13		rubina	OK
33	Q2579-07	WC-A2-14-C	SAM	07/11/25 13:13		rubina	OK
34	CCV3	CCV3	CCV	07/11/25 13:14		rubina	OK
35	CCB3	CCB3	CCB	07/11/25 13:14		rubina	OK
36	PB168777BL	PB168777BL	MB	07/11/25 13:14		rubina	OK
37	Q2545-01	3918	SAM	07/11/25 13:14		rubina	OK
38	Q2545-01DUP	3918DUP	DUP	07/11/25 13:21		rubina	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB136439

Review By	rubina	Review On	7/14/2025 10:30:26 AM
Supervise By	Iwona	Supervise On	7/14/2025 10:33:59 AM
SubDirectory	LB136439	Test	Reactive Cyanide
STD. NAME	STD REF.#		
ICAL Standard	WP113905,WP113906,WP113907,WP113908,WP113909,WP113910,WP113911		
ICV Standard	WP113912		
CCV Standard	WP113906		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP112643,WP112900,WP113913		

39	Q2550-01	3326	SAM	07/11/25 13:21		rubina	OK
40	Q2551-01	293	SAM	07/11/25 13:21		rubina	OK
41	Q2565-01	MOO-25-0192-0193	SAM	07/11/25 13:21		rubina	OK
42	CCV4	CCV4	CCV	07/11/25 13:21		rubina	OK
43	CCB4	CCB4	CCB	07/11/25 13:21		rubina	OK

Instrument ID: TITRAMETRIC

Daily Analysis Runlog For Sequence/QC Batch ID # LB136443

Review By	rubina	Review On	7/11/2025 3:53:07 PM
Supervise By	Iwona	Supervise On	7/11/2025 4:23:51 PM
SubDirectory	LB136443	Test	Reactive Sulfide
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3105,W3213,W3149		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	PB168800BL	PB168800BL	MB	07/11/25 15:00		rubina	OK
2	Q2519-04	TP-15	SAM	07/11/25 15:03		rubina	OK
3	Q2519-04DUP	TP-15DUP	DUP	07/11/25 15:06		rubina	OK
4	Q2523-01	MOO-25-0190	SAM	07/11/25 15:09		rubina	OK
5	Q2526-05	LAW-25-0101	SAM	07/11/25 15:12		rubina	OK
6	Q2526-06	LAW-25-0102	SAM	07/11/25 15:14		rubina	OK
7	Q2556-01	RT3997	SAM	07/11/25 15:17		rubina	OK
8	Q2565-02	MOO-25-0194-0195	SAM	07/11/25 15:20		rubina	OK
9	Q2565-03	MOO-25-0191	SAM	07/11/25 15:22		rubina	OK
10	Q2565-04	MOO-25-0196	SAM	07/11/25 15:24		rubina	OK
11	Q2565-05	MOO-25-0180	SAM	07/11/25 15:27		rubina	OK
12	Q2571-04	TP-18	SAM	07/11/25 15:30		rubina	OK
13	Q2571-08	TP-17	SAM	07/11/25 15:32		rubina	OK
14	Q2578-03	WC-A5-01-C	SAM	07/11/25 15:34		rubina	OK
15	Q2578-07	WC-A2-09-C	SAM	07/11/25 15:36		rubina	OK
16	Q2578-11	WC-A2-10-C	SAM	07/11/25 15:39		rubina	OK
17	Q2578-15	WC-A2-11-C	SAM	07/11/25 15:42		rubina	OK
18	Q2578-19	WC-A2-12-C	SAM	07/11/25 15:45		rubina	OK

Instrument ID: TITRAMETRIC

Daily Analysis Runlog For Sequence/QC Batch ID # LB136443

Review By	rubina	Review On	7/11/2025 3:53:07 PM
Supervise By	Iwona	Supervise On	7/11/2025 4:23:51 PM
SubDirectory	LB136443	Test	Reactive Sulfide
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3105,W3213,W3149		

19	Q2579-03	WC-A2-13-C	SAM	07/11/25 15:47		rubina	OK
20	Q2579-07	WC-A2-14-C	SAM	07/11/25 15:49		rubina	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB136448

Review By	jignesh	Review On	7/14/2025 10:27:10 AM
Supervise By	Iwona	Supervise On	7/18/2025 8:46:58 AM
SubDirectory	LB136448	Test	TS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleID	ClientID	QcType	Date	Comment	Operator	Status
1	LB136448BL	LB136448BL	MB	07/11/25 11:00		jignesh	OK
2	Q2578-02	WC-A5-01-C	SAM	07/11/25 11:00		jignesh	OK
3	Q2578-02DUP	WC-A5-01-CDUP	DUP	07/11/25 11:00		jignesh	OK
4	Q2578-06	WC-A2-09-C	SAM	07/11/25 11:00		jignesh	OK
5	Q2578-10	WC-A2-10-C	SAM	07/11/25 11:00		jignesh	OK
6	Q2578-14	WC-A2-11-C	SAM	07/11/25 11:00		jignesh	OK
7	Q2578-18	WC-A2-12-C	SAM	07/11/25 11:00		jignesh	OK
8	Q2579-02	WC-A2-13-C	SAM	07/11/25 11:00		jignesh	OK
9	Q2579-06	WC-A2-14-C	SAM	07/11/25 11:00		jignesh	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB136449

Review By	jignesh	Review On	7/14/2025 10:46:28 AM
Supervise By	Iwona	Supervise On	7/18/2025 8:47:27 AM
SubDirectory	LB136449	Test	TVS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleID	ClientID	QcType	Date	Comment	Operator	Status
1	LB136449BL	LB136449BL	MB	07/11/25 16:00		jignesh	OK
2	Q2578-02	WC-A5-01-C	SAM	07/11/25 16:00		jignesh	OK
3	Q2578-02DUP	WC-A5-01-CDUP	DUP	07/11/25 16:00		jignesh	OK
4	Q2578-06	WC-A2-09-C	SAM	07/11/25 16:00		jignesh	OK
5	Q2578-10	WC-A2-10-C	SAM	07/11/25 16:00		jignesh	OK
6	Q2578-14	WC-A2-11-C	SAM	07/11/25 16:00		jignesh	OK
7	Q2578-18	WC-A2-12-C	SAM	07/11/25 16:00		jignesh	OK
8	Q2579-02	WC-A2-13-C	SAM	07/11/25 16:00		jignesh	OK
9	Q2579-06	WC-A2-14-C	SAM	07/11/25 16:00		jignesh	OK

Instrument ID: WC PH METER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB136451

Review By	jignesh	Review On	7/11/2025 4:23:19 PM
Supervise By	Iwona	Supervise On	7/14/2025 10:56:31 AM
SubDirectory	LB136451	Test	pH
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3178,W3093,W3191,W3217,W3161,W3200		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	07/11/25 14:20		Jignesh	OK
2	CAL2	CAL2	CAL	07/11/25 14:21		Jignesh	OK
3	CAL3	CAL3	CAL	07/11/25 14:22		Jignesh	OK
4	ICV	ICV	ICV	07/11/25 14:25		Jignesh	OK
5	CCV1	CCV1	CCV	07/11/25 14:33		Jignesh	OK
6	Q2578-02	WC-A5-01-C	SAM	07/11/25 14:55		Jignesh	OK
7	Q2578-02DUP	WC-A5-01-CDUP	DUP	07/11/25 14:56		Jignesh	OK
8	Q2578-06	WC-A2-09-C	SAM	07/11/25 15:00		Jignesh	OK
9	Q2578-10	WC-A2-10-C	SAM	07/11/25 15:05		Jignesh	OK
10	Q2578-14	WC-A2-11-C	SAM	07/11/25 15:15		Jignesh	OK
11	Q2578-18	WC-A2-12-C	SAM	07/11/25 15:25		Jignesh	OK
12	Q2579-02	WC-A2-13-C	SAM	07/11/25 15:35		Jignesh	OK
13	Q2579-06	WC-A2-14-C	SAM	07/11/25 15:45		Jignesh	OK
14	Q2589-01	AU-06-071125	SAM	07/11/25 16:00		Jignesh	OK
15	CCV2	CCV2	CCV	07/11/25 16:02		Jignesh	OK

Instrument ID: WC PH METER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB136452

Review By	jignesh	Review On	7/11/2025 4:30:58 PM
Supervise By	Iwona	Supervise On	7/14/2025 10:56:16 AM
SubDirectory	LB136452	Test	Corrosivity
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3178,W3093,W3191,W3217,W3161,W3200		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	07/11/25 14:20		Jignesh	OK
2	CAL2	CAL2	CAL	07/11/25 14:21		Jignesh	OK
3	CAL3	CAL3	CAL	07/11/25 14:22		Jignesh	OK
4	ICV	ICV	ICV	07/11/25 14:25		Jignesh	OK
5	CCV1	CCV1	CCV	07/11/25 14:33		Jignesh	OK
6	Q2578-03	WC-A5-01-C	SAM	07/11/25 14:55		Jignesh	OK
7	Q2578-03DUP	WC-A5-01-CDUP	DUP	07/11/25 14:56		Jignesh	OK
8	Q2578-07	WC-A2-09-C	SAM	07/11/25 15:00		Jignesh	OK
9	Q2578-11	WC-A2-10-C	SAM	07/11/25 15:05		Jignesh	OK
10	Q2578-15	WC-A2-11-C	SAM	07/11/25 15:15		Jignesh	OK
11	Q2578-19	WC-A2-12-C	SAM	07/11/25 15:25		Jignesh	OK
12	Q2579-03	WC-A2-13-C	SAM	07/11/25 15:35		Jignesh	OK
13	Q2579-07	WC-A2-14-C	SAM	07/11/25 15:45		Jignesh	OK
14	Q2586-04	TP-16	SAM	07/11/25 15:56		Jignesh	OK
15	CCV2	CCV2	CCV	07/11/25 16:02		Jignesh	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB136455

Review By	jignesh	Review On	7/15/2025 10:28:04 AM
Supervise By	Iwona	Supervise On	7/15/2025 1:22:21 PM
SubDirectory	LB136455	Test	ASTM TS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB136455BL	LB136455BL	MB	07/14/25 12:00		jignesh	OK
2	Q2578-04	WC-A5-01-C	SAM	07/14/25 12:00		jignesh	OK
3	Q2578-04DUP	WC-A5-01-CDUP	DUP	07/14/25 12:00		jignesh	OK
4	Q2578-08	WC-A2-09-C	SAM	07/14/25 12:00		jignesh	OK
5	Q2578-12	WC-A2-10-C	SAM	07/14/25 12:00		jignesh	OK
6	Q2578-16	WC-A2-11-C	SAM	07/14/25 12:00		jignesh	OK
7	Q2578-20	WC-A2-12-C	SAM	07/14/25 12:00		jignesh	OK
8	Q2579-04	WC-A2-13-C	SAM	07/14/25 12:00		jignesh	OK
9	Q2579-08	WC-A2-14-C	SAM	07/14/25 12:00		jignesh	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB136456

Review By	jignesh	Review On	7/14/2025 11:54:45 AM
Supervise By	Iwona	Supervise On	7/15/2025 1:21:55 PM
SubDirectory	LB136456	Test	ASTM Oil and Grease
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3204,M6069,EP2624,WP112782,NA,NA,WP112783,NA,WO112784		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB136456BL	LB136456BL	MB	07/14/25 13:00		jignesh	OK
2	LB136456BS	LB136456BS	LCS	07/14/25 13:00		jignesh	OK
3	Q2578-04	WC-A5-01-C	SAM	07/14/25 13:00		jignesh	OK
4	Q2578-04DUP	WC-A5-01-CDUP	DUP	07/14/25 13:00		jignesh	OK
5	Q2578-04MS	WC-A5-01-CMS	MS	07/14/25 13:00		jignesh	OK
6	Q2578-04MSD	WC-A5-01-CMSD	MSD	07/14/25 13:00		jignesh	OK
7	Q2578-08	WC-A2-09-C	SAM	07/14/25 13:00		jignesh	OK
8	Q2578-12	WC-A2-10-C	SAM	07/14/25 13:00		jignesh	OK
9	Q2578-16	WC-A2-11-C	SAM	07/14/25 13:00		jignesh	OK
10	Q2578-20	WC-A2-12-C	SAM	07/14/25 13:00		jignesh	OK
11	Q2579-04	WC-A2-13-C	SAM	07/14/25 13:00		jignesh	OK
12	Q2579-08	WC-A2-14-C	SAM	07/14/25 13:00		jignesh	OK

Instrument ID: FLAME

Daily Analysis Runlog For Sequence/QC Batch ID # LB136462

Review By	Eman	Review On	7/14/2025 4:26:48 PM
Supervise By	Iwona	Supervise On	7/14/2025 4:51:34 PM
SubDirectory	LB136462	Test	Ignitability
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleID	ClientID	QcType	Date	Comment	Operator	Status
1	Q2578-03	WC-A5-01-C	SAM	07/14/25 08:30		Eman	OK
2	Q2578-03DUP	WC-A5-01-CDUP	DUP	07/14/25 08:37		Eman	OK
3	Q2578-07	WC-A2-09-C	SAM	07/14/25 08:45		Eman	OK
4	Q2578-11	WC-A2-10-C	SAM	07/14/25 08:52		Eman	OK
5	Q2578-15	WC-A2-11-C	SAM	07/14/25 09:00		Eman	OK
6	Q2578-19	WC-A2-12-C	SAM	07/14/25 09:08		Eman	OK
7	Q2579-03	WC-A2-13-C	SAM	07/14/25 09:15		Eman	OK
8	Q2579-07	WC-A2-14-C	SAM	07/14/25 09:22		Eman	OK
9	Q2586-01	TP-16	SAM	07/14/25 09:30		Eman	OK
10	Q2586-04	TP-16	SAM	07/14/25 09:37		Eman	OK

Instrument ID: FILTER/GRAVIMETRIC

Daily Analysis Runlog For Sequence/QC Batch ID # LB136463

Review By	Eman	Review On	7/14/2025 4:26:57 PM
Supervise By	Iwona	Supervise On	7/14/2025 4:50:18 PM
SubDirectory	LB136463	Test	Paint Filter
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	Q2578-02	WC-A5-01-C	SAM	07/14/25 09:50		Eman	OK
2	Q2578-02DUP	WC-A5-01-CDUP	DUP	07/14/25 09:57		Eman	OK
3	Q2578-06	WC-A2-09-C	SAM	07/14/25 10:05		Eman	OK
4	Q2578-10	WC-A2-10-C	SAM	07/14/25 10:12		Eman	OK
5	Q2578-14	WC-A2-11-C	SAM	07/14/25 10:20		Eman	OK
6	Q2578-18	WC-A2-12-C	SAM	07/14/25 10:27		Eman	OK
7	Q2579-02	WC-A2-13-C	SAM	07/14/25 10:35		Eman	OK
8	Q2579-06	WC-A2-14-C	SAM	07/14/25 10:42		Eman	OK
9	Q2586-01	TP-16	SAM	07/14/25 10:50		Eman	OK
10	Q2590-01	NB-07-071125	SAM	07/14/25 10:58		Eman	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB136468

Review By	rubina	Review On	7/15/2025 11:07:50 AM
Supervise By	Iwona	Supervise On	7/15/2025 11:58:23 AM
SubDirectory	LB136468	Test	ASTM Ammonia
STD. NAME	STD REF.#		
ICAL Standard	WP113926		
ICV Standard	WP113928		
CCV Standard	WP113927		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP113889		
Chk Standard	WP113852,WP111745,WP113929,WP111660		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	0.0PPM	0.0PPM	CAL1	07/14/25 10:59		rubina	OK
2	0.1PPM	0.1PPM	CAL2	07/14/25 10:59		rubina	OK
3	0.2PPM	0.2PPM	CAL3	07/14/25 10:59		rubina	OK
4	0.4PPM	0.4PPM	CAL4	07/14/25 10:59		rubina	OK
5	1.0PPM	1.0PPM	CAL5	07/14/25 10:59		rubina	OK
6	1.3PPM	1.3PPM	CAL6	07/14/25 10:59		rubina	OK
7	2.0PPM	2.0PPM	CAL7	07/14/25 11:00		rubina	OK
8	ICV1	ICV1	ICV	07/14/25 16:06		rubina	OK
9	ICB1	ICB1	ICB	07/14/25 16:06		rubina	OK
10	CCV1	CCV1	CCV	07/14/25 16:06		rubina	OK
11	CCB1	CCB1	CCB	07/14/25 16:06		rubina	OK
12	PB168836BL	PB168836BL	MB	07/14/25 16:06		rubina	OK
13	PB168836BS	PB168836BS	LCS	07/14/25 16:06		rubina	OK
14	PB168836TB	PB168836TB	MB	07/14/25 16:17		rubina	OK
15	Q2578-04	WC-A5-01-C	SAM	07/14/25 16:17		rubina	OK
16	Q2578-04DUP	WC-A5-01-CDUP	DUP	07/14/25 16:17		rubina	OK
17	Q2578-04MS	WC-A5-01-CMS	MS	07/14/25 16:17		rubina	OK
18	Q2578-04MSD	WC-A5-01-CMSD	MSD	07/14/25 16:17		rubina	OK

Instrument ID: KONELAB

Daily Analysis Runlog For Sequence/QC Batch ID # LB136468

Review By	rubina	Review On	7/15/2025 11:07:50 AM
Supervise By	Iwona	Supervise On	7/15/2025 11:58:23 AM
SubDirectory	LB136468	Test	ASTM Ammonia
STD. NAME	STD REF.#		
ICAL Standard	WP113926		
ICV Standard	WP113928		
CCV Standard	WP113927		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP113889		
Chk Standard	WP113852,WP111745,WP113929,WP111660		

19	Q2578-08	WC-A2-09-C	SAM	07/14/25 16:17		rubina	OK
20	Q2578-12	WC-A2-10-C	SAM	07/14/25 16:17		rubina	OK
21	Q2578-16	WC-A2-11-C	SAM	07/14/25 16:17		rubina	OK
22	CCV2	CCV2	CCV	07/14/25 16:28		rubina	OK
23	CCB2	CCB2	CCB	07/14/25 16:28		rubina	OK
24	Q2578-20	WC-A2-12-C	SAM	07/14/25 16:28		rubina	OK
25	Q2579-04	WC-A2-13-C	SAM	07/14/25 16:28		rubina	OK
26	Q2579-08	WC-A2-14-C	SAM	07/14/25 16:28		rubina	OK
27	CCV3	CCV3	CCV	07/14/25 16:28		rubina	OK
28	CCB3	CCB3	CCB	07/14/25 16:32		rubina	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB136474

Review By	jignesh	Review On	7/16/2025 10:59:13 AM
Supervise By	Iwona	Supervise On	7/16/2025 1:34:02 PM
SubDirectory	LB136474	Test	Oil and Grease
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3204,NA,EP2625,NA,NA,W3186,WP112785,NA,WP112786		

Sr#	SampleID	ClientID	QcType	Date	Comment	Operator	Status
1	LB136474BL	LB136474BL	MB	07/15/25 11:45		jignesh	OK
2	LB136474BS	LB136474BS	LCS	07/15/25 11:45		jignesh	OK
3	Q2578-02	WC-A5-01-C	SAM	07/15/25 11:45		jignesh	OK
4	Q2578-06	WC-A2-09-C	SAM	07/15/25 11:45		jignesh	OK
5	Q2578-10	WC-A2-10-C	SAM	07/15/25 11:45		jignesh	OK
6	Q2578-14	WC-A2-11-C	SAM	07/15/25 11:45		jignesh	OK
7	Q2578-18	WC-A2-12-C	SAM	07/15/25 11:45		jignesh	OK
8	Q2579-02	WC-A2-13-C	SAM	07/15/25 11:45		jignesh	OK
9	Q2579-06	WC-A2-14-C	SAM	07/15/25 11:45		jignesh	OK
10	Q2579-06DUP	WC-A2-14-CDUP	DUP	07/15/25 11:45		jignesh	OK
11	Q2579-06MS	WC-A2-14-CMS	MS	07/15/25 11:45		jignesh	OK
12	Q2579-06MSD	WC-A2-14-CMSD	MSD	07/15/25 11:45		jignesh	OK

Instrument ID: SPECTROPHOTOMETER-2

Daily Analysis Runlog For Sequence/QC Batch ID # LB136478

Review By	Iwona	Review On	7/15/2025 12:45:43 PM
Supervise By	jignesh	Supervise On	7/15/2025 12:48:42 PM
SubDirectory	LB136478	Test	ASTM COD
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP113238,WP113237,WP113235,WP113234,WP113233,WP113240,WP113236,W3129,WP113940,WP113941,WP1		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	05/28/25 13:10		Iwona	OK
2	CAL2	CAL2	CAL	05/28/25 13:10		Iwona	OK
3	CAL3	CAL3	CAL	05/28/25 13:11		Iwona	OK
4	CAL4	CAL4	CAL	05/28/25 13:11		Iwona	OK
5	CAL5	CAL5	CAL	05/28/25 13:12		Iwona	OK
6	CAL6	CAL6	CAL	05/28/25 13:12		Iwona	OK
7	ICV	ICV	ICV	05/28/25 13:13		Iwona	OK
8	ICB	ICB	ICB	05/28/25 13:13		Iwona	OK
9	RL Check	RL Check	RL	07/15/25 12:16		Iwona	OK
10	CCV1	CCV1	CCV	07/15/25 12:25		Iwona	OK
11	CCB1	CCB1	CCB	07/15/25 12:25		Iwona	OK
12	LB136478BL	LB136478BL	MB	07/15/25 12:26		Iwona	OK
13	LB136478BS	LB136478BS	LCS	07/15/25 12:27		Iwona	OK
14	Q2578-04	WC-A5-01-C	SAM	07/15/25 12:27		Iwona	OK
15	Q2578-04DUP	WC-A5-01-CDUP	DUP	07/15/25 12:28		Iwona	OK
16	Q2578-04MS	WC-A5-01-CMS	MS	07/15/25 12:28		Iwona	OK
17	Q2578-04MSD	WC-A5-01-CMSD	MSD	07/15/25 12:29		Iwona	OK
18	Q2578-08	WC-A2-09-C	SAM	07/15/25 12:29		Iwona	OK

Instrument ID: SPECTROPHOTOMETER-2

Daily Analysis Runlog For Sequence/QC Batch ID # LB136478

Review By	Iwona	Review On	7/15/2025 12:45:43 PM
Supervise By	jignesh	Supervise On	7/15/2025 12:48:42 PM
SubDirectory	LB136478	Test	ASTM COD
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP113238,WP113237,WP113235,WP113234,WP113233,WP113240,WP113236,W3129,WP113940,WP113941,WP1		

19	Q2578-12	WC-A2-10-C	SAM	07/15/25 12:30		Iwona	OK
20	Q2578-16	WC-A2-11-C	SAM	07/15/25 12:30		Iwona	OK
21	Q2578-20	WC-A2-12-C	SAM	07/15/25 12:31		Iwona	OK
22	CCV2	CCV2	CCV	07/15/25 12:31		Iwona	OK
23	CCB2	CCB2	CCB	07/15/25 12:32		Iwona	OK
24	Q2579-04	WC-A2-13-C	SAM	07/15/25 12:32		Iwona	OK
25	Q2579-08	WC-A2-14-C	SAM	07/15/25 12:33		Iwona	OK
26	CCV3	CCV3	CCV	07/15/25 12:33		Iwona	OK
27	CCB3	CCB3	CCB	07/15/25 12:34		Iwona	OK

Prep Standard - Chemical Standard Summary

Order ID : Q2578

Test : ASTM Ammonia,ASTM COD,ASTM Oil and Grease,ASTM TS,Corrosivity,Ignitability,Oil and Grease,Paint Filter,Percent Solids,pH,Reactive Cyanide,Reactive Sulfide,TS,TVS

Prepbatch ID : PB168800,PB168801,PB168836,

Sequence ID/Qc Batch ID: LB136439,LB136443,LB136448,LB136449,LB136451,LB136452,LB136455,LB136456,LB136462,LB136463

Standard ID :

EP2624,EP2625,WP111660,WP111745,WP112611,WP112612,WP112643,WP112782,WP112783,WP112785,WP112786,WP112828,WP112900,WP113086,WP113231,WP113232,WP113233,WP113234,WP113235,WP113236,WP113237,WP113238,WP113240,WP113836,WP113838,WP113852,WP113885,WP113886,WP113887,WP113888,WP113889,WP113904,WP113905,WP113906,WP113907,WP113908,WP113909,WP113910,WP113911,WP113912,WP113913,WP113926,WP113927,WP113928,WP113929,WP113938,WP113939,WP113940,WP113941,WP113942,

Chemical ID :

AS PER

PB168835,E3551,E3917,M6041,M6069,M6151,W2663,W2666,W2668,W2725,W2784,W2817,W2871,W2926,W3009,W3019,W3082,W3093,W3105,W3112,W3113,W3129,W3132,W3133,W3139,W3149,W3155,W3161,W3169,W3174,W3178,W3186,W3191,W3195,W3196,W3200,W3201,W3203,W3204,W3213,W3214,W3217,W3219,W3224,WO 112784,



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3923	Baked Sodium Sulfate	EP2624	06/26/2025	12/04/2025	RUPESHKUMAR SHAH	Extraction_SCALE_2 (EX-SC-2)	None	Riteshkumar Patel 06/26/2025
<u>FROM</u> 4000.00000gram of E3551 = Final Quantity: 4000.000 gram								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3923	Baked Sodium Sulfate	EP2625	07/15/2025	12/04/2025	RUPESHKUMAR SHAH	Extraction_SCALE_2 (EX-SC-2)	None	Riteshkumar Patel 07/15/2025
<u>FROM</u> 4000.00000gram of E3551 = Final Quantity: 4000.000 gram								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
635	EDTA BUFFER FOR AMMONIA	WP111660	01/28/2025	07/28/2025	Rubina Mughal	WETCHEM_SCALE_8 (WCS-7)	None	Iwona Zarych 01/28/2025
<u>FROM</u> 5.50000gram of W3113 + 50.00000gram of W3132 + 950.00000ml of W3112 = Final Quantity: 1000.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
289	Sodium Hypochlorite for Ammonia	WP111745	02/03/2025	07/31/2025	Rubina Mughal	None	None	Iwona Zarych 02/03/2025
<u>FROM</u> 50.00000ml of W3112 + 50.00000ml of W3174 = Final Quantity: 100.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
153	Ammonia Stock Std. (1000 ppm)	WP112611	04/07/2025	10/07/2025	Rubina Mughal	WETCHEM_S CALE_8 (WC SC-7)	None	Iwona Zarych 04/07/2025
<u>FROM</u> 3.81900gram of W3196 + 996.18100ml of W3112 = Final Quantity: 1000.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1895	Ammonia Stock Std, 1000PPM-SS	WP112612	04/07/2025	10/07/2025	Rubina Mughal	WETCHEM_S CALE_8 (WC SC-7)	None	Iwona Zarych 04/07/2025
<u>FROM</u> 3.81900gram of W3195 + 996.18100ml of W3112 = Final Quantity: 1000.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
539	CN BUFFER	WP112643	04/09/2025	10/09/2025	Niha Farheen Shaik	WETCHEM_SCALE_5 (WC SC-5)	None	Iwona Zarych 04/09/2025
FROM 138.00000gram of W2668 + 862.00000ml of W3112 = Final Quantity: 1000.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
229	1:1 HCL	WP112782	04/22/2025	08/18/2025	Jignesh Parikh	None	None	Iwona Zarych 04/22/2025
FROM 500.00000ml of M6151 + 500.00000ml of W3112 = Final Quantity: 1.000 L								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2470	1664A SPIKING SOLN	WP112783	04/22/2025	10/03/2025	Jignesh Parikh	WETCHEM_SCALE_8 (WCS-7)	None	Iwona Zarych 04/22/2025
<u>FROM</u>	1000.00000ml of E3917 + 4.00000gram of W2817 + 4.00000gram of W2871 = Final Quantity: 1000.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3931	Spiking std for 9071B	WP112785	04/22/2025	10/03/2025	Jignesh Parikh	WETCHEM_SCALE_8 (WC SC-7)	None	Iwona Zarych 04/22/2025
<u>FROM</u>	1.00000gram of W2817 + 1.00000gram of W2871 + 1000.00000ml of E3917 = Final Quantity: 1000.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3873	Spiking solution for 9071B - SS	WP112786	04/22/2025	10/03/2025	Jignesh Parikh	WETCHEM_SCALE_8 (WCS-7)	None	Iwona Zarych 04/22/2025
<u>FROM</u>	1.00000gram of W3009 + 1.00000gram of W3082 + 1000.00000L of E3917 = Final Quantity: 1000.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1597	0.04 N H2SO4	WP112828	04/25/2025	10/25/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3	Iwona Zarych
<u>FROM</u>		1.00000ml of M6041 + 999.00000ml of W3112 = Final Quantity: 1000.000 ml						



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
607	PYRIDINE-BARBITURIC ACID	WP112900	05/01/2025	08/18/2025	Rubina Mughal	WETCHEM_S CALE_8 (WC SC-7)	Glass Pipette-A	Iwona Zarych 05/01/2025
<u>FROM</u>	145.00000ml of W3112 + 15.00000gram of W3203 + 15.00000ml of M6151 + 75.00000ml of W3019 = Final Quantity: 250.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
160	0.5M ZINC ACETATE	WP113086	05/15/2025	08/18/2025	Rubina Mughal	WETCHEM_SCALE_8 (WC SC-7)	None	Iwona Zarych 05/15/2025
<u>FROM</u>	0.88900L of W3112 + 1.00000ml of M6151 + 110.00000gram of W2926 = Final Quantity: 1000.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2456	COD Stock std, 1000ppm	WP113231	05/28/2025	06/04/2025	Iwona Zarych	WETCHEM_S CALE_5 (WC SC-5)	None	Jignesh Parikh 05/28/2025
<u>FROM</u>	0.08500gram of W2784 + 100.00000ml of W3112 = Final Quantity: 100.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2457	COD Stock std-SS, 1000ppm	WP113232	05/28/2025	06/04/2025	Iwona Zarych	WETCHEM_S CALE_5 (WC SC-5)	None	Jignesh Parikh 05/28/2025
<u>FROM</u>	0.08500gram of W3169 + 100.00000ml of W3112 = Final Quantity: 100.000 ml							

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
139	COD calibration std. 0 ppm	WP113233	05/28/2025	06/04/2025	Iwona Zarych	None	None	Jignesh Parikh
								05/28/2025

FROM 10.00000ml of W3112 = Final Quantity: 10.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
138	COD calibration std. 10 ppm	WP113234	05/28/2025	06/04/2025	Iwona Zarych	None	WETCHEM_F IPETTE_3 (WC)	Jignesh Parikh
								05/28/2025

FROM 9.90000ml of W3112 + 0.10000ml of WP113231 = Final Quantity: 10.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
137	COD calibration std. 50 ppm	WP113235	05/28/2025	06/04/2025	Iwona Zarych	None	WETCHEM_PIPETTE_3	Jignesh Parikh
(WC) FROM 9.50000ml of W3112 + 0.50000ml of WP113231 = Final Quantity: 10.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4161	COD calibration std. 75 ppm	WP113236	05/28/2025	06/04/2025	Iwona Zarych	None	WETCHEM_PIPETTE_3 (WC)	Jignesh Parikh 05/28/2025
<u>FROM</u> 9.25000ml of W3112 + 0.75000ml of WP113231 = Final Quantity: 10.000 ml								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
136	COD calibration std. 100 ppm	WP113237	05/28/2025	06/04/2025	Iwona Zarych	None	WETCHEM_F IPETTE_3 (WC)	Jignesh Parikh 05/28/2025

FROM 9.00000ml of W3112 + 1.00000ml of WP113231 = Final Quantity: 10.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
135	COD calibration std. 150 ppm	WP113238	05/28/2025	06/04/2025	Iwona Zarych	None	WETCHEM_F IPETTE_3 (WC)	Jignesh Parikh 05/28/2025

FROM 8.50000ml of W3112 + 1.50000ml of WP113231 = Final Quantity: 10.000 ml

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2459	COD ICV-LCS std, 50ppm	WP113240	05/28/2025	06/04/2025	Iwona Zarych	None	WETCHEM_FIPETTE_3 (WC)	Jignesh Parikh 05/28/2025

FROM 9.50000ml of W3112 + 0.50000ml of WP113232 = Final Quantity: 10.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
11	Sodium hydroxide absorbing solution 0.25 N	WP113836	07/08/2025	12/31/2025	Rubina Mughal	WETCHEM_SCALE_8 (WC SC-7)	None	Iwona Zarych 07/08/2025

FROM 21.00000L of W3112 + 210.00000gram of W3113 = Final Quantity: 21.000 L



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3371	Cyanide LCS Spike Solution, 5PPM	WP113838	07/08/2025	12/24/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 07/08/2025
<u>FROM</u>	1.00000ml of W3224 + 199.00000ml of WP113836 = Final Quantity: 200.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
740	sodium nitroferricyanide for ammonia	WP113852	07/09/2025	08/09/2025	Rubina Mughal	WETCHEM_SCALE_5 (WC SC-5)	None	Iwona Zarych 07/09/2025
<u>FROM</u> 0.05000gram of W2666 + 99.95000ml of W3112 = Final Quantity: 100.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1796	NaOH, 0.1N	WP113885	07/10/2025	12/31/2025	Rubina Mughal	WETCHEM_S CALE_8 (WC SC-7)	None	Iwona Zarych 07/10/2025
<u>FROM</u> 4.00000gram of W3113 + 996.00000ml of W3112 = Final Quantity: 1000.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1494	BORATE BUFFER	WP113886	07/10/2025	12/31/2025	Rubina Mughal	WETCHEM_SCALE_8 (WCS-7)	None	Iwona Zarych 07/10/2025
<u>FROM</u> 0.90250L of W3112 + 9.50000gram of W3201 + 88.00000ml of WP113885 = Final Quantity: 1.000 L								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1471	NaOH Solution, 6N	WP113887	07/10/2025	12/31/2025	Rubina Mughal	WETCHEM_SCALE_8 (WC SC-7)	None	Iwona Zarych 07/10/2025
<u>FROM</u> 240.00000gram of W3113 + 760.00000ml of W3112 = Final Quantity: 1000.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1322	Ammonia Intermediate Std, 50PPM	WP113888	07/10/2025	08/10/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 07/10/2025
<u>FROM</u> 95.00000ml of W3112 + 5.00000ml of WP112611 = Final Quantity: 100.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1639	Ammonia Intermediate Std-Second source, 50PPM	WP113889	07/10/2025	08/10/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 07/10/2025
<u>FROM</u> 95.00000ml of W3112 + 5.00000ml of WP112612 = Final Quantity: 100.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3456	Cyanide Intermediate Working Std, 5PPM	WP113904	07/11/2025	07/12/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3	Iwona Zarych
(WC) FROM 0.25000ml of W3214 + 49.75000ml of WP113836 = Final Quantity: 50.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4	Calibration standard 500 ppb	WP113905	07/11/2025	07/12/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3	Iwona Zarych
FROM 45.00000ml of WP113836 + 5.00000ml of WP113904 = Final Quantity: 50.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3761	Calibration-CCV CN Standard 250 ppb	WP113906	07/11/2025	07/12/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 07/11/2025
<u>FROM</u> 2.50000ml of WP113904 + 47.50000ml of WP113836 = Final Quantity: 50.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
6	Calibration Standard 100 ppb	WP113907	07/11/2025	07/12/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3	Iwona Zarych
FROM 1.00000ml of WP113904 + 49.00000ml of WP113836 = Final Quantity: 50.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
7	Calibration Standard 50 ppb	WP113908	07/11/2025	07/12/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 07/11/2025
<u>FROM</u>	0.50000ml of WP113904 + 49.50000ml of WP113836 = Final Quantity: 50.000 ml							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
8	Calibration Standard 10 ppb	WP113909	07/11/2025	07/12/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3	Iwona Zarych
(WC) FROM 1.00000ml of WP113905 + 49.00000ml of WP113836 = Final Quantity: 50.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
9	Calibration Standard 5 ppb	WP113910	07/11/2025	07/12/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3	Iwona Zarych
FROM 0.50000ml of WP113905 + 49.50000ml of WP113836 = Final Quantity: 50.000 ml 								

Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
167	0 ppb CN calibration std	WP113911	07/11/2025	07/12/2025	Rubina Mughal	None	None	Iwona Zarych
								07/11/2025

FROM 50.00000ml of WP113836 = Final Quantity: 50.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2168	RCN ICV STD, 100 PPB	WP113912	07/11/2025	07/12/2025	Rubina Mughal	None	WETCHEM_FIPETTE_3	Iwona Zarych
							(WC)	07/11/2025

FROM 1.00000ml of WP113838 + 49.00000ml of WP113836 = Final Quantity: 50.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1582	Chloramine T solution, 0.014M	WP113913	07/11/2025	07/12/2025	Rubina Mughal	WETCHEM_S CALE_5 (WC SC-5)	Glass Pipette-A	Iwona Zarych 07/11/2025
<u>FROM</u>	0.08000gram of W3139 + 20.00000ml of W3112 = Final Quantity: 20.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
275	Ammonia Calibration Std. (2 ppm)	WP113926	07/14/2025	07/15/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3	Iwona Zarych
FROM 48.00000ml of W3112 + 2.00000ml of WP113888 = Final Quantity: 50.000 ml 								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
285	Ammonia CCV Std. (1 ppm)	WP113927	07/14/2025	07/15/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3	Iwona Zarych
FROM 49.00000ml of W3112 + 1.00000ml of WP113888 = Final Quantity: 50.000 ml 								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
286	Ammonia ICV Std. (1 ppm)	WP113928	07/14/2025	07/15/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 07/15/2025
<u>FROM</u> 49.00000ml of W3112 + 1.00000ml of WP113889 = Final Quantity: 50.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
290	Phenol reagent for Ammonia	WP113929	07/14/2025	12/31/2025	Rubina Mughal	WETCHEM_SCALE_8 (WCS-7)	None	Iwona Zarych 07/15/2025
<u>FROM</u>	3.20000gram of W3113 + 8.30000gram of W2663 + 88.80000ml of W3112 = Final Quantity: 100.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2456	COD Stock std, 1000ppm	WP113938	07/15/2025	07/22/2025	Iwona Zarych	WETCHEM_SCALE_7 (WCS-6)	None	Jignesh Parikh 07/15/2025
<u>FROM</u> 0.08500gram of W3219 + 100.00000ml of W3112 = Final Quantity: 100.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2457	COD Stock std-SS, 1000ppm	WP113939	07/15/2025	07/22/2025	Iwona Zarych	WETCHEM_SCALE_7 (WCS-6)	None	Jignesh Parikh 07/15/2025
<u>FROM</u> 0.08500gram of W3169 + 100.00000ml of W3112 = Final Quantity: 100.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2458	COD CCV std, 50ppm	WP113940	07/15/2025	07/22/2025	Iwona Zarych	None	WETCHEM_PIPETTE_3 (WC)	Jignesh Parikh 07/15/2025
<u>FROM</u> 9.50000ml of W3112 + 0.50000ml of WP113938 = Final Quantity: 10.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2459	COD ICV-LCS std, 50ppm	WP113941	07/15/2025	07/22/2025	Iwona Zarych	None	WETCHEM_FIPETTE_3 (WC)	Jignesh Parikh 07/15/2025
<u>FROM</u> 9.50000ml of W3112 + 0.50000ml of WP113939 = Final Quantity: 10.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4162	RL CHECK	WP113942	07/15/2025	07/22/2025	Iwona Zarych	None	WETCHEM_PIPETTE_3	Jignesh Parikh
(WC)								
<u>FROM</u>	9.90000ml of W3112 + 0.10000ml of WP113938 = Final Quantity: 10.000 ml							

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19631-100 / SODIUM SULFATE, ANHYDROUS, PEST GRADE, 1	313201	12/04/2025	01/03/2024 / Rajesh	07/20/2023 / Rajesh	E3551

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24H2762008	10/03/2025	04/03/2025 / Rajesh	03/31/2025 / Rajesh	E3917

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	23D2462010	03/20/2028	08/16/2024 / mohan	08/16/2024 / mohan	M6041

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	140440 / TEST PAPERS,PH,0-2.5,.2SENSI, 100PK	80A0441	02/29/2028	09/03/2024 / jignesh	08/19/2024 / Jaswal	M6069

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	08/18/2025	02/18/2025 / Sagar	01/15/2025 / Sagar	M6151

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	P1060-10 / PHENOL, ACS, 500G	2HD0179	01/27/2030	01/27/2020 / apatel	01/27/2020 / apatel	W2663

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	87683 / Sodium Nitroferricyanide 250g	W12F013	02/10/2030	02/10/2020 / apatel	02/10/2020 / apatel	W2666

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3818-5 / SODIUM PHOSPHATE, MONOBAS/HYD, CRYST, ACS, 2.5 KG	0000225799	12/03/2025	04/05/2021 / Alexander	02/10/2020 / apatel	W2668

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EMD-FX0410-5 / FORMALDEHYDE SOLUTION 450ML	60045	06/30/2025	08/19/2024 / lwona	06/22/2020 / apatel	W2725

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	P243-500 / Potassium Hydrogen Phthalate, 500 gms	201089	06/30/2025	12/23/2020 / apatel	12/16/2020 / apatel	W2784

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	A12244 / Stearic acid, 98%, 100 g	U20E006	04/02/2026	04/02/2021 / apatel	04/02/2021 / apatel	W2817

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	H223-57 / Hexadecane, 99.0%	0000266903	05/04/2027	09/07/2021 / apatel	08/26/2021 / apatel	W2871

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J4296-1 / ZINC ACETATE,DIHYD,CRYS,AC S,500G	383058	07/05/2027	07/05/2022 / ketankumar	07/05/2022 / ketankumar	W2926

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	H223-57 / Hexadecane, 99.0%	SHBP8192	02/27/2028	02/27/2023 / lwona	02/27/2023 / lwona	W3009

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
SIGMA ALDRICH	270970-1L / Pyridine 1L	SHBQ2113	04/03/2028	04/03/2023 / lwona	04/03/2023 / lwona	W3019

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	A12244 / Stearic acid, 98%, 100 g	U23E020	02/26/2029	02/26/2024 / lwona	02/26/2024 / lwona	W3082

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	566002 / BUFFER PH 7.00 GREEN 1PINT PK6	44001f99	12/31/2025	04/03/2024 / jignesh	04/02/2024 / jignesh	W3093

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL69870-8 / SODIUM THIOSULFATE,0.025N,4LITRE	4403S13	09/30/2025	04/22/2024 / lwona	04/22/2024 / lwona	W3105

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / lwona	07/03/2024 / lwona	W3112

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-7 / Sodium Hydroxide Pellets 12 Kg	23B1556310	12/31/2025	07/08/2024 / lwona	07/08/2024 / lwona	W3113

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Environmental Express LTD	B1010 / COD Digestion Vials Low Level 0-150Mg/L	13821	10/31/2027	06/16/2025 / lwona	07/25/2024 / lwona	W3129

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC05050-1 / EDTA, disodium salt, dihydrate 1 lb	2ND0156	07/10/2026	07/26/2024 / lwona	07/26/2024 / lwona	W3132

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	140476 / Test Paper,PH Short Range 9.0/10.0	L23	08/22/2029	08/22/2024 / lwona	08/22/2024 / lwona	W3133

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	JTE494-6 / CHLORAMINE-T BAKER 250GM	10239484	09/09/2029	09/09/2024 / lwona	09/09/2024 / lwona	W3139

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL70850-8 / Starch Solution, 4L	4408P62	08/31/2026	10/16/2024 / lwona	10/16/2024 / lwona	W3149

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	140730 / TEST PAPER,POT.IOD-STRCH,P K100,CS12	14-860	12/02/2029	12/02/2024 / lwona	12/02/2024 / lwona	W3155

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL13850-1 / Buffer Solution, PH2 (500ml)	2411E26	10/31/2026	12/09/2024 / lwona	12/09/2024 / lwona	W3161

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	P243-500 / Potassium Hydrogen Phthalate, 500 gms	24H0956262	04/28/2026	01/03/2025 / lwona	01/03/2025 / lwona	W3169

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J9416-1 / Sodium Hypochlorite 500 ml	2501J28	07/31/2025	01/24/2025 / lwona	01/24/2025 / lwona	W3174

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14055-3 / PH 4 BUFFER SOLUTION	2411A93	10/30/2026	04/01/2025 / JIGNESH	01/27/2025 / jignesh	W3178

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-3382-05 / Sand, Purified (cs/4x2.5kg)	25A2756718	12/31/2028	03/10/2025 / lwona	03/10/2025 / lwona	W3186

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	1601-1 / PH 10.01 BUFFER,COLOR CD 475ML	2410F80	03/31/2026	04/01/2025 / JIGNESH	03/13/2025 / jignesh	W3191

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J0660-1 / AMMONIUM CHLORIDE, ACS, 500G	24L0356561	08/31/2027	03/19/2025 / lwona	03/19/2025 / lwona	W3195

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J0660-1 / AMMONIUM CHLORIDE, ACS, 500G	MKCV1009	09/30/2026	03/19/2025 / lwona	03/19/2025 / lwona	W3196

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
RICCA CHEMICAL COMPANY	1615-16 / pH 12.00 Buffer	2504F20	09/30/2026	04/11/2025 / lwona	04/11/2025 / lwona	W3200

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3568-1 / Sodium Borate, 500 gms	BCCL9613	05/31/2029	04/16/2025 / lwona	04/16/2025 / lwona	W3201

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EM-BX0035-3 / Barbituric Acid, 100 gms	WXBF3271V	05/16/2029	04/21/2025 / lwona	04/21/2025 / lwona	W3203

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L)	25c0362005	04/30/2026	04/22/2025 / jignesh	04/18/2025 / jignesh	W3204

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL35830-4 / IODINE SOLUTION .025N 1L	MK25A21527	01/20/2029	05/21/2025 / lwona	05/21/2025 / lwona	W3213

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	RC2543-4 / CYANIDE STD 1000PPM 4OZ	1505H73	11/30/2025	05/21/2025 / lwona	05/21/2025 / lwona	W3214

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL14455-3 / buffer solution pH 7 yellow	2504D34	03/31/2027	07/02/2025 / jignesh	06/26/2025 / lwona	W3217

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	P243-500 / Potassium Hydrogen Phthalate, 500 gms	2025040493	06/30/2030	06/26/2025 / lwona	06/26/2025 / lwona	W3219

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	LC135457 / Cyanide Standard, 1000 PPM, Second Source	45060288	12/24/2025	07/07/2025 / lwona	07/07/2025 / lwona	W3224



Certificate Of Analysis

Item Number	P1060	Lot Number	2HD0179
Item	Phenol, Loose Crystal, Reagent, ACS		
CAS Number	108-95-2		
Molecular Formula	C ₆ H ₆ O	Molecular Weight	94.11

Test	Specification		Result
	min	max	
ASSAY (C ₆ H ₅ OH)	99.0 %		100.02 %
FREEZING POINT (DRY)	40.5 C		40.5°C
CLARITY OF SOLUTION	TO PASS TEST		PASSES TEST
RESIDUE AFTER EVAPORATION		0.05 %	<0.05 %
WATER		0.5 %	0.0087 %
DATE OF MANUFACTURE			06-MAR-2018

Spectrum Chemical Mfg Corp
755 Jersey Avenue
New Brunswick 08901 NJ



Certificate Of Analysis Results Certified by

Ibad Tirmizi
Director of Quality
Spectrum Chemical Mfg. Corp.

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.

Hexadecane, 99.0%



Material No.: H223-57
Batch No.: 0000266903
Manufactured Date: 2020/05/05
Retest Date: 2027/05/04
Revision No: 1

Certificate of Analysis

Test	Specification	Result
Assay ($\text{CH}_3(\text{CH}_2)_{14}\text{CH}_3$) (by GC)	$\geq 99.0 \%$	99.3
Infrared Spectrum	Passes Test	PT

For Laboratory, Research or Manufacturing Use

Country of Origin: US
Packaging Site: Paris Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

W2666 Recived on 02/10/2020 by AP

Product No.: 87683

Product: Sodium pentacyanonitrosylferrate(III) dihydrate, ACS, 99.0-102.0%

Lot No.: W12F013

Test	Limits	Results
Assay	99.0 - 102.0 %	99.67 %
Insoluble	0.01 % max	0.0079 %
Chloride	0.02 % max	Not detected
Sulfate	To pass test	Passes test
Aqueous solubility	To pass test	Passes test
Limit on Ferricyanide	To pass test	Passes test
Limit on Ferrocyanide	To pass test	Passes test

Order our products online [alfa.com](https://www.alfa.com)

This document has been electronically generated and does not require a signature.

This is to certify that units of the lot number above were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the purchaser, formulator or those performing further manufacturing to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The above information is the actual analytical results obtained.

Product Name: Stearic acid, 98%, Thermo Scientific Chemicals
Catalog Number: A12244.14

CAS Number: 57-11-4
Molecular Formula: C₁₈H₃₆O₂
Molecular Weight: 284.48
InChI Key: QIQXTHQIDYTFRH-UHFFFAOYSA-N
SMILES: CCCCCCCCCCCCCCCC(O)=O
Synonym: stearic acid acide stearique hydrofol acid 1855 hydrofol acid 1655 industrene 5016
stearic acid, ion(1-) (8Cl) glycon TP glycon DP acidum stearinicum hydrofol acid 150

Product Specification

Appearance (Color): White
Form: Crystals or powder or crystalline powder or flakes or waxy solid
Assay (Silylated GC): ≥97.5%
Melting Point (clear melt): 67.0-74.0°C

Date Of Print: 11/30/2023

Product Specifications are subject to amendment and may change over time. Data contained is accurate as of the date printed.

W3009
rec. 2/27/2023 12

Certificate of Analysis

Product Name:

Hexadecane - ReagentPlus®, 99%

Product Number:

H6703

Batch Number:

SHBP8192

 $\text{CH}_3(\text{CH}_2)_{14}\text{CH}_3$

Brand:

SIAL

CAS Number:

544-76-3

MDL Number:

MFCD00008998

Formula:

C16H34

Formula Weight:

226.44 g/mol

Quality Release Date:

04 AUG 2022

Test	Specification	Result
Appearance (Color)	Colorless or White	Colorless
Appearance (Form)	Liquid or Solid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Refractive index at 20 ° C	1.432 - 1.436	1.435
Purity (GC)	≥ 98.5 %	99.3 %
Color Test	≤ 20 APHA	< 5 APHA


Larry Coers, Director

Quality Control

Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



W3019
rec 4/3/23

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.comEmail USA: techserv@sial.comOutside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:

Pyridine - anhydrous, 99.8%

Product Number:

270970

Batch Number:

SHBQ2113

Brand:

SIAL

CAS Number:

110-86-1

MDL Number:

MFCD00011732

Formula:


C₅H₅N

Formula Weight:

79.10 g/mol

Quality Release Date:

15 DEC 2022



Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Purity (GC)	≥ 99.75 %	99.99 %
Water (by Karl Fischer)	≤ 0.003 %	0.002 %
Residue on Evaporation	≤ 0.0005 %	< 0.0001 %


Larry Coers, Director
Quality Control
Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.





Certificate of Analysis

Date of Release: 2/26/2020

Name: Formaldehyde Solution
GR ACS
Meets ACS Specifications

Item No: FX0410 all size codes

Lot / Batch No: 60045

Country of Origin: USA

Characteristic	Requirement		Results	Units
	Min.	Max.		
Assay	36.5	38.0	36.71	%
Chloride (Cl)		5	<5	ppm
Color (APHA)		10	<10	
Form			Passes test	
Heavy metals (as Pb)		5	<5	ppm
Iron (Fe)		5	0.6	ppm
Residue after ignition		0.005	<0.0050	%
Sulfate (SO ₄)		0.002	<0.0020	%
Titrate acid		0.006	<0.0060	meq/g

Heather Sinn,

Quality Control Manager

This document has been produced electronically and is valid without a signature.

EMD Millipore Corporation, an affiliate of Merck KGaA, Darmstadt, Germany
290 Concord Road
Billerica, MA 01821
U.S.A

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

Certificate of Analysis

ThermoFisher
SCIENTIFIC

Certificate of Analysis

1 Reagent Lane

Fair Lawn, NJ 07410

201.796.7100 tel

201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System
Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	P243	Quality Test / Release Date	06/19/2020
Lot Number	201089		
Description	POTASSIUM HYDROGEN PHTHALATE, ACIDIMETRIC STANDARD, A.C.S.		
Country of Origin	Spain	Suggested Retest Date	Jun/2025
Chemical Origin	Organic - non animal		
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	WHITE CRYSTALS
ASSAY POTASSIUM HYDROGEN PHTHALATE	%	Inclusive Between 99.95 - 100.05	100.03
CHLORINE COMPOUNDS	%	<= 0.003	<0.003
HEAVY METALS (as Pb)	ppm	<= 5	<5
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
INSOLUBLE MATTER	%	<= 0.005	<0.005
IRON (Fe)	ppm	<= 5	<5
PH OF 0.05M SOLUTION		Inclusive Between 4.00 - 4.02	4.00
SODIUM (Na)	%	<= 0.005	<0.005
SULFUR COMPOUNDS	%	<= 0.002	<0.002%
TRACEABLE TO NIST	SOD CARBONATE	= LOT 351a	351a
TRACEABLE TO NIST KHP STD	POT. ACID PHTHALATE	= LOT 84L	84L



Julian Burton - Quality Control Manager – Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.
If there are any questions with this certificate, please call at (800) 227-6701.

*Based on suggested storage condition.



**PRODUCTOS
QUÍMICOS
MONTERREY, S.A. DE C.V.**

MIRADOR 201, COL. MIRADOR
MONTERREY, N.L. MEXICO
CP 64070
TEL +52 81 13 52 57 57
www.pqm.com.mx

CERTIFICATE OF ANALYSIS

PRODUCT :	SODIUM SULFATE CRYSTALS ANHYDROUS		
QUALITY :	ACS (CODE RMB3375)	FORMULA :	Na ₂ SO ₄
SPECIFICATION NUMBER :	6399	RELEASE DATE:	ABR/21/2023
LOT NUMBER :	313201		

TEST	SPECIFICATIONS	LOT VALUES
Assay (Na ₂ SO ₄)	Min. 99.0%	99.7 %
pH of a 5% solution at 25°C	5.2 - 9.2	6.1
Insoluble matter	Max. 0.01%	0.005 %
Loss on ignition	Max. 0.5%	0.1 %
Chloride (Cl)	Max. 0.001%	<0.001 %
Nitrogen compounds (as N)	Max. 5 ppm	<5 ppm
Phosphate (PO ₄)	Max. 0.001%	<0.001 %
Heavy metals (as Pb)	Max. 5 ppm	<5 ppm
Iron (Fe)	Max. 0.001%	<0.001 %
Calcium (Ca)	Max. 0.01%	0.002 %
Magnesium (Mg)	Max. 0.005%	0.001 %
Potassium (K)	Max. 0.008%	0.003 %
Extraction-concentration suitability	Passes test	Passes test
Appearance	Passes test	Passes test
Identification	Passes test	Passes test
Solubility and foreign matter	Passes test	Passes test
Retained on US Standard No. 10 sieve	Max. 1%	0.1 %
Retained on US Standard No. 60 sieve	Min. 94%	97.3 %
Through US Standard No. 60 sieve	Max. 5%	2.5 %
Through US Standard No. 100 sieve	Max. 10%	0.1 %

COMMENTS

QC: PhC Irma Belmares

If you need further details, please call our factory or contact our local distributor.

Recd. by R3 on 7/24/23 E 3551

RC-02-01, Ed. 3

Acetone

BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis

avantor™



Material No.: 9254-03

Batch No.: 24H2762008

Manufactured Date: 2024-04-18

Expiration Date: 2027-04-18

Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay ((CH ₃) ₂ CO) (by GC, corrected for water)	>= 99.4 %	100.0 %
Color (APHA)	<= 10	5
Residue after Evaporation	<= 1.0 ppm	0.0 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titration Acid (μeq/g)	<= 0.3	0.2
Titration Base (μeq/g)	<= 0.6	<0.1
Water (H ₂ O)	<= 0.5 %	<0.1 %
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	<= 5	1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	<= 10	1

For Laboratory, Research, or Manufacturing Use

MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

Recd by RP on 03/31/25

E3917

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials LLC

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

avantor™



M 6041-4b
MS

Material No.: 9673-33
Batch No.: 23D2462010
Manufactured Date: 2023-03-22
Retest Date: 2028-03-20
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (H ₂ SO ₄)	95.0 – 98.0 %	96.1 %
Appearance	Passes Test	Passes Test
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Substances Reducing Permanganate (as SO ₂)	≤ 2 ppm	< 2 ppm
Ammonium (NH ₄)	≤ 1 ppm	1 ppm
Chloride (Cl)	≤ 0.1 ppm	< 0.1 ppm
Nitrate (NO ₃)	≤ 0.2 ppm	< 0.1 ppm
Phosphate (PO ₄)	≤ 0.5 ppm	< 0.1 ppm
Trace Impurities – Aluminum (Al)	≤ 30.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 4.0 ppb	< 2.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	8.5 ppb
Trace Impurities – Cadmium (Cd)	≤ 2.0 ppb	< 0.3 ppb
Trace Impurities – Chromium (Cr)	≤ 6.0 ppb	< 0.4 ppb
Trace Impurities – Cobalt (Co)	≤ 0.5 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gold (Au)	≤ 10.0 ppb	0.5 ppb
Heavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb
Trace Impurities – Iron (Fe)	≤ 50.0 ppb	1.3 ppb
Trace Impurities – Lead (Pb)	≤ 0.5 ppb	< 0.5 ppb
Trace Impurities – Magnesium (Mg)	≤ 7.0 ppb	0.8 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb
Trace Impurities – Nickel (Ni)	≤ 2.0 ppb	0.3 ppb
Trace Impurities – Potassium (K)	≤ 500.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se)	≤ 50.0 ppb	< 0.1 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	31.5 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb

>>> Continued on page 2 >>>

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

 **avantor™**




Material No.: 9673-33
Batch No.: 23D2462010

Test	Specification	Result
Trace Impurities – Sodium (Na)	≤ 500.0 ppb	5.4 ppb
Trace Impurities – Strontium (Sr)	≤ 5.0 ppb	< 0.2 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	< 0.8 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.4 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality



Certificate of Analysis

Product information

Product	pH-Fix 0.3-2.3
REF	92180
LOT	80A0441
Expiration date:	29.02.2028
Date of examination:	23.01.2024
Gradation:	pH 0.3-0.7-1.0-1.3-1.6-1.9-2.3

Confirmation

Hereby we confirm, that the above mentioned product has successfully passed our quality control system in accordance with ISO 9001 and meets the specific quality criteria.

This document has been produced electronically and is valid without a signature.



Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

 **avantor™**



M6151

R → 11/15/25

Material No.: 9530-33
Batch No.: 22G2862015
Manufactured Date: 2022-06-15
Retest Date: 2027-06-14
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (as HCl) (by acid–base titrn)	36.5 – 38.0 %	37.9 %
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Specific Gravity at 60°/60°F	1.185 – 1.192	1.191
ACS – Bromide (Br)	≤ 0.005 %	< 0.005 %
ACS – Extractable Organic Substances	≤ 5 ppm	< 1 ppm
ACS – Free Chlorine (as Cl ₂)	≤ 0.5 ppm	< 0.5 ppm
Phosphate (PO ₄)	≤ 0.05 ppm	< 0.03 ppm
Sulfate (SO ₄)	≤ 0.5 ppm	< 0.3 ppm
Sulfite (SO ₃)	≤ 0.8 ppm	0.3 ppm
Ammonium (NH ₄)	≤ 3 ppm	< 1 ppm
Trace Impurities – Arsenic (As)	≤ 0.010 ppm	< 0.003 ppm
Trace Impurities – Aluminum (Al)	≤ 10.0 ppb	1.3 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities – Barium (Ba)	≤ 1.0 ppb	0.2 ppb
Trace Impurities – Beryllium (Be)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Bismuth (Bi)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Boron (B)	≤ 20.0 ppb	< 5.0 ppb
Trace Impurities – Cadmium (Cd)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	163.0 ppb
Trace Impurities – Chromium (Cr)	≤ 1.0 ppb	0.7 ppb
Trace Impurities – Cobalt (Co)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gallium (Ga)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Trace Impurities – Gold (Au)	≤ 4.0 ppb	0.6 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities – Iron (Fe)	≤ 15 ppb	6 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis

 **avantorsm**



Material No.: 9530-33
Batch No.: 22G2862015

Test	Specification	Result
Trace Impurities – Lead (Pb)	≤ 1.0 ppb	< 0.5 ppb
Trace Impurities – Lithium (Li)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Magnesium (Mg)	≤ 10.0 ppb	2.9 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	0.1 ppb
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 3.0 ppb
Trace Impurities – Nickel (Ni)	≤ 4.0 ppb	< 0.3 ppb
Trace Impurities – Niobium (Nb)	≤ 1.0 ppb	0.8 ppb
Trace Impurities – Potassium (K)	≤ 9.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	0.5 ppb
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	2.3 ppb
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	1.6 ppb
Trace Impurities – Thallium (Tl)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	4.0 ppb
Trace Impurities – Titanium (Ti)	≤ 1.0 ppb	1.5 ppb
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.8 ppb
Trace Impurities – Zirconium (Zr)	≤ 1.0 ppb	0.3 ppb

>>> Continued on page 3 >>>

Hydrochloric Acid, 36.5–38.0%
BAKER INSTRA–ANALYZED® Reagent
For Trace Metal Analysis



Material No.: 9530-33
Batch No.: 22G2862015

Test	Specification	Result
------	---------------	--------

For Laboratory, Research, or Manufacturing Use
Product Information (not specifications):
Appearance (clear, fuming liquid)
Meets ACS Specifications
Storage Condition: Store below 25 °C.

Country of Origin: USA
Packaging Site: Phillipsburg Mfg Ctr & DC

A handwritten signature in cursive script that reads 'Jamie Ethier'.
Jamie Ethier
Vice President Global Quality

Sodium Phosphate, Monobasic, Monohydrate,
Crystal
BAKER ANALYZED® A.C.S. Reagent

(sodium dihydrogen phosphate, monohydrate)



Material No.: 3818-05
Batch No.: 0000225799
Manufactured Date: 2018/12/05
Retest Date: 2025/12/03
Revision No: 1

Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay ($\text{NaH}_2\text{PO}_4 \cdot \text{H}_2\text{O}$)	98.0 – 102.0 %	99.5
pH of 5% Solution at 25°C	4.1 – 4.5	4.3
Insoluble Matter	≤ 0.01 %	< 0.01
Chloride (Cl)	≤ 5 ppm	< 5
ACS – Sulfate (SO_4)	≤ 0.003 %	< 0.003
Calcium (Ca)	≤ 0.005 %	< 0.005
Potassium (K)	≤ 0.01 %	< 0.01
Heavy Metals (as Pb)	≤ 0.001 %	< 0.001
Trace Impurities – Iron (Fe)	≤ 0.001 %	< 0.001

For Laboratory, Research or Manufacturing Use
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: IN
Packaging Site: Paris Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality


For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

Certificate of Analysis

Product Name:

Zinc acetate dihydrate - ACS reagent, $\geq 98\%$

Product Number: 383058
Batch Number: MKCQ9159
Brand: SIGALD
CAS Number: 5970-45-6
MDL Number: MFCD00066961
Formula: $C_4H_6O_4Zn \cdot 2H_2O$
Formula Weight: 219.51 g/mol
Quality Release Date: 06 JAN 2022



W2926
open 7/5/22
received
on 7/5/22

Test	Specification	Result
Appearance (Color)	White	White
Appearance (Form)	Powder or Crystal or Chunk(s)	Powder
Infrared Spectrum	Conforms to Structure	Conforms
Insoluble Matter	$\leq 0.005\%$	0.003 %
Calcium (Ca)	$\leq 0.005\%$	0.003 %
Chloride (Cl)	≤ 5 ppm	< 5 ppm
Iron (Fe)	≤ 5 ppm	< 5 ppm
Potassium (K)	$\leq 0.01\%$	0.00 %
Magnesium (Mg)	$\leq 0.005\%$	0.003 %
Sodium (Na)	$\leq 0.05\%$	0.03 %
Lead (Pb)	$\leq 0.002\%$	$< 0.001\%$
pH	6.0 - 7.0	6.1
Sulfate (SO ₄)	$\leq 0.005\%$	$< 0.005\%$
Complexometric EDTA	98.0 - 101.0 %	100.3 %
Meets ACS Requirements	Meets Requirements	Meets Requirements


Larry Coers, Director
Quality Control
Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



Certificate of analysis

W3082 Received on 2/26/2026 by IZ

Product No.: A12244
Product: Stearic acid, 98%
Lot No.: U23E020

Appearance White flakes
Assay 98.7 %

This document has been electronically generated and does not require a signature.

Order our products online www.alfa.com

ThermoFisher
S C I E N T I F I C

**RICCA CHEMICAL COMPANY®**

1490 Lammers Pike

Batesville, IN 47006

<http://www.riccachemical.com>

1-888-GO-RICCA

customerservice@riccachemical.com

Certificate of Analysis

W3093
004121
04/03/2024
16

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)**Lot Number:** 4401F99**Product Number:** 1551**Manufacture Date:** JAN 08, 2024**Expiration Date:** DEC 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	0	5	10	15	20	25	30	35	40	45	50
pH	7.12	7.09	7.06	7.04	7.02	7.00	6.99	6.98	6.98	6.97	6.97

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Phosphate Dibasic	7558-79-4	ACS
Potassium Dihydrogen Phosphate	7778-77-0	ACS
Preservative	Proprietary	
Yellow Dye	Proprietary	
Sodium Hydroxide	1310-73-2	

Test	Specification	Result
Appearance	Yellow liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	7.004	0.02	186-I-g, 186-II-g, 191d

Specification	Reference
Commercial Buffer Solutions	ASTM (D 1293 B)
Buffer A	ASTM (D 5464)
Buffer A	ASTM (D 5128)

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-1	4 L natural poly	24 months
1551-1CT	4 L Cubitainer®	24 months
1551-2.5	10 L Cubitainer®	24 months
1551-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (01/08/2024)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Certificate of Analysis

Sodium Thiosulfate, 0.0250 Normal (N/40)

Lot Number: 4403S13

Product Number: 7900

Manufacture Date: MAR 29, 2024

Expiration Date: SEP 2025

This product is specially formulated to increase its stability. A preservative is added to prevent bacterial contamination. However, all Sodium Thiosulfate solutions are subject to slow chemical deterioration and should be restandardized periodically.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Thiosulfate Pentahydrate	10102-17-7	ACS
Organic Preservative	Proprietary	
Sodium Carbonate	497-19-8	ACS

Test	Specification	Result	NIST SRM#
Appearance	Colorless liquid	Passed	
Assay (vs. Potassium Iodate/Starch)	0.02499-0.02501 N at 20°C	0.02501 N at 20°C	136

Specification	Reference
Standard Sodium Thiosulfate Solution, 0.0250 N	APHA (4500-S2- F)
Standard Sodium Thiosulfate Titrant	APHA (4500-O D)
Standard Sodium Thiosulfate Titrant	APHA (4500-O E)
Standard Sodium Thiosulfate Titrant	APHA (4500-O F)
Standard Sodium Thiosulfate Titrant, 0.025 N	APHA (4500-CI B)
Standard Sodium Thiosulfate Titrant	APHA (4500-O C)
Standard Sodium Thiosulfate Titrant, 0.025 M	APHA (5530 C)
Standard Sodium Thiosulfate Solution (0.025 N)	EPA (SW-846) (9031)
Standard Sodium Thiosulfate solution (0.025 N)	EPA (SW-846) (9034)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7900-1	4 L natural poly	18 months
7900-16	500 mL natural poly	18 months
7900-1CT	4 L Cubitainer®	18 months
7900-32	1 L natural poly	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (03/29/2024)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --
Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Certificate of Analysis



Sodium Hydroxide (Pellets)

Material: 0583
Grade: ACS GRADE
Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40
CAS #: 1310-73-2
Appearance:

Manufacture Date: 12/14/2022
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	<= 0.005 %	<0.005 %	PASS
Chloride	<= 0.005 %	0.002 %	PASS
Heavy Metals	<= 0.002 %	<0.002 %	PASS
Iron	<= 0.001 %	<0.001 %	PASS
Magnesium	<= 0.002 %	<0.002 %	PASS
Mercury	<= 0.1 ppm	<0.1 ppm	PASS
Nickel	<= 0.001 %	<0.001 %	PASS
Nitrogen Compounds	<= 0.001 %	<0.001 %	PASS
Phosphate	<= 0.001 %	<0.001 %	PASS
Potassium	<= 0.02 %	<0.02 %	PASS
Purity	>= 97.0 %	99.2 %	PASS
Sodium Carbonate	<= 1.0 %	0.5 %	PASS
Sulfate	<= 0.003 %	<0.003 %	PASS

Internal ID #: 710

Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon
VWR Chemicals, LLC.
28600 Fountain Parkway, Solon OH 44139 USA

Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



Sodium Hydroxide (Pellets)

Material: 0583
Grade: ACS GRADE
Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40
CAS #: 1310-73-2
Appearance:

Manufacture Date: 12/14/2022
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

Spec Set: 0583ACS

Internal ID #: 710

Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon
VWR Chemicals, LLC.
28600 Fountain Parkway, Solon OH 44139 USA

Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.

W3127 rec. 7/25/24 12
W3128 exp. 10/31/27
W3129

ENVIRONMENTAL EXPRESS
Charleston, SC USA
www.envexp.com
(800) 343-5319

October 27, 2022

CERTIFICATE OF ANALYSIS

Environmental Express certifies that the following COD Reagent Vials have been rigorously checked against NIST Traceable standards and also compared for conformance to another major brand name product. Environmental Express COD Vial performance is evaluated using bench top spectrophotometers. Acceptance guidelines are strict and ensure dependable, quality results.

Environmental Express further certifies that the COD products listed below are recognized by the United States Environmental Protection Agency (USEPA) as equivalent to an approved Water Pollutant Testing Procedure for COD (Federal Register, Vol. 45, No. 78, Monday, April 20th, 1980, page 26811) and as such can be used for National Pollution Discharge Elimination System (NPDES) reporting.

<u>Cat. No.</u>	<u>Lot No.</u>	<u>Product Description</u>
B1010	13821	COD Reagent Vials, 0 - 150 ppm

Item Number	ED150	Lot Number	2ND0156
Item	Edetate Disodium, Dihydrate, USP	CAS Number	6381-92-6
Molecular Formula	$C_{10}H_{14}N_2Na_2O_8 \cdot 2H_2O$	Molecular Weight	372.24

TEST	SPECIFICATION		RESULT
	MIN	MAX	
ASSAY (DRIED BASIS)	99.0	101.0 %	99.5 %
pH OF A 5% SOLUTION @ 25°C	4.0	6.0	4.6
LOSS ON DRYING	8.7	11.4 %	8.90 %
CALCIUM (Ca)	NO PRECIPITATE IS FORMED		NO PRECIPITATE IS FORMED
ELEMENTAL IMPURITIES:			.
NICKEL (Ni)	AS REPORTED		<0.3 ppm
CHROMIUM (Cr)	AS REPORTED		<0.3 ppm
NITRILOTRIACETIC ACID[n[(HOCOCH ₂) ₃ N]		0.1 %	<0.10 %
IDENTIFICATION A	MATCHES REFERENCE		MATCHES REFERENCE
IDENTIFICATION B	RED COLOR IS DISCHARGED, LEAVING A YELLOWISH SOLUTION		RED COLOR IS DISCHARGED, LEAVING A YELLOWISH SOLUTION
IDENTIFICATION C	MEETS THE REQUIREMENTS FOR SODIUM		MEETS THE REQUIREMENTS FOR SODIUM
CERTIFIED HALAL			CERTIFIED HALAL
EXPIRATION DATE			10-JUL-2026
DATE OF MANUFACTURE			11-JUL-2023
APPEARANCE			WHITE CRYSTALLINE POWDER
RESIDUAL SOLVENTS		AS REPORTED	NO RESIDUAL SOLVENTS PRESENT
MONOGRAPH EDITION			USP 2024

Certificate of Analysis Results Entered By:

CACEVEDO
Charmian Acevedo
22-MAY-24 08:12:30

Certificate of Analysis Results Approved By:

GHERRERA
Genaro Herrera
22-MAY-24 12:32:01

Spectrum Chemical Mfg Corp
755 Jersey Avenue
New Brunswick 08901 NJ



All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.

The Elemental Impurities standards implemented by USP and other Pharmaceutical Compendia reflect a growing understanding of the toxicology of trace levels of elemental impurities that can remain in drug substances originating from either raw materials or manufacturing processes. Identifying and quantifying impurities can be critical to predicting the best possible patient outcomes. Elemental Impurities has been a requirement of all products meeting USP/NF, EP and BP monographs since January 1, 2018. More information can be found in USP sections <232> Elemental Impurities – Limits and <233> Elemental Impurities – Procedures. Data for drug substances furnished by Spectrum Chemical Mfg. Corp can be used to ensure that patient daily exposures by oral administration to the selected elements are not exceeded in the formulation of pharmaceutical products.

W3139 Received on 9/9/24 by IZ

Product No.: A12044
Product: Chloramine-T trihydrate, 98%
Lot No.: 10239484

Appearance:	White powder
Melting Point:	166°C(dec)
Assay (Iodometric titration):	100.5%
Identification (FTIR):	Conforms

Order our products online thermofisher.com/chemicals

This document has been electronically generated and does not require a signature.

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.



Certificate of Analysis

Starch Indicator, 0.5% (w/v), Mercury Free, for Iodometric Titrations

Lot Number: 4408P62

Product Number: 8000

Manufacture Date: AUG 28, 2024

Expiration Date: AUG 2026

This product is Mercury-free.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Starch, soluble	9005-84-9	ACS
Salicylic Acid	69-72-7	ACS

Test	Specification	Result
Appearance	White translucent liquid	Passed
Suitability for Use	Colorless (Iodine absent) - Blue (Iodine present)	Passed

Specification	Reference
Starch Solution	APHA (4500-S2- F)
Starch Indicator Solution	APHA (4500-CI B)
Starch Indicator	APHA (4500-SO32- B)
Starch indicator solution	APHA (2350 B)
Starch indicator solution	APHA (2350 E)
Starch Solution	APHA (510 B)
Starch Solution	APHA (5530 C)
Starch Indicator	APHA (4500-CI C)
Starch Indicator	EPA (345.1)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
8000-1	4 L natural poly	24 months
8000-16	500 mL natural poly	24 months
8000-32	1 L natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

A handwritten signature in blue ink that reads "Paul Brandon". The signature is fluid and cursive, with the first name "Paul" and last name "Brandon" clearly distinguishable.

Paul Brandon (08/28/2024)
Production Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Certificate of Analysis

Buffer, Reference Standard, pH 2.00 ± 0.01 at 25°C**Lot Number:** 2411E26**Product Number:** 1493**Manufacture Date:** NOV 11, 2024**Expiration Date:** OCT 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	10	15	20	25	30	35	40	45	50
pH	1.93	1.98	1.98	2.00	2.01	2.03	2.03	2.04	2.04

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Chloride	7447-40-7	ACS
Hydrochloric Acid	7647-01-0	ACS

Test	Specification	Result
Appearance	Colorless liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	1.994	0.02	185i, 186-I-g, 186-II-g

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1493-1	4 L natural poly	24 months
1493-16	500 mL natural poly	24 months
1493-1CT	4 L Cubitainer®	24 months
1493-2.5	10 L Cubitainer®	24 months
1493-32	1 L natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Jose Pena (11/11/2024)
Operations Manager

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Material	BDH9260-500G
Material Description	BDH POTASS HYDRGN PHTHLTE 500G
Grade	ACS GRADE
Batch	24H0956262
Reassay Date	04/28/2026
CAS Number	877-24-7
Molecular Formula	HOCC6H4COOK
Molecular Mass	204.22
Date of Manufacture	04/29/2023
Storage	Room Temperature

Characteristics	Specifications	Measured Values
Appearance	White crystals.	White crystals.
Assay (dried basis)	99.95 - 100.05 %	99.98 %
Chlorine Compounds	<= 0.003 %	<0.003 %
Heavy Metals (as Pb)	<= 5 ppm	<5 ppm
Insoluble Matter	<= 0.005 %	0.003 %
Iron	<= 5 ppm	<5 ppm
pH (0.05M, Water) @25C	4.00 - 4.02	4.00
Sodium	<= 0.005 %	<0.005 %
Sulfur Compounds	<= 0.002 %	<0.002 %

Internal ID #: 322

Signature	Additional Information
We certify that this batch conforms to the specifications listed above. This document has been electronically produced and is valid without a signature. Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA	Analysis may have been rounded to significant digits in specification limits Product meets analytical specifications of the grades listed.

Certificate of Analysis

Sodium Hypochlorite Solution, 5% available Chlorine

Lot Number: 2501J28**Product Number:** 7495.5**Manufacture Date:** JAN 17, 2025**Expiration Date:** JUL 2025

This solution is subject to slow decomposition upon exposure to air. Keep container tightly capped. Refrigeration may improve stability.
When used in the Phenate method for Ammonia, APHA recommends replacing this solution about every 2 months.

Name	CAS#	Grade
Water	7732-18-5	Commercial
Sodium Hypochlorite	7681-52-9	Commercial

Test	Specification	Result	NIST SRM#
Appearance	Colorless to greenish-yellow liquid	Passed	
Assay (vs. Sodium Thiosulfate/Starch)	4.75-5.25 % (w/w) Cl ₂	5.17 % (w/w) Cl ₂	136

Specification	Reference
Sodium Hypochlorite, 5%	APHA (4500-NH3 F)
Sodium Hypochlorite	ASTM (D 4785)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7495.5-1	4 L black poly	6 months
7495.5-16	500 mL amber poly	6 months
7495.5-32	1 L amber poly	6 months
7495.5-8	250 mL amber poly	6 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Jose Pena (01/17/2025)
Operations Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

**RICCA CHEMICAL COMPANY®**

1841 Broad Street
Pocomoke City, MD 21851
<http://www.riccachemical.com>
1-888-GO-RICCA
customerservice@riccachemical.com

Certificate of Analysis

W21758 58

Buffer, Reference Standard, pH 4.00 ± 0.01 at 25°C (Color Coded Red)

Lot Number: 2411A93

Product Number: 1501

Manufacture Date: NOV 04, 2024

Expiration Date: OCT 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST Traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	0	5	10	15	20	25	30	35	40	45	50
pH	4.00	4.00	4.00	4.00	4.00	4.00	4.01	4.02	4.03	4.04	4.06

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Acid Phthalate	877-24-7	Buffer
Preservative	Proprietary	Commercial
Red Dye	Proprietary	Purified

Test	Specification	Result
Appearance	Red liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	4.008	0.02	185i, 186-I-g, 186-II-g

Specification	Reference
Commercial Buffer Solutions	
Buffer B	ASTM (D 1293 B)
Buffer B	ASTM (D 5464)
Buffer B	ASTM (D 5128)

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1501-16	500 mL natural poly	24 months
1501-2.5	10 L Cubitainer®	24 months
1501-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Material	BDH9274-2.5KG
Material Description	BDH SAND STDD OTTAWA W+I 2.5KG
Grade	NOT APPLICABLE
Batch	25A2756718
Reassay Date	12/31/2028
CAS Number	14808-60-7
Molecular Formula	SiO ₂
Molecular Mass	60.09
Date of Manufacture	12/05/2024
Storage	Room Temperature

Characteristics	Specifications	Measured Values
Appearance	Beige granules.	Beige granules.
Moisture	<= 0.1 %	0.1 %
Particle Size 30-40 mesh	>= 80 %	99 %
CUSTOMER PART # BDH9274-2.5KG		

Internal ID #: 793

Signature	Additional Information
We certify that this batch conforms to the specifications listed above. This document has been electronically produced and is valid without a signature. Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA	Analysis may have been rounded to significant digits in specification limits Product meets analytical specifications of the grades listed.



RICCA CHEMICAL COMPANY®

1841 Broad Street
Pocomoke City, MD 21851
<http://www.riccachemical.com>
1-888-GO-RICCA
customerservice@riccachemical.com

Certificate of Analysis

Buffer, Reference Standard, pH 10.00 ± 0.01 at 25°C (Color Coded Blue)

Lot Number: 2410F80

Product Number: 1601

Manufacture Date: OCT 09, 2024

Expiration Date: MAR 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.
The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	0	5	10	15	20	25	30	35	40	50
pH	10.31	10.23	10.17	10.11	10.05	10.00	9.95	9.91	9.87	9.81

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Carbonate	497-19-8	ACS
Sodium Bicarbonate	144-55-8	ACS
Sodium Hydroxide	1310-73-2	Reagent
Preservative	Proprietary	
Blue Dye	Proprietary	

Test	Specification	Result
Appearance	Blue liquid	Passed

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	10.009	0.02	186-I-g, 186-II-g, 191d

Specification	Reference
Commercial Buffer Solutions	
Buffer C	ASTM (D 1293 B)
Buffer C	ASTM (D 5464)
	ASTM (D 5128)

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1601-1	4 L natural poly	18 months
1601-16	500 mL natural poly	18 months
1601-1CT	4 L Cubitainer®	18 months
1601-2.5	10 L Cubitainer®	18 months
1601-32	1 L natural poly	18 months
1601-5	20 L Cubitainer®	18 months

Version: 1.3

Lot Number: 2410F80

Product Number: 1601

Page 1 of 2



W3195 Received on 03/19/2025 by IZ

Certificate of Analysis



Material	BDH9208-500G
Material Description	BDH AMMONIUM CHLORIDE ACS 500G
Grade	U S P REAGENT (ACS GRADE)
Batch	24L0356561
Reassay Date	08/31/2027
CAS Number	12125-02-9
Molecular Formula	NH ₄ Cl
Molecular Mass	53.49
Date of Manufacture	08/01/2024
Storage	Room Temperature

Characteristics	Specifications	Measured Values
Appearance	White granular powder	White granular powder
Calcium	<= 0.001 %	0.001 %
Heavy Metals (as Pb)	<= 0.0005 %	<0.0002 %
Insolubles	<= 0.005 %	0.001 %
Iron	<= 0.0002 %	<0.0002 %
Magnesium	<= 0.0005 %	0.0001 %
pH (5%, Water) @25C	4.5 - 5.5	4.8
Phosphate	<= 0.0002 %	<0.0002 %
Purity	>= 99.5 %	99.8 %
Residue on Ignition	<= 0.01 %	0.003 %
Sulfate	<= 0.002 %	<0.002 %
Extra Description:	Meets Reagent Specifications for testing USP/NF monographs	

Internal ID #: 710


Signature	Additional Information
We certify that this batch conforms to the specifications listed above. This document has been electronically produced and is valid without a signature. Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA	Analysis may have been rounded to significant digits in specification limits Product meets analytical specifications of the grades listed.

W3196 Received on 03/19/2025 by IZ

Certificate of Analysis

Product Name:

Ammonium chloride - ACS reagent, ≥99.5%



Product Number: 213330
Batch Number: MKCV1009
Brand: SIGALD
CAS Number: 12125-02-9
MDL Number: MFCD00011420
Formula: H4ClN
Formula Weight: 53.49 g/mol
Quality Release Date: 23 OCT 2023
Recommended Retest Date: SEP 2026

Test	Specification	Result
Appearance (Color)	White	White
Appearance (Form)	Powder or Crystals or Chunk(s)	Crystals
Titration by AgNO3	≥ 99.5 %	100.2 %
pH	4.5 - 5.5	4.9
@ 25 Deg c (5% Solution)		
Insoluble Matter	≤ 0.005 %	0.001 %
10%, H2O		
Residue on ignition (Ash)	≤ 0.01 %	< 0.01 %
Calcium (Ca)	≤ 0.001 %	< 0.001 %
Magnesium (Mg)	≤ 5 ppm	1 ppm
Heavy Metals	≤ 5 ppm	< 1 ppm
by ICP		
Iron (Fe)	≤ 2 ppm	< 1 ppm
Phosphate (PO4)	≤ 2 ppm	< 2 ppm
Sulfate (SO4)	≤ 0.002 %	< 0.002 %
Meets ACS Requirements	Current ACS Specification	Conforms
Recommended Retest Period	-----	-----
3 Years		



Larry Coers, Director

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



Certificate of Analysis

Product Number: 213330
Batch Number: MKCV1009

Quality Control
Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.





Certificate of Analysis

Buffer, Reference Standard, pH 12.00 ± 0.01 at 25°C**Lot Number:** 2504F20**Product Number:** 1615**Manufacture Date:** APR 08, 2025**Expiration Date:** SEP 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

°C	15	20	25	30	35	40
pH	12.35	12.17	11.99	11.78	11.62	11.46

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Chloride	7447-40-7	ACS
Sodium Hydroxide	1310-73-2	Reagent (from ACS)

Test	Specification	Result
Appearance	Colorless liquid	Passed

*Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	12.009	0.02	186-I-g, 186-II-g, 191d

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1615-1	4 L natural poly	18 months
1615-16	500 mL clear PET-G	18 months
1615-5	20 L Cubitainer®	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Jose Pena (04/08/2025)
Operations Manager

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.


W3201 Received on 4/16/25 by IZ

Certificate of Analysis

Product Name:

Sodium tetraborate decahydrate - ACS reagent, ≥99.5%

Product Number: S9640
Batch Number: BCCL9613
Brand: SIGALD
CAS Number: 1303-96-4
Formula: B₄Na₂O₇ · 10H₂O
Formula Weight: 381,37 g/mol
Quality Release Date: 05 JUL 2024
Recommended Retest Date: MAY 2029



Test	Specification	Result
Appearance (Color)	White	White
Appearance (Form)	Powder or Crystals	Powder
Titration with NaOH	99.5 - 105.0 %	100.7 %
pH	9.15 - 9.20	9.20
0.01 m Solution at 25 Deg C		
Meets ACS Requirements	Corresponds to Requirements	Corresponds
ACS Specifications	Corresponds to Requirements	Corresponds
Insoluble Matter ≤ 0.005% / Heavy		
Metals (As Pb) ≤ 0.001%		
Calcium (Ca)	≤ 50 mg/kg	< 50 mg/kg
Iron (Fe)	≤ 5 mg/kg	< 5 mg/kg
Total Sulfur	≤ 50 mg/kg	< 50 mg/kg
as SO ₄ (ICP)		
Chloride (Cl)	≤ 10 mg/kg	< 10 mg/kg
Phosphate (PO ₄)	≤ 10 mg/kg	< 10 mg/kg

Dr. Reinhold Schwenninger
Quality Assurance
Buchs, Switzerland CH

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.




Certificate of Analysis

Product Name:

Barbituric acid - ReagentPlus®, 99%

Product Number: 185698
Batch Number: WXBFB3271V
Brand: SIAL
CAS Number: 67-52-7
Formula: C₄H₄N₂O₃
Formula Weight: 128.09 g/mol
Quality Release Date: 16 MAY 2024



Test	Specification	Result
Appearance (Colour)	White to Off-White	White
Appearance (Form)	Powder	Powder
Infrared spectrum	Conforms to Structure	Conforms
Purity (Titration by NaOH)	98.5 - 101.5 %	100.4 %
GC (area %)	≥ 98 %	100 %
VPCT		



Kang Chen
Quality Manager
Wuxi, China CN

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



n-Hexane 95%
ULTRA RESI-ANALYZED
For Organic Residue Analysis

avantor™



W3204
084K: 09/22/2025
38

Material No.: 9262-03
Batch No.: 25C0362005
Manufactured Date: 2025-01-29
Expiration Date: 2026-04-30
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	≤ 10	6
ECD-Sensitive Impurities (as EthyleneDibromide) - Single Impurity Peak (ng/mL)	≤ 5	5
Assay (Total Saturated C ₆ Isomers) (by GC, corrected for water)	$\geq 99.5 \%$	100.0 %
Assay (as n-Hexane) (by GC, corrected for water)	$\geq 95 \%$	100 %
Color (APHA)	≤ 10	10
Residue after Evaporation	$\leq 1.0 \text{ ppm}$	0.1 ppm
Substances Darkened by H ₂ SO ₄	Passes Test	Passes Test
Water (by KF, coulometric)	$\leq 0.05 \%$	$< 0.01 \%$

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

J. Croak

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700



Material	BDHVBDH7206-1
Material Description	IODINE SOLUTION 0.025N
Lot	25A2461008
Expires end of	2029-Jan-20
Molecular mass	0
Last Quality Control	2025-Jan-24
Date of manufacture	2025-Jan-21
Made in	United States
Manufacturer Source Batch	MK25A21527

Additional information

Characteristics	Specifications	Measured values
Prepared to formulation on file	Confirmed	Confirmed
Appearance	Passes Test	Passes Test
Normality, N	0.0200 - 0.0300	0.0268

Signature

We certify that this batch conforms to the specifications listed above.

This document has been produced electronically and is valid without a signature.

Michelle Bales - Sr. Manager Quality Assurance
 Avantor Performance Materials, LLC

For Professional use in Laboratory or Manufacturing. Not for use as an Active Pharmaceutical Ingredient or Food or Animal Feed. Suitability and intended use of the product remains the responsibility of the user.

VWR International LLC, Radnor Corporate Center, Building One, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA.

VWR International bv, Haasrode Research Park Zone 2020, Geldenaaksebaan 464, 3001 Leuven, Belgium

BDHVBDH72 25A2461008 Page 1 / 1

Certificate of Analysis

Cyanide Standard, 1000 ppm CN⁻

Lot Number: 1505H73

Product Number: 2543

Manufacture Date: MAY 08, 2025

Expiration Date: NOV 2025

This standard is prepared using accurate volumetric techniques from material that has been assayed against Silver Nitrate solution certified traceable to NIST Standard Reference Material 999. The certified value reported is the prepared value based upon the method of preparation of the material. The uncertainty in the prepared value is the combined uncertainty based on the stability of the assayed Potassium Cyanide, and the uncertainty in the mass and volume measurements.

Use 0.16% (w/v) (0.04 N) Sodium Hydroxide or 0.225 % (w/v) (0.04 N) Potassium Hydroxide to make dilutions of this standard. Restandardize weekly if extreme accuracy is required.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Cyanide	151-50-8	ACS
Sodium Hydroxide	1310-73-2	Reagent (from ACS)

Test	Specification	Result
Appearance	Colorless liquid	Passed
Cyanide (CN ⁻)	995-1005 ppm	1000 ppm

Specification	Reference
Stock Standard Cyanide Solution	APHA (4500-CN- F)
Stock Cyanide Solution	APHA (4500-CN- E)
Stock Cyanide Solution	APHA (4500-CN- K)
Stock Cyanide Solution	APHA (4500-CN- H)
Cyanide Reference Solution (1000 mg/L)	EPA (SW-846) (7.3.3.2)
Cyanide Calibration Stock Solution (1,000 mg/L CN ⁻)	EPA (SW-846) (9213)
Stock Cyanide Solution	EPA (335.3)
Stock Cyanide Solution	EPA (335.2)
Cyanide Solution Stock	ASTM (D 4282)
Simple Cyanide Solution, Stock (1.0 g/L CN ⁻)	ASTM (D 4374)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
2543-16	500 mL amber poly	6 months
2543-32	1 L amber poly	6 months
2543-4	120 mL amber poly	6 months

Recommended Storage: 2°C - 8°C (36°F - 46°F)



Ernest Mahan (05/08/2025)
Plant Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Certificate of Analysis

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Lot Number: 2504D34

Product Number: 1551

Manufacture Date: APR 03, 2025

Expiration Date: MAR 2027

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

°C	0	5	10	15	20	25	30	35	40	45	50
pH	7.12	7.09	7.06	7.04	7.02	7.00	6.99	6.98	6.98	6.97	6.97

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Phosphate Dibasic	7558-79-4	ACS
Potassium Dihydrogen Phosphate	7778-77-0	ACS
Preservative	Proprietary	
Yellow Dye	Proprietary	
Sodium Hydroxide	1310-73-2	Reagent (from ACS)

Test	Specification	Result
Appearance	Yellow liquid	Passed *Not a certified value.

Test	Certified Value	Uncertainty	NIST SRM#
pH at 25°C (Method: SQCP027, SQCP033)	7.003	0.02	186-I-g, 186-II-g, 191d

Specification	Reference
Commercial Buffer Solutions	ASTM (D 1293 B)
Buffer A	ASTM (D 5464)
Buffer A	ASTM (D 5128)

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
1551-2.5	10 L Cubitainer®	24 months
1551-20	20 x 20 mL pack	24 months
1551-32	1 L natural poly	24 months
1551-5	20 L Cubitainer®	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Jose Pena (04/03/2025)
Operations Manager

This product was tested in an ISO 17025 Accredited Laboratory

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Certificate Of Analysis



Date of Release: 4/8/2025

Name: **Potassium Hydrogen Phthalate**

ACS

Item No: **PX1476 All Sizes**

Lot / Batch No: **2025040493**

Country of Origin: **USA**

Item	Specifications	Analysis
Assay (Dried Basis)	99.95-100.05%	99.98%
Chlorine compounds (as Cl)	0.003% max.	<0.003%
Color	White	Passes Test
Form	Crystals	Passes Test
Heavy metals (by ICP-OES)	5 ppm max.	<5 ppm
Insoluble Matter	0.005% max.	<0.005%
Iron (Fe)	5 ppm max.	<5 ppm
pH of a 0.05m solution @ 25.0C	4.00-4.02	4.00
Sodium (Na)	0.005% max.	<0.005%
Sulfur compounds (as S)	0.002% max.	<0.002%

Joe Schoellkopf

Quality Control Manager

This document has been produced electronically and is valid without a signature.

EMD Millipore is a division of Merck KGaA, Darmstadt, Germany

EMD Millipore Corporation

400 Summit Drive
Burlington, MA 01803
U.S.A.

Form number: 00005624CA, Rev. 2.0



Part of TCP Analytical Group

Jackson's Pointe Commerce Park- Building 1000
1010 Jackson's Pointe Court, Zelienople, PA 16063

Certificate of Analysis

Cyanide Standard 1000 ppm (1ml = 1mg CN)

Product Code: **LC13545**

Manufacture Date: June 25, 2025

Lot Number: **45060288**

Expiration Date: December 24, 2025

Test	Specification	Result
Appearance (clarity)	clear solution	clear solution
Appearance (color)	colorless	colorless
Concentration (CN)	0.990 - 1.010mg/mL	1.000mg/mL
Concentration (CN)	990 - 1,010ppm	1,000ppm
Traceable to NIST SRM	Report	999b

Intended Use - Product is intended for use in manufacturing procedures and laboratory procedures and protocols.

Storage Information - Unless noted on the product label, store the product under normal lab conditions in its tightly closed, original container. Do not pipet directly from the container or return unused portions to the container.

Instructions for Handling and Use - Please refer to the associated product label and Safety Data Sheet (SDS) for information regarding safety and handling of this product.

Preparation - All products are manufactured and tested according to established, documented procedures and methodology. Production documentation records manufacturing data, raw material traceability and testing history on a per lot basis. Balances, thermometers, and glassware are calibrated before first use and on a regular schedule with references traceable to NIST

The suffix of the product code may differ from what is on your product label. The suffix will designate the size and be associated with a numeric digit(s). Visit LabChem.com for more information

Suffix	1	2	3/3S/36/36S	4/4C	5	6	7	8	9	20	44	200	246	486
Size	500mL org	1L or 1kg	2.5L/2.5L Coated/6x2.5L/6x2.5L Coated	4L	20L	10L	125mL	25g	100g	20x20mL	4x4L	200L	24x6mL	48x6mL

Michael Monteleone

Michael Monteleone
Chemistry Supervisor - Quality Control
20250703 15:30:45ahoffman-0-0

ISO9001:2015 Registration #0306-01



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 7/14/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:10
In Date: 07/11/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:25
Out Date: 07/12/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID-OVEN

QC:LB136437

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
Q2561-01	AUD-25-0115	1	1.15	10.37	11.52	11.33	98.2	
Q2561-02	AUD-25-0116	2	1.13	10.33	11.46	11.22	97.7	
Q2578-02	WC-A5-01-C	13	1.15	10.23	11.38	9.84	84.9	
Q2578-06	WC-A2-09-C	14	1.18	10.33	11.51	8.94	75.1	
Q2578-10	WC-A2-10-C	15	1.15	10.33	11.48	8.58	71.9	
Q2578-14	WC-A2-11-C	16	1.16	10.44	11.6	9.81	82.9	
Q2578-18	WC-A2-12-C	17	1.18	10.29	11.47	7.91	65.4	
Q2579-02	WC-A2-13-C	18	1.19	10.53	11.72	8.78	72.1	
Q2579-06	WC-A2-14-C	19	1.12	10.54	11.66	9.82	82.5	
Q2580-01	WC-URBAN-FILL-B1	20	1.18	10.04	11.22	10.6	93.8	
Q2580-02	WC-URBAN-FILL-B2	21	1.17	10.82	11.99	11.4	94.5	
Q2581-05	SVOC-GPC-BLANK	3	1.00	1.00	2.00	2.00	100.0	
Q2581-06	PEST-GPC-BLANK	4	1.00	1.00	2.00	2.00	100.0	
Q2581-07	PEST-GPC-BLANK-SPIKE	5	1.00	1.00	2.00	2.00	100.0	
Q2581-08	PCB-GPC-BLANK	6	1.00	1.00	2.00	2.00	100.0	
Q2581-09	PCB-GPC-BLANK-SPIKE	7	1.00	1.00	2.00	2.00	100.0	
Q2581-10	SVOC-GPC2-BLANK	8	1.00	1.00	2.00	2.00	100.0	
Q2581-11	PEST-GPC2-BLANK	9	1.00	1.00	2.00	2.00	100.0	
Q2581-12	PEST-GPC2-BLANK-SPIKE	10	1.00	1.00	2.00	2.00	100.0	
Q2581-13	PCB-GPC2-BLANK	11	1.00	1.00	2.00	2.00	100.0	
Q2581-14	PCB-GCP2-BLANK-SPIKE	12	1.00	1.00	2.00	2.00	100.0	
Q2586-01	TP-16	22	1.18	10.21	11.39	10.36	89.9	
Q2586-02	TP-16-EPH	23	1.15	10.84	11.99	11.34	94.0	
Q2586-03	TP-16-VOC	24	1.13	10.44	11.57	10.45	89.3	
Q2587-01	E-2257	25	1.00	1.00	2.00	2.00	100.0	oil sample
Q2587-02	F-2258	26	1.00	1.00	2.00	2.00	100.0	oil sample
Q2587-03	O-2267	27	1.00	1.00	2.00	2.00	100.0	oil sample
Q2589-01	AU-6-071125	28	1.15	10.43	11.58	10.35	88.2	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 7/14/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:10
In Date: 07/11/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:25
Out Date: 07/12/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID-OVEN

QC:LB136437

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
Q2590-01	NB-7-071125	29	1.14	10.44	11.58	11.23	96.6	
Q2590-02	NB-7-071125-E2	30	1.13	10.74	11.87	10.71	89.2	
Q2591-01	72-12000-1	31	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
Q2591-02	72-12000-2	32	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
Q2591-03	NWB-2188	33	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

136437

WorkList Name : %1-071125 WorkList ID : 190653 Department : Wet-Chemistry Date : 07-11-2025 07:59:07

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2581-05	SVOC-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	D31	07/04/2025	Chemtech -SO
Q2581-06	PEST-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	D31	07/04/2025	Chemtech -SO
Q2581-07	PEST-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	D31	07/04/2025	Chemtech -SO
Q2581-08	PCB-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	D31	07/04/2025	Chemtech -SO
Q2581-09	PCB-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	D31	07/04/2025	Chemtech -SO
Q2581-10	SVOC-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	D31	07/04/2025	Chemtech -SO
Q2581-11	PEST-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	D31	07/04/2025	Chemtech -SO
Q2581-12	PEST-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	D31	07/04/2025	Chemtech -SO
Q2581-13	PCB-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	D31	07/04/2025	Chemtech -SO
Q2581-14	PCB-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	D31	07/04/2025	Chemtech -SO
Q2561-01	AUD-25-0115	Solid	Percent Solids	Cool 4 deg C	PSEG03	O21	07/10/2025	Chemtech -SO
Q2561-02	AUD-25-0116	Solid	Percent Solids	Cool 4 deg C	PSEG03	O21	07/10/2025	Chemtech -SO
Q2586-01	TP-16	Solid	Percent Solids	Cool 4 deg C	PSEG03	D41	07/11/2025	Chemtech -SO
Q2586-02	TP-16-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	D41	07/11/2025	Chemtech -SO
Q2586-03	TP-16-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	D41	07/11/2025	Chemtech -SO
Q2587-01	E-2257	Solid	Percent Solids	Cool 4 deg C	PSEG03	D41	07/11/2025	Chemtech -SO
Q2587-02	F-2258	Solid	Percent Solids	Cool 4 deg C	PSEG03	D41	07/11/2025	Chemtech -SO
Q2587-03	O-2267	Solid	Percent Solids	Cool 4 deg C	PSEG03	D41	07/11/2025	Chemtech -SO
Q2591-01	72-12000-1	Solid	Percent Solids	Cool 4 deg C	PSEG03	D41	07/11/2025	Chemtech -SO
Q2591-02	72-12000-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	D41	07/11/2025	Chemtech -SO
Q2591-03	NWB-2188	Solid	Percent Solids	Cool 4 deg C	PSEG03	D41	07/11/2025	Chemtech -SO

Date/Time 07-11-25 13:00 Date/Time 07-11-25 17:30
Raw Sample Received by: [Signature] Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature] Raw Sample Relinquished by: [Signature]

WORKLIST(Hardcopy Internal Chain)

136437

WorkList Name : %1-071125 WorkList ID : 190653 Department : Wet-Chemistry Date : 07-11-2025 07:59:07

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2590-02	NB-07-071125-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	D51	07/11/2025	Chemtech -SO
Q2589-01	AU-06-071125	Solid	Percent Solids	Cool 4 deg C	PSEG05	D31	07/11/2025	Chemtech -SO
Q2590-01	NB-07-071125	Solid	Percent Solids	Cool 4 deg C	PSEG05	D51	07/11/2025	Chemtech -SO
Q2578-02	WC-A5-01-C	Solid	Percent Solids	Cool 4 deg C	ENTA05	D41	07/10/2025	Chemtech -SO
Q2578-06	WC-A2-09-C	Solid	Percent Solids	Cool 4 deg C	ENTA05	D41	07/10/2025	Chemtech -SO
Q2578-10	WC-A2-10-C	Solid	Percent Solids	Cool 4 deg C	ENTA05	D41	07/10/2025	Chemtech -SO
Q2578-14	WC-A2-11-C	Solid	Percent Solids	Cool 4 deg C	ENTA05	D41	07/10/2025	Chemtech -SO
Q2578-18	WC-A2-12-C	Solid	Percent Solids	Cool 4 deg C	ENTA05	D41	07/10/2025	Chemtech -SO
Q2579-02	WC-A2-13-C	Solid	Percent Solids	Cool 4 deg C	ENTA05	D41	07/10/2025	Chemtech -SO
Q2579-06	WC-A2-14-C	Solid	Percent Solids	Cool 4 deg C	ENTA05	D41	07/10/2025	Chemtech -SO
Q2580-01	WC-URBAN-FILL-B1	Solid	Percent Solids	Cool 4 deg C	ENTA05	D41	07/10/2025	Chemtech -SO
Q2580-02	WC-URBAN-FILL-B2	Solid	Percent Solids	Cool 4 deg C	ENTA05	D41	07/10/2025	Chemtech -SO

Date/Time 07-11-25 15:00

Raw Sample Received by: SS

Raw Sample Relinquished by: SS

Date/Time 07-11-25 17:30

Raw Sample Received by: SS

Raw Sample Relinquished by: SS



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092

(908) 789-8900 Fax: (908) 788-9222

www.chemtech.net

CHAIN OF CUSTODY RECORD

Alliance Project Number:

COC Number: 2042113

Page 1 of 2

CLIENT INFORMATION

COMPANY: ENTACT, LLC

ADDRESS: 150 Bay Street, Suite 806

CITY: Jersey City STATE: NJ ZIP: 07302

ATTENTION: Austin Farmerie

PHONE: 412-716-1366

FAX:

PROJECT INFORMATION

PROJECT NAME: 540 Degraw St Brooklyn, NY

PROJECT #: E9309 LOCATION: Brooklyn, NY

PROJECT MANAGER: Austin Farmerie

E-MAIL: afarmerie@entact.com

PHONE: 412-716-1366

FAX:

BILLING INFORMATION

BILL TO: ENTACT, LLC

PO# E9309

ADDRESS: 999 Oakmont Plaza Drive, Suite 300

CITY: Westmont

STATE: IL ZIP: 60559

ATTENTION: Wendy Murray

PHONE: 800-936-8228

DATA TURNAROUND INFORMATION

FAX: 3 DAYS*

HARD COPY: 3 DAYS*

EDD 3 DAYS*

* TO BE APPROVED BY ALLIANCE

STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

- ☐ RESEULTS ONLY ☐ USEPA CLP
☐ RESULTS + QC ☐ New York State ASP "B"
☐ New Jersey REDUCED ☐ New York State ASP "A"
☐ New Jersey CLP ☐ Other _____
☐ EDD Format _____

ANALYSIS

TCLP VOCs	TCLP ICP Metals + Cu, Ni, Zn	TCLP Herb	TCLP Pest	TCLP SVOCs	TCLP pH *	I/C/R	PCBs	Oil & Grease
1	2	3	4	5	6	7	8	9

* For TCLP pH -
include preparatory
information for TCLP
leachate

PRESERVATIVES

COMMENTS

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles										<-- Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-Other
			COMP	GRAB	DATE	TIME		E	E	E	E	E	E	E	E	E	
1.	WC-A5-01-G	Soil		X	7/10	12:00	1	X									
2.	WC-A5-01-C	Soil	X		7/10	12:00	11		X	X	X	X	X	X	X	X	
3.	WC-A2-09-G	Soil		X	7/10	12:00	1	X									
4.	WC-A2-09-C	Soil	X		7/10	12:00	11		X	X	X	X	X	X	X	X	
5.	WC-A2-10-G	Soil		X	7/10	12:00	1	X									
6.	WC-A2-10-C	Soil	X		7/10	12:00	11		X	X	X	X	X	X	X	X	
7.	WC-A2-11-G	Soil		X	7/10	12:00	1	X									
8.	WC-A2-11-C	Soil	X		7/10	12:00	11		X	X	X	X	X	X	X	X	
9.	WC-A2-12-G	Soil		X	7/10	12:00	1	X									
10.	WC-A2-12-C	Soil	X		7/10	12:00	11		X	X	X	X	X	X	X	X	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE PROSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER 1. Austin Farmerie	DATE/TIME 7/10/25 1350	RECEIVED BY 1. [Signature] 7-10-25	Conditions of bottles or coolers at receipt: ☐ Compliant ☐ Non Compliant ☐ Cooler Temp 4.20 ☐ Ice in Cooler?:
RELINQUISHED BY	DATE/TIME	RECEIVED BY	Comments:
2. [Signature]	DATE/TIME 7-10-25 1521	RECEIVED FOR LAB BY 3. [Signature]	

Page _____ of _____

SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight
ALLIANCE: ☐ Picked Up ☐ Overnight

Shipment Complete
☐ YES ☐ NO

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT

YELLOW - ALLIANCE COPY

PINK - SAMPLER COPY



284 Sheffield Street, Mountainside, NJ 07092

(908) 789-8900 Fax: (908) 788-9222

www.chemtech.net

CHAIN OF CUSTODY RECORD

Alliance Project Number:

Q2578

COC Number: 2042113

Page 2 of 2

CLIENT INFORMATION		PROJECT INFORMATION		BILLING INFORMATION																					
COMPANY: ENTACT, LLC		PROJECT NAME: 540 Degraw St Brooklyn, NY		BILL TO: ENTACT, LLC					PO# E9309																
ADDRESS: 150 Bay Street, Suite 806		PROJECT #: E9309 LOCATION: Brooklyn, NY		ADDRESS: 999 Oakmont Plaza Drive, Suite 300																					
CITY Jersey City STATE: NJ ZIP: 07302		PROJECT MANAGER: Austin Farmerie		CITY: Westmont					STATE: IL ZIP: 60559																
ATTENTION: Austin Farmerie		E-MAIL: afarmerie@entact.com		ATTENTION: Wendy Murray					PHONE: 800-936-8228																
PHONE: 412-716-1366 FAX:		PHONE: 412-716-1366 FAX:		ANALYSIS																					
DATA TURNAROUND INFORMATION		DATA DELIVERABLE INFORMATION		PRESERVATIVES																					
FAX: 3 DAYS* HARD COPY: 3 DAYS* EDD 3 DAYS* * TO BE APPROVED BY ALLIANCE STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS		☐ RESEULTS ONLY ☐ RESULTS + QC ☐ New Jersey REDUCED ☐ New Jersey CLP ☐ EDD Format		☐ USEPA CLP ☐ New York State ASP "B" ☐ New York State ASP "A" ☐ Other		ASTM COD ASTM Ammonia-Nitrogen ASTM O&G ASTM TS TS, TVS pH (9045D) Paint Filter																			
				COMMENTS																					
CHEMTECH SAMPLE ID		PROJECT SAMPLE IDENTIFICATION		SAMPLE MATRIX		SAMPLE TYPE		SAMPLE COLLECTION		DATE		TIME		# of Bottles		E E E E E E E 1 2 3 4 5 6 7 8 9									
1.		WC-A5-01-G		Soil		X		7/10		12:00		1		X X X X X X X											
2.		WC-A5-01-C		Soil		X		7/10		12:00		11		X X X X X X X											
3.		WC-A2-09-G		Soil		X		7/10		12:00		1		X X X X X X X											
4.		WC-A2-09-C		Soil		X		7/10		12:00		11		X X X X X X X											
5.		WC-A2-10-G		Soil		X		7/10		12:00		1		X X X X X X X											
6.		WC-A2-10-C		Soil		X		7/10		12:00		11		X X X X X X X											
7.		WC-A2-11-G		Soil		X		7/10		12:00		1		X X X X X X X											
8.		WC-A2-11-C		Soil		X		7/10		12:00		11		X X X X X X X											
9.		WC-A2-12-G		Soil		X		7/10		12:00		1		X X X X X X X											
10.		WC-A2-12-C		Soil		X		7/10		12:00		11		X X X X X X X											
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE PROSESSION INCLUDING COURIER DELIVERY																									
RELINQUISHED BY SAMPLER		DATE/TIME		RECEIVED BY		Conditions of bottles or coolers at receipt: ☐ Compliant ☐ Non Compliant ☐ Cooler Temp 4.2°C ☐ Ice in Cooler?:																			
1. Austin Farmerie		7/10/25 1350		1. [Signature]		Comments:																			
RELINQUISHED BY		DATE/TIME		RECEIVED BY																					
2.				2.																					
RELINQUISHED BY		DATE/TIME		RECEIVED FOR LAB BY		SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight ALLIANCE: ☐ Picked Up ☐ Overnight																			
3. [Signature]		7-10-25 152		3.		Shipment Complete ☐ YES ☐ NO																			

Page _____ of _____

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT YELLOW - ALLIANCE COPY PINK - SAMPLER COPY

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488