

Analytical Sequence

Client: ENTACT

SDG No.: Q2579

Project: 540 Degraw St, Brooklyn, NY - E9309

Instrument ID: ECD_O

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 07/08/2025

07/08/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	07/08/2025	13:49	PO112087.D	8.70	3.67
AR1660ICC1000	AR1660ICC1000	07/08/2025	14:06	PO112088.D	8.70	3.67
AR1660ICC750	AR1660ICC750	07/08/2025	14:25	PO112089.D	8.70	3.67
AR1660ICC500	AR1660ICC500	07/08/2025	14:43	PO112090.D	8.70	3.67
AR1660ICC250	AR1660ICC250	07/08/2025	15:02	PO112091.D	8.70	3.67
AR1660ICC050	AR1660ICC050	07/08/2025	15:21	PO112092.D	8.70	3.67
AR1221ICC500	AR1221ICC500	07/08/2025	15:38	PO112093.D	8.70	3.67
AR1232ICC500	AR1232ICC500	07/08/2025	15:57	PO112094.D	8.70	3.67
AR1242ICC1000	AR1242ICC1000	07/08/2025	16:15	PO112095.D	8.70	3.67
AR1242ICC750	AR1242ICC750	07/08/2025	16:34	PO112096.D	8.70	3.67
AR1242ICC500	AR1242ICC500	07/08/2025	16:52	PO112097.D	8.70	3.67
AR1242ICC250	AR1242ICC250	07/08/2025	17:11	PO112098.D	8.70	3.67
AR1242ICC050	AR1242ICC050	07/08/2025	17:29	PO112099.D	8.70	3.67
AR1248ICC1000	AR1248ICC1000	07/08/2025	17:48	PO112100.D	8.70	3.67
AR1248ICC750	AR1248ICC750	07/08/2025	18:05	PO112101.D	8.70	3.67
AR1248ICC500	AR1248ICC500	07/08/2025	18:24	PO112102.D	8.70	3.67
AR1248ICC250	AR1248ICC250	07/08/2025	18:41	PO112103.D	8.70	3.67
AR1248ICC050	AR1248ICC050	07/08/2025	18:59	PO112104.D	8.70	3.67
AR1254ICC1000	AR1254ICC1000	07/08/2025	19:18	PO112105.D	8.70	3.67
AR1254ICC750	AR1254ICC750	07/08/2025	19:35	PO112106.D	8.70	3.67
AR1254ICC500	AR1254ICC500	07/08/2025	19:54	PO112107.D	8.70	3.67
AR1254ICC250	AR1254ICC250	07/08/2025	20:11	PO112108.D	8.70	3.67
AR1254ICC050	AR1254ICC050	07/08/2025	20:28	PO112109.D	8.70	3.67
AR1262ICC500	AR1262ICC500	07/08/2025	20:47	PO112110.D	8.70	3.67
AR1268ICC1000	AR1268ICC1000	07/08/2025	21:04	PO112111.D	8.70	3.67
AR1268ICC750	AR1268ICC750	07/08/2025	21:22	PO112112.D	8.70	3.67
AR1268ICC500	AR1268ICC500	07/08/2025	21:39	PO112113.D	8.70	3.67
AR1268ICC250	AR1268ICC250	07/08/2025	21:57	PO112114.D	8.70	3.67
AR1268ICC050	AR1268ICC050	07/08/2025	22:16	PO112115.D	8.70	3.67
AR1660CCC500	AR1660CCC500	07/14/2025	16:08	PO112259.D	8.70	3.67
IBLK	IBLK	07/14/2025	17:19	PO112263.D	8.70	3.67
NB-7-071125MS	Q2590-01MS	07/14/2025	18:12	PO112266.D	8.70	3.67
NB-7-071125MSD	Q2590-01MSD	07/14/2025	18:29	PO112267.D	8.70	3.67
AR1660CCC500	AR1660CCC500	07/14/2025	20:16	PO112270.D	8.70	3.67
IBLK	IBLK	07/14/2025	22:04	PO112274.D	8.70	3.67
IBLK	IBLK	07/07/2025	20:30	PP073553.D	10.18	4.49
AR1660ICC1000	AR1660ICC1000	07/07/2025	21:03	PP073554.D	10.18	4.49
AR1660ICC750	AR1660ICC750	07/07/2025	21:19	PP073555.D	10.18	4.49
AR1660ICC500	AR1660ICC500	07/07/2025	21:35	PP073556.D	10.18	4.49
AR1660ICC250	AR1660ICC250	07/07/2025	21:52	PP073557.D	10.18	4.49
AR1660ICC050	AR1660ICC050	07/07/2025	22:08	PP073558.D	10.17	4.49
AR1221ICC500	AR1221ICC500	07/07/2025	22:24	PP073559.D	10.18	4.49

Analytical Sequence

AR1232ICC500	AR1232ICC500	07/07/2025	22:41	PP073560.D	10.18	4.49
AR1242ICC1000	AR1242ICC1000	07/07/2025	22:57	PP073561.D	10.18	4.49
AR1242ICC750	AR1242ICC750	07/07/2025	23:14	PP073562.D	10.18	4.49
AR1242ICC500	AR1242ICC500	07/07/2025	23:30	PP073563.D	10.17	4.49
AR1242ICC250	AR1242ICC250	07/07/2025	23:46	PP073564.D	10.18	4.49
AR1242ICC050	AR1242ICC050	07/08/2025	00:03	PP073565.D	10.17	4.49
AR1248ICC1000	AR1248ICC1000	07/08/2025	00:19	PP073566.D	10.18	4.49
AR1248ICC500	AR1248ICC500	07/08/2025	00:52	PP073568.D	10.17	4.49
AR1248ICC250	AR1248ICC250	07/08/2025	01:08	PP073569.D	10.18	4.49
AR1248ICC050	AR1248ICC050	07/08/2025	01:25	PP073570.D	10.17	4.49
AR1254ICC1000	AR1254ICC1000	07/08/2025	01:41	PP073571.D	10.18	4.49
AR1254ICC750	AR1254ICC750	07/08/2025	01:57	PP073572.D	10.18	4.49
AR1254ICC500	AR1254ICC500	07/08/2025	02:14	PP073573.D	10.17	4.49
AR1254ICC250	AR1254ICC250	07/08/2025	02:30	PP073574.D	10.18	4.49
AR1254ICC050	AR1254ICC050	07/08/2025	02:46	PP073575.D	10.18	4.49
AR1262ICC500	AR1262ICC500	07/08/2025	03:03	PP073576.D	10.18	4.49
AR1268ICC1000	AR1268ICC1000	07/08/2025	03:19	PP073577.D	10.18	4.49
AR1268ICC750	AR1268ICC750	07/08/2025	03:35	PP073578.D	10.18	4.49
AR1268ICC500	AR1268ICC500	07/08/2025	03:52	PP073579.D	10.18	4.49
AR1268ICC250	AR1268ICC250	07/08/2025	04:08	PP073580.D	10.17	4.49
AR1268ICC050	AR1268ICC050	07/08/2025	04:24	PP073581.D	10.18	4.49
AR1660CCC500	AR1660CCC500	07/14/2025	14:19	PP073768.D	10.17	4.49
IBLK	IBLK	07/14/2025	15:25	PP073772.D	10.17	4.48
PB168826BL	PB168826BL	07/14/2025	15:41	PP073773.D	10.17	4.49
PB168826BS	PB168826BS	07/14/2025	15:57	PP073774.D	10.17	4.49
WC-A2-13-C	Q2579-02	07/14/2025	17:36	PP073780.D	10.17	4.48
WC-A2-14-C	Q2579-06	07/14/2025	17:52	PP073781.D	10.17	4.49
AR1660CCC500	AR1660CCC500	07/14/2025	19:14	PP073783.D	10.17	4.49
IBLK	IBLK	07/14/2025	20:36	PP073787.D	10.17	4.49

Analytical Sequence

Client: ENTACT

SDG No.: Q2579

Project: 540 Degraw St, Brooklyn, NY - E9309

Instrument ID: ECD_O

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 07/08/2025

07/08/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	07/08/2025	13:49	PO112087.D	8.65	3.67
AR1660ICC1000	AR1660ICC1000	07/08/2025	14:06	PO112088.D	8.65	3.67
AR1660ICC750	AR1660ICC750	07/08/2025	14:25	PO112089.D	8.65	3.67
AR1660ICC500	AR1660ICC500	07/08/2025	14:43	PO112090.D	8.67	3.68
AR1660ICC250	AR1660ICC250	07/08/2025	15:02	PO112091.D	8.65	3.67
AR1660ICC050	AR1660ICC050	07/08/2025	15:21	PO112092.D	8.65	3.67
AR1221ICC500	AR1221ICC500	07/08/2025	15:38	PO112093.D	8.65	3.67
AR1232ICC500	AR1232ICC500	07/08/2025	15:57	PO112094.D	8.65	3.67
AR1242ICC1000	AR1242ICC1000	07/08/2025	16:15	PO112095.D	8.65	3.67
AR1242ICC750	AR1242ICC750	07/08/2025	16:34	PO112096.D	8.65	3.67
AR1242ICC500	AR1242ICC500	07/08/2025	16:52	PO112097.D	8.65	3.67
AR1242ICC250	AR1242ICC250	07/08/2025	17:11	PO112098.D	8.65	3.67
AR1242ICC050	AR1242ICC050	07/08/2025	17:29	PO112099.D	8.65	3.67
AR1248ICC1000	AR1248ICC1000	07/08/2025	17:48	PO112100.D	8.65	3.67
AR1248ICC750	AR1248ICC750	07/08/2025	18:05	PO112101.D	8.65	3.67
AR1248ICC500	AR1248ICC500	07/08/2025	18:24	PO112102.D	8.65	3.67
AR1248ICC250	AR1248ICC250	07/08/2025	18:41	PO112103.D	8.65	3.67
AR1248ICC050	AR1248ICC050	07/08/2025	18:59	PO112104.D	8.65	3.67
AR1254ICC1000	AR1254ICC1000	07/08/2025	19:18	PO112105.D	8.65	3.67
AR1254ICC750	AR1254ICC750	07/08/2025	19:35	PO112106.D	8.65	3.67
AR1254ICC500	AR1254ICC500	07/08/2025	19:54	PO112107.D	8.65	3.67
AR1254ICC250	AR1254ICC250	07/08/2025	20:11	PO112108.D	8.65	3.67
AR1254ICC050	AR1254ICC050	07/08/2025	20:28	PO112109.D	8.65	3.67
AR1262ICC500	AR1262ICC500	07/08/2025	20:47	PO112110.D	8.65	3.67
AR1268ICC1000	AR1268ICC1000	07/08/2025	21:04	PO112111.D	8.65	3.67
AR1268ICC750	AR1268ICC750	07/08/2025	21:22	PO112112.D	8.65	3.67
AR1268ICC500	AR1268ICC500	07/08/2025	21:39	PO112113.D	8.65	3.67
AR1268ICC250	AR1268ICC250	07/08/2025	21:57	PO112114.D	8.65	3.67
AR1268ICC050	AR1268ICC050	07/08/2025	22:16	PO112115.D	8.65	3.67
AR1660CCC500	AR1660CCC500	07/14/2025	16:08	PO112259.D	8.65	3.67
IBLK	IBLK	07/14/2025	17:19	PO112263.D	8.65	3.67
NB-7-071125MS	Q2590-01MS	07/14/2025	18:12	PO112266.D	8.65	3.67
NB-7-071125MSD	Q2590-01MSD	07/14/2025	18:29	PO112267.D	8.65	3.66
AR1660CCC500	AR1660CCC500	07/14/2025	20:16	PO112270.D	8.65	3.66
IBLK	IBLK	07/14/2025	22:04	PO112274.D	8.65	3.66
IBLK	IBLK	07/07/2025	20:30	PP073553.D	8.78	3.78
AR1660ICC1000	AR1660ICC1000	07/07/2025	21:03	PP073554.D	8.78	3.78
AR1660ICC750	AR1660ICC750	07/07/2025	21:19	PP073555.D	8.78	3.78
AR1660ICC500	AR1660ICC500	07/07/2025	21:35	PP073556.D	8.78	3.78
AR1660ICC250	AR1660ICC250	07/07/2025	21:52	PP073557.D	8.78	3.78
AR1660ICC050	AR1660ICC050	07/07/2025	22:08	PP073558.D	8.78	3.78
AR1221ICC500	AR1221ICC500	07/07/2025	22:24	PP073559.D	8.78	3.78

Analytical Sequence

AR1232ICC500	AR1232ICC500	07/07/2025	22:41	PP073560.D	8.78	3.78
AR1242ICC1000	AR1242ICC1000	07/07/2025	22:57	PP073561.D	8.78	3.78
AR1242ICC750	AR1242ICC750	07/07/2025	23:14	PP073562.D	8.78	3.78
AR1242ICC500	AR1242ICC500	07/07/2025	23:30	PP073563.D	8.78	3.78
AR1242ICC250	AR1242ICC250	07/07/2025	23:46	PP073564.D	8.78	3.78
AR1242ICC050	AR1242ICC050	07/08/2025	00:03	PP073565.D	8.78	3.78
AR1248ICC1000	AR1248ICC1000	07/08/2025	00:19	PP073566.D	8.78	3.78
AR1248ICC500	AR1248ICC500	07/08/2025	00:52	PP073568.D	8.78	3.78
AR1248ICC250	AR1248ICC250	07/08/2025	01:08	PP073569.D	8.78	3.78
AR1248ICC050	AR1248ICC050	07/08/2025	01:25	PP073570.D	8.78	3.78
AR1254ICC1000	AR1254ICC1000	07/08/2025	01:41	PP073571.D	8.78	3.78
AR1254ICC750	AR1254ICC750	07/08/2025	01:57	PP073572.D	8.78	3.78
AR1254ICC500	AR1254ICC500	07/08/2025	02:14	PP073573.D	8.78	3.78
AR1254ICC250	AR1254ICC250	07/08/2025	02:30	PP073574.D	8.78	3.78
AR1254ICC050	AR1254ICC050	07/08/2025	02:46	PP073575.D	8.78	3.78
AR1262ICC500	AR1262ICC500	07/08/2025	03:03	PP073576.D	8.78	3.78
AR1268ICC1000	AR1268ICC1000	07/08/2025	03:19	PP073577.D	8.78	3.78
AR1268ICC750	AR1268ICC750	07/08/2025	03:35	PP073578.D	8.78	3.78
AR1268ICC500	AR1268ICC500	07/08/2025	03:52	PP073579.D	8.78	3.78
AR1268ICC250	AR1268ICC250	07/08/2025	04:08	PP073580.D	8.78	3.78
AR1268ICC050	AR1268ICC050	07/08/2025	04:24	PP073581.D	8.78	3.78
AR1660CCC500	AR1660CCC500	07/14/2025	14:19	PP073768.D	8.78	3.78
IBLK	IBLK	07/14/2025	15:25	PP073772.D	8.78	3.78
PB168826BL	PB168826BL	07/14/2025	15:41	PP073773.D	8.78	3.78
PB168826BS	PB168826BS	07/14/2025	15:57	PP073774.D	8.78	3.78
WC-A2-13-C	Q2579-02	07/14/2025	17:36	PP073780.D	8.78	3.78
WC-A2-14-C	Q2579-06	07/14/2025	17:52	PP073781.D	8.78	3.78
AR1660CCC500	AR1660CCC500	07/14/2025	19:14	PP073783.D	8.78	3.78
IBLK	IBLK	07/14/2025	20:36	PP073787.D	8.78	3.78