

Analytical Sequence

Client: ENTACT	SDG No.: Q2579
Project: 540 Degraw St, Brooklyn, NY - E9309	Instrument ID: ECD_D
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 07/21/2025 07/21/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	07/21/2025	12:08	PD089537.D	9.07	3.55
PEM	PEM	07/21/2025	12:22	PD089538.D	9.07	3.55
RESCHK	RESCHK	07/21/2025	12:35	PD089539.D	9.07	3.55
PSTDICC100	PSTDICC100	07/21/2025	12:49	PD089540.D	9.07	3.55
PSTDICC075	PSTDICC075	07/21/2025	13:03	PD089541.D	9.07	3.55
PSTDICC050	PSTDICC050	07/21/2025	13:16	PD089542.D	9.07	3.55
PSTDICC025	PSTDICC025	07/21/2025	13:30	PD089543.D	9.07	3.55
PSTDICC005	PSTDICC005	07/21/2025	13:44	PD089544.D	9.07	3.55
PCHLORICC500	PCHLORICC500	07/21/2025	14:25	PD089547.D	9.07	3.55
PTOXICC500	PTOXICC500	07/21/2025	15:32	PD089552.D	9.07	3.55
LBLK	LBLK	07/22/2025	08:33	PD089559.D	9.07	3.55
PEM	PEM	07/22/2025	08:46	PD089560.D	9.07	3.55
PSTDCCC050	PSTDCCC050	07/22/2025	09:31	PD089561.D	9.08	3.56
PB168867BL	PB168867BL	07/22/2025	10:07	PD089562.D	9.08	3.56
PB168867BS	PB168867BS	07/22/2025	10:20	PD089563.D	9.07	3.55
PB168803TB	PB168803TB	07/22/2025	10:40	PD089564.D	9.08	3.55
WC-A5-01-CMS	Q2578-03MS	07/22/2025	11:07	PD089566.D	9.07	3.55
WC-A5-01-CMSD	Q2578-03MSD	07/22/2025	11:20	PD089567.D	9.07	3.55
WC-A2-13-C	Q2579-03	07/22/2025	12:29	PD089572.D	9.07	3.55
WC-A2-14-C	Q2579-07	07/22/2025	12:42	PD089573.D	9.07	3.55
LBLK	LBLK	07/22/2025	12:56	PD089574.D	9.07	3.55
PSTDCCC050	PSTDCCC050	07/22/2025	13:31	PD089575.D	9.08	3.55

Analytical Sequence

Client: ENTACT	SDG No.: Q2579
Project: 540 Degraw St, Brooklyn, NY - E9309	Instrument ID: ECD_D
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 07/21/2025 07/21/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	07/21/2025	12:08	PD089537.D	8.07	2.88
PEM	PEM	07/21/2025	12:22	PD089538.D	8.07	2.88
RESCHK	RESCHK	07/21/2025	12:35	PD089539.D	8.07	2.88
PSTDICC100	PSTDICC100	07/21/2025	12:49	PD089540.D	8.07	2.88
PSTDICC075	PSTDICC075	07/21/2025	13:03	PD089541.D	8.07	2.88
PSTDICC050	PSTDICC050	07/21/2025	13:16	PD089542.D	8.07	2.88
PSTDICC025	PSTDICC025	07/21/2025	13:30	PD089543.D	8.07	2.88
PSTDICC005	PSTDICC005	07/21/2025	13:44	PD089544.D	8.07	2.88
PCHLORICC500	PCHLORICC500	07/21/2025	14:25	PD089547.D	8.07	2.88
PTOXICC500	PTOXICC500	07/21/2025	15:32	PD089552.D	8.07	2.88
IBLK	IBLK	07/22/2025	08:33	PD089559.D	8.07	2.88
PEM	PEM	07/22/2025	08:46	PD089560.D	8.07	2.88
PSTDCCC050	PSTDCCC050	07/22/2025	09:31	PD089561.D	8.07	2.88
PB168867BL	PB168867BL	07/22/2025	10:07	PD089562.D	8.07	2.88
PB168867BS	PB168867BS	07/22/2025	10:20	PD089563.D	8.07	2.88
PB168803TB	PB168803TB	07/22/2025	10:40	PD089564.D	8.07	2.88
WC-A5-01-CMS	Q2578-03MS	07/22/2025	11:07	PD089566.D	8.07	2.88
WC-A5-01-CMSD	Q2578-03MSD	07/22/2025	11:20	PD089567.D	8.07	2.88
WC-A2-13-C	Q2579-03	07/22/2025	12:29	PD089572.D	8.07	2.88
WC-A2-14-C	Q2579-07	07/22/2025	12:42	PD089573.D	8.07	2.88
IBLK	IBLK	07/22/2025	12:56	PD089574.D	8.07	2.88
PSTDCCC050	PSTDCCC050	07/22/2025	13:31	PD089575.D	8.07	2.88