

Hit Summary Sheet
SW-846

SDG No.: Q2585

Client: Ardmore Chemical

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	EFF-WW							
Q2585-01	EFF-WW	Water	Chloroform	16.8	J	2.80	25.0	ug/L
Q2585-01	EFF-WW	Water	Bromodichloromethane	3.50	J	3.20	25.0	ug/L
			Total Voc :			20.3		
			Total Concentration:			20.3		



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Ardmore Chemical			Date Collected:	07/11/25	
Project:	PVSC Monthly 2025			Date Received:	07/11/25	
Client Sample ID:	EFF-WW			SDG No.:	Q2585	
Lab Sample ID:	Q2585-01			Matrix:	Water	
Analytical Method:	E624.1			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:			uL	Test:	VOC-PP	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087364.D	5	07/18/25 14:20	VN071825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
74-87-3	Chloromethane	3.20	U	3.20	25.0	ug/L
75-01-4	Vinyl Chloride	4.20	U	4.20	25.0	ug/L
74-83-9	Bromomethane	4.00	U	4.00	25.0	ug/L
75-00-3	Chloroethane	11.6	U	11.6	25.0	ug/L
75-69-4	Trichlorofluoromethane	4.00	U	4.00	25.0	ug/L
75-35-4	1,1-Dichloroethene	3.80	U	3.80	25.0	ug/L
107-02-8	Acrolein	33.1	U	33.1	130	ug/L
107-13-1	Acrylonitrile	14.0	U	14.0	130	ug/L
75-09-2	Methylene Chloride	4.30	U	4.30	25.0	ug/L
156-60-5	trans-1,2-Dichloroethene	4.10	U	4.10	25.0	ug/L
75-34-3	1,1-Dichloroethane	3.40	U	3.40	25.0	ug/L
56-23-5	Carbon Tetrachloride	3.70	U	3.70	25.0	ug/L
67-66-3	Chloroform	16.8	J	2.80	25.0	ug/L
71-55-6	1,1,1-Trichloroethane	3.20	U	3.20	25.0	ug/L
71-43-2	Benzene	2.30	U	2.30	25.0	ug/L
107-06-2	1,2-Dichloroethane	2.50	U	2.50	25.0	ug/L
79-01-6	Trichloroethene	2.50	U	2.50	25.0	ug/L
78-87-5	1,2-Dichloropropane	2.30	U	2.30	25.0	ug/L
75-27-4	Bromodichloromethane	3.50	J	3.20	25.0	ug/L
108-88-3	Toluene	2.30	U	2.30	25.0	ug/L
10061-02-6	t-1,3-Dichloropropene	3.60	U	3.60	25.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	3.40	U	3.40	25.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.30	U	2.30	25.0	ug/L
110-75-8	2-Chloroethyl vinyl ether	23.2	U	23.2	130	ug/L
124-48-1	Dibromochloromethane	3.30	U	3.30	25.0	ug/L
127-18-4	Tetrachloroethene	4.20	U	4.20	25.0	ug/L
108-90-7	Chlorobenzene	2.40	U	2.40	25.0	ug/L
100-41-4	Ethyl Benzene	2.80	U	2.80	25.0	ug/L
179601-23-1	m/p-Xylenes	6.50	U	6.50	50.0	ug/L
95-47-6	o-Xylene	3.40	U	3.40	25.0	ug/L

Report of Analysis

Client:	Ardmore Chemical		Date Collected:	07/11/25	
Project:	PVSC Monthly 2025		Date Received:	07/11/25	
Client Sample ID:	EFF-WW		SDG No.:	Q2585	
Lab Sample ID:	Q2585-01		Matrix:	Water	
Analytical Method:	E624.1		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-PP	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087364.D	5	07/18/25 14:20	VN071825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
75-25-2	Bromoform	4.70	U	4.70	25.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.20	U	2.20	25.0	ug/L
541-73-1	1,3-Dichlorobenzene	3.40	U	3.40	25.0	ug/L
106-46-7	1,4-Dichlorobenzene	4.10	U	4.10	25.0	ug/L
95-50-1	1,2-Dichlorobenzene	3.40	U	3.40	25.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	29.8		91 - 110	99%	SPK: 30
2037-26-5	Toluene-d8	29.8		91 - 112	99%	SPK: 30
460-00-4	4-Bromofluorobenzene	28.1		63 - 112	94%	SPK: 30
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	44500	7.8			
540-36-3	1,4-Difluorobenzene	204000	9.083			
3114-55-4	Chlorobenzene-d5	182000	11.847			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



LAB CHRONICLE

OrderID:	Q2585	OrderDate:	7/11/2025 12:48:00 PM
Client:	Ardmore Chemical	Project:	PVSC Monthly 2025
Contact:	Michael Sharphouse	Location:	D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2585-01	EFF-WW	Water	VOC-PP	624.1	07/11/25		07/18/25	07/11/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

A
B
C
D

Hit Summary Sheet
SW-846

SDG No.: Q2585
Client: Ardmore Chemical

Sample ID	Client ID		Parameter	Concentration	C	MDL	RDL	Units
Client ID :	EFF-WW							
Q2585-04	EFF-WW	WATER	Bis(2-ethylhexyl)phthalate	2.700	J	1.7	5.3	ug/L
			Total Svoc :			2.70		
			Total Concentration:			2.70		



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Ardmore Chemical		Date Collected:	07/11/25	
Project:	PVSC Monthly 2025		Date Received:	07/11/25	
Client Sample ID:	EFF-WW		SDG No.:	Q2585	
Lab Sample ID:	Q2585-04		Matrix:	Water	
Analytical Method:	625.1		% Solid:	0	
Sample Wt/Vol:	950	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group1	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143165.D	1	07/17/25 08:39	07/18/25 14:25	PB168904

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
62-75-9	n-Nitrosodimethylamine	0.91	U	0.91	10.5	ug/L
108-95-2	Phenol	0.96	U	0.96	5.30	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.85	U	0.85	5.30	ug/L
95-57-8	2-Chlorophenol	0.61	U	0.61	5.30	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.30	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.50	U	1.50	5.30	ug/L
67-72-1	Hexachloroethane	0.68	U	0.68	5.30	ug/L
98-95-3	Nitrobenzene	0.80	U	0.80	5.30	ug/L
78-59-1	Isophorone	0.79	U	0.79	5.30	ug/L
88-75-5	2-Nitrophenol	1.90	U	1.90	5.30	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.30	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.72	U	0.72	5.30	ug/L
120-83-2	2,4-Dichlorophenol	0.55	U	0.55	5.30	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.57	U	0.57	5.30	ug/L
91-20-3	Naphthalene	0.53	U	0.53	5.30	ug/L
87-68-3	Hexachlorobutadiene	0.57	U	0.57	5.30	ug/L
59-50-7	4-Chloro-3-methylphenol	0.62	U	0.62	5.30	ug/L
77-47-4	Hexachlorocyclopentadiene	3.80	U	3.80	10.5	ug/L
88-06-2	2,4,6-Trichlorophenol	0.54	U	0.54	5.30	ug/L
91-58-7	2-Chloronaphthalene	0.64	U	0.64	5.30	ug/L
131-11-3	Dimethylphthalate	0.64	U	0.64	5.30	ug/L
208-96-8	Acenaphthylene	0.79	U	0.79	5.30	ug/L
606-20-2	2,6-Dinitrotoluene	0.97	U	0.97	5.30	ug/L
83-32-9	Acenaphthene	0.58	U	0.58	5.30	ug/L
51-28-5	2,4-Dinitrophenol	6.30	U	6.30	10.5	ug/L
100-02-7	4-Nitrophenol	2.50	U	2.50	10.5	ug/L
121-14-2	2,4-Dinitrotoluene	1.30	U	1.30	5.30	ug/L
84-66-2	Diethylphthalate	0.73	U	0.73	5.30	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.72	U	0.72	5.30	ug/L

Report of Analysis

Client:	Ardmore Chemical		Date Collected:	07/11/25	
Project:	PVSC Monthly 2025		Date Received:	07/11/25	
Client Sample ID:	EFF-WW		SDG No.:	Q2585	
Lab Sample ID:	Q2585-04		Matrix:	Water	
Analytical Method:	625.1		% Solid:	0	
Sample Wt/Vol:	950	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group1	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143165.D	1	07/17/25 08:39	07/18/25 14:25	PB168904

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
86-73-7	Fluorene	0.66	U	0.66	5.30	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	3.00	U	3.00	10.5	ug/L
86-30-6	n-Nitrosodiphenylamine	0.61	U	0.61	5.30	ug/L
103-33-3	Azobenzene	0.85	U	0.85	5.30	ug/L
101-55-3	4-Bromophenyl-phenylether	0.42	U	0.42	5.30	ug/L
118-74-1	Hexachlorobenzene	0.55	U	0.55	5.30	ug/L
87-86-5	Pentachlorophenol	1.70	U	1.70	10.5	ug/L
85-01-8	Phenanthrene	0.53	U	0.53	5.30	ug/L
120-12-7	Anthracene	0.64	U	0.64	5.30	ug/L
84-74-2	Di-n-butylphthalate	1.30	U	1.30	5.30	ug/L
206-44-0	Fluoranthene	0.86	U	0.86	5.30	ug/L
92-87-5	Benzidine	4.50	U	4.50	10.5	ug/L
129-00-0	Pyrene	0.53	U	0.53	5.30	ug/L
85-68-7	Butylbenzylphthalate	2.00	U	2.00	5.30	ug/L
91-94-1	3,3-Dichlorobenzidine	0.98	U	0.98	10.5	ug/L
56-55-3	Benzo(a)anthracene	0.47	U	0.47	5.30	ug/L
218-01-9	Chrysene	0.46	U	0.46	5.30	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	2.70	J	1.70	5.30	ug/L
117-84-0	Di-n-octyl phthalate	2.50	U	2.50	10.5	ug/L
205-99-2	Benzo(b)fluoranthene	0.52	U	0.52	5.30	ug/L
207-08-9	Benzo(k)fluoranthene	0.51	U	0.51	5.30	ug/L
50-32-8	Benzo(a)pyrene	0.58	U	0.58	5.30	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.62	U	0.62	5.30	ug/L
53-70-3	Dibenzo(a,h)anthracene	0.71	U	0.71	5.30	ug/L
191-24-2	Benzo(g,h,i)perylene	0.73	U	0.73	5.30	ug/L

SURROGATES

367-12-4	2-Fluorophenol	42.1	*	60 - 140	42%	SPK: 100
13127-88-3	Phenol-d6	26.2	*	60 - 140	26%	SPK: 100
4165-60-0	Nitrobenzene-d5	81.1		60 - 140	81%	SPK: 100
321-60-8	2-Fluorobiphenyl	83.1		60 - 140	83%	SPK: 100

Report of Analysis

Client:	Ardmore Chemical		Date Collected:	07/11/25	
Project:	PVSC Monthly 2025		Date Received:	07/11/25	
Client Sample ID:	EFF-WW		SDG No.:	Q2585	
Lab Sample ID:	Q2585-04		Matrix:	Water	
Analytical Method:	625.1		% Solid:	0	
Sample Wt/Vol:	950	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group1	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143165.D	1	07/17/25 08:39	07/18/25 14:25	PB168904

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
118-79-6	2,4,6-Tribromophenol	86.5		60 - 140	86%	SPK: 100
1718-51-0	Terphenyl-d14	57.8	*	60 - 140	58%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	91800	6.963
1146-65-2	Naphthalene-d8	319000	8.239
15067-26-2	Acenaphthene-d10	149000	9.998
1517-22-2	Phenanthrene-d10	263000	11.48
1719-03-5	Chrysene-d12	270000	14.121
1520-96-3	Perylene-d12	283000	15.621

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2585	OrderDate:	7/11/2025 12:48:00 PM
Client:	Ardmore Chemical	Project:	PVSC Monthly 2025
Contact:	Michael Sharphouse	Location:	D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2585-04	EFF-WW	Water	SVOCMS Group1	625.1	07/11/25	07/17/25	07/18/25	07/11/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2585
Client: Ardmore Chemical

Order ID: Q2585
Project ID: PVSC Monthly 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : EFF-WW								
Q2585-04	EFF-WW	Water	Lead	1.74	J	1.21	6.00	ug/L
Q2585-04	EFF-WW	Water	Zinc	184		2.00	20.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Ardmore Chemical	Date Collected:	07/11/25
Project:	PVSC Monthly 2025	Date Received:	07/11/25
Client Sample ID:	EFF-WW	SDG No.:	Q2585
Lab Sample ID:	Q2585-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-92-1	Lead	1.74	J	1	1.21	6.00	ug/L	07/16/25 10:15	07/17/25 15:29	EPA 200.7	
7439-97-6	Mercury	0.027	U	1	0.027	0.20	ug/L	07/21/25 09:00	07/21/25 15:23	E245.1	
7440-66-6	Zinc	184		1	2.00	20.0	ug/L	07/16/25 10:15	07/17/25 15:29	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2585	OrderDate:	7/11/2025 12:48:00 PM
Client:	Ardmore Chemical	Project:	PVSC Monthly 2025
Contact:	Michael Sharphouse	Location:	D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2585-04	EFF-WW	Water			07/11/25			07/11/25
			Mercury	245.1		07/21/25	07/21/25	
			Metals Group3	200.7		07/16/25	07/17/25	



SAMPLE DATA

A

B

C

Report of Analysis

Client:	Ardmore Chemical	Date Collected:	07/11/25 10:35
Project:	PVSC Monthly 2025	Date Received:	07/11/25
Client Sample ID:	EFF-WW	SDG No.:	Q2585
Lab Sample ID:	Q2585-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.0012	U	1	0.0012	0.0050	mg/L	07/15/25 12:00	07/16/25 09:33	SM 4500-CN C-21 plus E-21

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Ardmore Chemical	Date Collected:	07/11/25 10:35
Project:	PVSC Monthly 2025	Date Received:	07/11/25
Client Sample ID:	EFF-WW	SDG No.:	Q2585
Lab Sample ID:	Q2585-04	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
BOD5	422		1	0.20	2.00	mg/L		07/11/25 14:40	SM 5210 B-16
TSS	13.0		1	1.00	4.00	mg/L		07/15/25 10:00	SM 2540 D-20

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2585	OrderDate:	7/11/2025 12:48:00 PM
Client:	Ardmore Chemical	Project:	PVSC Monthly 2025
Contact:	Michael Sharphouse	Location:	D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2585-01	EFF-WW	WATER			07/11/25 10:35			07/11/25
			Cyanide	SM4500-CN C,E		07/15/25	07/16/25 09:33	
Q2585-04	EFF-WW	WATER			07/11/25 10:35			07/11/25
			BOD5	SM5210 B			07/11/25 14:40	
			TSS	SM2540 D			07/15/25 10:00	