

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143145.D
 Acq On : 17 Jul 2025 13:33
 Operator : RC/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050

Quant Time: Jul 17 15:04:19 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	144385	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	555536	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	283657	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	447089	20.000	ng	0.00
76) Chrysene-d12	14.121	240	247878	20.000	ng	0.00
86) Perylene-d12	15.621	264	282289	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.587	112	927268	101.629	ng	0.00
7) Phenol-d6	6.587	99	1178468	102.615	ng	0.00
23) Nitrobenzene-d5	7.528	82	1158494	103.949	ng	0.00
42) 2,4,6-Tribromophenol	10.786	330	309465	105.607	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	2005894	96.712	ng	0.00
79) Terphenyl-d14	13.068	244	1663033	99.838	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.816	88	225749	52.289	ng	100
3) Pyridine	3.587	79	584060	52.122	ng	99
4) n-Nitrosodimethylamine	3.534	42	307202	53.098	ng	100
6) Aniline	6.628	93	827275	51.687	ng	100
8) 2-Chlorophenol	6.751	128	493989	51.652	ng	98
9) Benzaldehyde	6.516	77	509476	59.162	ng	99
10) Phenol	6.598	94	645540m	51.598	ng	
11) bis(2-Chloroethyl)ether	6.698	93	491371	51.295	ng	99
12) 1,3-Dichlorobenzene	6.910	146	529202	50.937	ng	99
13) 1,4-Dichlorobenzene	6.981	146	531696	50.818	ng	99
14) 1,2-Dichlorobenzene	7.134	146	510140	51.264	ng	100
15) Benzyl Alcohol	7.098	79	461379	52.616	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.239	45	908530	51.128	ng	99
17) 2-Methylphenol	7.204	107	418793	52.079	ng	100
18) Hexachloroethane	7.481	117	189394	52.289	ng	99
19) n-Nitroso-di-n-propyla...	7.381	70	369367	50.131	ng	99
20) 3+4-Methylphenols	7.363	107	506069	51.870	ng	# 89
22) Acetophenone	7.369	105	661017	50.258	ng	98
24) Nitrobenzene	7.545	77	538666	51.843	ng	100
25) Isophorone	7.786	82	1018783	51.783	ng	99
26) 2-Nitrophenol	7.857	139	252169	55.920	ng	98
27) 2,4-Dimethylphenol	7.892	122	469819	51.112	ng	100
28) bis(2-Chloroethoxy)met...	7.986	93	597241	50.631	ng	100
29) 2,4-Dichlorophenol	8.098	162	401336	51.773	ng	99
30) 1,2,4-Trichlorobenzene	8.186	180	420763	50.242	ng	99
31) Naphthalene	8.269	128	1369627	50.060	ng	100
32) Benzoic acid	7.998	122	273361m	52.352	ng	
33) 4-Chloroaniline	8.310	127	566422	50.703	ng	99
34) Hexachlorobutadiene	8.392	225	260787	50.976	ng	99
35) Caprolactam	8.680	113	126050	53.811	ng	96
36) 4-Chloro-3-methylphenol	8.786	107	431745	51.242	ng	98
37) 2-Methylnaphthalene	8.957	142	837820	50.324	ng	100
38) 1-Methylnaphthalene	9.057	142	862300	50.298	ng	100
40) 1,2,4,5-Tetrachloroben...	9.128	216	412916	50.420	ng	100
41) Hexachlorocyclopentadiene	9.116	237	286805	53.823	ng	99
43) 2,4,6-Trichlorophenol	9.228	196	304466	53.718	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143145.D
 Acq On : 17 Jul 2025 13:33
 Operator : RC/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 8 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050


Quant Time: Jul 17 15:04:19 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.269	196	291607	51.434	ng	99
46) 1,1'-Biphenyl	9.422	154	1101317	49.764	ng	99
47) 2-Chloronaphthalene	9.445	162	826749	50.488	ng	100
48) 2-Nitroaniline	9.533	65	281082	54.736	ng	99
49) Acenaphthylene	9.863	152	1388721	50.605	ng	100
50) Dimethylphthalate	9.716	163	939863	50.832	ng	100
51) 2,6-Dinitrotoluene	9.775	165	205147	54.541	ng	98
52) Acenaphthene	10.033	154	818783	50.481	ng	100
53) 3-Nitroaniline	9.945	138	236959	53.861	ng	99
54) 2,4-Dinitrophenol	10.045	184	81983	50.750	ng	98
55) Dibenzofuran	10.204	168	1204088	50.001	ng	99
56) 4-Nitrophenol	10.086	139	177408	54.001	ng	98
57) 2,4-Dinitrotoluene	10.180	165	264045	55.954	ng	95
58) Fluorene	10.551	166	891646	49.335	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.322	232	248745	52.965	ng	100
60) Diethylphthalate	10.416	149	942625	51.580	ng	100
61) 4-Chlorophenyl-phenyle...	10.539	204	449168	49.911	ng	99
62) 4-Nitroaniline	10.557	138	205210	54.424	ng	99
63) Azobenzene	10.698	77	966931	50.766	ng	100
65) 4,6-Dinitro-2-methylph...	10.586	198	122876	51.927	ng	100
66) n-Nitrosodiphenylamine	10.657	169	811422	51.540	ng	100
67) 4-Bromophenyl-phenylether	11.027	248	275679	51.741	ng	98
68) Hexachlorobenzene	11.098	284	288405	51.788	ng	100
69) Atrazine	11.180	200	232907	53.662	ng	99
70) Pentachlorophenol	11.286	266	178753	54.581	ng	99
71) Phenanthrene	11.510	178	1194582	50.321	ng	100
72) Anthracene	11.563	178	1223920	50.552	ng	100
73) Carbazole	11.710	167	1076803	50.934	ng	100
74) Di-n-butylphthalate	12.045	149	1250841	52.290	ng	100
75) Fluoranthene	12.698	202	1093890	50.203	ng	100
77) Benzidine	12.810	184	431944	45.229	ng	100
78) Pyrene	12.927	202	1078520	50.982	ng	100
80) Butylbenzylphthalate	13.539	149	360698	55.681	ng	98
81) Benzo(a)anthracene	14.110	228	880975	53.085	ng	99
82) 3,3'-Dichlorobenzidine	14.068	252	294836	53.305	ng	99
83) Chrysene	14.151	228	754953	50.597	ng	100
84) Bis(2-ethylhexyl)phtha...	14.098	149	534128	54.475	ng	100
85) Di-n-octyl phthalate	14.715	149	960309	54.032	ng	99
87) Indeno(1,2,3-cd)pyrene	17.168	276	1061877	53.347	ng	99
88) Benzo(b)fluoranthene	15.180	252	953990	55.319	ng	100
89) Benzo(k)fluoranthene	15.209	252	754417	49.024	ng	99
90) Benzo(a)pyrene	15.562	252	840968	52.928	ng	100
91) Dibenzo(a,h)anthracene	17.186	278	861467	53.172	ng	99
92) Benzo(g,h,i)perylene	17.633	276	843865	53.845	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Jul 17 15:04:19 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 14:54:43 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 811
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:152 Resp: 144385
Ion Ratio Lower Upper
152 100
150 160.9 128.2 192.4
115 61.2 47.9 71.9



#2
1,4-Dioxane
Concen: 52.289 ng
RT: 2.816 min Scan# 106
Delta R.T. -0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion: 88 Resp: 225749
Ion Ratio Lower Upper
88 100
58 87.3 70.2 105.2
43 34.0 27.1 40.7





#3

Pyridine

Concen: 52.122 ng

RT: 3.587 min Scan# 21

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion: 79 Resp: 584060

Ion Ratio Lower Upper

79 100

52 85.8 69.4 104.2

51 42.0 33.5 50.3



#4

n-Nitrosodimethylamine

Concen: 53.098 ng

RT: 3.534 min Scan# 228

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion: 42 Resp: 307202


Ion Ratio Lower Upper

42 100

74 114.6 91.7 137.5

44 6.8 5.6 8.4









#5
2-Fluorophenol
Concen: 101.629 ng
RT: 5.587 min Scan# 51
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:112 Resp: 927268
Ion Ratio Lower Upper
112 100
64 66.3 53.1 79.7
63 33.2 26.6 40.0



#6
Aniline
Concen: 51.687 ng
RT: 6.628 min Scan# 754
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion: 93 Resp: 827275
Ion Ratio Lower Upper
93 100
66 41.2 33.2 49.8
65 21.1 16.9 25.3









#7
Phenol-d6
Concen: 102.615 ng
RT: 6.587 min Scan# 747
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion: 99 Resp: 1178468
Ion Ratio Lower Upper
99 100
42 21.1 17.0 25.6
71 34.4 27.7 41.5



#8
2-Chlorophenol
Concen: 51.652 ng
RT: 6.751 min Scan# 775
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:128 Resp: 493989
Ion Ratio Lower Upper
128 100
130 32.8 12.3 52.3
64 53.6 35.9 75.9









#9
Benzaldehyde
Concen: 59.162 ng
RT: 6.516 min Scan# 714
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion: 77 Resp: 509476
Ion Ratio Lower Upper
77 100
105 95.5 76.8 116.8
106 93.3 74.4 114.4



#10
Phenol
Concen: 51.598 ng m
RT: 6.598 min Scan# 749
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion: 94 Resp: 645540
Ion Ratio Lower Upper
94 100
65 30.5 10.0 50.0
66 41.9 20.8 60.8









#11
bis(2-Chloroethyl)ether
Concen: 51.295 ng
RT: 6.698 min Scan# 766
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion: 93 Resp: 491371
Ion Ratio Lower Upper
93 100
63 82.0 63.4 103.4
95 32.8 12.4 52.4



#12
1,3-Dichlorobenzene
Concen: 50.937 ng
RT: 6.910 min Scan# 802
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:146 Resp: 529202
Ion Ratio Lower Upper
146 100
148 63.4 50.6 76.0
75 32.7 27.4 41.2









#13
1,4-Dichlorobenzene
Concen: 50.818 ng
RT: 6.981 min Scan# 814
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:146 Resp: 531696
Ion Ratio Lower Upper
146 100
148 63.6 50.3 75.5
111 43.5 34.4 51.6



#14
1,2-Dichlorobenzene
Concen: 51.264 ng
RT: 7.134 min Scan# 840
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:146 Resp: 510140
Ion Ratio Lower Upper
146 100
148 63.5 50.7 76.1
111 45.4 36.6 54.8









#15
Benzyl Alcohol
Concen: 52.616 ng
RT: 7.098 min Scan# 811
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion: 79 Resp: 461379
Ion Ratio Lower Upper
79 100
108 76.7 61.1 91.7
77 60.6 48.9 73.3



#16
2,2'-oxybis(1-Chloropropane)
Concen: 51.128 ng
RT: 7.239 min Scan# 858
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion: 45 Resp: 908530
Ion Ratio Lower Upper
45 100
77 11.4 0.0 31.2
79 8.8 0.0 28.5









#17
2-Methylphenol
Concen: 52.079 ng
RT: 7.204 min Scan# 811
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:107 Resp: 418793




Ion	Ratio	Lower	Upper
107	100		
108	114.2	91.8	137.6
77	46.3	37.0	55.6
79	46.5	36.9	55.3




#18
Hexachloroethane
Concen: 52.289 ng
RT: 7.481 min Scan# 899
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:117 Resp: 189394

Ion	Ratio	Lower	Upper
117	100		
119	96.2	77.8	116.8
201	94.5	77.0	115.4









#19
n-Nitroso-di-n-propylamine
Concen: 50.131 ng
RT: 7.381 min Scan# 881
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:	70	Resp:	369367
Ion	Ratio	Lower	Upper
70	100		
42	64.4	52.5	78.7
101	9.7	7.6	11.4
130	21.0	16.1	24.1



#20
3+4-Methylphenols
Concen: 51.870 ng
RT: 7.363 min Scan# 879
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:	107	Resp:	506069
Ion	Ratio	Lower	Upper
107	100		
108	90.7	70.0	110.0
77	101.5	57.8	97.8#
79	30.3	9.5	49.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1029
Delta R.T. 0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:	136	Resp:	555536
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.6	13.0
54	10.2	8.2	12.2
68	6.9	5.4	8.2



#22
Acetophenone
Concen: 50.258 ng
RT: 7.369 min Scan# 880
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:	105	Resp:	661017
Ion	Ratio	Lower	Upper
105	100		
71	6.0	5.8	8.6
51	39.6	30.2	45.2
120	23.1	18.2	27.4





#23

Nitrobenzene-d5

Concen: 103.949 ng

RT: 7.528 min Scan# 906

Delta R.T. 0.006 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion: 82 Resp: 1158494

Ion Ratio Lower Upper

82 100

128 43.5 33.6 50.4

54 58.2 47.1 70.7



#24

Nitrobenzene

Concen: 51.843 ng

RT: 7.545 min Scan# 910

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion: 77 Resp: 538666


Ion Ratio Lower Upper

77 100

123 44.9 36.1 54.1

65 14.3 11.4 17.2









#25
Isophorone
Concen: 51.783 ng
RT: 7.786 min Scan# 91
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion: 82 Resp: 1018783
Ion Ratio Lower Upper
82 100
95 7.0 5.5 8.3
138 17.9 13.8 20.8



#26
2-Nitrophenol
Concen: 55.920 ng
RT: 7.857 min Scan# 963
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:139 Resp: 252169
Ion Ratio Lower Upper
139 100
109 29.0 23.6 35.4
65 55.0 42.6 64.0









#27
2,4-Dimethylphenol
Concen: 51.112 ng
RT: 7.892 min Scan# 968
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:122 Resp: 469819
Ion Ratio Lower Upper
122 100
107 114.3 91.8 137.6
121 58.4 46.3 69.5



#28
bis(2-Chloroethoxy)methane
Concen: 50.631 ng
RT: 7.986 min Scan# 985
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion: 93 Resp: 597241
Ion Ratio Lower Upper
93 100
95 32.0 25.8 38.6
123 12.1 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 51.773 ng

RT: 8.098 min Scan# 1004

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:162 Resp: 401336

Ion Ratio Lower Upper

162 100

164 64.0 44.2 84.2

98 39.2 17.9 57.9



#30

1,2,4-Trichlorobenzene

Concen: 50.242 ng

RT: 8.186 min Scan# 1019

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:180 Resp: 420763


Ion Ratio Lower Upper

180 100

182 95.8 76.2 114.2

145 31.8 25.0 37.6









#31
Naphthalene
Concen: 50.060 ng
RT: 8.269 min Scan# 1033
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:128 Resp: 1369627
Ion Ratio Lower Upper
128 100
129 11.1 9.0 13.4
127 13.4 10.6 16.0



#32
Benzoic acid
Concen: 52.352 ng m
RT: 7.998 min Scan# 987
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:122 Resp: 273361
Ion Ratio Lower Upper
122 100
105 123.0 104.8 144.8
77 98.4 77.6 117.6





#33

4-Chloroaniline

Concen: 50.703 ng

RT: 8.310 min Scan# 1040

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion:127 Resp: 566422





Ion Ratio Lower Upper

127 100

129 32.6 26.0 39.0

65 34.9 27.4 41.2

92 21.4 16.8 25.2



#34

Hexachlorobutadiene

Concen: 50.976 ng

RT: 8.392 min Scan# 1054

Delta R.T. 0.006 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:225 Resp: 260787


Ion Ratio Lower Upper

225 100

223 62.3 49.8 74.6

227 64.8 50.2 75.4









#35
 Caprolactam
 Concen: 53.811 ng
 RT: 8.680 min Scan# 1103
 Delta R.T. -0.000 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050


Tgt Ion:113 Resp: 126050
 Ion Ratio Lower Upper
 113 100
 55 200.3 174.0 214.0
 56 150.8 126.6 166.6



#36
 4-Chloro-3-methylphenol
 Concen: 51.242 ng
 RT: 8.786 min Scan# 1121
 Delta R.T. 0.006 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33

Tgt Ion:107 Resp: 431745
 Ion Ratio Lower Upper
 107 100
 144 25.0 19.8 29.6
 142 77.8 60.6 90.8









#37
2-Methylnaphthalene
Concen: 50.324 ng
RT: 8.957 min Scan# 1150
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:142 Resp: 837820
Ion Ratio Lower Upper
142 100
141 87.1 69.9 104.9



#38
1-Methylnaphthalene
Concen: 50.298 ng
RT: 9.057 min Scan# 1167
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:142 Resp: 862300
Ion Ratio Lower Upper
142 100
141 90.6 72.3 108.5





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.998 min Scan# 1179

Delta R.T. 0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:164 Resp: 283657

Ion Ratio Lower Upper

164 100

162 98.3 79.0 118.6

160 43.5 35.1 52.7



#40

1,2,4,5-Tetrachlorobenzene

Concen: 50.420 ng

RT: 9.128 min Scan# 1179

Delta R.T. 0.006 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Tgt Ion:216 Resp: 412916




Ion Ratio Lower Upper


216 100

214 79.7 63.8 95.8

179 20.5 16.4 24.6

108 19.6 15.6 23.4









#41
Hexachlorocyclopentadiene
Concen: 53.823 ng
RT: 9.116 min Scan# 1177
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:237 Resp: 286805
Ion Ratio Lower Upper
237 100
235 63.9 43.0 83.0
272 13.1 0.0 33.3



#42
2,4,6-Tribromophenol
Concen: 105.607 ng
RT: 10.786 min Scan# 1461
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:330 Resp: 309465
Ion Ratio Lower Upper
330 100
332 97.0 76.7 115.1
141 29.0 23.3 34.9





#43

2,4,6-Trichlorophenol

Concen: 53.718 ng

RT: 9.228 min Scan# 1196

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:196 Resp: 304466

Ion Ratio Lower Upper

196 100

198 95.2 76.2 114.2

200 30.3 23.9 35.9



#44

2,4,5-Trichlorophenol

Concen: 51.434 ng

RT: 9.269 min Scan# 1203

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Tgt Ion:196 Resp: 291607




Ion Ratio Lower Upper


196 100

198 94.7 77.3 115.9

97 50.8 40.3 60.5

132 29.4 23.1 34.7





#45

2-Fluorobiphenyl

Concen: 96.712 ng

RT: 9.322 min Scan# 1212

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:172 Resp: 2005894

Ion Ratio Lower Upper

172 100

171 35.8 28.6 42.8

170 23.5 18.8 28.2



#46

1,1'-Biphenyl

Concen: 49.764 ng

RT: 9.422 min Scan# 1229

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:154 Resp: 1101317


Ion Ratio Lower Upper

154 100

153 40.6 20.3 60.3

76 13.5 0.0 33.3





#47

2-Chloronaphthalene

Concen: 50.488 ng

RT: 9.445 min Scan# 1233

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:162 Resp: 826749

Ion Ratio Lower Upper

162 100

127 42.3 33.4 50.2

164 32.8 26.2 39.2



#48

2-Nitroaniline

Concen: 54.736 ng

RT: 9.533 min Scan# 1248

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion: 65 Resp: 281082


Ion Ratio Lower Upper

65 100

92 66.5 52.4 78.6

138 103.5 82.3 123.5









#49
Acenaphthylene
Concen: 50.605 ng
RT: 9.863 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:152 Resp: 1388721
Ion Ratio Lower Upper
152 100
151 20.1 16.2 24.2
153 13.1 10.6 16.0



#50
Dimethylphthalate
Concen: 50.832 ng
RT: 9.716 min Scan# 1279
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:163 Resp: 939863
Ion Ratio Lower Upper
163 100
194 4.3 3.4 5.2
164 10.5 8.3 12.5









#51
2,6-Dinitrotoluene
Concen: 54.541 ng
RT: 9.775 min Scan# 1289
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:165 Resp: 205147
Ion Ratio Lower Upper
165 100
63 63.4 49.4 74.2
89 58.4 46.2 69.2



#52
Acenaphthene
Concen: 50.481 ng
RT: 10.033 min Scan# 1333
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:154 Resp: 818783
Ion Ratio Lower Upper
154 100
153 108.2 86.6 129.8
152 51.1 40.4 60.6





#53

3-Nitroaniline

Concen: 53.861 ng

RT: 9.945 min Scan# 1318

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:138 Resp: 236959

Ion Ratio Lower Upper

138 100

108 10.9 9.0 13.6

92 114.8 93.0 139.4



#54

2,4-Dinitrophenol

Concen: 50.750 ng

RT: 10.045 min Scan# 1335

Delta R.T. 0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:184 Resp: 81983


Ion Ratio Lower Upper

184 100

63 106.9 81.8 122.6

154 519.2 412.2 618.4









#55
Dibenzofuran
Concen: 50.001 ng
RT: 10.204 min Scan# 1362
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:168 Resp: 1204088
Ion Ratio Lower Upper
168 100
139 37.4 29.5 44.3
169 13.6 10.9 16.3



#56
4-Nitrophenol
Concen: 54.001 ng
RT: 10.086 min Scan# 1342
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:139 Resp: 177408
Ion Ratio Lower Upper
139 100
109 68.7 48.5 88.5
65 106.2 83.4 123.4









#57
2,4-Dinitrotoluene
Concen: 55.954 ng
RT: 10.180 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:165 Resp: 264045
Ion Ratio Lower Upper
165 100
63 47.9 41.0 61.4
89 72.4 61.1 91.7
182 3.1 2.3 3.5



#58
Fluorene
Concen: 49.335 ng
RT: 10.551 min Scan# 1421
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:166 Resp: 891646
Ion Ratio Lower Upper
166 100
165 91.0 73.7 110.5
167 13.6 10.6 16.0









#59
2,3,4,6-Tetrachlorophenol
Concen: 52.965 ng
RT: 10.322 min Scan# 1382
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:232 Resp: 248745
Ion Ratio Lower Upper
232 100
131 44.3 35.3 52.9
130 2.1 1.7 2.5
166 28.9 23.4 35.2



#60
Diethylphthalate
Concen: 51.580 ng
RT: 10.416 min Scan# 1398
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:149 Resp: 942625
Ion Ratio Lower Upper
149 100
177 21.7 17.5 26.3
150 12.6 10.2 15.2









#61
4-Chlorophenyl-phenylether
Concen: 49.911 ng
RT: 10.539 min Scan# 1419
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:204 Resp: 449168
Ion Ratio Lower Upper
204 100
206 32.8 25.8 38.8
141 58.9 47.0 70.4



#62
4-Nitroaniline
Concen: 54.424 ng
RT: 10.557 min Scan# 1422
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:138 Resp: 205210
Ion Ratio Lower Upper
138 100
92 50.0 29.3 69.3
108 68.7 48.3 88.3









#63
Azobenzene
Concen: 50.766 ng
RT: 10.698 min Scan# 1446
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion: 77	Resp: 966931
Ion Ratio	Lower Upper
77 100	
182 24.1	4.6 44.6
105 21.6	1.4 41.4
51 33.8	13.7 53.7



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.486 min Scan# 1580
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:188	Resp: 447089		
Ion Ratio	Lower	Upper	
188 100			
94 10.6	8.3	12.5	
80 11.4	9.0	13.6	









#65
4,6-Dinitro-2-methylphenol
Concen: 51.927 ng
RT: 10.586 min Scan# 1427
Delta R.T. 0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:198 Resp: 122876
Ion Ratio Lower Upper
198 100
51 57.3 37.2 77.2
105 45.1 24.8 64.8



#66
n-Nitrosodiphenylamine
Concen: 51.540 ng
RT: 10.657 min Scan# 1439
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:169 Resp: 811422
Ion Ratio Lower Upper
169 100
168 65.1 52.1 78.1
167 35.7 28.2 42.2









#67
4-Bromophenyl-phenylether
Concen: 51.741 ng
RT: 11.027 min Scan# 1502
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:248 Resp: 275679
Ion Ratio Lower Upper
248 100
250 98.5 78.3 117.5
141 76.6 59.2 88.8



#68
Hexachlorobenzene
Concen: 51.788 ng
RT: 11.098 min Scan# 1514
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:284 Resp: 288405
Ion Ratio Lower Upper
284 100
142 34.1 27.0 40.6
249 31.4 25.0 37.6





#69

Atrazine

Concen: 53.662 ng

RT: 11.180 min Scan# 1528

Delta R.T. 0.006 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDIC050





Tgt Ion:200 Resp: 232907

Ion Ratio Lower Upper

200 100

173 28.2 7.9 47.9

215 50.6 30.1 70.1



#70

Pentachlorophenol

Concen: 54.581 ng

RT: 11.286 min Scan# 1546

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:266 Resp: 178753


Ion Ratio Lower Upper

266 100

268 65.2 51.9 77.9

264 64.5 51.0 76.6









#71
Phenanthrene
Concen: 50.321 ng
RT: 11.510 min Scan# 1584
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:178 Resp: 1194582




Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.3	22.9
179	15.4	12.5	18.7




#72
Anthracene
Concen: 50.552 ng
RT: 11.563 min Scan# 1593
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:178 Resp: 1223920

Ion	Ratio	Lower	Upper
178	100		
176	18.5	15.0	22.4
179	15.5	12.5	18.7









#73
 Carbazole
 Concen: 50.934 ng
 RT: 11.710 min Scan# 1618
 Delta R.T. -0.000 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050


Tgt Ion:167 Resp: 1076803
 Ion Ratio Lower Upper
 167 100
 166 21.1 17.0 25.6
 139 12.8 10.0 15.0



#74
 Di-n-butylphthalate
 Concen: 52.290 ng
 RT: 12.045 min Scan# 1675
 Delta R.T. 0.006 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33

Tgt Ion:149 Resp: 1250841
 Ion Ratio Lower Upper
 149 100
 150 9.1 7.4 11.2
 104 4.7 3.8 5.8









#75
Fluoranthene
Concen: 50.203 ng
RT: 12.698 min Scan# 1786
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:202 Resp: 1093890
Ion Ratio Lower Upper
202 100
101 11.6 0.0 31.7
203 17.6 0.0 37.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.121 min Scan# 2028
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:240 Resp: 247878
Ion Ratio Lower Upper
240 100
120 12.1 9.4 14.2
236 25.4 20.2 30.4









#77
Benzidine
Concen: 45.229 ng
RT: 12.810 min Scan# 1805
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:184 Resp: 431944
Ion Ratio Lower Upper
184 100
185 15.3 12.2 18.4
183 11.2 9.0 13.4



#78
Pyrene
Concen: 50.982 ng
RT: 12.927 min Scan# 1825
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:202 Resp: 1078520
Ion Ratio Lower Upper
202 100
200 19.8 15.7 23.5
203 17.5 14.2 21.2









#79
 Terphenyl-d14
 Concen: 99.838 ng
 RT: 13.068 min Scan# 1849
 Delta R.T. -0.000 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050


Tgt Ion:244 Resp: 1663033
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.2 7.8
 122 10.4 8.2 12.2



#80
 Butylbenzylphthalate
 Concen: 55.681 ng
 RT: 13.539 min Scan# 1929
 Delta R.T. -0.000 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33

Tgt Ion:149 Resp: 360698
 Ion Ratio Lower Upper
 149 100
 91 70.8 57.9 86.9
 206 22.0 17.0 25.4





#81

Benzo(a)anthracene

Concen: 53.085 ng

RT: 14.110 min Scan# 2026

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:228 Resp: 880975

Ion Ratio Lower Upper

228 100

226 27.2 21.7 32.5

229 20.3 15.8 23.6



#82

3,3'-Dichlorobenzidine

Concen: 53.305 ng

RT: 14.068 min Scan# 2019

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:252 Resp: 294836


Ion Ratio Lower Upper

252 100

254 63.5 51.7 77.5

126 11.6 9.4 14.0





#83

Chrysene

Concen: 50.597 ng

RT: 14.151 min Scan# 2033

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:228 Resp: 754953

Ion Ratio Lower Upper

228 100

226 29.6 23.8 35.8

229 19.5 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 54.475 ng

RT: 14.098 min Scan# 2024

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:149 Resp: 534128


Ion Ratio Lower Upper

149 100

167 28.1 22.3 33.5

279 4.3 3.6 5.4









#85
Di-n-octyl phthalate
Concen: 54.032 ng
RT: 14.715 min Scan# 2129
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050


Tgt Ion:149 Resp: 960309
Ion Ratio Lower Upper
149 100
167 1.5 1.1 1.7
43 11.9 9.7 14.5



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.621 min Scan# 2283
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:264 Resp: 282289
Ion Ratio Lower Upper
264 100
260 23.1 18.5 27.7
265 21.6 17.4 26.2









#87
 Indeno(1,2,3-cd)pyrene
 Concen: 53.347 ng
 RT: 17.168 min Scan# 21
 Delta R.T. 0.006 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050


Tgt Ion:276 Resp: 1061877
 Ion Ratio Lower Upper
 276 100
 138 26.8 21.8 32.6
 277 25.4 20.0 30.0



#88
 Benzo(b)fluoranthene
 Concen: 55.319 ng
 RT: 15.180 min Scan# 2208
 Delta R.T. -0.000 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33

Tgt Ion:252 Resp: 953990
 Ion Ratio Lower Upper
 252 100
 253 21.9 17.5 26.3
 125 10.4 8.0 12.0





#89

Benzo(k)fluoranthene

Concen: 49.024 ng

RT: 15.209 min Scan# 21

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:252 Resp: 754417

Ion Ratio Lower Upper

252 100

253 21.9 17.8 26.6

125 10.5 8.1 12.1



#90

Benzo(a)pyrene

Concen: 52.928 ng

RT: 15.562 min Scan# 2273

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:252 Resp: 840968


Ion Ratio Lower Upper

252 100

253 21.7 17.3 25.9

125 10.7 8.6 13.0









#91
Dibenzo(a,h)anthracene
Concen: 53.172 ng
RT: 17.186 min Scan# 21
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:278 Resp: 861467
Ion Ratio Lower Upper
278 100
139 16.5 14.1 21.1
279 23.5 18.6 28.0



#92
Benzo(g,h,i)perylene
Concen: 53.845 ng
RT: 17.633 min Scan# 2625
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:276 Resp: 843865
Ion Ratio Lower Upper
276 100
277 23.6 19.1 28.7
138 23.5 18.9 28.3

