

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: <u>Q2585</u>	Analytical Method: <u>625.1</u>
Client: <u>Ardmore Chemical</u>	DataFile: <u>BF143162.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD		Limits	
								Qual	Low	High	RPD
PB168904BS	n-Nitrosodimethylamine	50	42.4	ug/L	85				52	110	
	Phenol	50	42.4	ug/L	85				48	130	
	bis(2-Chloroethyl)ether	50	42.5	ug/L	85				52	130	
	2-Chlorophenol	50	42.7	ug/L	85				55	130	
	2,2-oxybis(1-Chloropropane)	50	42.7	ug/L	85				63	139	
	N-Nitroso-di-n-propylamine	50	42.4	ug/L	85				59	170	
	Hexachloroethane	50	43.2	ug/L	86				55	130	
	Nitrobenzene	50	44.0	ug/L	88				54	158	
	Isophorone	50	43.8	ug/L	88				52	180	
	2-Nitrophenol	50	46.4	ug/L	93				61	163	
	2,4-Dimethylphenol	50	44.1	ug/L	88				58	130	
	bis(2-Chloroethoxy)methane	50	43.2	ug/L	86				52	164	
	2,4-Dichlorophenol	50	43.6	ug/L	87				64	130	
	1,2,4-Trichlorobenzene	50	42.7	ug/L	85				44	142	
	Naphthalene	50	42.9	ug/L	86				70	130	
	Hexachlorobutadiene	50	42.9	ug/L	86				68	130	
	4-Chloro-3-methylphenol	50	44.1	ug/L	88				68	130	
	Hexachlorocyclopentadiene	100	86.3	ug/L	86				21	137	
	2,4,6-Trichlorophenol	50	42.9	ug/L	86				69	130	
	2-Chloronaphthalene	50	42.6	ug/L	85				70	130	
	Dimethylphthalate	50	43.9	ug/L	88				50	130	
	Acenaphthylene	50	43.2	ug/L	86				60	130	
	2,6-Dinitrotoluene	50	47.2	ug/L	94				68	137	
	Acenaphthene	50	46.2	ug/L	92				70	130	
	2,4-Dinitrophenol	100	90.5	ug/L	91				39	173	
	4-Nitrophenol	100	89.2	ug/L	89				35	130	
	2,4-Dinitrotoluene	50	48.9	ug/L	98				53	130	
	Diethylphthalate	50	44.7	ug/L	89				47	130	
	4-Chlorophenyl-phenylether	50	43.4	ug/L	87				57	145	
	Fluorene	50	42.8	ug/L	86				70	130	
	4,6-Dinitro-2-methylphenol	50	45.1	ug/L	90				56	130	
	N-Nitrosodiphenylamine	50	43.8	ug/L	88				63	100	
	Azobenzene	50	44.1	ug/L	88				58	105	
	4-Bromophenyl-phenylether	50	44.1	ug/L	88				70	130	
	Hexachlorobenzene	50	44.7	ug/L	89				38	142	
	Pentachlorophenol	100	91.0	ug/L	91				42	152	
	Phenanthrene	50	43.8	ug/L	88				67	130	
	Anthracene	50	43.8	ug/L	88				58	130	
	Di-n-butylphthalate	50	46.0	ug/L	92				52	130	
	Fluoranthene	50	44.2	ug/L	88				47	130	
	Benzidine	100	41.4	ug/L	41				10	133	
	Pyrene	50	44.7	ug/L	89				70	130	
	Butylbenzylphthalate	50	47.3	ug/L	95				43	140	
	3,3-Dichlorobenzidine	50	25.1	ug/L	50				18	213	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2585

Analytical Method: 625.1

Client: Ardmore Chemical

DataFile: BF143162.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD		Limits	
								Qual	Low	High	RPD
PB168904BS	Benzo(a)anthracene	50	44.2	ug/L	88				42	133	
	Chrysene	50	45.1	ug/L	90				44	140	
	bis(2-Ethylhexyl)phthalate	50	47.8	ug/L	96				43	137	
	Di-n-octyl phthalate	50	46.5	ug/L	93				21	132	
	Benzo(b)fluoranthene	50	44.7	ug/L	89				42	140	
	Benzo(k)fluoranthene	50	46.5	ug/L	93				25	146	
	Benzo(a)pyrene	50	45.7	ug/L	91				32	148	
	Indeno(1,2,3-cd)pyrene	50	44.8	ug/L	90				13	151	
	Dibenz(a,h)anthracene	50	45.0	ug/L	90				13	200	
	Benzo(g,h,i)perylene	50	44.9	ug/L	90				13	195	