

## Report of Analysis

Client:	PARSONS Engineering of New York, Inc.		Date Collected:	07/14/25	
Project:	Con Edison - East River Site 2		Date Received:	07/14/25	
Client Sample ID:	OK-01-071425MS		SDG No.:	Q2592	
Lab Sample ID:	Q2598-01MS		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	96.8	Decanted:
Sample Wt/Vol:	30.07	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP073825.D	1	07/15/25 08:40	07/15/25 23:13	PB168852

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	154		4.10	17.5	ug/kg
11104-28-2	Aroclor-1221	17.5	U	4.20	17.5	ug/kg
11141-16-5	Aroclor-1232	17.5	U	3.80	17.5	ug/kg
53469-21-9	Aroclor-1242	17.5	U	4.10	17.5	ug/kg
12672-29-6	Aroclor-1248	17.5	U	6.10	17.5	ug/kg
11097-69-1	Aroclor-1254	17.5	U	3.30	17.5	ug/kg
37324-23-5	Aroclor-1262	17.5	U	5.20	17.5	ug/kg
11100-14-4	Aroclor-1268	17.5	U	3.70	17.5	ug/kg
11096-82-5	Aroclor-1260	143		3.30	17.5	ug/kg
Total PCBs	Total PCBs	297		7.40	17.5	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	18.9		32 - 144	94%	SPK: 20
2051-24-3	Decachlorobiphenyl	20.1		32 - 175	100%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit