

Report of Analysis

Client:	Environmental Restoration, LLC	Date Collected:	07/14/25
Project:	Cooper Chemical - Long Valley NJ 2-COOP-ANS	Date Received:	07/14/25
Client Sample ID:	CC-071325-RW	SDG No.:	Q2594
Lab Sample ID:	Q2594-01	Matrix:	Water
Analytical Method:	625.1	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143166.D	1	07/17/25 08:39	07/18/25 14:54	PB168904

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	3.90	U	3.90	10.0	ug/L
108-95-2	Phenol	0.91	U	0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.81	U	0.81	5.00	ug/L
95-57-8	2-Chlorophenol	0.58	U	0.58	5.00	ug/L
95-48-7	2-Methylphenol	1.10	U	1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.00	ug/L
98-86-2	Acetophenone	0.74	U	0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	1.10	U	1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.40	U	1.40	5.00	ug/L
67-72-1	Hexachloroethane	0.65	U	0.65	5.00	ug/L
98-95-3	Nitrobenzene	0.76	U	0.76	5.00	ug/L
78-59-1	Isophorone	0.75	U	0.75	5.00	ug/L
88-75-5	2-Nitrophenol	1.80	U	1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	1.90	U	1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.68	U	0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	0.52	U	0.52	5.00	ug/L
91-20-3	Naphthalene	0.50	U	0.50	5.00	ug/L
106-47-8	4-Chloroaniline	0.84	UQ	0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	0.54	U	0.54	5.00	ug/L
105-60-2	Caprolactam	1.10	U	1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	0.59	U	0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	0.56	U	0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.60	U	3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	0.51	U	0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	0.62	U	0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	0.53	U	0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.61	U	0.61	5.00	ug/L
88-74-4	2-Nitroaniline	1.30	U	1.30	5.00	ug/L
131-11-3	Dimethylphthalate	0.61	U	0.61	5.00	ug/L

Report of Analysis

Client:	Environmental Restoration, LLC		Date Collected:	07/14/25
Project:	Cooper Chemical - Long Valley NJ 2-COOP-ANS		Date Received:	07/14/25
Client Sample ID:	CC-071325-RW		SDG No.:	Q2594
Lab Sample ID:	Q2594-01		Matrix:	Water
Analytical Method:	625.1		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOC-TCL BNA -20
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	3510C			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143166.D	1	07/17/25 08:39	07/18/25 14:54	PB168904

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	0.75	U	0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	0.92	U	0.92	5.00	ug/L
99-09-2	3-Nitroaniline	1.10	UQ	1.10	5.00	ug/L
83-32-9	Acenaphthene	0.55	U	0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	6.00	U	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	2.40	U	2.40	10.0	ug/L
132-64-9	Dibenzofuran	0.61	U	0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
84-66-2	Diethylphthalate	0.69	U	0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.68	U	0.68	5.00	ug/L
86-73-7	Fluorene	0.63	U	0.63	5.00	ug/L
100-01-6	4-Nitroaniline	1.50	U	1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	2.90	U	2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	0.58	U	0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.40	U	0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	0.52	U	0.52	5.00	ug/L
1912-24-9	Atrazine	1.00	U	1.00	5.00	ug/L
87-86-5	Pentachlorophenol	1.60	U	1.60	10.0	ug/L
85-01-8	Phenanthrene	0.50	U	0.50	5.00	ug/L
120-12-7	Anthracene	0.61	U	0.61	5.00	ug/L
86-74-8	Carbazole	0.72	U	0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.20	U	1.20	5.00	ug/L
206-44-0	Fluoranthene	0.82	U	0.82	5.00	ug/L
129-00-0	Pyrene	0.50	U	0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	1.90	U	1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	0.93	UQ	0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	0.45	U	0.45	5.00	ug/L
218-01-9	Chrysene	0.44	U	0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.60	U	1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.30	U	2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	0.49	U	0.49	5.00	ug/L

Report of Analysis

Client:	Environmental Restoration, LLC	Date Collected:	07/14/25
Project:	Cooper Chemical - Long Valley NJ 2-COOP-ANS	Date Received:	07/14/25
Client Sample ID:	CC-071325-RW	SDG No.:	Q2594
Lab Sample ID:	Q2594-01	Matrix:	Water
Analytical Method:	625.1	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143166.D	1	07/17/25 08:39	07/18/25 14:54	PB168904

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	0.48	U	0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	0.55	U	0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.59	U	0.59	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	0.67	U	0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	0.69	U	0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.52	U	0.52	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.72	U	0.72	5.00	ug/L
123-91-1	1,4-Dioxane	1.00	U	1.00	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	21.5		15 (60) - 110 (140)	21%	SPK: 100
13127-88-3	Phenol-d6	16.2		15 (60) - 110 (140)	16%	SPK: 100
4165-60-0	Nitrobenzene-d5	76.5		30 (60) - 130 (140)	76%	SPK: 100
321-60-8	2-Fluorobiphenyl	72.6		30 (60) - 130 (140)	73%	SPK: 100
118-79-6	2,4,6-Tribromophenol	80.2		15 (60) - 110 (140)	80%	SPK: 100
1718-51-0	Terphenyl-d14	71.7		30 (60) - 130 (140)	72%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	149000	6.963			
1146-65-2	Naphthalene-d8	563000	8.239			
15067-26-2	Acenaphthene-d10	291000	9.998			
1517-22-2	Phenanthrene-d10	471000	11.48			
1719-03-5	Chrysene-d12	259000	14.116			
1520-96-3	Perylene-d12	303000	15.621			
TENTATIVE IDENTIFIED COMPOUNDS						
000994-05-8	Butane, 2-methoxy-2-methyl-	68.3	J		2.32	ug/L
013195-64-7	Malonic acid diisopropyl ester	8.00	J		4.82	ug/L
	unknown5.287	64.0	J		5.29	ug/L
000624-73-7	Ethane, 1,2-diiodo-	10.5	J		6.42	ug/L
004359-46-0	1,3-Dioxolane, 2-ethyl-4-methyl-	48.4	J		6.72	ug/L
000119-61-9	Benzophenone	3.50	J		10.7	ug/L
082304-66-3	7,9-Di-tert-butyl-1-oxaspiro(4,5)d	7.90	J		11.9	ug/L

Report of Analysis

Client:	Environmental Restoration, LLC	Date Collected:	07/14/25
Project:	Cooper Chemical - Long Valley NJ 2-COOP-ANS	Date Received:	07/14/25
Client Sample ID:	CC-071325-RW	SDG No.:	Q2594
Lab Sample ID:	Q2594-01	Matrix:	Water
Analytical Method:	625.1	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143166.D	1	07/17/25 08:39	07/18/25 14:54	PB168904

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000057-10-3	n-Hexadecanoic acid	7.20	J		12.0	ug/L
000057-11-4	Octadecanoic acid	4.30	J		12.8	ug/L
1000155-85-3	Cyclohexadecane, 1,2-diethyl-	98.3	J		13.7	ug/L
003452-07-1	1-Eicosene	160	J		13.8	ug/L
000112-88-9	1-Octadecene	9.40	J		16.4	ug/L
005333-42-6	1-Dodecanol, 2-octyl-	220	J		16.6	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products