

DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

Laboratory Name : Alliance Technical Group LLC

Client : Environmental Restoration, LLC

Project Location : Long Valley NJ

Project Number : CC2-16

Laboratory Sample ID(s) : Q2594

Sampling Date(s) : 7/14/2025

List DKQP Methods Used (e.g., 8260,8270, et Cetra) **608.3, 625.1, 624.1**

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	☒ Yes ☐ No
1A	Were the method specified handling, preservation, and holding time requirements met?	☒ Yes ☐ No
1B	EPH Method: Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods)	☐ Yes ☐ No ☒ N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	☒ Yes ☐ No
3	Were samples received at an appropriate temperature (4±2° C)?	☐ Yes ☒ No ☐ N/A
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	☐ Yes ☒ No
5	a)Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt? b)Were these reporting limits met?	☒ Yes ☐ No ☒ Yes ☐ No ☐ N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	☒ Yes ☐ No
7	Are project-specific matrix spikes and/or laboratory duplicates included in this data set?	☒ Yes ☐ No

Notes: For all questions to which the response was "No" (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is "No", the data package does not meet the requirements for "Data of Known Quality."

Cover Page

Order ID : Q2594

Project ID : Cooper Chemical - Long Valley NJ 2-COOP-ANS

Client : Environmental Restoration, LLC

Lab Sample Number

Q2594-01

Client Sample Number

CC-071325-RW

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 7/30/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Environmental Restoration, LLC

Project Name: Cooper Chemical - Long Valley NJ 2-COOP-ANS

Project # N/A

Order ID # Q2594

Test Name: SVOC-TCL BNA -20

A. Number of Samples and Date of Receipt:

1 Water sample was received on 07/14/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: SVOC-TCL BNA -20. This data package contains results for SVOC-TCL BNA -20.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The analysis of SVOC-TCL BNA -20 was based on method 625.1 and extraction was done based on method 3510.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD were met for all analysis.

The Blank Spike for met requirements for all compounds except for 4-Chloroaniline[38%], 3-Nitroaniline[59%]and 3,3-Dichlorobenzidine [50%]. This compound did not meet the NJDKQP criteria but met the in-house criteria.

The Blank Spike Duplicate for met requirements for all compounds except for 4-Chloroaniline[39%], 3-Nitroaniline[60%] and 3,3-Dichlorobenzidine [50%]. This compound did not meet the NJDKQP criteria but met the in-house criteria.

The Blank analysis did not indicate the presence of lab contamination.

The %RSD is greater than 20% for certain compounds in the Initial Calibration (Method 8270-BF071725.M) for 2,4-Dinitrophenol, 4,6-Dinitro-2-methylphenol this Compound is passing on Linear Regression.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

E. Additional Comments:

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

“As per method, MS/MSD is required to be performed with the sample analysis. However, Lab did not receive sufficient volume to perform the MS/MSD therefore MS/MSD were not performed for this project. However, Lab has performed LCS/LCSD instead.”

The temperature of the samples at the time of receipt was 24.2°C, Lab notified this issue to the client. See the communication in shipping Document section.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <35% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 35% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2594

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 07/30/2025

LAB CHRONICLE

OrderID:	Q2594	OrderDate:	7/14/2025 12:05:00 PM
Client:	Environmental Restoration, LLC	Project:	Cooper Chemical - Long Valley NJ 2-COOP-ANS
Contact:	Byron Hartman	Location:	O41,O42,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2594-01	CC-071325-RW	Water	SVOC-TCL BNA -20	625.1	07/14/25	07/17/25	07/18/25	07/14/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2594
Client: Environmental Restoration, LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :								
				0.000				
			Total Svoc :			0.00		
			Total Concentration:			0.00		



QC SUMMARY

Surrogate Summary

SW-846

SDG No.: Q2594

Client: Environmental Restoration, LLC

Analytical Method: 625.1

Lab Sample ID	Client ID	Parameter	Spike (PPM)	Result (PPM)	Recovery (%)	Qual	Limits (%)	
							Low	High
PB168904BL	PB168904BL	2-Fluorophenol	100	82.8	83		15 (60)	110 (140)
		Phenol-d6	100	83.0	83		15 (60)	110 (140)
		Nitrobenzene-d5	100	79.3	79		30 (60)	130 (140)
		2-Fluorobiphenyl	100	75.8	76		30 (60)	130 (140)
		2,4,6-Tribromophenol	100	69.4	69		15 (60)	110 (140)
		Terphenyl-d14	100	82.8	83		30 (60)	130 (140)
PB168904BS	PB168904BS	2-Fluorophenol	100	79.6	80		15 (60)	110 (140)
		Phenol-d6	100	80.9	81		15 (60)	110 (140)
		Nitrobenzene-d5	100	80.0	80		30 (60)	130 (140)
		2-Fluorobiphenyl	100	74.5	74		30 (60)	130 (140)
		2,4,6-Tribromophenol	100	83.6	84		15 (60)	110 (140)
		Terphenyl-d14	100	78.8	79		30 (60)	130 (140)
PB168904BSD	PB168904BSD	2-Fluorophenol	100	81.3	81		15 (60)	110 (140)
		Phenol-d6	100	82.2	82		15 (60)	110 (140)
		Nitrobenzene-d5	100	80.7	81		30 (60)	130 (140)
		2-Fluorobiphenyl	100	74.9	75		30 (60)	130 (140)
		2,4,6-Tribromophenol	100	83.4	83		15 (60)	110 (140)
		Terphenyl-d14	100	78.0	78		30 (60)	130 (140)
Q2594-01	CC-071325-RW	2-Fluorophenol	100	21.5	21		15 (60)	110 (140)
		Phenol-d6	100	16.2	16		15 (60)	110 (140)
		Nitrobenzene-d5	100	76.5	76		30 (60)	130 (140)
		2-Fluorobiphenyl	100	72.6	73		30 (60)	130 (140)
		2,4,6-Tribromophenol	100	80.2	80		15 (60)	110 (140)
		Terphenyl-d14	100	71.7	72		30 (60)	130 (140)

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2594

Analytical Method:

625.1

Client: Environmental Restoration, LLC

DataFile:

BF143162.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD	Limits		
								Qual	Low	High	RPD
PB168904BS	Benzaldehyde	50	33.5	ug/L	67				20 (10)	160 (110)	
	Phenol	50	42.4	ug/L	85				20 (48)	160 (130)	
	bis(2-Chloroethyl)ether	50	42.5	ug/L	85				70 (52)	130 (130)	
	2-Chlorophenol	50	42.7	ug/L	85				70 (55)	130 (130)	
	2-Methylphenol	50	43.1	ug/L	86				70 (15)	130 (153)	
	2,2-oxybis(1-Chloropropane)	50	42.7	ug/L	85				70 (63)	130 (139)	
	Acetophenone	50	43.2	ug/L	86				70 (21)	130 (128)	
	3+4-Methylphenols	50	43.5	ug/L	87				20 (10)	160 (156)	
	N-Nitroso-di-n-propylamine	50	42.4	ug/L	85				70 (59)	130 (170)	
	Hexachloroethane	50	43.2	ug/L	86				70 (55)	130 (130)	
	Nitrobenzene	50	44.0	ug/L	88				70 (54)	130 (158)	
	Isophorone	50	43.8	ug/L	88				70 (52)	130 (180)	
	2-Nitrophenol	50	46.4	ug/L	93				70 (61)	130 (163)	
	2,4-Dimethylphenol	50	44.1	ug/L	88				70 (58)	130 (130)	
	bis(2-Chloroethoxy)methane	50	43.2	ug/L	86				70 (52)	130 (164)	
	2,4-Dichlorophenol	50	43.6	ug/L	87				70 (64)	130 (130)	
	Naphthalene	50	42.9	ug/L	86				70 (70)	130 (130)	
	4-Chloroaniline	50	18.8	ug/L	38		*		70 (10)	130 (126)	
	Hexachlorobutadiene	50	42.9	ug/L	86				70 (68)	130 (130)	
	Caprolactam	50	47.1	ug/L	94				20 (10)	160 (160)	
	4-Chloro-3-methylphenol	50	44.1	ug/L	88				70 (68)	130 (130)	
	2-Methylnaphthalene	50	43.3	ug/L	87				70 (25)	130 (124)	
	Hexachlorocyclopentadiene	100	86.3	ug/L	86				70 (21)	130 (137)	
	2,4,6-Trichlorophenol	50	42.9	ug/L	86				70 (69)	130 (130)	
	2,4,5-Trichlorophenol	50	45.7	ug/L	91				70 (74)	130 (100)	
	1,1-Biphenyl	50	43.3	ug/L	87				70 (20)	130 (125)	
	2-Chloronaphthalene	50	42.6	ug/L	85				70 (70)	130 (130)	
	2-Nitroaniline	50	46.7	ug/L	93				70 (61)	130 (112)	
	Dimethylphthalate	50	43.9	ug/L	88				70 (50)	130 (130)	
	Acenaphthylene	50	43.2	ug/L	86				70 (60)	130 (130)	
	2,6-Dinitrotoluene	50	47.2	ug/L	94				70 (68)	130 (137)	
	3-Nitroaniline	50	29.4	ug/L	59		*		70 (35)	130 (106)	
	Acenaphthene	50	46.2	ug/L	92				70 (70)	130 (130)	
	2,4-Dinitrophenol	100	90.5	ug/L	91				20 (39)	160 (173)	
	4-Nitrophenol	100	89.2	ug/L	89				20 (35)	160 (130)	
	Dibenzofuran	50	42.6	ug/L	85				70 (29)	130 (125)	
	2,4-Dinitrotoluene	50	48.9	ug/L	98				70 (53)	130 (130)	
	Diethylphthalate	50	44.7	ug/L	89				70 (47)	130 (130)	
	4-Chlorophenyl-phenylether	50	43.4	ug/L	87				70 (57)	130 (145)	
	Fluorene	50	42.8	ug/L	86				70 (70)	130 (130)	
	4-Nitroaniline	50	44.3	ug/L	89				70 (69)	130 (101)	
	4,6-Dinitro-2-methylphenol	50	45.1	ug/L	90				70 (56)	130 (130)	
	N-Nitrosodiphenylamine	50	43.8	ug/L	88				70 (63)	130 (100)	
	4-Bromophenyl-phenylether	50	44.1	ug/L	88				70 (70)	130 (130)	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: <u>Q2594</u>	Analytical Method: <u>625.1</u>
Client: <u>Environmental Restoration, LLC</u>	DataFile: <u>BF143162.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD		Limits	
								Qual	Low	High	RPD
PB168904BS	Hexachlorobenzene	50	44.7	ug/L	89				70 (38)	130 (142)	
	Atrazine	50	47.4	ug/L	95				70 (51)	130 (130)	
	Pentachlorophenol	100	91.0	ug/L	91				20 (42)	160 (152)	
	Phenanthrene	50	43.8	ug/L	88				70 (67)	130 (130)	
	Anthracene	50	43.8	ug/L	88				70 (58)	130 (130)	
	Carbazole	50	43.9	ug/L	88				70 (60)	130 (125)	
	Di-n-butylphthalate	50	46.0	ug/L	92				70 (52)	130 (130)	
	Fluoranthene	50	44.2	ug/L	88				70 (47)	130 (130)	
	Pyrene	50	44.7	ug/L	89				70 (70)	130 (130)	
	Butylbenzylphthalate	50	47.3	ug/L	95				70 (43)	130 (140)	
	3,3-Dichlorobenzidine	50	25.1	ug/L	50		*		70 (18)	130 (213)	
	Benzo(a)anthracene	50	44.2	ug/L	88				70 (42)	130 (133)	
	Chrysene	50	45.1	ug/L	90				70 (44)	130 (140)	
	bis(2-Ethylhexyl)phthalate	50	47.8	ug/L	96				70 (43)	130 (137)	
	Di-n-octyl phthalate	50	46.5	ug/L	93				70 (21)	130 (132)	
	Benzo(b)fluoranthene	50	44.7	ug/L	89				70 (42)	130 (140)	
	Benzo(k)fluoranthene	50	46.5	ug/L	93				70 (25)	130 (146)	
	Benzo(a)pyrene	50	45.7	ug/L	91				70 (32)	130 (148)	
	Indeno(1,2,3-cd)pyrene	50	44.8	ug/L	90				70 (13)	130 (151)	
	Dibenz(a,h)anthracene	50	45.0	ug/L	90				70 (13)	130 (200)	
	Benzo(g,h,i)perylene	50	44.9	ug/L	90				70 (13)	130 (195)	
	1,2,4,5-Tetrachlorobenzene	50	41.6	ug/L	83				70 (70)	130 (130)	
	2,3,4,6-Tetrachlorophenol	50	45.1	ug/L	90				70 (70)	130 (130)	
	1,4-Dioxane	50	35.8	ug/L	72				20 (70)	160 (130)	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2594

Analytical Method: 625.1

Client: Environmental Restoration, LLC

DataFile: BF143163.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD		Limits	
								Qual	Low	High	RPD
PB168904BSD	Benzaldehyde	50	34.9	ug/L	70	4			20 (10)	160 (110)	20 (20)
	Phenol	50	43.6	ug/L	87	3			20 (48)	160 (130)	20 (20)
	bis(2-Chloroethyl)ether	50	43.8	ug/L	88	3			70 (52)	130 (130)	20 (20)
	2-Chlorophenol	50	44.0	ug/L	88	3			70 (55)	130 (130)	20 (20)
	2-Methylphenol	50	44.1	ug/L	88	2			70 (15)	130 (153)	20 (20)
	2,2-oxybis(1-Chloropropane)	50	43.8	ug/L	88	3			70 (63)	130 (139)	20 (20)
	Acetophenone	50	43.1	ug/L	86	0			70 (21)	130 (128)	20 (20)
	3+4-Methylphenols	50	45.0	ug/L	90	3			20 (10)	160 (156)	20 (20)
	N-Nitroso-di-n-propylamine	50	43.2	ug/L	86	2			70 (59)	130 (170)	20 (20)
	Hexachloroethane	50	44.0	ug/L	88	2			70 (55)	130 (130)	20 (20)
	Nitrobenzene	50	44.5	ug/L	89	1			70 (54)	130 (158)	20 (20)
	Isophorone	50	44.0	ug/L	88	0			70 (52)	130 (180)	20 (20)
	2-Nitrophenol	50	47.7	ug/L	95	3			70 (61)	130 (163)	20 (20)
	2,4-Dimethylphenol	50	44.4	ug/L	89	1			70 (58)	130 (130)	20 (20)
	bis(2-Chloroethoxy)methane	50	43.8	ug/L	88	1			70 (52)	130 (164)	20 (20)
	2,4-Dichlorophenol	50	44.2	ug/L	88	1			70 (64)	130 (130)	20 (20)
	Naphthalene	50	43.6	ug/L	87	2			70 (70)	130 (130)	20 (20)
	4-Chloroaniline	50	19.5	ug/L	39	4	*		70 (10)	130 (126)	20 (20)
	Hexachlorobutadiene	50	43.6	ug/L	87	2			70 (68)	130 (130)	20 (20)
	Caprolactam	50	48.3	ug/L	97	3			20 (10)	160 (160)	20 (20)
	4-Chloro-3-methylphenol	50	45.0	ug/L	90	2			70 (68)	130 (130)	20 (20)
	2-Methylnaphthalene	50	43.4	ug/L	87	0			70 (25)	130 (124)	20 (20)
	Hexachlorocyclopentadiene	100	87.5	ug/L	88	1			70 (21)	130 (137)	20 (20)
	2,4,6-Trichlorophenol	50	43.1	ug/L	86	0			70 (69)	130 (130)	20 (20)
	2,4,5-Trichlorophenol	50	46.1	ug/L	92	1			70 (74)	130 (100)	20 (20)
	1,1-Biphenyl	50	43.6	ug/L	87	1			70 (20)	130 (125)	20 (20)
	2-Chloronaphthalene	50	42.9	ug/L	86	1			70 (70)	130 (130)	20 (20)
	2-Nitroaniline	50	47.4	ug/L	95	1			70 (61)	130 (112)	20 (20)
	Dimethylphthalate	50	45.0	ug/L	90	2			70 (50)	130 (130)	20 (20)
	Acenaphthylene	50	43.5	ug/L	87	1			70 (60)	130 (130)	20 (20)
	2,6-Dinitrotoluene	50	48.5	ug/L	97	3			70 (68)	130 (137)	20 (20)
	3-Nitroaniline	50	29.8	ug/L	60	1	*		70 (35)	130 (106)	20 (20)
	Acenaphthene	50	47.0	ug/L	94	2			70 (70)	130 (130)	20 (20)
	2,4-Dinitrophenol	100	93.7	ug/L	94	3			20 (39)	160 (173)	20 (20)
	4-Nitrophenol	100	92.8	ug/L	93	4			20 (35)	160 (130)	20 (20)
	Dibenzofuran	50	43.3	ug/L	87	2			70 (29)	130 (125)	20 (20)
	2,4-Dinitrotoluene	50	50.7	ug/L	101	4			70 (53)	130 (130)	20 (20)
	Diethylphthalate	50	45.6	ug/L	91	2			70 (47)	130 (130)	20 (20)
	4-Chlorophenyl-phenylether	50	43.7	ug/L	87	1			70 (57)	130 (145)	20 (20)
	Fluorene	50	43.1	ug/L	86	1			70 (70)	130 (130)	20 (20)
	4-Nitroaniline	50	45.4	ug/L	91	2			70 (69)	130 (101)	20 (20)
	4,6-Dinitro-2-methylphenol	50	44.6	ug/L	89	1			70 (56)	130 (130)	20 (20)
	N-Nitrosodiphenylamine	50	43.7	ug/L	87	0			70 (63)	130 (100)	20 (20)
	4-Bromophenyl-phenylether	50	43.8	ug/L	88	1			70 (70)	130 (130)	20 (20)

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2594

Analytical Method: 625.1

Client: Environmental Restoration, LLC

DataFile: BF143163.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD		Limits	
								Qual	Low	High	RPD
PB168904BSD	Hexachlorobenzene	50	44.5	ug/L	89	0			70 (38)	130 (142)	20 (20)
	Atrazine	50	46.9	ug/L	94	1			70 (51)	130 (130)	20 (20)
	Pentachlorophenol	100	89.7	ug/L	90	1			20 (42)	160 (152)	20 (20)
	Phenanthrene	50	43.9	ug/L	88	0			70 (67)	130 (130)	20 (20)
	Anthracene	50	43.1	ug/L	86	2			70 (58)	130 (130)	20 (20)
	Carbazole	50	44.1	ug/L	88	0			70 (60)	130 (125)	20 (20)
	Di-n-butylphthalate	50	46.0	ug/L	92	0			70 (52)	130 (130)	20 (20)
	Fluoranthene	50	45.0	ug/L	90	2			70 (47)	130 (130)	20 (20)
	Pyrene	50	43.9	ug/L	88	2			70 (70)	130 (130)	20 (20)
	Butylbenzylphthalate	50	47.4	ug/L	95	0			70 (43)	130 (140)	20 (20)
	3,3-Dichlorobenzidine	50	25.0	ug/L	50	0	*		70 (18)	130 (213)	20 (20)
	Benzo(a)anthracene	50	44.4	ug/L	89	0			70 (42)	130 (133)	20 (20)
	Chrysene	50	46.0	ug/L	92	2			70 (44)	130 (140)	20 (20)
	bis(2-Ethylhexyl)phthalate	50	47.0	ug/L	94	2			70 (43)	130 (137)	20 (20)
	Di-n-octyl phthalate	50	45.8	ug/L	92	2			70 (21)	130 (132)	20 (20)
	Benzo(b)fluoranthene	50	45.3	ug/L	91	1			70 (42)	130 (140)	20 (20)
	Benzo(k)fluoranthene	50	46.4	ug/L	93	0			70 (25)	130 (146)	20 (20)
	Benzo(a)pyrene	50	45.4	ug/L	91	1			70 (32)	130 (148)	20 (20)
	Indeno(1,2,3-cd)pyrene	50	44.4	ug/L	89	1			70 (13)	130 (151)	20 (20)
	Dibenz(a,h)anthracene	50	44.5	ug/L	89	1			70 (13)	130 (200)	20 (20)
	Benzo(g,h,i)perylene	50	44.5	ug/L	89	1			70 (13)	130 (195)	20 (20)
	1,2,4,5-Tetrachlorobenzene	50	42.2	ug/L	84	1			70 (70)	130 (130)	20 (20)
	2,3,4,6-Tetrachlorophenol	50	46.8	ug/L	94	4			70 (70)	130 (130)	20 (20)
	1,4-Dioxane	50	36.9	ug/L	74	3			20 (70)	160 (130)	20 (20)

4B

SEMIVOLATILE METHOD BLANK SUMMARY

Client ID

PB168904BL

Lab Name: Alliance

Contract: ENVI60

Lab Code: ACE

SDG NO.: Q2594

Lab File ID: BF143164.D

Lab Sample ID: PB168904BL

Instrument ID: BNA_F

Date Extracted: 07/17/2025

Matrix: (soil/water) Water

Date Analyzed: 07/18/2025

Level: (low/med) LOW

Time Analyzed: 13:52

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
PB168904BS	PB168904BS	BF143162.D	07/18/2025
PB168904BSD	PB168904BSD	BF143163.D	07/18/2025
CC-071325-RW	Q2594-01	BF143166.D	07/18/2025

COMMENTS: _____

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance
Lab Code: ACE
Lab File ID: BF143138.D
Instrument ID: BNA_F

Contract: ENVI60
SDG NO.: Q2594
DFTPP Injection Date: 07/17/2025
DFTPP Injection Time: 09:58

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	10.0 - 80.0% of mass 198	33
68	Less than 2.0% of mass 69	0.5 (1.9) 1
69	Mass 69 relative abundance	27.9
70	Less than 2.0% of mass 69	0.1 (0.5) 1
127	10.0 - 80.0% of mass 198	34.2
197	Less than 2.0% of mass 198	0.0
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	5.1
275	10.0 - 60.0% of mass 198	22
365	Greater than 1% of mass 198	2.9
441	Present, but less than mass 443	15.5
442	Greater than 50% of mass 198	100
443	15.0 - 24.0% of mass 442	19.5 (19.5) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

CLIENT ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDICC2.5	SSTDICC2.5	BF143140.D	07/17/2025	11:04
SSTDICC005	SSTDICC005	BF143141.D	07/17/2025	11:34
SSTDICC010	SSTDICC010	BF143142.D	07/17/2025	12:04
SSTDICC020	SSTDICC020	BF143143.D	07/17/2025	12:34
SSTDICCC040	SSTDICCC040	BF143144.D	07/17/2025	13:03
SSTDICC050	SSTDICC050	BF143145.D	07/17/2025	13:33
SSTDICC060	SSTDICC060	BF143146.D	07/17/2025	14:04
SSTDICC080	SSTDICC080	BF143147.D	07/17/2025	14:34

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance
Lab Code: ACE
Lab File ID: BF143158.D
Instrument ID: BNA_F

Contract: ENVI60
SDG NO.: Q2594
DFTPP Injection Date: 07/18/2025
DFTPP Injection Time: 10:55

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
51	10.0 - 80.0% of mass 198	33.9
68	Less than 2.0% of mass 69	0.5 (1.9) 1
69	Mass 69 relative abundance	28.6
70	Less than 2.0% of mass 69	0.2 (0.6) 1
127	10.0 - 80.0% of mass 198	34.3
197	Less than 2.0% of mass 198	0.0
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	5.3
275	10.0 - 60.0% of mass 198	21.9
365	Greater than 1% of mass 198	2.9
441	Present, but less than mass 443	14.9
442	Greater than 50% of mass 198	100
443	15.0 - 24.0% of mass 442	19 (19) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

CLIENT ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDCCC040	SSTDCCC040	BF143159.D	07/18/2025	11:24
PB168904BS	PB168904BS	BF143162.D	07/18/2025	12:53
PB168904BSD	PB168904BSD	BF143163.D	07/18/2025	13:22
PB168904BL	PB168904BL	BF143164.D	07/18/2025	13:52
CC-071325-RW	Q2594-01	BF143166.D	07/18/2025	14:54

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE

SDG NO.: Q2594

Client ID : SSTDCCC040

Date Analyzed: 07/18/2025

Lab File ID: BF143159.D

Time Analyzed: 11:24

Instrument ID: BNA_F

GC Column: DB-UI ID: 0.18 (mm)

	IS1 (DCB) AREA #	RT #	IS2 (NPT) AREA #	RT #	IS3 (ANT) AREA #	RT #
12 HOUR STD	158986	6.963	609943	8.25	308568	10.00
UPPER LIMIT	317972	7.463	1219890	8.745	617136	10.498
LOWER LIMIT	79493	6.463	304972	7.745	154284	9.498
EPA SAMPLE NO.						
01 PB168904BS	140840	6.96	541427	8.25	282216	10.00
02 PB168904BSD	134233	6.96	524933	8.25	272308	10.00
03 PB168904BL	144227	6.96	555488	8.24	293300	10.00
04 CC-071325-RW	148923	6.96	563250	8.24	291129	10.00

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.

* Values outside of QC limits.

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE

SDG NO.: Q2594

Client ID: SSTDCCC040

Date Analyzed: 07/18/2025

Lab File ID: BF143159.D

Time Analyzed: 11:24

Instrument ID: BNA_F

GC Column: DB-UI ID: 0.18 (mm)

	IS4 (PHN) AREA #	RT #	IS5 (CRY) AREA #	RT #	IS6 (PRY) AREA #	RT #
12 HOUR STD	484154	11.48	288972	14.121	331263	15.621
UPPER LIMIT	968308	11.98	577944	14.621	662526	16.121
LOWER LIMIT	242077	10.98	144486	13.621	165632	15.121
EPA SAMPLE NO.						
01 PB168904BS	448321	11.48	250022	14.12	283255	15.62
02 PB168904BSD	443930	11.48	252328	14.12	280075	15.62
03 PB168904BL	504948	11.48	280403	14.12	285721	15.62
04 CC-071325-RW	471233	11.48	258976	14.12	303472	15.62

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.

* Values outside of QC limits.



SAMPLE DATA

Report of Analysis

Client:	Environmental Restoration, LLC	Date Collected:	07/14/25
Project:	Cooper Chemical - Long Valley NJ 2-COOP-ANS	Date Received:	07/14/25
Client Sample ID:	CC-071325-RW	SDG No.:	Q2594
Lab Sample ID:	Q2594-01	Matrix:	Water
Analytical Method:	625.1	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143166.D	1	07/17/25 08:39	07/18/25 14:54	PB168904

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	0.010	U	0.0039	0.010	mg/L
108-95-2	Phenol	0.0050	U	0.00091	0.0050	mg/L
111-44-4	bis(2-Chloroethyl)ether	0.0050	U	0.00081	0.0050	mg/L
95-57-8	2-Chlorophenol	0.0050	U	0.00058	0.0050	mg/L
95-48-7	2-Methylphenol	0.0050	U	0.0011	0.0050	mg/L
108-60-1	2,2-oxybis(1-Chloropropane)	0.0050	U	0.0013	0.0050	mg/L
98-86-2	Acetophenone	0.0050	U	0.00074	0.0050	mg/L
65794-96-9	3+4-Methylphenols	0.010	U	0.0011	0.010	mg/L
621-64-7	n-Nitroso-di-n-propylamine	0.0050	U	0.0014	0.0050	mg/L
67-72-1	Hexachloroethane	0.0050	U	0.00065	0.0050	mg/L
98-95-3	Nitrobenzene	0.0050	U	0.00076	0.0050	mg/L
78-59-1	Isophorone	0.0050	U	0.00075	0.0050	mg/L
88-75-5	2-Nitrophenol	0.0050	U	0.0018	0.0050	mg/L
105-67-9	2,4-Dimethylphenol	0.0050	U	0.0019	0.0050	mg/L
111-91-1	bis(2-Chloroethoxy)methane	0.0050	U	0.00068	0.0050	mg/L
120-83-2	2,4-Dichlorophenol	0.0050	U	0.00052	0.0050	mg/L
91-20-3	Naphthalene	0.0050	U	0.00050	0.0050	mg/L
106-47-8	4-Chloroaniline	0.0050	U	0.00084	0.0050	mg/L
87-68-3	Hexachlorobutadiene	0.0050	U	0.00054	0.0050	mg/L
105-60-2	Caprolactam	0.010	U	0.0011	0.010	mg/L
59-50-7	4-Chloro-3-methylphenol	0.0050	U	0.00059	0.0050	mg/L
91-57-6	2-Methylnaphthalene	0.0050	U	0.00056	0.0050	mg/L
77-47-4	Hexachlorocyclopentadiene	0.010	U	0.0036	0.010	mg/L
88-06-2	2,4,6-Trichlorophenol	0.0050	U	0.00051	0.0050	mg/L
95-95-4	2,4,5-Trichlorophenol	0.0050	U	0.00062	0.0050	mg/L
92-52-4	1,1-Biphenyl	0.0050	U	0.00053	0.0050	mg/L
91-58-7	2-Chloronaphthalene	0.0050	U	0.00061	0.0050	mg/L
88-74-4	2-Nitroaniline	0.0050	U	0.0013	0.0050	mg/L
131-11-3	Dimethylphthalate	0.0050	U	0.00061	0.0050	mg/L

Report of Analysis

Client:	Environmental Restoration, LLC	Date Collected:	07/14/25
Project:	Cooper Chemical - Long Valley NJ 2-COOP-ANS	Date Received:	07/14/25
Client Sample ID:	CC-071325-RW	SDG No.:	Q2594
Lab Sample ID:	Q2594-01	Matrix:	Water
Analytical Method:	625.1	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143166.D	1	07/17/25 08:39	07/18/25 14:54	PB168904

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	0.0050	U	0.00075	0.0050	mg/L
606-20-2	2,6-Dinitrotoluene	0.0050	U	0.00092	0.0050	mg/L
99-09-2	3-Nitroaniline	0.0050	U	0.0011	0.0050	mg/L
83-32-9	Acenaphthene	0.0050	U	0.00055	0.0050	mg/L
51-28-5	2,4-Dinitrophenol	0.010	U	0.0060	0.010	mg/L
100-02-7	4-Nitrophenol	0.010	U	0.0024	0.010	mg/L
132-64-9	Dibenzofuran	0.0050	U	0.00061	0.0050	mg/L
121-14-2	2,4-Dinitrotoluene	0.0050	U	0.0012	0.0050	mg/L
84-66-2	Diethylphthalate	0.0050	U	0.00069	0.0050	mg/L
7005-72-3	4-Chlorophenyl-phenylether	0.0050	U	0.00068	0.0050	mg/L
86-73-7	Fluorene	0.0050	U	0.00063	0.0050	mg/L
100-01-6	4-Nitroaniline	0.0050	U	0.0015	0.0050	mg/L
534-52-1	4,6-Dinitro-2-methylphenol	0.010	U	0.0029	0.010	mg/L
86-30-6	n-Nitrosodiphenylamine	0.0050	U	0.00058	0.0050	mg/L
101-55-3	4-Bromophenyl-phenylether	0.0050	U	0.00040	0.0050	mg/L
118-74-1	Hexachlorobenzene	0.0050	U	0.00052	0.0050	mg/L
1912-24-9	Atrazine	0.0050	U	0.0010	0.0050	mg/L
87-86-5	Pentachlorophenol	0.010	U	0.0016	0.010	mg/L
85-01-8	Phenanthrene	0.0050	U	0.00050	0.0050	mg/L
120-12-7	Anthracene	0.0050	U	0.00061	0.0050	mg/L
86-74-8	Carbazole	0.0050	U	0.00072	0.0050	mg/L
84-74-2	Di-n-butylphthalate	0.0050	U	0.0012	0.0050	mg/L
206-44-0	Fluoranthene	0.0050	U	0.00082	0.0050	mg/L
129-00-0	Pyrene	0.0050	U	0.00050	0.0050	mg/L
85-68-7	Butylbenzylphthalate	0.0050	U	0.0019	0.0050	mg/L
91-94-1	3,3-Dichlorobenzidine	0.010	U	0.00093	0.010	mg/L
56-55-3	Benzo(a)anthracene	0.0050	U	0.00045	0.0050	mg/L
218-01-9	Chrysene	0.0050	U	0.00044	0.0050	mg/L
117-81-7	Bis(2-ethylhexyl)phthalate	0.0050	U	0.0016	0.0050	mg/L
117-84-0	Di-n-octyl phthalate	0.010	U	0.0023	0.010	mg/L
205-99-2	Benzo(b)fluoranthene	0.0050	U	0.00049	0.0050	mg/L

Report of Analysis

Client:	Environmental Restoration, LLC		Date Collected:	07/14/25	
Project:	Cooper Chemical - Long Valley NJ 2-COOP-ANS		Date Received:	07/14/25	
Client Sample ID:	CC-071325-RW		SDG No.:	Q2594	
Lab Sample ID:	Q2594-01		Matrix:	Water	
Analytical Method:	625.1		% Solid:	0	
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOC-TCL BNA -20	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143166.D	1	07/17/25 08:39	07/18/25 14:54	PB168904

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	0.0050	U	0.00048	0.0050	mg/L
50-32-8	Benzo(a)pyrene	0.0050	U	0.00055	0.0050	mg/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.0050	U	0.00059	0.0050	mg/L
53-70-3	Dibenzo(a,h)anthracene	0.0050	U	0.00067	0.0050	mg/L
191-24-2	Benzo(g,h,i)perylene	0.0050	U	0.00069	0.0050	mg/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.0050	U	0.00052	0.0050	mg/L
58-90-2	2,3,4,6-Tetrachlorophenol	0.0050	U	0.00072	0.0050	mg/L
123-91-1	1,4-Dioxane	0.0050	U	0.0010	0.0050	mg/L
SURROGATES						
367-12-4	2-Fluorophenol	21.5		15 (60) - 110 (140)	21%	SPK: 100
13127-88-3	Phenol-d6	16.2		15 (60) - 110 (140)	16%	SPK: 100
4165-60-0	Nitrobenzene-d5	76.5		30 (60) - 130 (140)	76%	SPK: 100
321-60-8	2-Fluorobiphenyl	72.6		30 (60) - 130 (140)	73%	SPK: 100
118-79-6	2,4,6-Tribromophenol	80.2		15 (60) - 110 (140)	80%	SPK: 100
1718-51-0	Terphenyl-d14	71.7		30 (60) - 130 (140)	72%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	149000	6.963			
1146-65-2	Naphthalene-d8	563000	8.239			
15067-26-2	Acenaphthene-d10	291000	9.998			
1517-22-2	Phenanthrene-d10	471000	11.48			
1719-03-5	Chrysene-d12	259000	14.116			
1520-96-3	Perylene-d12	303000	15.621			
TENTATIVE IDENTIFIED COMPOUNDS						
000994-05-8	Butane, 2-methoxy-2-methyl-	68.3	J		2.32	ug/L
013195-64-7	Malonic acid diisopropyl ester	8.00	J		4.82	ug/L
	unknown5.287	64.0	J		5.29	ug/L
000624-73-7	Ethane, 1,2-diiodo-	10.5	J		6.42	ug/L
004359-46-0	1,3-Dioxolane, 2-ethyl-4-methyl-	48.4	J		6.72	ug/L
000119-61-9	Benzophenone	3.50	J		10.7	ug/L
082304-66-3	7,9-Di-tert-butyl-1-oxaspiro(4,5)d	7.90	J		11.9	ug/L

Report of Analysis

Client:	Environmental Restoration, LLC		Date Collected:	07/14/25
Project:	Cooper Chemical - Long Valley NJ 2-COOP-ANS		Date Received:	07/14/25
Client Sample ID:	CC-071325-RW		SDG No.:	Q2594
Lab Sample ID:	Q2594-01		Matrix:	Water
Analytical Method:	625.1		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOC-TCL BNA -20
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	3510C			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143166.D	1	07/17/25 08:39	07/18/25 14:54	PB168904

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000057-10-3	n-Hexadecanoic acid	7.20	J		12.0	ug/L
000057-11-4	Octadecanoic acid	4.30	J		12.8	ug/L
1000155-85-3	Cyclohexadecane, 1,2-diethyl-	98.3	J		13.7	ug/L
003452-07-1	1-Eicosene	160	J		13.8	ug/L
000112-88-9	1-Octadecene	9.40	J		16.4	ug/L
005333-42-6	1-Dodecanol, 2-octyl-	220	J		16.6	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
 Data File : BF143166.D
 Acq On : 18 Jul 2025 14:54
 Operator : RC/JU
 Sample : Q2594-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CC-071325-RW

Quant Time: Jul 18 15:29:26 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	148923	20.000	ng	0.00
21) Naphthalene-d8	8.239	136	563250	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	291129	20.000	ng	0.00
64) Phenanthrene-d10	11.480	188	471233	20.000	ng	0.00
76) Chrysene-d12	14.116	240	258976	20.000	ng	0.00
86) Perylene-d12	15.621	264	303472	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.616	112	201931	21.457	ng	0.03
7) Phenol-d6	6.575	99	191889	16.200	ng	-0.01
23) Nitrobenzene-d5	7.516	82	864066	76.469	ng	0.00
42) 2,4,6-Tribromophenol	10.780	330	241269	80.222	ng	0.00
45) 2-Fluorobiphenyl	9.316	172	1545436	72.599	ng	0.00
79) Terphenyl-d14	13.069	244	1248495	71.740	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW

Quant Time: Jul 18 15:29:26 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 15:14:05 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF143166.D
Acq: 18 Jul 2025 14:54




Instrument :
BNA_F
ClientSampleId :
CC-071325-RW


Tgt Ion:152 Resp: 148923
Ion Ratio Lower Upper
152 100
150 156.3 128.2 192.4
115 58.1 47.9 71.9



#5
2-Fluorophenol
Concen: 21.457 ng
RT: 5.616 min Scan# 582
Delta R.T. 0.029 min
Lab File: BF143166.D
Acq: 18 Jul 2025 14:54

Tgt Ion:112 Resp: 201931
Ion Ratio Lower Upper
112 100
64 63.7 53.1 79.7
63 32.7 26.6 40.0









#7
Phenol-d6
Concen: 16.200 ng
RT: 6.575 min Scan# 747
Delta R.T. -0.012 min
Lab File: BF143166.D
Acq: 18 Jul 2025 14:54




Instrument :
BNA_F
ClientSampleId :
CC-071325-RW


Tgt Ion: 99 Resp: 191889
Ion Ratio Lower Upper
99 100
42 21.6 17.0 25.6
71 33.6 27.7 41.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.239 min Scan# 1028
Delta R.T. -0.006 min
Lab File: BF143166.D
Acq: 18 Jul 2025 14:54

Tgt Ion: 136 Resp: 563250
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 10.5 8.2 12.2
68 7.1 5.4 8.2





#23

Nitrobenzene-d5

Concen: 76.469 ng

RT: 7.516 min Scan# 906

Delta R.T. -0.006 min

Lab File: BF143166.D

Acq: 18 Jul 2025 14:54

Instrument :

BNA_F

ClientSampleId :

CC-071325-RW





Tgt Ion: 82 Resp: 864066

Ion Ratio Lower Upper

82 100

128 42.8 33.6 50.4

54 58.7 47.1 70.7



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.998 min Scan# 1327

Delta R.T. 0.000 min

Lab File: BF143166.D

Acq: 18 Jul 2025 14:54




Tgt Ion:164 Resp: 291129


Ion Ratio Lower Upper

164 100

162 98.5 79.0 118.6


160 43.5 35.1 52.7








#42
2,4,6-Tribromophenol
Concen: 80.222 ng
RT: 10.780 min Scan# 1460
Delta R.T. -0.006 min
Lab File: BF143166.D
Acq: 18 Jul 2025 14:54

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW







Tgt Ion:330 Resp: 241269
Ion Ratio Lower Upper
330 100
332 95.6 76.7 115.1
141 30.2 23.3 34.9



#45
2-Fluorobiphenyl
Concen: 72.599 ng
RT: 9.316 min Scan# 1211
Delta R.T. -0.006 min
Lab File: BF143166.D
Acq: 18 Jul 2025 14:54

Tgt Ion:172 Resp: 1545436
Ion Ratio Lower Upper
172 100
171 35.3 28.6 42.8
170 23.3 18.8 28.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.480 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF143166.D

Acq: 18 Jul 2025 14:54

Instrument :

BNA_F

ClientSampleId :

CC-071325-RW





Tgt Ion:188 Resp: 471233

Ion Ratio Lower Upper

188 100

94 10.5 8.3 12.5

80 11.5 9.0 13.6



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.116 min Scan# 2027

Delta R.T. -0.006 min

Lab File: BF143166.D

Acq: 18 Jul 2025 14:54




Tgt Ion:240 Resp: 258976


Ion Ratio Lower Upper

240 100

120 12.3 9.4 14.2

236 25.1 20.2 30.4









#79
 Terphenyl-d14
 Concen: 71.740 ng
 RT: 13.069 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF143166.D
 Acq: 18 Jul 2025 14:54




Instrument :
 BNA_F
 ClientSampleId :
 CC-071325-RW

Tgt Ion:244 Resp: 1248495
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.2 7.8
 122 10.5 8.2 12.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.621 min Scan# 2283
 Delta R.T. 0.000 min
 Lab File: BF143166.D
 Acq: 18 Jul 2025 14:54

Tgt Ion:264 Resp: 303472
 Ion Ratio Lower Upper
 264 100
 260 23.3 18.5 27.7
 265 21.4 17.4 26.2



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
 Data File : BF143166.D
 Acq On : 18 Jul 2025 14:54
 Operator : RC/JU
 Sample : Q2594-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CC-071325-RW

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M

Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143166.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.322	14	22	30	rVB	2200445	3574309	33.07%	5.663%
2	4.816	440	446	452	rVB	299975	415962	3.85%	0.659%
3	5.287	519	526	561	rBV	1318073	3347940	30.98%	5.305%
4	5.634	570	585	591	rVB2	3654456	10807966	100.00%	17.125%
5	6.416	713	718	723	rBV	444426	550512	5.09%	0.872%
6	6.575	740	745	754	rVB	459744	571887	5.29%	0.906%
7	6.716	763	769	774	rBV	1899399	2531919	23.43%	4.012%
8	6.928	799	805	807	rBV	810328	1089694	10.08%	1.727%
9	6.957	807	810	814	rVV	751517	1046436	9.68%	1.658%
10	6.998	814	817	824	rVB	105131	128813	1.19%	0.204%
11	7.516	898	905	910	rBV	1899919	2605158	24.10%	4.128%
12	7.881	963	967	973	rBV	88283	118737	1.10%	0.188%
13	8.239	1022	1028	1032	rBV	942965	1243971	11.51%	1.971%
14	8.275	1032	1034	1038	rVV	119378	132967	1.23%	0.211%
15	9.316	1205	1211	1216	rVB	3497450	4530186	41.92%	7.178%
16	9.810	1291	1295	1300	rVB	100377	124939	1.16%	0.198%
17	9.998	1322	1327	1332	rVB	1012826	1256147	11.62%	1.990%
18	10.704	1442	1447	1453	rBV	171786	220074	2.04%	0.349%
19	10.780	1455	1460	1469	rBV	1407944	1815375	16.80%	2.876%
20	11.480	1574	1579	1585	rVB	948169	1183096	10.95%	1.875%
21	11.869	1640	1645	1653	rBV	360206	464623	4.30%	0.736%
22	12.004	1663	1668	1673	rBV	309893	427778	3.96%	0.678%
23	12.063	1675	1678	1684	rVV2	80299	118179	1.09%	0.187%
24	12.786	1797	1801	1810	rBV	168706	256458	2.37%	0.406%
25	13.069	1843	1849	1854	rBV	2490281	3297849	30.51%	5.225%
26	13.651	1926	1948	1953	rBV3	696639	3485554	32.25%	5.523%
27	13.757	1956	1966	1995	rVB2	1134947	5700424	52.74%	9.032%
28	14.116	2022	2027	2034	rVB	535016	709187	6.56%	1.124%
29	15.621	2278	2283	2295	rVB	539788	907932	8.40%	1.439%
30	16.410	2410	2417	2427	rBV3	122058	427294	3.95%	0.677%
31	16.639	2438	2456	2500	rVB	1763955	10022165	92.73%	15.880%




Sum of corrected areas: 63113531

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW










Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.322	68.31 ng	3574310	1,4-Dichlorobenzene-d4	6.963

Hit#	of	5	Tentative ID	MW	MolForm	CAS#	Qual
1			Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2			2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3			3-Pentanol, 2,4-dimethyl-	116	C7H16O	000600-36-2	37
4			1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25
5			Pentane, 3-methoxy-	102	C6H14O	036839-67-5	12



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW









Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 2 Malonic acid diisopropyl ester Concentration Rank 9

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.816	7.95 ng	415962	1,4-Dichlorobenzene-d4	6.963

Hit#	of 5	Tentative ID	MW	MolForm	CAS#	Qual
1		Malonic acid diisopropyl ester	188	C9H16O4	013195-64-7	50
2		2-Propenoic acid, 2-(acetylamino)-	129	C5H7NO3	005429-56-1	32
3		Oxazolidin-2-one	87	C3H5NO2	000497-25-6	30
4		Methylamine, N,N-dimethyl-	59	C3H9N	000075-50-3	30
5		Oxirane, 2,3-diethyl-	100	C6H12O	004468-66-0	22



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW










Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 3 unknown5.287 Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.287	63.99 ng	3347940	1,4-Dichlorobenzene-d4	6.963

Hit#	of 5	Tentative ID	MW	MolForm	CAS#	Qual
1		Naphthalene, 1-iodo-	254	C10H7I	000090-14-2	9
2		1-Naphthoic acid, 2,2,2-trifluor...	254	C13H9F3O2	1000325-54-4	9
3		Iodine	254	I2	007553-56-2	9
4		5-Chloro-3-iodo-2-pyridinylamine	254	C5H4ClIN2	211308-81-5	7
5		Acenaphtho(1,2-b)quinoxaline	254	C18H10N2	000207-11-4	5



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW










Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 4 Ethane, 1,2-diiodo- Concentration Rank 7

R.T.	EstConc	Area	Relative to ISTD	R.T.
6.416	10.52 ng	550512	1,4-Dichlorobenzene-d4	6.963

Hit#	of	5	Tentative ID	MW	MolForm	CAS#	Qual
1			Ethane, 1,2-diiodo-	282	C2H4I2	000624-73-7	72
2			1,2,5-Oxadiazolo[3,4-d]pyridazin...	390	C24H14N4O2	1000276-89-8	9
3			(S)-1-((1-Naphthoyl)-L-prolyl)-N...	469	C29H31N3O3	1000483-34-9	9
4			2-Chloro-4-fluorobenzonitrile	155	C7H3ClFN	060702-69-4	7
5			2-Chloro-6-fluorobenzonitrile	155	C7H3ClFN	000668-45-1	7



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1









Instrument :
BNA_F
ClientSampleId :
CC-071325-RW

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 5 1,3-Dioxolane, 2-ethyl-4-me... Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD			R.T.
6.716	48.39 ng	2531920	1,4-Dichlorobenzene-d4			6.963
Hit# of 5	Tentative ID		MW	MolForm	CAS#	Qual
1	1,3-Dioxolane, 2-ethyl-4-methyl-		116	C6H12O2	004359-46-0	59
2	.alpha.-Bromoisobutyric acid		166	C4H7BrO2	002052-01-9	59
3	Oxazolidin-2-one		87	C3H5NO2	000497-25-6	52
4	Acetamide, N-ethyl-		87	C4H9NO	000625-50-3	49
5	N,N-Dimethylacetamide		87	C4H9NO	000127-19-5	47



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW










Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 6 Benzophenone Concentration Rank 13

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.704	3.50 ng	220074	Acenaphthene-d10	9.998

Hit#	of	5	Tentative ID	MW	MolForm	CAS#	Qual
1			Benzophenone	182	C13H10O	000119-61-9	96
2			N-Methylbenzamide, N-pentafluoro...	281	C11H8F5NO2	1000446-98-1	50
3			1-Propanone, 3-chloro-1-phenyl-	168	C9H9ClO	000936-59-4	50
4			2-Phenyl-4-ethylidene-2-oxazolin...	187	C11H9NO2	037791-41-6	50
5			Benzoylformic acid	150	C8H6O3	000611-73-4	49



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1










Instrument :
BNA_F
ClientSampleId :
CC-071325-RW

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 7 7,9-Di-tert-butyl-1-oxaspiro... Concentration Rank 10

R.T.	EstConc	Area	Relative to ISTD		R.T.	
11.869	7.85 ng	464623	Phenanthrene-d10		11.480	
Hit# of 5	Tentative ID		MW	MolForm	CAS#	Qual
1	7,9-Di-tert-butyl-1-oxaspiro(4,5...		276	C17H24O3	082304-66-3	99
2	2,5-di-tert-Butyl-1,4-benzoquinone		220	C14H20O2	002460-77-7	60
3	Ethanone, 1-(5,6,7,8-tetrahydro-...		220	C14H20O2	071596-88-8	46
4	2-Phenazinecarbonitrile		205	C13H7N3	006479-93-2	40
5	(1R,3aR,5aR,9aS)-1,4,4,7-Tetrame...		220	C15H24O	104188-25-2	38



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW










Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 8 n-Hexadecanoic acid Concentration Rank 11

R.T.	EstConc	Area	Relative to ISTD	R.T.
12.004	7.23 ng	427778	Phenanthrene-d10	11.480

Hit#	of 5	Tentative ID	MW	MolForm	CAS#	Qual
1		n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2		Pentadecanoic acid	242	C15H30O2	001002-84-2	90
3		Tridecanoic acid	214	C13H26O2	000638-53-9	90
4		Tetradecanoic acid	228	C14H28O2	000544-63-8	87
5		n-Decanoic acid	172	C10H20O2	000334-48-5	60



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW










Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 9 Octadecanoic acid Concentration Rank 12

R.T.	EstConc	Area	Relative to ISTD	R.T.
12.786	4.34 ng	256458	Phenanthrene-d10	11.480

Hit#	of	5	Tentative ID	MW	MolForm	CAS#	Qual
1			Octadecanoic acid	284	C18H36O2	000057-11-4	99
2			Tetradecanoic acid	228	C14H28O2	000544-63-8	64
3			n-Decanoic acid	172	C10H20O2	000334-48-5	60
4			Nonanoic acid	158	C9H18O2	000112-05-0	46
5			Octanoic acid	144	C8H16O2	000124-07-2	43



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW










Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 10 Cyclohexadecane, 1,2-diethyl- Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.651	98.30 ng	3485550	Chrysene-d12	14.116

Hit#	of 5	Tentative ID	MW	MolForm	CAS#	Qual
1		Cyclohexadecane, 1,2-diethyl-	280	C20H40	1000155-85-3	90
2		1-Eicosene	280	C20H40	003452-07-1	87
3		1-Dodecanol, 2-octyl-	298	C20H42O	005333-42-6	81
4		1-Decanol, 2-octyl-	270	C18H38O	045235-48-1	76
5		1-Dodecanol, 2-hexyl-	270	C18H38O	110225-00-8	76



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW










Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 11 1-Eicosene Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.757	160.76 ng	5700420	Chrysene-d12	14.116

Hit#	of	5	Tentative ID	MW	MolForm	CAS#	Qual
1			1-Eicosene	280	C20H40	003452-07-1	87
2			1-Dodecanol, 2-octyl-	298	C20H42O	005333-42-6	76
3			1-Decanol, 2-octyl-	270	C18H38O	045235-48-1	70
4			Oxalic acid, isobutyl heptadecyl...	384	C23H44O4	1000309-38-2	68
5			1-Decanol, 2-hexyl-	242	C16H34O	002425-77-6	68



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW










Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 12 1-Octadecene Concentration Rank 8

R.T.	EstConc	Area	Relative to ISTD	R.T.
16.410	9.41 ng	427294	Perylene-d12	15.621

Hit#	of 5	Tentative ID	MW	MolForm	CAS#	Qual
1		1-Octadecene	252	C18H36	000112-88-9	86
2		1-Eicosene	280	C20H40	003452-07-1	83
3		1-Dodecanol, 2-octyl-	298	C20H42O	005333-42-6	81
4		1-Decanol, 2-hexyl-	242	C16H34O	002425-77-6	68
5		1-Decanol, 2-octyl-	270	C18H38O	045235-48-1	62



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW










Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

Peak Number 13 1-Dodecanol, 2-octyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
16.639	220.77 ng	10022200	Perylene-d12	15.621

Hit#	of 5	Tentative ID	MW	MolForm	CAS#	Qual
1		1-Eicosene	280	C20H40	003452-07-1	90
2		1-Octadecene	252	C18H36	000112-88-9	87
3		1-Dodecanol, 2-octyl-	298	C20H42O	005333-42-6	87
4		2-Octyldodecyl isobutyrate	368	C24H48O2	1000368-55-5	87
5		Cyclohexadecane, 1,2-diethyl-	280	C20H40	1000155-85-3	86



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143166.D
Acq On : 18 Jul 2025 14:54
Operator : RC/JU
Sample : Q2594-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CC-071325-RW

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST0.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
Butane, 2-metho...	2.322	68.3	ng	3574310	1	6.963	1046440	20.0
Malonic acid di...	4.816	8.0	ng	415962	1	6.963	1046440	20.0
unknown5.287	5.287	64.0	ng	3347940	1	6.963	1046440	20.0
Ethane, 1,2-dii...	6.416	10.5	ng	550512	1	6.963	1046440	20.0
1,3-Dioxolane, ...	6.716	48.4	ng	2531920	1	6.963	1046440	20.0
Benzophenone	10.704	3.5	ng	220074	3	9.998	1256150	20.0
7,9-Di-tert-but...	11.869	7.8	ng	464623	4	11.480	1183100	20.0
n-Hexadecanoic ...	12.004	7.2	ng	427778	4	11.480	1183100	20.0
Octadecanoic acid	12.786	4.3	ng	256458	4	11.480	1183100	20.0
Cyclohexadecane...	13.651	98.3	ng	3485550	5	14.116	709187	20.0
1-Eicosene	13.757	160.8	ng	5700420	5	14.116	709187	20.0
1-Octadecene	16.410	9.4	ng	427294	6	15.621	907932	20.0
1-Dodecanol, 2-...	16.639	220.8	ng	10022200	6	15.621	907932	20.0



CALIBRATION SUMMARY

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: Alliance

Contract: ENVI60

Lab Code: ACE

SDG No.: Q2594

Instrument ID: BNA_F

Calibration Date(s): 07/17/2025 07/17/2025

Calibration Time(s): 11:04 14:34

LAB FILE ID:		RRF2.5 = BF143140.D			RRF005 = BF143141.D		RRF010 = BF143142.D	
		RRF020 = BF143143.D			RRF040 = BF143144.D		RRF050 = BF143145.D	
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
2-Fluorophenol		1.385	1.313	1.319	1.231	1.284	1.264	7.0
Benzaldehyde			1.167	1.163	1.443	1.411	1.193	18.1
Phenol-d6		1.733	1.640	1.657	1.554	1.632	1.591	6.7
Phenol		1.882	1.767	1.776	1.711	1.788	1.733	6.4
bis(2-Chloroethyl)ether		1.419	1.343	1.379	1.303	1.361	1.327	5.4
2-Chlorophenol		1.391	1.343	1.371	1.310	1.369	1.325	4.9
2-Methylphenol		1.178	1.111	1.141	1.097	1.160	1.114	4.6
2,2-oxybis(1-Chloropropane)		2.670	2.553	2.545	2.421	2.517	2.461	6.5
Acetophenone		0.527	0.504	0.501	0.455	0.476	0.474	8.6
3+4-Methylphenols			1.467	1.469	1.341	1.402	1.351	8.9
n-Nitroso-di-n-propylamine	1.101	1.111	1.051	1.028	0.986	1.023	1.021	6.8
Nitrobenzene-d5		0.407	0.394	0.417	0.399	0.417	0.401	3.5
Hexachloroethane		0.522	0.498	0.522	0.495	0.525	0.502	4.7
Nitrobenzene		0.380	0.370	0.388	0.375	0.388	0.374	3.9
Isophorone		0.748	0.707	0.711	0.692	0.734	0.708	3.8
2-Nitrophenol		0.133	0.141	0.164	0.172	0.182	0.162	11.2
2,4-Dimethylphenol		0.356	0.340	0.341	0.324	0.338	0.331	5.7
bis(2-Chloroethoxy)methane		0.463	0.437	0.442	0.413	0.430	0.425	6.3
2,4-Dichlorophenol		0.292	0.282	0.287	0.276	0.289	0.279	4.4
Naphthalene		1.118	1.038	1.032	0.954	0.986	0.985	8.9
4-Chloroaniline		0.437	0.417	0.419	0.390	0.408	0.402	6.3
Hexachlorobutadiene		0.193	0.190	0.191	0.181	0.188	0.184	4.6
Caprolactam			0.078	0.084	0.087	0.091	0.084	5.3
4-Chloro-3-methylphenol		0.319	0.310	0.307	0.301	0.311	0.303	4.0
2-Methylnaphthalene		0.667	0.634	0.628	0.580	0.603	0.599	8.2
Hexachlorocyclopentadiene			0.337	0.373	0.373	0.404	0.376	6.1
2,4,6-Trichlorophenol		0.391	0.406	0.412	0.384	0.429	0.400	4.6
2-Fluorobiphenyl		1.761	1.644	1.547	1.358	1.414	1.462	13.6
2,4,5-Trichlorophenol		0.404	0.387	0.411	0.405	0.411	0.400	2.8
1,1-Biphenyl		1.748	1.667	1.640	1.489	1.553	1.560	8.6
2-Chloronaphthalene		1.268	1.223	1.192	1.103	1.166	1.155	7.1
2-Nitroaniline		0.305	0.333	0.372	0.377	0.396	0.362	8.9
Dimethylphthalate		1.422	1.340	1.340	1.279	1.325	1.304	6.2
Acenaphthylene		2.134	2.052	2.011	1.860	1.958	1.935	7.7

All other compounds must meet a minimum RRF of 0.010.

Form VI SV-1

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: Alliance

Contract: ENVI60

Lab Code: ACE

SDG No.: Q2594

Instrument ID: BNA_F

Calibration Date(s): 07/17/2025 07/17/2025

Calibration Time(s): 11:04 14:34

LAB FILE ID:		RRF2.5 = BF143140.D			RRF005 = BF143141.D		RRF010 = BF143142.D	
		RRF020 = BF143143.D			RRF040 = BF143144.D		RRF050 = BF143145.D	
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
2,6-Dinitrotoluene		0.225	0.250	0.272	0.278	0.289	0.265	8.1
3-Nitroaniline		0.285	0.300	0.315	0.317	0.334	0.310	5.1
Acenaphthene		1.278	1.194	1.184	1.096	1.155	1.144	7.5
2,4-Dinitrophenol			0.051	0.081	0.104	0.116	0.098	28.0
4-Nitrophenol			0.200	0.228	0.246	0.250	0.232	7.7
Dibenzofuran		1.929	1.807	1.766	1.633	1.698	1.698	9.0
2,4-Dinitrotoluene		0.269	0.296	0.342	0.354	0.372	0.333	11.0
Diethylphthalate		1.377	1.322	1.335	1.269	1.329	1.289	5.8
4-Chlorophenyl-phenylether		0.710	0.670	0.657	0.612	0.633	0.635	7.9
Fluorene		1.480	1.402	1.322	1.212	1.257	1.274	10.8
4-Nitroaniline		0.236	0.255	0.266	0.280	0.289	0.266	6.4
4,6-Dinitro-2-methylphenol			0.054	0.087	0.097	0.110	0.094	22.9
n-Nitrosodiphenylamine		0.761	0.728	0.721	0.674	0.726	0.704	6.0
2,4,6-Tribromophenol		0.200	0.202	0.212	0.210	0.218	0.207	3.5
4-Bromophenyl-phenylether		0.252	0.238	0.241	0.228	0.247	0.238	4.3
Hexachlorobenzene		0.269	0.248	0.252	0.239	0.258	0.249	4.8
Atrazine		0.184	0.187	0.198	0.196	0.208	0.194	4.3
Pentachlorophenol			0.119	0.146	0.148	0.160	0.147	9.7
Phenanthrene		1.191	1.100	1.117	1.020	1.069	1.062	8.0
Anthracene		1.184	1.136	1.134	1.038	1.095	1.083	7.1
Carbazole		1.042	0.969	0.982	0.929	0.963	0.946	6.9
Di-n-butylphthalate		1.076	1.054	1.129	1.074	1.119	1.070	4.4
Fluoranthene		1.085	0.987	1.018	0.953	0.979	0.975	6.9
Pyrene		1.909	1.783	1.783	1.715	1.740	1.707	8.7
Terphenyl-d14		1.567	1.456	1.419	1.311	1.342	1.344	11.4
Butylbenzylphthalate		0.438	0.472	0.536	0.544	0.582	0.523	9.6
3,3-Dichlorobenzidine			0.437	0.495	0.429	0.476	0.446	7.6
Benzo (a) anthracene		1.374	1.367	1.381	1.282	1.422	1.339	4.9
Chrysene		1.282	1.174	1.247	1.206	1.218	1.204	4.3
Bis (2-ethylhexyl) phthalate		0.691	0.755	0.824	0.789	0.862	0.791	7.0
Di-n-octyl phthalate			1.274	1.428	1.384	1.550	1.434	6.8
Benzo (b) fluoranthene		1.231	1.136	1.287	1.147	1.352	1.222	6.3
Benzo (k) fluoranthene		1.168	1.152	1.093	1.134	1.069	1.090	7.1
Benzo (a) pyrene		1.129	1.102	1.147	1.121	1.192	1.126	3.4
Indeno (1,2,3-cd) pyrene		1.424	1.336	1.430	1.413	1.505	1.410	3.9

All other compounds must meet a minimum RRF of 0.010.

Form VI SV-1

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: Alliance

Contract: ENVI60

Lab Code: ACE

SDG No.: Q2594

Instrument ID: BNA_F

Calibration Date(s): 07/17/2025 07/17/2025

Calibration Time(s): 11:04 14:34

LAB FILE ID:		RRF2.5 = BF143140.D		RRF005 = BF143141.D		RRF010 = BF143142.D		
		RRF020 = BF143143.D		RRF040 = BF143144.D		RRF050 = BF143145.D		
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
Dibenzo(a,h)anthracene		1.159	1.103	1.179	1.147	1.221	1.148	3.9
Benzo(g,h,i)perylene		1.100	1.047	1.140	1.109	1.196	1.110	4.4
1,2,4,5-Tetrachlorobenzene		0.638	0.598	0.601	0.550	0.582	0.577	6.9
1,4-Dioxane		0.622	0.582	0.614	0.600	0.625	0.598	4.1
2,3,4,6-Tetrachlorophenol		0.321	0.331	0.345	0.333	0.351	0.331	4.3

Method Path : Z:\svoasrv\HPCHEM1\BNA_F\Methods\
 Method File : 8270-BF071725.M
 Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 Last Update : Thu Jul 17 15:14:05 2025
 Response Via : Initial Calibration

Calibration Files

2.5 =BF143140.D 5 =BF143141.D 10 =BF143142.D 20 =BF143143.D 40 =BF143144.D 50 =BF143145.D 60 =BF143146.D 80 =BF143147.D

	Compound	2.5	5	10	20	40	50	60	80	Avg	%RSD
1) I	1,4-Dichlorobenzen...	-----ISTD-----									
2)	1,4-Dioxane	0.622	0.582	0.614	0.600	0.625	0.584	0.558	0.598		4.09
3)	Pyridine	1.631	1.557	1.551	1.530	1.618	1.525	1.452	1.552		3.88
4)	n-Nitrosodimet...		0.776	0.799	0.810	0.851	0.804	0.768	0.801		3.66
5) S	2-Fluorophenol	1.385	1.313	1.319	1.231	1.284	1.194	1.121	1.264		7.00
6)	Aniline	2.334	2.259	2.273	2.204	2.292	2.139	2.018	2.217		4.86
7) S	Phenol-d6	1.733	1.640	1.657	1.554	1.632	1.506	1.413	1.591		6.72
8)	2-Chlorophenol	1.391	1.343	1.371	1.310	1.369	1.284	1.205	1.325		4.87
9)	Benzaldehyde		1.167	1.163	1.443	1.411	1.122	0.851	1.193		18.13
10) C	Phenol	1.882	1.767	1.776	1.711	1.788	1.675	1.531	1.733		6.37
11)	bis(2-Chloroet...	1.419	1.343	1.379	1.303	1.361	1.281	1.203	1.327		5.40
12)	1,3-Dichlorobe...	1.572	1.513	1.494	1.401	1.466	1.362	1.266	1.439		7.18
13) C	1,4-Dichlorobe...	1.602	1.518	1.502	1.418	1.473	1.357	1.275	1.449		7.52
14)	1,2-Dichlorobe...	1.509	1.413	1.445	1.343	1.413	1.303	1.223	1.378		6.96
15)	Benzyl Alcohol		1.214	1.246	1.215	1.278	1.193	1.141	1.215		3.85
16)	2,2'-oxybis(1-...	2.670	2.553	2.545	2.421	2.517	2.343	2.182	2.461		6.55
17)	2-Methylphenol	1.178	1.111	1.141	1.097	1.160	1.084	1.026	1.114		4.61
18)	Hexachloroethane	0.522	0.498	0.522	0.495	0.525	0.491	0.460	0.502		4.68
19) P	n-Nitroso-di-n...	1.101	1.111	1.051	1.028	0.986	1.023	0.953	0.912	1.021	6.76
20)	3+4-Methylphenols		1.467	1.469	1.341	1.402	1.268	1.162	1.351		8.95
21) I	Naphthalene-d8	-----ISTD-----									
22)	Acetophenone	0.527	0.504	0.501	0.455	0.476	0.442	0.409	0.474		8.65
23) S	Nitrobenzene-d5	0.407	0.394	0.417	0.399	0.417	0.397	0.378	0.401		3.47
24)	Nitrobenzene	0.380	0.370	0.388	0.375	0.388	0.373	0.345	0.374		3.88
25)	Isophorone	0.748	0.707	0.711	0.692	0.734	0.699	0.667	0.708		3.75
26) C	2-Nitrophenol	0.133	0.141	0.164	0.172	0.182	0.177	0.168	0.162		11.25
27)	2,4-Dimethylph...	0.356	0.340	0.341	0.324	0.338	0.319	0.298	0.331		5.70
28)	bis(2-Chloroet...	0.463	0.437	0.442	0.413	0.430	0.405	0.383	0.425		6.28
29) C	2,4-Dichloroph...	0.292	0.282	0.287	0.276	0.289	0.271	0.256	0.279		4.44
30)	1,2,4-Trichlor...	0.329	0.307	0.318	0.294	0.303	0.290	0.270	0.302		6.43
31)	Naphthalene	1.118	1.038	1.032	0.954	0.986	0.916	0.851	0.985		8.91
32)	Benzoic acid		0.104	0.149	0.180	0.197	0.187	0.194	0.169		21.36
33)	4-Chloroaniline	0.437	0.417	0.419	0.390	0.408	0.383	0.361	0.402		6.33
34) C	Hexachlorobuta...	0.193	0.190	0.191	0.181	0.188	0.179	0.169	0.184		4.59
35)	Caprolactam		0.078	0.084	0.087	0.091	0.085	0.082	0.084		5.35
36) C	4-Chloro-3-met...	0.319	0.310	0.307	0.301	0.311	0.294	0.282	0.303		4.04
37)	2-Methylnaphth...	0.667	0.634	0.628	0.580	0.603	0.561	0.522	0.599		8.17
38)	1-Methylnaphth...	0.682	0.652	0.650	0.599	0.621	0.579	0.537	0.617		8.05

Method Path : Z:\svoasrv\HPCHEM1\BNA_F\Methods\
 Method File : 8270-BF071725.M


39) I	Acenaphthene-d10	-----ISTD-----									
40)	1,2,4,5-Tetrac...	0.638	0.598	0.601	0.550	0.582	0.558	0.515	0.577	6.93	
41) P	Hexachlorocycl...	0.337	0.373	0.373	0.404	0.393	0.374	0.376		6.14	
42) S	2,4,6-Tribromo...	0.200	0.202	0.212	0.210	0.218	0.206	0.198	0.207	3.55	
43) C	2,4,6-Trichlor...	0.391	0.406	0.412	0.384	0.429	0.401	0.374	0.400	4.63	
44)	2,4,5-Trichlor...	0.404	0.387	0.411	0.405	0.411	0.395	0.384	0.400	2.76	
45) S	2-Fluorobiphenyl	1.761	1.644	1.547	1.358	1.414	1.323	1.190	1.462	13.58	
46)	1,1'-Biphenyl	1.748	1.667	1.640	1.489	1.553	1.472	1.353	1.560	8.62	
47)	2-Chloronaphth...	1.268	1.223	1.192	1.103	1.166	1.104	1.026	1.155	7.14	
48)	2-Nitroaniline	0.305	0.333	0.372	0.377	0.396	0.386	0.366	0.362	8.85	
49)	Acenaphthylene	2.134	2.052	2.011	1.860	1.958	1.834	1.694	1.935	7.71	
50)	Dimethylphthalate	1.422	1.340	1.340	1.279	1.325	1.251	1.169	1.304	6.16	
51)	2,6-Dinitrotol...	0.225	0.250	0.272	0.278	0.289	0.277	0.266	0.265	8.14	
52) C	Acenaphthene	1.278	1.194	1.184	1.096	1.155	1.083	1.016	1.144	7.53	
53)	3-Nitroaniline	0.285	0.300	0.315	0.317	0.334	0.318	0.303	0.310	5.13	
54) P	2,4-Dinitrophenol	0.051	0.081	0.104	0.116	0.118	0.121	0.098		28.02	
55)	Dibenzofuran	1.929	1.807	1.766	1.633	1.698	1.587	1.465	1.698	9.02	
56) P	4-Nitrophenol	0.200	0.228	0.246	0.250	0.237	0.229	0.232		7.70	
57)	2,4-Dinitrotol...	0.269	0.296	0.342	0.354	0.372	0.354	0.341	0.333	11.03	
58)	Fluorene	1.480	1.402	1.322	1.212	1.257	1.161	1.086	1.274	10.79	
59)	2,3,4,6-Tetrac...	0.321	0.331	0.345	0.333	0.351	0.329	0.309	0.331	4.30	
60)	Diethylphthalate	1.377	1.322	1.335	1.269	1.329	1.231	1.158	1.289	5.81	
61)	4-Chlorophenyl...	0.710	0.670	0.657	0.612	0.633	0.601	0.558	0.635	7.86	
62)	4-Nitroaniline	0.236	0.255	0.266	0.280	0.289	0.270	0.265	0.266	6.44	
63)	Azobenzene	1.452	1.401	1.389	1.320	1.364	1.278	1.196	1.343	6.38	
64) I	Phenanthrene-d10	-----ISTD-----									
65)	4,6-Dinitro-2-...	0.054	0.087	0.097	0.110	0.109	0.109	0.094		22.88	
66) c	n-Nitrosodiphe...	0.761	0.728	0.721	0.674	0.726	0.685	0.634	0.704	6.03	
67)	4-Bromophenyl-...	0.252	0.238	0.241	0.228	0.247	0.239	0.223	0.238	4.26	
68)	Hexachlorobenzene	0.269	0.248	0.252	0.239	0.258	0.245	0.233	0.249	4.80	
69)	Atrazine	0.184	0.187	0.198	0.196	0.208	0.197	0.189	0.194	4.32	
70) C	Pentachlorophenol	0.119	0.146	0.148	0.160	0.155	0.150	0.147		9.70	
71)	Phenanthrene	1.191	1.100	1.117	1.020	1.069	1.002	0.934	1.062	7.98	
72)	Anthracene	1.184	1.136	1.134	1.038	1.095	1.038	0.956	1.083	7.13	
73)	Carbazole	1.042	0.969	0.982	0.929	0.963	0.899	0.836	0.946	6.93	
74)	Di-n-butylphth...	1.076	1.054	1.129	1.074	1.119	1.048	0.990	1.070	4.36	
75) C	Fluoranthene	1.085	0.987	1.018	0.953	0.979	0.928	0.873	0.975	6.91	
76) I	Chrysene-d12	-----ISTD-----									
77)	Benzidine	0.758	0.844	0.953	0.697	0.601		0.771		17.53	
78)	Pyrene	1.909	1.783	1.783	1.715	1.740	1.523	1.494	1.707	8.72	
79) S	Terphenyl-d14	1.567	1.456	1.419	1.311	1.342	1.191	1.122	1.344	11.43	
80)	Butylbenzylpht...	0.438	0.472	0.536	0.544	0.582	0.556	0.532	0.523	9.61	
81)	Benzo(a)anthra...	1.374	1.367	1.381	1.282	1.422	1.313	1.235	1.339	4.86	
82)	3,3'-Dichlorob...	0.437	0.495	0.429	0.476	0.440	0.401	0.446		7.58	
83)	Chrysene	1.282	1.174	1.247	1.206	1.218	1.173	1.127	1.204	4.29	
84)	Bis(2-ethylhex...	0.691	0.755	0.824	0.789	0.862	0.826	0.789	0.791	7.03	
85) c	Di-n-octyl pht...	1.274	1.428	1.384	1.550	1.508	1.461	1.434		6.83	

Method Path : Z:\svoasrv\HPCHEM1\BNA_F\Methods\
Method File : 8270-BF071725.M

86) I	Perylene-d12	-----ISTD-----								
87)	Indeno(1,2,3-c...	1.424	1.336	1.430	1.413	1.505	1.411	1.352	1.410	3.92
88)	Benzo(b)fluora...	1.231	1.136	1.287	1.147	1.352	1.188	1.212	1.222	6.30
89)	Benzo(k)fluora...	1.168	1.152	1.093	1.134	1.069	1.080	0.937	1.090	7.10
90) C	Benzo(a)pyrene	1.129	1.102	1.147	1.121	1.192	1.121	1.070	1.126	3.35
91)	Dibenzo(a,h)an...	1.159	1.103	1.179	1.147	1.221	1.140	1.087	1.148	3.92
92)	Benzo(g,h,i)pe...	1.100	1.047	1.140	1.109	1.196	1.113	1.067	1.110	4.37


(#) = Out of Range

Benzoic acid




Response = $2.090e-001 * Amt - 5.410e-002$
 Coef of Det (r^2) = 0.998491 Curve Fit: wlr(1/a)
 Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF071725.M
 Calibration Table Last Updated: Thu Jul 17 15:14:05 2025

2,4-Dinitrophenol



Response = 1.311e-001 * Amt - 4.369e-002
 Coef of Det (r^2) = 0.998465 Curve Fit: wlr(1/a)
 Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF071725.M
 Calibration Table Last Updated: Thu Jul 17 15:14:05 2025

4,6-Dinitro-2-methylphenol



Response = 1.182e-001 * Amt - 3.198e-002
 Coef of Det (r^2) = 0.998318 Curve Fit: wlr(1/a)
 Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF071725.M
 Calibration Table Last Updated: Thu Jul 17 15:14:05 2025

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143140.D
 Acq On : 17 Jul 2025 11:04
 Operator : RC/JU
 Sample : SSTDICC2.5
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC2.5

Quant Time: Jul 17 15:00:20 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	139766	20.000	ng	0.00
21) Naphthalene-d8	8.240	136	547280	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	293149	20.000	ng	0.00
64) Phenanthrene-d10	11.481	188	492765	20.000	ng	0.00
76) Chrysene-d12	14.116	240	283469	20.000	ng	0.00
86) Perylene-d12	15.621	264	284847	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	0.000	112	0d	0.000	ng	
7) Phenol-d6	0.000	99	0d	0.000	ng	
23) Nitrobenzene-d5	0.000	82	0d	0.000	ng	
42) 2,4,6-Tribromophenol	0.000	330	0d	0.000	ng	
45) 2-Fluorobiphenyl	0.000	172	0d	0.000	ng	
79) Terphenyl-d14	0.000	244	0d	0.000	ng	
Target Compounds						
19) n-Nitroso-di-n-propyla...	7.357	70	19227	2.696	ng	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
Data File : BF143140.D
Acq On : 17 Jul 2025 11:04
Operator : RC/JU
Sample : SSTDICC2.5
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5


Quant Time: Jul 17 15:00:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 14:54:43 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF143140.D
Acq: 17 Jul 2025 11:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5




Tgt Ion:152 Resp: 139766
Ion Ratio Lower Upper
152 100
150 159.4 128.2 192.4
115 60.2 47.9 71.9




#5
2-Fluorophenol
Concen: 0.000 ng
Expected RT: 5.59 min

Lab File: BF143140.D
Acq: 17 Jul 2025 11:04

Tgt Ion: 112
Sig Exp Ratio
112 100
64 66.4
63 33.3



Ion 64.00 (63.70 to 64.70): BF143140.D\data.ms
Ion 63.00 (62.70 to 63.70): BF143140.D\data.ms





#7
 Phenol-d6
 Concen: 0.000 ng
 Expected RT: 6.59 min
 Lab File: BF143140.D
 Acq: 17 Jul 2025 11:04

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC2.5

Tgt Ion: 99




Sig	Exp Ratio
99	100
42	21.3
71	34.6




#19
 n-Nitroso-di-n-propylamine
 Concen: 2.696 ng
 RT: 7.357 min Scan# 878
 Delta R.T. -0.017 min
 Lab File: BF143140.D
 Acq: 17 Jul 2025 11:04

Tgt Ion: 70 Resp: 19227

Ion	Ratio	Lower	Upper
70	100		
42	69.2	52.5	78.7
101	9.9	7.6	11.4
130	20.9	16.1	24.1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.240 min Scan# 1

Delta R.T. -0.005 min

Lab File: BF143140.D


Acq: 17 Jul 2025 11:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC2.5



Tgt Ion:136 Resp: 547280




Ion Ratio Lower Upper

136 100

137 11.0 8.6 13.0

54 10.6 8.2 12.2

68 6.8 5.4 8.2



#23

Nitrobenzene-d5

Concen: 0.000 ng

Expected RT: 7.52 min

Lab File: BF143140.D

Acq: 17 Jul 2025 11:04


Tgt Ion: 82


Sig Exp Ratio

82 100

128 42.0

54 58.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.998 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF143140.D


Acq: 17 Jul 2025 11:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC2.5






Tgt Ion:164 Resp: 293149

Ion Ratio Lower Upper

164 100

162 97.7 79.0 118.6

160 43.5 35.1 52.7



#42

2,4,6-Tribromophenol

Concen: 0.000 ng

Expected RT: 10.79 min

Lab File: BF143140.D

Acq: 17 Jul 2025 11:04


Tgt Ion: 330


Sig Exp Ratio

330 100

332 95.9

141 29.1







#45
 2-Fluorobiphenyl
 Concen: 0.000 ng
 Expected RT: 9.32 min
 Lab File: BF143140.D
 Acq: 17 Jul 2025 11:04

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC2.5

Tgt Ion: 172




Sig	Exp Ratio
172	100
171	35.7
170	23.5




#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.481 min Scan# 1579
 Delta R.T. -0.006 min
 Lab File: BF143140.D
 Acq: 17 Jul 2025 11:04

Tgt Ion: 188 Resp: 492765


Ion	Ratio	Lower	Upper
188	100		
94	10.4	8.3	12.5
80	11.4	9.0	13.6








#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.116 min Scan# 20
Delta R.T. -0.006 min
Lab File: BF143140.D
Acq: 17 Jul 2025 11:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5




Tgt Ion: 240 Resp: 283469
Ion Ratio Lower Upper
240 100
120 11.9 9.4 14.2
236 25.1 20.2 30.4




#79
Terphenyl-d14
Concen: 0.000 ng
Expected RT: 13.07 min

Lab File: BF143140.D
Acq: 17 Jul 2025 11:04


Tgt Ion: 244
Sig Exp Ratio
244 100
212 6.5
122 10.2







#86
Perylene-d12
Concen: 20.000 ng
RT: 15.621 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF143140.D
Acq: 17 Jul 2025 11:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5



Tgt Ion:264 Resp: 284847
Ion Ratio Lower Upper
264 100
260 23.1 18.5 27.7
265 22.1 17.4 26.2



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143141.D
 Acq On : 17 Jul 2025 11:34
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:01:07 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	129942	20.000	ng	0.00
21) Naphthalene-d8	8.239	136	504796	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	263409	20.000	ng	0.00
64) Phenanthrene-d10	11.480	188	432329	20.000	ng	0.00
76) Chrysene-d12	14.116	240	253004	20.000	ng	0.00
86) Perylene-d12	15.615	264	255898	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.581	112	89958	10.955	ng	0.00
7) Phenol-d6	6.569	99	112575	10.892	ng	-0.02
23) Nitrobenzene-d5	7.510	82	102749m	10.146	ng	-0.01
42) 2,4,6-Tribromophenol	10.780	330	26288	9.661	ng	0.00
45) 2-Fluorobiphenyl	9.310	172	231962	12.043	ng	-0.01
79) Terphenyl-d14	13.063	244	198167	11.656	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.816	88	20208	5.201	ng	97
3) Pyridine	3.587	79	52981	5.254	ng	99
6) Aniline	6.616	93	75811	5.263	ng	99
8) 2-Chlorophenol	6.740	128	45203	5.252	ng	98
10) Phenol	6.581	94	61148	5.431	ng	99
11) bis(2-Chloroethyl)ether	6.687	93	46083	5.345	ng	98
12) 1,3-Dichlorobenzene	6.904	146	51056	5.460	ng	98
13) 1,4-Dichlorobenzene	6.981	146	52031	5.526	ng	100
14) 1,2-Dichlorobenzene	7.134	146	49028	5.474	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.234	45	86727	5.423	ng	100
17) 2-Methylphenol	7.192	107	38278	5.289	ng	97
18) Hexachloroethane	7.481	117	16944	5.198	ng	97
19) n-Nitroso-di-n-propyla...	7.357	70	36103	5.445	ng	98
22) Acetophenone	7.357	105	66559	5.569	ng	# 98
24) Nitrobenzene	7.528	77	47902	5.074	ng	96
25) Isophorone	7.769	82	94372	5.279	ng	99
26) 2-Nitrophenol	7.851	139	16827	4.107	ng	98
27) 2,4-Dimethylphenol	7.881	122	44954	5.382	ng	100
28) bis(2-Chloroethoxy)met...	7.981	93	58465	5.455	ng	99
29) 2,4-Dichlorophenol	8.087	162	36884	5.236	ng	97
30) 1,2,4-Trichlorobenzene	8.181	180	41552	5.460	ng	99
31) Naphthalene	8.263	128	141099	5.676	ng	99
33) 4-Chloroaniline	8.304	127	55130	5.431	ng	98
34) Hexachlorobutadiene	8.386	225	24322	5.232	ng	100
36) 4-Chloro-3-methylphenol	8.769	107	40203	5.251	ng	98
37) 2-Methylnaphthalene	8.951	142	84234	5.568	ng	98
38) 1-Methylnaphthalene	9.051	142	86130	5.529	ng	100
40) 1,2,4,5-Tetrachloroben...	9.122	216	41999	5.523	ng	100
43) 2,4,6-Trichlorophenol	9.222	196	25730	4.889	ng	100
44) 2,4,5-Trichlorophenol	9.257	196	26626	5.057	ng	98
46) 1,1'-Biphenyl	9.416	154	115130	5.602	ng	100
47) 2-Chloronaphthalene	9.439	162	83495	5.491	ng	98
48) 2-Nitroaniline	9.522	65	20076	4.210	ng	95
49) Acenaphthylene	9.857	152	140525	5.514	ng	98
50) Dimethylphthalate	9.704	163	93611	5.452	ng	99
51) 2,6-Dinitrotoluene	9.763	165	14787	4.234	ng	90

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143141.D
 Acq On : 17 Jul 2025 11:34
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:01:07 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52) Acenaphthene	10.028	154	84160	5.588	ng	99
53) 3-Nitroaniline	9.928	138	18738	4.587	ng	94
55) Dibenzofuran	10.198	168	127035	5.681	ng	97
57) 2,4-Dinitrotoluene	10.163	165	17709	4.041	ng	92
58) Fluorene	10.539	166	97477	5.808	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.316	232	21108	4.840	ng	# 97
60) Diethylphthalate	10.404	149	90651	5.342	ng	99
61) 4-Chlorophenyl-phenyle...	10.533	204	46747	5.594	ng	98
62) 4-Nitroaniline	10.533	138	15568	4.446	ng	96
63) Azobenzene	10.692	77	95602	5.405	ng	99
66) n-Nitrosodiphenylamine	10.645	169	82281	5.405	ng	100
67) 4-Bromophenyl-phenylether	11.022	248	27259	5.291	ng	97
68) Hexachlorobenzene	11.092	284	29052	5.395	ng	98
69) Atrazine	11.169	200	19865	4.733	ng	99
71) Phenanthrene	11.504	178	128762	5.609	ng	100
72) Anthracene	11.557	178	127938	5.465	ng	98
73) Carbazole	11.704	167	112588	5.507	ng	99
74) Di-n-butylphthalate	12.039	149	116291	5.027	ng	99
75) Fluoranthene	12.692	202	117249	5.565	ng	99
78) Pyrene	12.922	202	120767	5.593	ng	98
80) Butylbenzylphthalate	13.533	149	27699	4.189	ng	97
81) Benzo(a)anthracene	14.104	228	86920	5.131	ng	98
83) Chrysene	14.139	228	81091	5.325	ng	99
84) Bis(2-ethylhexyl)phtha...	14.098	149	43732	4.370	ng	99
87) Indeno(1,2,3-cd)pyrene	17.139	276	91076	5.047	ng	100
88) Benzo(b)fluoranthene	15.174	252	78749	5.037	ng	99
89) Benzo(k)fluoranthene	15.204	252	74738	5.358	ng	98
90) Benzo(a)pyrene	15.551	252	72196	5.012	ng	98
91) Dibenzo(a,h)anthracene	17.162	278	74120	5.047	ng	100
92) Benzo(g,h,i)perylene	17.604	276	70403	4.955	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143141.D
 Acq On : 17 Jul 2025 11:34
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 4 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025


Quant Time: Jul 17 15:01:07 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005




Tgt Ion:152 Resp: 12994
Ion Ratio Lower Upper
152 100
150 158.7 128.2 192.4
115 60.2 47.9 71.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#2
1,4-Dioxane
Concen: 5.201 ng
RT: 2.816 min Scan# 106
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34



Tgt Ion: 88 Resp: 20208
Ion Ratio Lower Upper
88 100
58 89.6 70.2 105.2
43 36.7 27.1 40.7





#3

Pyridine

Concen: 5.254 ng

RT: 3.587 min Scan# 21

Delta R.T. 0.000 min

Lab File: BF143141.D

Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005

Tgt Ion: 79 Resp: 5298

Ion Ratio Lower Upper

79 100

52 86.1 69.4 104.2





51 42.4 33.5 50.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#5

2-Fluorophenol

Concen: 10.955 ng

RT: 5.581 min Scan# 576

Delta R.T. -0.006 min

Lab File: BF143141.D

Acq: 17 Jul 2025 11:34




Tgt Ion:112 Resp: 89958


Ion Ratio Lower Upper

112 100

64 65.1 53.1 79.7

63 33.1 26.6 40.0









#6
Aniline
Concen: 5.263 ng
RT: 6.616 min Scan# 752
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 93 Resp: 7581
Ion Ratio Lower Upper
93 100
66 41.0 33.2 49.8
65 20.9 16.9 25.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#7
Phenol-d6
Concen: 10.892 ng
RT: 6.569 min Scan# 744
Delta R.T. -0.018 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34


Tgt Ion: 99 Resp: 112575
Ion Ratio Lower Upper
99 100
42 21.4 17.0 25.6
71 33.4 27.7 41.5





#8
2-Chlorophenol
Concen: 5.252 ng
RT: 6.740 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005




Tgt Ion:128 Resp: 4520
Ion Ratio Lower Upper
128 100
130 32.1 12.3 52.3
64 57.5 35.9 75.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#10
Phenol
Concen: 5.431 ng
RT: 6.581 min Scan# 746
Delta R.T. -0.018 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34



Tgt Ion: 94 Resp: 61148
Ion Ratio Lower Upper
94 100
65 29.4 10.0 50.0
66 39.8 20.8 60.8









#11
bis(2-Chloroethyl)ether
Concen: 5.345 ng
RT: 6.687 min Scan# 765
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 93 Resp: 4608
Ion Ratio Lower Upper
93 100
63 81.6 63.4 103.4
95 32.9 12.4 52.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#12
1,3-Dichlorobenzene
Concen: 5.460 ng
RT: 6.904 min Scan# 801
Delta R.T. 0.000 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:146 Resp: 51056
Ion Ratio Lower Upper
146 100
148 64.5 50.6 76.0
75 32.8 27.4 41.2









#13
1,4-Dichlorobenzene
Concen: 5.526 ng
RT: 6.981 min Scan# 814
Delta R.T. 0.000 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:146 Resp: 5203
Ion Ratio Lower Upper
146 100
148 63.0 50.3 75.5
111 42.8 34.4 51.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#14
1,2-Dichlorobenzene
Concen: 5.474 ng
RT: 7.134 min Scan# 840
Delta R.T. 0.000 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:146 Resp: 49028
Ion Ratio Lower Upper
146 100
148 64.2 50.7 76.1
111 42.9 36.6 54.8





#16
2,2'-oxybis(1-Chloropropane)
Concen: 5.423 ng
RT: 7.234 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F





ClientSampleId :

SSTDICC005

Tgt Ion: 45 Resp: 8672
Ion Ratio Lower Upper
45 100
77 11.1 0.0 31.2
79 8.7 0.0 28.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#17
2-Methylphenol
Concen: 5.289 ng
RT: 7.192 min Scan# 850
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34


Tgt Ion:107 Resp: 38278
Ion Ratio Lower Upper
107 100
108 110.9 91.8 137.6
77 43.6 37.0 55.6
79 45.4 36.9 55.3





#18
Hexachloroethane
Concen: 5.198 ng
RT: 7.481 min Scan# 899
Delta R.T. 0.000 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005




Tgt Ion: 117 Resp: 16944
Ion Ratio Lower Upper
117 100
119 99.4 77.8 116.8
201 99.6 77.0 115.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#19
n-Nitroso-di-n-propylamine
Concen: 5.445 ng
RT: 7.357 min Scan# 878
Delta R.T. -0.018 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34



Tgt Ion: 70 Resp: 36103
Ion Ratio Lower Upper
70 100
42 67.8 52.5 78.7
101 9.0 7.6 11.4
130 20.3 16.1 24.1






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.239 min Scan# 1028
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005






Tgt Ion:136 Resp: 504790
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 10.3 8.2 12.2
68 6.8 5.4 8.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#22
Acetophenone
Concen: 5.569 ng
RT: 7.357 min Scan# 878
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:105 Resp: 66559
Ion Ratio Lower Upper
105 100
71 9.1 5.8 8.6#
51 38.1 30.2 45.2
120 23.7 18.2 27.4






#23
Nitrobenzene-d5
Concen: 10.146 ng m
RT: 7.510 min Scan# 904
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005






Tgt Ion: 82 Resp: 102749
Ion Ratio Lower Upper
82 100
128 39.1 33.6 50.4
54 58.6 47.1 70.7


Manual Integrations

APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#24
Nitrobenzene
Concen: 5.074 ng
RT: 7.528 min Scan# 907
Delta R.T. -0.018 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34



Tgt Ion: 77 Resp: 47902
Ion Ratio Lower Upper
77 100
123 41.3 36.1 54.1
65 14.2 11.4 17.2









#25
Isophorone
Concen: 5.279 ng
RT: 7.769 min Scan# 948
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 82 Resp: 94372
Ion Ratio Lower Upper
82 100
95 6.5 5.5 8.3
138 17.8 13.8 20.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#26
2-Nitrophenol
Concen: 4.107 ng
RT: 7.851 min Scan# 962
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:139 Resp: 16827
Ion Ratio Lower Upper
139 100
109 29.5 23.6 35.4
65 55.0 42.6 64.0





#27
2,4-Dimethylphenol
Concen: 5.382 ng
RT: 7.881 min Scan# 90
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:122 Resp: 44954
Ion Ratio Lower Upper
122 100
107 115.3 91.8 137.6
121 57.8 46.3 69.5

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#28
bis(2-Chloroethoxy)methane
Concen: 5.455 ng
RT: 7.981 min Scan# 984
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion: 93 Resp: 58465
Ion Ratio Lower Upper
93 100
95 31.8 25.8 38.6
123 11.7 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 5.236 ng

RT: 8.087 min Scan# 1002

Delta R.T. -0.012 min

Lab File: BF143141.D

Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:162 Resp: 36884
 Ion Ratio Lower Upper
 162 100
 164 60.8 44.2 84.2
 98 38.7 17.9 57.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#30

1,2,4-Trichlorobenzene

Concen: 5.460 ng




RT: 8.181 min Scan# 1018


Delta R.T. -0.006 min

Lab File: BF143141.D

Acq: 17 Jul 2025 11:34

Tgt Ion:180 Resp: 41552
 Ion Ratio Lower Upper
 180 100
 182 94.0 76.2 114.2
 145 30.7 25.0 37.6









#31
Naphthalene
Concen: 5.676 ng
RT: 8.263 min Scan# 1032
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:128 Resp: 141099
Ion Ratio Lower Upper
128 100
129 10.8 9.0 13.4
127 12.7 10.6 16.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#33
4-Chloroaniline
Concen: 5.431 ng
RT: 8.304 min Scan# 1039
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:127 Resp: 55130
Ion Ratio Lower Upper
127 100
129 31.6 26.0 39.0
65 33.0 27.4 41.2
92 19.8 16.8 25.2





#34
Hexachlorobutadiene
Concen: 5.232 ng
RT: 8.386 min Scan# 1118
Delta R.T. 0.000 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC005

Tgt Ion:225 Resp: 2432
Ion Ratio Lower Upper
225 100
223 62.3 49.8 74.6
227 62.8 50.2 75.4

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#36
4-Chloro-3-methylphenol
Concen: 5.251 ng
RT: 8.769 min Scan# 1118
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:107 Resp: 40203
Ion Ratio Lower Upper
107 100
144 25.6 19.8 29.6
142 74.1 60.6 90.8





#37
2-Methylnaphthalene
Concen: 5.568 ng
RT: 8.951 min Scan# 1149
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC005

Tgt Ion:142 Resp: 84234
Ion Ratio Lower Upper
142 100
141 85.9 69.9 104.9

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#38
1-Methylnaphthalene
Concen: 5.529 ng
RT: 9.051 min Scan# 1166
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:142 Resp: 86130
Ion Ratio Lower Upper
142 100
141 90.4 72.3 108.5





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.998 min Scan# 1178

Delta R.T. 0.000 min

Lab File: BF143141.D


Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005



Tgt Ion:164 Resp: 263409

Ion Ratio Lower Upper

164 100

162 99.5 79.0 118.6




160 44.5 35.1 52.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 5.523 ng

RT: 9.122 min Scan# 1178

Delta R.T. 0.000 min

Lab File: BF143141.D

Acq: 17 Jul 2025 11:34

Tgt Ion:216 Resp: 41999




Ion Ratio Lower Upper


216 100

214 79.9 63.8 95.8

179 20.1 16.4 24.6

108 19.3 15.6 23.4





#42
2,4,6-Tribromophenol
Concen: 9.661 ng
RT: 10.780 min Scan# 1461
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:330 Resp: 2628
Ion Ratio Lower Upper
330 100
332 99.4 76.7 115.1
141 34.3 23.3 34.9

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#43
2,4,6-Trichlorophenol
Concen: 4.889 ng
RT: 9.222 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:196 Resp: 25730
Ion Ratio Lower Upper
196 100
198 94.7 76.2 114.2
200 30.0 23.9 35.9





#44
2,4,5-Trichlorophenol
Concen: 5.057 ng
RT: 9.257 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:196 Resp: 26620
Ion Ratio Lower Upper
196 100
198 97.0 77.3 115.9
97 54.7 40.3 60.5
132 29.3 23.1 34.7

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#45
2-Fluorobiphenyl
Concen: 12.043 ng
RT: 9.310 min Scan# 1210
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:172 Resp: 231962
Ion Ratio Lower Upper
172 100
171 34.6 28.6 42.8
170 22.7 18.8 28.2





#46
1,1'-Biphenyl
Concen: 5.602 ng
RT: 9.416 min Scan# 115130
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC005

Tgt Ion:154 Resp: 115130
Ion Ratio Lower Upper
154 100
153 40.0 20.3 60.3
76 13.4 0.0 33.3

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#47
2-Chloronaphthalene
Concen: 5.491 ng
RT: 9.439 min Scan# 1232
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:162 Resp: 83495
Ion Ratio Lower Upper
162 100
127 39.8 33.4 50.2
164 33.2 26.2 39.2






#48
2-Nitroaniline
Concen: 4.210 ng
RT: 9.522 min Scan# 1246
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005






Tgt Ion: 65 Resp: 20070
Ion Ratio Lower Upper
65 100
92 65.3 52.4 78.6
138 94.3 82.3 123.5

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#49
Acenaphthylene
Concen: 5.514 ng
RT: 9.857 min Scan# 1303
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34



Tgt Ion:152 Resp: 140525
Ion Ratio Lower Upper
152 100
151 19.1 16.2 24.2
153 12.5 10.6 16.0






#50
Dimethylphthalate
Concen: 5.452 ng
RT: 9.704 min Scan# 1277
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005






Tgt Ion:163 Resp: 9361
Ion Ratio Lower Upper
163 100
194 4.4 3.4 5.2
164 9.8 8.3 12.5

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#51
2,6-Dinitrotoluene
Concen: 4.234 ng
RT: 9.763 min Scan# 1287
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Tgt Ion:165 Resp: 14787
Ion Ratio Lower Upper
165 100
63 67.1 49.4 74.2
89 67.2 46.2 69.2





#52
Acenaphthene
Concen: 5.588 ng
RT: 10.028 min Scan# 1332
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005



Tgt Ion:154 Resp: 84160
Ion Ratio Lower Upper
154 100
153 109.0 86.6 129.8
152 50.7 40.4 60.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#53
3-Nitroaniline
Concen: 4.587 ng
RT: 9.928 min Scan# 1315
Delta R.T. -0.018 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34


Tgt Ion:138 Resp: 18738
Ion Ratio Lower Upper
138 100
108 12.9 9.0 13.6
92 122.5 93.0 139.4





#55
Dibenzenofuran
Concen: 5.681 ng
RT: 10.198 min Scan# 1361
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005



Tgt Ion:168 Resp: 127035
Ion Ratio Lower Upper
168 100
139 34.7 29.5 44.3
169 13.3 10.9 16.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#57
2,4-Dinitrotoluene
Concen: 4.041 ng
RT: 10.163 min Scan# 1355
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34


Tgt Ion:165 Resp: 17709
Ion Ratio Lower Upper
165 100
63 56.1 41.0 61.4
89 83.9 61.1 91.7
182 3.5 2.3 3.5





#58
Fluorene
Concen: 5.808 ng
RT: 10.539 min Scan# 1421
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005



Tgt Ion:166 Resp: 9747
Ion Ratio Lower Upper
166 100
165 92.1 73.7 110.5
167 14.0 10.6 16.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#59
2,3,4,6-Tetrachlorophenol
Concen: 4.840 ng
RT: 10.316 min Scan# 1381
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:232 Resp: 21108
Ion Ratio Lower Upper
232 100
131 46.6 35.3 52.9
130 1.6 1.7 2.5#
166 27.9 23.4 35.2





#60
Diethylphthalate
Concen: 5.342 ng
RT: 10.404 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:149 Resp: 9065
Ion Ratio Lower Upper
149 100
177 21.5 17.5 26.3
150 12.7 10.2 15.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#61
4-Chlorophenyl-phenylether
Concen: 5.594 ng
RT: 10.533 min Scan# 1418
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34


Tgt Ion:204 Resp: 46747
Ion Ratio Lower Upper
204 100
206 30.8 25.8 38.8
141 60.2 47.0 70.4





#62
4-Nitroaniline
Concen: 4.446 ng
RT: 10.533 min Scan# 1418
Delta R.T. -0.023 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005



Tgt Ion:138 Resp: 1556
Ion Ratio Lower Upper
138 100
92 55.8 29.3 69.3
108 68.9 48.3 88.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#63
Azobenzene
Concen: 5.405 ng
RT: 10.692 min Scan# 1445
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34


Tgt Ion: 77 Resp: 95602
Ion Ratio Lower Upper
77 100
182 23.2 4.6 44.6
105 21.5 1.4 41.4
51 33.2 13.7 53.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.480 min Scan# 1148
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005




Tgt Ion:188 Resp: 432329
Ion Ratio Lower Upper
188 100
94 10.8 8.3 12.5
80 11.9 9.0 13.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#66
n-Nitrosodiphenylamine
Concen: 5.405 ng
RT: 10.645 min Scan# 1437
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Tgt Ion:169 Resp: 82281
Ion Ratio Lower Upper
169 100
168 65.5 52.1 78.1
167 35.1 28.2 42.2





#67
4-Bromophenyl-phenylether
Concen: 5.291 ng
RT: 11.022 min Scan# 1502
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005




Tgt Ion:248 Resp: 27259
Ion Ratio Lower Upper
248 100
250 94.5 78.3 117.5
141 75.4 59.2 88.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#68
Hexachlorobenzene
Concen: 5.395 ng
RT: 11.092 min Scan# 1513
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Tgt Ion:284 Resp: 29052
Ion Ratio Lower Upper
284 100
142 36.1 27.0 40.6
249 31.5 25.0 37.6





#69
Atrazine
Concen: 4.733 ng
RT: 11.169 min Scan# 1526
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005




Tgt Ion:200 Resp: 1986
Ion Ratio Lower Upper
200 100
173 28.5 7.9 47.9
215 49.3 30.1 70.1

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#71
Phenanthrene
Concen: 5.609 ng
RT: 11.504 min Scan# 1583
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Tgt Ion:178 Resp: 128762
Ion Ratio Lower Upper
178 100
176 19.0 15.3 22.9
179 15.6 12.5 18.7





#72
 Anthracene
 Concen: 5.465 ng
 RT: 11.557 min Scan# 1592
 Delta R.T. -0.006 min
 Lab File: BF143141.D
 Acq: 17 Jul 2025 11:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC005




Tgt Ion:178 Resp: 127938
 Ion Ratio Lower Upper
 178 100
 176 17.4 15.0 22.4
 179 15.4 12.5 18.7

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#73
 Carbazole
 Concen: 5.507 ng
 RT: 11.704 min Scan# 1617
 Delta R.T. -0.006 min
 Lab File: BF143141.D
 Acq: 17 Jul 2025 11:34




Tgt Ion:167 Resp: 112588
 Ion Ratio Lower Upper
 167 100
 166 20.9 17.0 25.6
 139 12.5 10.0 15.0





#74
Di-n-butylphthalate
Concen: 5.027 ng
RT: 12.039 min Scan# 1674
Delta R.T. 0.000 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005




Tgt Ion:149 Resp: 11629
Ion Ratio Lower Upper
149 100
150 9.0 7.4 11.2
104 4.6 3.8 5.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#75
Fluoranthene
Concen: 5.565 ng
RT: 12.692 min Scan# 1785
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Tgt Ion:202 Resp: 117249
Ion Ratio Lower Upper
202 100
101 11.7 0.0 31.7
203 17.8 0.0 37.4





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.116 min Scan# 2027
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC005




Tgt Ion:240 Resp: 253004
Ion Ratio Lower Upper
240 100
120 11.7 9.4 14.2
236 24.9 20.2 30.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#78
Pyrene
Concen: 5.593 ng
RT: 12.922 min Scan# 1824
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34



Tgt Ion:202 Resp: 120767
Ion Ratio Lower Upper
202 100
200 18.2 15.7 23.5
203 17.6 14.2 21.2





#79

Terphenyl-d14

Concen: 11.656 ng

RT: 13.063 min Scan# 1848

Delta R.T. -0.006 min

Lab File: BF143141.D

Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005





Tgt Ion:244 Resp: 19816
 Ion Ratio Lower Upper
 244 100
 212 6.2 5.2 7.8
 122 10.5 8.2 12.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#80

Butylbenzylphthalate

Concen: 4.189 ng




RT: 13.533 min Scan# 1928


Delta R.T. -0.006 min

Lab File: BF143141.D

Acq: 17 Jul 2025 11:34

Tgt Ion:149 Resp: 27699
 Ion Ratio Lower Upper
 149 100
 91 74.9 57.9 86.9
 206 19.9 17.0 25.4






#81
Benzo(a)anthracene
Concen: 5.131 ng
RT: 14.104 min Scan# 2026
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005






Tgt Ion:228 Resp: 86920
Ion Ratio Lower Upper
228 100
226 25.8 21.7 32.5
229 19.0 15.8 23.6

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#83
Chrysene
Concen: 5.325 ng
RT: 14.139 min Scan# 2031
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34



Tgt Ion:228 Resp: 81091
Ion Ratio Lower Upper
228 100
226 29.2 23.8 35.8
229 20.1 15.6 23.4





#84

Bis(2-ethylhexyl)phthalate

Concen: 4.370 ng

RT: 14.098 min Scan# 20

Delta R.T. 0.000 min

Lab File: BF143141.D


Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC005



Tgt Ion:149 Resp: 4373

Ion Ratio Lower Upper

149 100

167 27.5 22.3 33.5




279 4.1 3.6 5.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.615 min Scan# 2282

Delta R.T. -0.006 min

Lab File: BF143141.D

Acq: 17 Jul 2025 11:34




Tgt Ion:264 Resp: 255898


Ion Ratio Lower Upper

264 100

260 23.4 18.5 27.7

265 21.9 17.4 26.2





#87
Indeno(1,2,3-cd)pyrene
Concen: 5.047 ng
RT: 17.139 min Scan# 21
Delta R.T. -0.023 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC005

Tgt Ion:276 Resp: 91070
Ion Ratio Lower Upper
276 100
138 27.2 21.8 32.6
277 25.2 20.0 30.0

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#88
Benzo(b)fluoranthene
Concen: 5.037 ng
RT: 15.174 min Scan# 2207
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:252 Resp: 78749
Ion Ratio Lower Upper
252 100
253 21.1 17.5 26.3
125 10.3 8.0 12.0





#89
Benzo(k)fluoranthene
Concen: 5.358 ng
RT: 15.204 min Scan# 211
Delta R.T. -0.006 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC005

Tgt Ion:252 Resp: 74738
Ion Ratio Lower Upper
252 100
253 21.1 17.8 26.6
125 9.9 8.1 12.1

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#90
Benzo(a)pyrene
Concen: 5.012 ng
RT: 15.551 min Scan# 2271
Delta R.T. -0.012 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:252 Resp: 72196
Ion Ratio Lower Upper
252 100
253 22.1 17.3 25.9
125 12.5 8.6 13.0









#91
Dibenzo(a,h)anthracene
Concen: 5.047 ng
RT: 17.162 min Scan# 21
Delta R.T. -0.018 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:278 Resp: 74120
Ion Ratio Lower Upper
278 100
139 17.5 14.1 21.1
279 22.9 18.6 28.0




Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#92
Benzo(g,h,i)perylene
Concen: 4.955 ng
RT: 17.604 min Scan# 2620
Delta R.T. -0.023 min
Lab File: BF143141.D
Acq: 17 Jul 2025 11:34

Tgt Ion:276 Resp: 70403
Ion Ratio Lower Upper
276 100
277 24.3 19.1 28.7
138 24.0 18.9 28.3



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143142.D
 Acq On : 17 Jul 2025 12:04
 Operator : RC/JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:01:54 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	140410	20.000	ng	0.00
21) Naphthalene-d8	8.239	136	545730	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	282580	20.000	ng	0.00
64) Phenanthrene-d10	11.480	188	461255	20.000	ng	0.00
76) Chrysene-d12	14.116	240	254650	20.000	ng	0.00
86) Perylene-d12	15.621	264	273706	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.581	112	184363	20.778	ng	0.00
7) Phenol-d6	6.569	99	230206	20.613	ng	-0.02
23) Nitrobenzene-d5	7.510	82	215086m	19.646	ng	-0.01
42) 2,4,6-Tribromophenol	10.780	330	56961	19.512	ng	0.00
45) 2-Fluorobiphenyl	9.316	172	464669	22.489	ng	0.00
79) Terphenyl-d14	13.063	244	370808	21.669	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.822	88	40860	9.732	ng	98
3) Pyridine	3.587	79	109317	10.032	ng	100
4) n-Nitrosodimethylamine	3.510	42	54487	9.684	ng	98
6) Aniline	6.616	93	158580	10.188	ng	99
8) 2-Chlorophenol	6.740	128	94265	10.135	ng	98
9) Benzaldehyde	6.510	77	81897	9.779	ng	100
10) Phenol	6.587	94	124080m	10.198	ng	
11) bis(2-Chloroethyl)ether	6.687	93	94260	10.119	ng	99
12) 1,3-Dichlorobenzene	6.904	146	106226	10.514	ng	97
13) 1,4-Dichlorobenzene	6.981	146	106581	10.475	ng	99
14) 1,2-Dichlorobenzene	7.134	146	99226	10.253	ng	99
15) Benzyl Alcohol	7.087	79	85240	9.996	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.234	45	179226	10.371	ng	99
17) 2-Methylphenol	7.198	107	78001	9.974	ng	99
18) Hexachloroethane	7.481	117	34985	9.932	ng	99
19) n-Nitroso-di-n-propyla...	7.357	70	73815	10.302	ng	97
20) 3+4-Methylphenols	7.345	107	103018	10.858	ng	91
22) Acetophenone	7.357	105	137532	10.645	ng	# 98
24) Nitrobenzene	7.534	77	100837	9.879	ng	98
25) Isophorone	7.769	82	192895	9.981	ng	100
26) 2-Nitrophenol	7.851	139	38451	8.680	ng	96
27) 2,4-Dimethylphenol	7.881	122	92724	10.269	ng	98
28) bis(2-Chloroethoxy)met...	7.981	93	119320	10.297	ng	98
29) 2,4-Dichlorophenol	8.087	162	76847	10.091	ng	98
30) 1,2,4-Trichlorobenzene	8.181	180	83842	10.191	ng	100
31) Naphthalene	8.263	128	283107	10.534	ng	99
32) Benzoic acid	7.928	122	28431m	10.113	ng	
33) 4-Chloroaniline	8.304	127	113797	10.369	ng	100
34) Hexachlorobutadiene	8.386	225	51715	10.290	ng	99
35) Caprolactam	8.634	113	21157	9.194	ng	95
36) 4-Chloro-3-methylphenol	8.775	107	84647	10.227	ng	98
37) 2-Methylnaphthalene	8.951	142	172865	10.570	ng	100
38) 1-Methylnaphthalene	9.051	142	177917	10.564	ng	99
40) 1,2,4,5-Tetrachloroben...	9.122	216	84494	10.357	ng	99
41) Hexachlorocyclopentadiene	9.116	237	47577	8.963	ng	99
43) 2,4,6-Trichlorophenol	9.228	196	57396	10.165	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143142.D
 Acq On : 17 Jul 2025 12:04
 Operator : RC/JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:01:54 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.257	196	54716	9.688	ng	97
46) 1,1'-Biphenyl	9.416	154	235467	10.680	ng	100
47) 2-Chloronaphthalene	9.439	162	172831	10.595	ng	98
48) 2-Nitroaniline	9.528	65	47055	9.198	ng	99
49) Acenaphthylene	9.857	152	289989	10.607	ng	98
50) Dimethylphthalate	9.704	163	189399	10.283	ng	99
51) 2,6-Dinitrotoluene	9.763	165	35364	9.438	ng	93
52) Acenaphthene	10.028	154	168698	10.440	ng	99
53) 3-Nitroaniline	9.933	138	42367	9.667	ng	97
54) 2,4-Dinitrophenol	10.033	184	7147	10.522	ng #	1
55) Dibenzofuran	10.198	168	255272	10.641	ng	99
56) 4-Nitrophenol	10.075	139	28233	8.627	ng	98
57) 2,4-Dinitrotoluene	10.169	165	41815	8.895	ng	98
58) Fluorene	10.545	166	198041	10.999	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.316	232	46720	9.986	ng	99
60) Diethylphthalate	10.410	149	186802	10.261	ng	99
61) 4-Chlorophenyl-phenyle...	10.533	204	94685	10.561	ng	97
62) 4-Nitroaniline	10.539	138	35962	9.574	ng	98
63) Azobenzene	10.692	77	197998	10.435	ng	99
65) 4,6-Dinitro-2-methylph...	10.575	198	12541	10.014	ng	94
66) n-Nitrosodiphenylamine	10.645	169	167901	10.337	ng	100
67) 4-Bromophenyl-phenylether	11.022	248	54849	9.978	ng	97
68) Hexachlorobenzene	11.092	284	57305	9.974	ng	97
69) Atrazine	11.169	200	43045	9.613	ng	98
70) Pentachlorophenol	11.280	266	27529	8.148	ng	99
71) Phenanthrene	11.504	178	253750	10.361	ng	99
72) Anthracene	11.557	178	261960	10.487	ng	99
73) Carbazole	11.704	167	223376	10.241	ng	100
74) Di-n-butylphthalate	12.039	149	243142	9.852	ng	100
75) Fluoranthene	12.692	202	227701	10.129	ng	99
77) Benzidine	12.804	184	96484	9.834	ng	99
78) Pyrene	12.922	202	227008	10.445	ng	100
80) Butylbenzylphthalate	13.539	149	60055	9.024	ng	98
81) Benzo(a)anthracene	14.110	228	174020	10.207	ng	99
82) 3,3'-Dichlorobenzidine	14.063	252	55694	9.802	ng	97
83) Chrysene	14.145	228	149446	9.750	ng	100
84) Bis(2-ethylhexyl)phtha...	14.098	149	96191	9.549	ng	97
85) Di-n-octyl phthalate	14.710	149	162156	8.881	ng	99
87) Indeno(1,2,3-cd)pyrene	17.145	276	182869	9.475	ng	99
88) Benzo(b)fluoranthene	15.174	252	155430	9.296	ng	99
89) Benzo(k)fluoranthene	15.204	252	157663	10.567	ng	100
90) Benzo(a)pyrene	15.551	252	150853	9.792	ng	99
91) Dibenzo(a,h)anthracene	17.162	278	150977	9.611	ng	100
92) Benzo(g,h,i)perylene	17.609	276	143342	9.433	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143142.D
 Acq On : 17 Jul 2025 12:04
 Operator : RC/JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 5 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:01:54 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration






#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.963 min Scan# 81
 Delta R.T. 0.000 min
 Lab File: BF143142.D
 Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion:152 Resp: 140410
 Ion Ratio Lower Upper
 152 100
 150 157.8 128.2 192.4
 115 60.6 47.9 71.9

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#2
 1,4-Dioxane
 Concen: 9.732 ng
 RT: 2.822 min Scan# 107
 Delta R.T. 0.000 min
 Lab File: BF143142.D
 Acq: 17 Jul 2025 12:04




Tgt Ion: 88 Resp: 40860
 Ion Ratio Lower Upper
 88 100
 58 86.6 70.2 105.2
 43 36.5 27.1 40.7





#3
Pyridine
Concen: 10.032 ng
RT: 3.587 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion: 79 Resp: 10931
Ion Ratio Lower Upper
79 100
52 86.3 69.4 104.2
51 42.0 33.5 50.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#4
n-Nitrosodimethylamine
Concen: 9.684 ng
RT: 3.510 min Scan# 224
Delta R.T. -0.023 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04



Tgt Ion: 42 Resp: 54487
Ion Ratio Lower Upper
42 100
74 112.5 91.7 137.5
44 7.8 5.6 8.4





#5
2-Fluorophenol
Concen: 20.778 ng
RT: 5.581 min Scan# 51
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:112 Resp: 18436
Ion Ratio Lower Upper
112 100
64 66.6 53.1 79.7
63 32.6 26.6 40.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#6
Aniline
Concen: 10.188 ng
RT: 6.616 min Scan# 752
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion: 93 Resp: 158580
Ion Ratio Lower Upper
93 100
66 40.8 33.2 49.8
65 21.2 16.9 25.3









#7
Phenol-d6
Concen: 20.613 ng
RT: 6.569 min Scan# 744
Delta R.T. -0.018 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 99 Resp: 230200
Ion Ratio Lower Upper
99 100
42 21.4 17.0 25.6
71 33.5 27.7 41.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#8
2-Chlorophenol
Concen: 10.135 ng
RT: 6.740 min Scan# 773
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion:128 Resp: 94265
Ion Ratio Lower Upper
128 100
130 31.4 12.3 52.3
64 57.1 35.9 75.9









#9
Benzaldehyde
Concen: 9.779 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 77 Resp: 8189
Ion Ratio Lower Upper
77 100
105 96.9 76.8 116.8
106 93.9 74.4 114.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#10
Phenol
Concen: 10.198 ng m
RT: 6.587 min Scan# 747
Delta R.T. -0.012 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion: 94 Resp: 124080
Ion Ratio Lower Upper
94 100
65 28.4 10.0 50.0
66 37.5 20.8 60.8





#11
bis(2-Chloroethyl)ether
Concen: 10.119 ng
RT: 6.687 min Scan# 764
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion: 93 Resp: 94260
Ion Ratio Lower Upper
93 100
63 83.2 63.4 103.4
95 33.1 12.4 52.4

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#12
1,3-Dichlorobenzene
Concen: 10.514 ng
RT: 6.904 min Scan# 801
Delta R.T. 0.000 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion:146 Resp: 106226
Ion Ratio Lower Upper
146 100
148 61.6 50.6 76.0
75 32.1 27.4 41.2









#13
1,4-Dichlorobenzene
Concen: 10.475 ng
RT: 6.981 min Scan# 814
Delta R.T. 0.000 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:146 Resp: 10658
Ion Ratio Lower Upper
146 100
148 61.9 50.3 75.5
111 42.7 34.4 51.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#14
1,2-Dichlorobenzene
Concen: 10.253 ng
RT: 7.134 min Scan# 840
Delta R.T. 0.000 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion:146 Resp: 99226
Ion Ratio Lower Upper
146 100
148 63.6 50.7 76.1
111 44.5 36.6 54.8









#15
Benzyl Alcohol
Concen: 9.996 ng
RT: 7.087 min Scan# 811
Delta R.T. -0.012 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 79 Resp: 85240
Ion Ratio Lower Upper
79 100
108 74.6 61.1 91.7
77 61.9 48.9 73.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 10.371 ng
RT: 7.234 min Scan# 857
Delta R.T. 0.000 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion: 45 Resp: 179226
Ion Ratio Lower Upper
45 100
77 10.8 0.0 31.2
79 8.7 0.0 28.5






#17
2-Methylphenol
Concen: 9.974 ng
RT: 7.198 min Scan# 851
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDIC010






Tgt Ion:107 Resp: 7800
Ion Ratio Lower Upper
107 100
108 114.8 91.8 137.6
77 45.0 37.0 55.6
79 44.8 36.9 55.3

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#18
Hexachloroethane
Concen: 9.932 ng
RT: 7.481 min Scan# 899
Delta R.T. 0.000 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Tgt Ion:117 Resp: 34985
Ion Ratio Lower Upper
117 100
119 97.2 77.8 116.8
201 97.7 77.0 115.4





#19
n-Nitroso-di-n-propylamine
Concen: 10.302 ng
RT: 7.357 min Scan# 81
Delta R.T. -0.018 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion: 70 Resp: 7381
Ion Ratio Lower Upper
70 100
42 69.4 52.5 78.7
101 9.6 7.6 11.4
130 19.9 16.1 24.1

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#20
3+4-Methylphenols
Concen: 10.858 ng
RT: 7.345 min Scan# 876
Delta R.T. -0.012 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Tgt Ion:107 Resp: 103018
Ion Ratio Lower Upper
107 100
108 89.3 70.0 110.0
77 60.0 57.8 97.8
79 29.0 9.5 49.5





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.239 min Scan# 1028
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010



Tgt Ion:136 Resp: 545730
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 10.7 8.2 12.2
68 6.8 5.4 8.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#22
Acetophenone
Concen: 10.645 ng
RT: 7.357 min Scan# 878
Delta R.T. -0.012 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion:105 Resp: 137532
Ion Ratio Lower Upper
105 100
71 9.3 5.8 8.6#
51 38.9 30.2 45.2
120 22.9 18.2 27.4





#23

Nitrobenzene-d5

Concen: 19.646 ng m

RT: 7.510 min Scan# 904

Delta R.T. -0.012 min

Lab File: BF143142.D

Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010

Tgt Ion: 82 Resp: 21508

Ion Ratio Lower Upper

82 100

128 40.5 33.6 50.4





54 60.7 47.1 70.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#24

Nitrobenzene

Concen: 9.879 ng

RT: 7.534 min Scan# 908

Delta R.T. -0.012 min

Lab File: BF143142.D

Acq: 17 Jul 2025 12:04




Tgt Ion: 77 Resp: 100837


Ion Ratio Lower Upper

77 100

123 43.5 36.1 54.1

65 14.2 11.4 17.2









#25
Isophorone
Concen: 9.981 ng
RT: 7.769 min Scan# 948
Delta R.T. -0.012 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 82 Resp: 19289
Ion Ratio Lower Upper
82 100
95 6.7 5.5 8.3
138 17.1 13.8 20.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#26
2-Nitrophenol
Concen: 8.680 ng
RT: 7.851 min Scan# 962
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion:139 Resp: 38451
Ion Ratio Lower Upper
139 100
109 30.2 23.6 35.4
65 57.5 42.6 64.0





#27
2,4-Dimethylphenol
Concen: 10.269 ng
RT: 7.881 min Scan# 90
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:122 Resp: 92724
Ion Ratio Lower Upper
122 100
107 112.6 91.8 137.6
121 57.2 46.3 69.5

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#28
bis(2-Chloroethoxy)methane
Concen: 10.297 ng
RT: 7.981 min Scan# 984
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion: 93 Resp: 119320
Ion Ratio Lower Upper
93 100
95 31.7 25.8 38.6
123 10.7 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 10.091 ng

RT: 8.087 min Scan# 1002

Delta R.T. -0.012 min

Lab File: BF143142.D

Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010

Tgt Ion:162 Resp: 7684





Ion	Ratio	Lower	Upper
162	100		
164	63.3	44.2	84.2
98	39.2	17.9	57.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#30

1,2,4-Trichlorobenzene

Concen: 10.191 ng

RT: 8.181 min Scan# 1018




Delta R.T. -0.006 min


Lab File: BF143142.D

Acq: 17 Jul 2025 12:04

Tgt Ion:180 Resp: 83842


Ion	Ratio	Lower	Upper
180	100		
182	95.2	76.2	114.2
145	30.7	25.0	37.6





#31
Naphthalene
Concen: 10.534 ng
RT: 8.263 min Scan# 1033
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010



Tgt Ion:128 Resp: 28310
Ion Ratio Lower Upper
128 100
129 11.0 9.0 13.4
127 12.7 10.6 16.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#32
Benzoic acid
Concen: 10.113 ng m
RT: 7.928 min Scan# 975
Delta R.T. -0.064 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion:122 Resp: 28431
Ion Ratio Lower Upper
122 100
105 126.6 104.8 144.8
77 94.6 77.6 117.6






#33
4-Chloroaniline
Concen: 10.369 ng
RT: 8.304 min Scan# 1039
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion:127 Resp: 11379
Ion Ratio Lower Upper
127 100
129 32.4 26.0 39.0
65 34.2 27.4 41.2
92 21.0 16.8 25.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#34
Hexachlorobutadiene
Concen: 10.290 ng
RT: 8.386 min Scan# 1053
Delta R.T. 0.000 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04


Tgt Ion:225 Resp: 51715
Ion Ratio Lower Upper
225 100
223 63.1 49.8 74.6
227 63.5 50.2 75.4





#35
Caprolactam
Concen: 9.194 ng
RT: 8.634 min Scan# 1103
Delta R.T. -0.047 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010



Tgt Ion:113 Resp: 2115
Ion Ratio Lower Upper
113 100
55 206.8 174.0 214.0
56 145.4 126.6 166.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#36
4-Chloro-3-methylphenol
Concen: 10.227 ng
RT: 8.775 min Scan# 1119
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04


Tgt Ion:107 Resp: 84647
Ion Ratio Lower Upper
107 100
144 25.3 19.8 29.6
142 77.5 60.6 90.8





#37
2-Methylnaphthalene
Concen: 10.570 ng
RT: 8.951 min Scan# 1149
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010



Tgt Ion:142 Resp: 17286
Ion Ratio Lower Upper
142 100
141 87.3 69.9 104.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#38
1-Methylnaphthalene
Concen: 10.564 ng
RT: 9.051 min Scan# 1166
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion:142 Resp: 177917
Ion Ratio Lower Upper
142 100
141 91.7 72.3 108.5





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.998 min Scan# 1178

Delta R.T. 0.000 min

Lab File: BF143142.D


Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010



Tgt Ion:164 Resp: 282580

Ion Ratio Lower Upper

164 100

162 99.8 79.0 118.6




160 43.9 35.1 52.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 10.357 ng

RT: 9.122 min Scan# 1178

Delta R.T. 0.000 min

Lab File: BF143142.D

Acq: 17 Jul 2025 12:04

Tgt Ion:216 Resp: 84494




Ion Ratio Lower Upper


216 100

214 78.6 63.8 95.8

179 20.8 16.4 24.6


108 19.2 15.6 23.4





#41
Hexachlorocyclopentadiene
Concen: 8.963 ng
RT: 9.116 min Scan# 1177
Delta R.T. 0.000 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:237 Resp: 4757
Ion Ratio Lower Upper
237 100
235 62.0 43.0 83.0
272 13.3 0.0 33.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#42
2,4,6-Tribromophenol
Concen: 19.512 ng
RT: 10.780 min Scan# 1460
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04



Tgt Ion:330 Resp: 56961
Ion Ratio Lower Upper
330 100
332 98.3 76.7 115.1
141 32.0 23.3 34.9





#43

2,4,6-Trichlorophenol

Concen: 10.165 ng

RT: 9.228 min Scan# 1196

Delta R.T. 0.000 min

Lab File: BF143142.D


Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion:196	Resp:	57390
Ion Ratio	Lower	Upper
196	100	
198	97.4	76.2 114.2
200	30.1	23.9 35.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#44

2,4,5-Trichlorophenol


Concen: 9.688 ng

RT: 9.257 min Scan# 1201



Delta R.T. -0.012 min


Lab File: BF143142.D

Acq: 17 Jul 2025 12:04



Tgt Ion:196	Resp:	54716
Ion Ratio	Lower	Upper
196	100	
198	94.8	77.3 115.9
97	53.5	40.3 60.5
132	29.8	23.1 34.7





#45

2-Fluorobiphenyl

Concen: 22.489 ng

RT: 9.316 min Scan# 1211

Delta R.T. -0.006 min

Lab File: BF143142.D

Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010

Tgt Ion:172 Resp: 464669

Ion Ratio Lower Upper

172 100

171 34.8 28.6 42.8





170 23.2 18.8 28.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#46

1,1'-Biphenyl

Concen: 10.680 ng

RT: 9.416 min Scan# 1228

Delta R.T. -0.006 min

Lab File: BF143142.D

Acq: 17 Jul 2025 12:04




Tgt Ion:154 Resp: 235467


Ion Ratio Lower Upper

154 100

153 40.5 20.3 60.3

76 13.7 0.0 33.3





#47

2-Chloronaphthalene

Concen: 10.595 ng

RT: 9.439 min Scan# 1232

Delta R.T. -0.006 min

Lab File: BF143142.D


Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010



Tgt Ion:162 Resp: 17283

Ion Ratio Lower Upper

162 100

127 40.6 33.4 50.2




164 32.0 26.2 39.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#48

2-Nitroaniline

Concen: 9.198 ng

RT: 9.528 min Scan# 1247

Delta R.T. -0.006 min

Lab File: BF143142.D

Acq: 17 Jul 2025 12:04




Tgt Ion: 65 Resp: 47055


Ion Ratio Lower Upper

65 100

92 66.0 52.4 78.6

138 101.6 82.3 123.5






#49
Acenaphthylene
Concen: 10.607 ng
RT: 9.857 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion:152 Resp: 289989
Ion Ratio Lower Upper
152 100
151 19.3 16.2 24.2
153 12.8 10.6 16.0

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#50
Dimethylphthalate
Concen: 10.283 ng
RT: 9.704 min Scan# 1277
Delta R.T. -0.012 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04



Tgt Ion:163 Resp: 189399
Ion Ratio Lower Upper
163 100
194 4.2 3.4 5.2
164 9.9 8.3 12.5






#51
2,6-Dinitrotoluene
Concen: 9.438 ng
RT: 9.763 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion:165 Resp: 35364
Ion Ratio Lower Upper
165 100
63 68.8 49.4 74.2
89 60.6 46.2 69.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#52
Acenaphthene
Concen: 10.440 ng
RT: 10.028 min Scan# 1332
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion:154 Resp: 168698
Ion Ratio Lower Upper
154 100
153 109.3 86.6 129.8
152 50.8 40.4 60.6





#53
3-Nitroaniline
Concen: 9.667 ng
RT: 9.933 min Scan# 1316
Delta R.T. -0.012 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion:138 Resp: 4236
Ion Ratio Lower Upper
138 100
108 12.7 9.0 13.6
92 112.9 93.0 139.4

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#54
2,4-Dinitrophenol
Concen: 10.522 ng
RT: 10.033 min Scan# 1333
Delta R.T. -0.012 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04


Tgt Ion:184 Resp: 7147
Ion Ratio Lower Upper
184 100
63 261.5 81.8 122.6#
154 2164.9 412.2 618.4#





#55
Dibenzenofuran
Concen: 10.641 ng
RT: 10.198 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:168 Resp: 255272
Ion Ratio Lower Upper
168 100
139 36.4 29.5 44.3
169 12.7 10.9 16.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#56
4-Nitrophenol
Concen: 8.627 ng
RT: 10.075 min Scan# 1340
Delta R.T. -0.012 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04



Tgt Ion:139 Resp: 28233
Ion Ratio Lower Upper
139 100
109 67.5 48.5 88.5
65 106.0 83.4 123.4






#57
2,4-Dinitrotoluene
Concen: 8.895 ng
RT: 10.169 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion:165 Resp: 4181
Ion Ratio Lower Upper
165 100
63 48.5 41.0 61.4
89 75.4 61.1 91.7
182 3.2 2.3 3.5

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#58
Fluorene
Concen: 10.999 ng
RT: 10.545 min Scan# 1420
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Tgt Ion:166 Resp: 198041
Ion Ratio Lower Upper
166 100
165 91.4 73.7 110.5
167 13.3 10.6 16.0





#59
2,3,4,6-Tetrachlorophenol
Concen: 9.986 ng
RT: 10.316 min Scan# 1381
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:232 Resp: 46720
Ion Ratio Lower Upper
232 100
131 43.0 35.3 52.9
130 2.2 1.7 2.5
166 29.4 23.4 35.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#60
Diethylphthalate
Concen: 10.261 ng
RT: 10.410 min Scan# 1397
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Tgt Ion:149 Resp: 186802
Ion Ratio Lower Upper
149 100
177 21.5 17.5 26.3
150 12.3 10.2 15.2





#61
4-Chlorophenyl-phenylether
Concen: 10.561 ng
RT: 10.533 min Scan# 1418
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:204 Resp: 9468
Ion Ratio Lower Upper
204 100
206 31.4 25.8 38.8
141 61.2 47.0 70.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#62
4-Nitroaniline
Concen: 9.574 ng
RT: 10.539 min Scan# 1419
Delta R.T. -0.018 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04



Tgt Ion:138 Resp: 35962
Ion Ratio Lower Upper
138 100
92 50.5 29.3 69.3
108 66.0 48.3 88.3






#63
Azobenzene
Concen: 10.435 ng
RT: 10.692 min Scan# 1445
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion: 77 Resp: 197998
Ion Ratio Lower Upper
77 100
182 23.8 4.6 44.6
105 21.2 1.4 41.4
51 33.9 13.7 53.7

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.480 min Scan# 1579
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Tgt Ion:188 Resp: 461255
Ion Ratio Lower Upper
188 100
94 10.7 8.3 12.5
80 11.8 9.0 13.6





#65
4,6-Dinitro-2-methylphenol
Concen: 10.014 ng
RT: 10.575 min Scan# 1425
Delta R.T. -0.011 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:198 Resp: 1254
Ion Ratio Lower Upper
198 100
51 63.6 37.2 77.2
105 46.4 24.8 64.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#66
n-Nitrosodiphenylamine
Concen: 10.337 ng
RT: 10.645 min Scan# 1437
Delta R.T. -0.012 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04



Tgt Ion:169 Resp: 167901
Ion Ratio Lower Upper
169 100
168 65.2 52.1 78.1
167 35.6 28.2 42.2





#67
4-Bromophenyl-phenylether
Concen: 9.978 ng
RT: 11.022 min Scan# 1502
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:248 Resp: 54849
Ion Ratio Lower Upper
248 100
250 97.0 78.3 117.5
141 79.4 59.2 88.8

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#68
Hexachlorobenzene
Concen: 9.974 ng
RT: 11.092 min Scan# 1513
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04


Tgt Ion:284 Resp: 57305
Ion Ratio Lower Upper
284 100
142 36.4 27.0 40.6
249 30.5 25.0 37.6





#69
Atrazine
Concen: 9.613 ng
RT: 11.169 min Scan# 1526
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010



Tgt Ion:200 Resp: 43045
Ion Ratio Lower Upper
200 100
173 28.7 7.9 47.9
215 49.1 30.1 70.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#70
Pentachlorophenol
Concen: 8.148 ng
RT: 11.280 min Scan# 1545
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04


Tgt Ion:266 Resp: 27529
Ion Ratio Lower Upper
266 100
268 66.2 51.9 77.9
264 64.3 51.0 76.6





#71
Phenanthrene
Concen: 10.361 ng
RT: 11.504 min Scan# 1583
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010



Tgt Ion:178 Resp: 253750
Ion Ratio Lower Upper
178 100
176 18.8 15.3 22.9
179 15.1 12.5 18.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#72
Anthracene
Concen: 10.487 ng
RT: 11.557 min Scan# 1592
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04


Tgt Ion:178 Resp: 261960
Ion Ratio Lower Upper
178 100
176 18.2 15.0 22.4
179 15.0 12.5 18.7





#73
 Carbazole
 Concen: 10.241 ng
 RT: 11.704 min Scan# 1617
 Delta R.T. -0.006 min
 Lab File: BF143142.D
 Acq: 17 Jul 2025 12:04




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010




Tgt Ion:167 Resp: 223370
 Ion Ratio Lower Upper
 167 100
 166 21.2 17.0 25.6
 139 12.4 10.0 15.0

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#74
 Di-n-butylphthalate
 Concen: 9.852 ng
 RT: 12.039 min Scan# 1674
 Delta R.T. 0.000 min
 Lab File: BF143142.D
 Acq: 17 Jul 2025 12:04




Tgt Ion:149 Resp: 243142
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.4 11.2
 104 4.6 3.8 5.8





#75
Fluoranthene
Concen: 10.129 ng
RT: 12.692 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010



Tgt Ion:202 Resp: 22770
Ion Ratio Lower Upper
202 100
101 12.4 0.0 31.7
203 16.9 0.0 37.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.116 min Scan# 2027
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion:240 Resp: 254650
Ion Ratio Lower Upper
240 100
120 12.2 9.4 14.2
236 25.1 20.2 30.4





#77

Benzidine

Concen: 9.834 ng

RT: 12.804 min Scan# 1804

Delta R.T. -0.006 min

Lab File: BF143142.D

Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:184 Resp: 96484
 Ion Ratio Lower Upper
 184 100
 185 15.9 12.2 18.4
 183 10.9 9.0 13.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#78

Pyrene

Concen: 10.445 ng




RT: 12.922 min Scan# 1824


Delta R.T. -0.006 min

Lab File: BF143142.D

Acq: 17 Jul 2025 12:04

Tgt Ion:202 Resp: 227008
 Ion Ratio Lower Upper
 202 100
 200 19.6 15.7 23.5
 203 17.4 14.2 21.2






#79
 Terphenyl-d14
 Concen: 21.669 ng
 RT: 13.063 min Scan# 1849
 Delta R.T. -0.006 min
 Lab File: BF143142.D
 Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010






Tgt Ion:244 Resp: 370808
 Ion Ratio Lower Upper
 244 100
 212 6.1 5.2 7.8
 122 11.0 8.2 12.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#80
 Butylbenzylphthalate
 Concen: 9.024 ng
 RT: 13.539 min Scan# 1929
 Delta R.T. 0.000 min
 Lab File: BF143142.D
 Acq: 17 Jul 2025 12:04




Tgt Ion:149 Resp: 60055
 Ion Ratio Lower Upper
 149 100
 91 70.4 57.9 86.9
 206 21.3 17.0 25.4





#81
Benzo(a)anthracene
Concen: 10.207 ng
RT: 14.110 min Scan# 2026
Delta R.T. 0.000 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010




Tgt Ion:228 Resp: 174020
Ion Ratio Lower Upper
228 100
226 26.6 21.7 32.5
229 19.5 15.8 23.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#82
3,3'-Dichlorobenzidine
Concen: 9.802 ng
RT: 14.063 min Scan# 2018
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Tgt Ion:252 Resp: 55694
Ion Ratio Lower Upper
252 100
254 62.0 51.7 77.5
126 13.2 9.4 14.0





#83
 Chrysene
 Concen: 9.750 ng
 RT: 14.145 min Scan# 2032
 Delta R.T. -0.006 min
 Lab File: BF143142.D
 Acq: 17 Jul 2025 12:04




Instrument : BNA_F
 ClientSampleId : SSTDICC010



Tgt Ion: 228 Resp: 149440

Ion	Ratio	Lower	Upper
228	100		
226	30.0	23.8	35.8
229	19.3	15.6	23.4




Manual Integrations
APPROVED
 Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#84
 Bis(2-ethylhexyl)phthalate
 Concen: 9.549 ng
 RT: 14.098 min Scan# 2024
 Delta R.T. 0.000 min
 Lab File: BF143142.D
 Acq: 17 Jul 2025 12:04

Tgt Ion: 149 Resp: 96191


Ion	Ratio	Lower	Upper
149	100		
167	26.5	22.3	33.5
279	3.7	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 8.881 ng
RT: 14.710 min Scan# 2129
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC010



Tgt Ion:149 Resp: 162150
Ion Ratio Lower Upper
149 100
167 1.5 1.1 1.7
43 12.7 9.7 14.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.621 min Scan# 2283
Delta R.T. 0.000 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion:264 Resp: 273706
Ion Ratio Lower Upper
264 100
260 22.9 18.5 27.7
265 21.1 17.4 26.2





#87

Indeno(1,2,3-cd)pyrene

Concen: 9.475 ng

RT: 17.145 min Scan# 21

Delta R.T. -0.018 min

Lab File: BF143142.D

Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC010

Tgt Ion:276 Resp: 182869

Ion Ratio Lower Upper

276 100

138 28.3 21.8 32.6





277 25.1 20.0 30.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#88

Benzo(b)fluoranthene

Concen: 9.296 ng

RT: 15.174 min Scan# 2207

Delta R.T. -0.006 min

Lab File: BF143142.D

Acq: 17 Jul 2025 12:04




Tgt Ion:252 Resp: 155430


Ion Ratio Lower Upper

252 100

253 21.5 17.5 26.3

125 10.5 8.0 12.0









#89
Benzo(k)fluoranthene
Concen: 10.567 ng
RT: 15.204 min Scan# 211
Delta R.T. -0.006 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:252 Resp: 157663
Ion Ratio Lower Upper
252 100
253 21.9 17.8 26.6
125 10.1 8.1 12.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#90
Benzo(a)pyrene
Concen: 9.792 ng
RT: 15.551 min Scan# 2271
Delta R.T. -0.012 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion:252 Resp: 150853
Ion Ratio Lower Upper
252 100
253 21.5 17.3 25.9
125 11.9 8.6 13.0





#91
Dibenzo(a,h)anthracene
Concen: 9.611 ng
RT: 17.162 min Scan# 21
Delta R.T. -0.018 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Instrument :

BNA_F

ClientSampleId :





SSTDICC010

Tgt Ion:278 Resp: 15097
Ion Ratio Lower Upper
278 100
139 17.8 14.1 21.1
279 23.1 18.6 28.0

Manual Integrations




APPROVED

Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#92
Benzo(g,h,i)perylene
Concen: 9.433 ng
RT: 17.609 min Scan# 2621
Delta R.T. -0.018 min
Lab File: BF143142.D
Acq: 17 Jul 2025 12:04

Tgt Ion:276 Resp: 143342
Ion Ratio Lower Upper
276 100
277 23.5 19.1 28.7
138 24.2 18.9 28.3



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143143.D
 Acq On : 17 Jul 2025 12:34
 Operator : RC/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC020

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:02:41 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	168491	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	642580	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	329670	20.000	ng	0.00
64) Phenanthrene-d10	11.480	188	532921	20.000	ng	0.00
76) Chrysene-d12	14.121	240	305398	20.000	ng	0.00
86) Perylene-d12	15.621	264	338518	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.581	112	444546	41.752	ng	0.00
7) Phenol-d6	6.575	99	558427	41.668	ng	-0.01
23) Nitrobenzene-d5	7.516	82	535581m	41.547	ng	0.00
42) 2,4,6-Tribromophenol	10.780	330	139748	41.034	ng	0.00
45) 2-Fluorobiphenyl	9.316	172	1019688	42.301	ng	0.00
79) Terphenyl-d14	13.063	244	866830	42.238	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.810	88	103481	20.540	ng	99
3) Pyridine	3.581	79	261405	19.990	ng	99
4) n-Nitrosodimethylamine	3.510	42	134638	19.942	ng	99
6) Aniline	6.622	93	382991	20.505	ng	99
8) 2-Chlorophenol	6.745	128	231044	20.702	ng	98
9) Benzaldehyde	6.510	77	196003	19.504	ng	98
10) Phenol	6.593	94	299259m	20.497	ng	
11) bis(2-Chloroethyl)ether	6.692	93	232425	20.792	ng	98
12) 1,3-Dichlorobenzene	6.904	146	251734	20.763	ng	99
13) 1,4-Dichlorobenzene	6.981	146	253137	20.733	ng	100
14) 1,2-Dichlorobenzene	7.134	146	243437	20.963	ng	99
15) Benzyl Alcohol	7.092	79	210016	20.524	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.234	45	428827	20.680	ng	100
17) 2-Methylphenol	7.198	107	192172	20.479	ng	99
18) Hexachloroethane	7.481	117	88036	20.828	ng	98
19) n-Nitroso-di-n-propyla...	7.363	70	173142	20.137	ng	97
20) 3+4-Methylphenols	7.351	107	247578	21.745	ng	96
22) Acetophenone	7.363	105	321774	21.151	ng	# 99
24) Nitrobenzene	7.534	77	249251	20.739	ng	98
25) Isophorone	7.775	82	457146	20.088	ng	99
26) 2-Nitrophenol	7.851	139	105681	20.261	ng	98
27) 2,4-Dimethylphenol	7.887	122	218960	20.594	ng	99
28) bis(2-Chloroethoxy)met...	7.987	93	283946	20.811	ng	100
29) 2,4-Dichlorophenol	8.092	162	184432	20.569	ng	99
30) 1,2,4-Trichlorobenzene	8.181	180	204103	21.070	ng	98
31) Naphthalene	8.263	128	662968	20.949	ng	100
32) Benzoic acid	7.957	122	95515m	19.382	ng	
33) 4-Chloroaniline	8.304	127	269101	20.825	ng	99
34) Hexachlorobutadiene	8.386	225	122624	20.722	ng	98
35) Caprolactam	8.651	113	53950	19.911	ng	95
36) 4-Chloro-3-methylphenol	8.775	107	197317	20.246	ng	99
37) 2-Methylnaphthalene	8.957	142	403298	20.943	ng	100
38) 1-Methylnaphthalene	9.057	142	417629	21.060	ng	100
40) 1,2,4,5-Tetrachloroben...	9.122	216	198009	20.804	ng	99
41) Hexachlorocyclopentadiene	9.116	237	122922	19.848	ng	100
43) 2,4,6-Trichlorophenol	9.228	196	135703	20.601	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143143.D
 Acq On : 17 Jul 2025 12:34
 Operator : RC/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :

BNA_F

ClientSampleId :

SSTDICC020

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:02:41 2025

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Thu Jul 17 14:54:43 2025


Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.263	196	135634	20.584	ng	99
46) 1,1'-Biphenyl	9.416	154	540637	21.019	ng	100
47) 2-Chloronaphthalene	9.445	162	393002	20.650	ng	99
48) 2-Nitroaniline	9.528	65	122517	20.528	ng	99
49) Acenaphthylene	9.857	152	663048	20.789	ng	100
50) Dimethylphthalate	9.710	163	441768	20.558	ng	100
51) 2,6-Dinitrotoluene	9.769	165	89742	20.529	ng	97
52) Acenaphthene	10.033	154	390249	20.702	ng	99
53) 3-Nitroaniline	9.933	138	103870	20.314	ng	94
54) 2,4-Dinitrophenol	10.039	184	26820	19.073	ng #	1
55) Dibenzofuran	10.204	168	582320	20.806	ng	98
56) 4-Nitrophenol	10.081	139	75275	19.715	ng	99
57) 2,4-Dinitrotoluene	10.169	165	112851	20.577	ng	99
58) Fluorene	10.545	166	435866	20.750	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.316	232	113851	20.859	ng	100
60) Diethylphthalate	10.410	149	440058	20.719	ng	100
61) 4-Chlorophenyl-phenyle...	10.539	204	216496	20.699	ng	99
62) 4-Nitroaniline	10.545	138	87666	20.005	ng	99
63) Azobenzene	10.698	77	458013	20.690	ng	99
65) 4,6-Dinitro-2-methylph...	10.580	198	46122	20.060	ng	95
66) n-Nitrosodiphenylamine	10.651	169	384467	20.488	ng	100
67) 4-Bromophenyl-phenylether	11.028	248	128663	20.259	ng	99
68) Hexachlorobenzene	11.098	284	134031	20.191	ng	99
69) Atrazine	11.169	200	105386	20.370	ng	99
70) Pentachlorophenol	11.280	266	77906	19.957	ng	99
71) Phenanthrene	11.510	178	595411	21.042	ng	99
72) Anthracene	11.557	178	604416	20.944	ng	99
73) Carbazole	11.704	167	523365	20.769	ng	100
74) Di-n-butylphthalate	12.039	149	601867	21.108	ng	100
75) Fluoranthene	12.692	202	542662	20.894	ng	99
77) Benzidine	12.810	184	257904	21.919	ng	99
78) Pyrene	12.922	202	544650	20.897	ng	99
80) Butylbenzylphthalate	13.539	149	163546	20.491	ng	99
81) Benzo(a)anthracene	14.110	228	421791	20.629	ng	99
82) 3,3'-Dichlorobenzidine	14.068	252	151153	22.181	ng	100
83) Chrysene	14.145	228	380799	20.714	ng	99
84) Bis(2-ethylhexyl)phtha...	14.098	149	251739	20.839	ng	99
85) Di-n-octyl phthalate	14.716	149	436102	19.916	ng	99
87) Indeno(1,2,3-cd)pyrene	17.151	276	484240	20.286	ng	99
88) Benzo(b)fluoranthene	15.174	252	435747	21.071	ng	99
89) Benzo(k)fluoranthene	15.204	252	369899	20.044	ng	100
90) Benzo(a)pyrene	15.557	252	388136	20.371	ng	99
91) Dibenzo(a,h)anthracene	17.168	278	398949	20.534	ng	99
92) Benzo(g,h,i)perylene	17.615	276	385915	20.534	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Manual Integrations


Quant Time: Jul 17 15:02:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 14:54:43 2025
Response via : Initial Calibration





#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.963 min Scan# 81
 Delta R.T. 0.000 min
 Lab File: BF143143.D
 Acq: 17 Jul 2025 12:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC020




Tgt Ion:152 Resp: 16849
 Ion Ratio Lower Upper
 152 100
 150 157.5 128.2 192.4
 115 60.1 47.9 71.9

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#2
 1,4-Dioxane
 Concen: 20.540 ng
 RT: 2.810 min Scan# 105
 Delta R.T. -0.012 min
 Lab File: BF143143.D
 Acq: 17 Jul 2025 12:34




Tgt Ion: 88 Resp: 103481
 Ion Ratio Lower Upper
 88 100
 58 86.7 70.2 105.2
 43 33.8 27.1 40.7





#3
Pyridine
Concen: 19.990 ng
RT: 3.581 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion: 79 Resp: 26140
Ion Ratio Lower Upper
79 100
52 85.9 69.4 104.2
51 42.1 33.5 50.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#4
n-Nitrosodimethylamine
Concen: 19.942 ng
RT: 3.510 min Scan# 224
Delta R.T. -0.023 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion: 42 Resp: 134638
Ion Ratio Lower Upper
42 100
74 115.7 91.7 137.5
44 7.6 5.6 8.4









#5
2-Fluorophenol
Concen: 41.752 ng
RT: 5.581 min Scan# 511
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:112 Resp: 444540
Ion Ratio Lower Upper
112 100
64 66.4 53.1 79.7
63 33.1 26.6 40.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#6
Aniline
Concen: 20.505 ng
RT: 6.622 min Scan# 753
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34


Tgt Ion: 93 Resp: 382991
Ion Ratio Lower Upper
93 100
66 41.0 33.2 49.8
65 20.7 16.9 25.3





#7
Phenol-d6
Concen: 41.668 ng
RT: 6.575 min Scan# 747
Delta R.T. -0.012 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion: 99 Resp: 55842
Ion Ratio Lower Upper
99 100
42 21.5 17.0 25.6
71 33.9 27.7 41.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#8
2-Chlorophenol
Concen: 20.702 ng
RT: 6.745 min Scan# 774
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion:128 Resp: 231044
Ion Ratio Lower Upper
128 100
130 32.5 12.3 52.3
64 54.0 35.9 75.9









#9
Benzaldehyde
Concen: 19.504 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 77 Resp: 19600
Ion Ratio Lower Upper
77 100
105 95.3 76.8 116.8
106 92.0 74.4 114.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#10
Phenol
Concen: 20.497 ng m
RT: 6.593 min Scan# 748
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Tgt Ion: 94 Resp: 299259
Ion Ratio Lower Upper
94 100
65 29.0 10.0 50.0
66 38.8 20.8 60.8





#11
bis(2-Chloroethyl)ether
Concen: 20.792 ng
RT: 6.692 min Scan# 765
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC020

Tgt Ion: 93 Resp: 232425
Ion Ratio Lower Upper
93 100
63 80.9 63.4 103.4
95 31.9 12.4 52.4

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#12
1,3-Dichlorobenzene
Concen: 20.763 ng
RT: 6.904 min Scan# 801
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Tgt Ion:146 Resp: 251734
Ion Ratio Lower Upper
146 100
148 62.7 50.6 76.0
75 33.7 27.4 41.2









#13
1,4-Dichlorobenzene
Concen: 20.733 ng
RT: 6.981 min Scan# 814
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:146 Resp: 253137
Ion Ratio Lower Upper
146 100
148 62.9 50.3 75.5
111 43.0 34.4 51.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#14
1,2-Dichlorobenzene
Concen: 20.963 ng
RT: 7.134 min Scan# 840
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Tgt Ion:146 Resp: 243437
Ion Ratio Lower Upper
146 100
148 63.4 50.7 76.1
111 44.0 36.6 54.8





#15
Benzyl Alcohol
Concen: 20.524 ng
RT: 7.092 min Scan# 811
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC020

Tgt Ion: 79 Resp: 210010
Ion Ratio Lower Upper
79 100
108 75.0 61.1 91.7
77 60.5 48.9 73.3

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 20.680 ng
RT: 7.234 min Scan# 857
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Tgt Ion: 45 Resp: 428827
Ion Ratio Lower Upper
45 100
77 11.2 0.0 31.2
79 8.4 0.0 28.5






#17
2-Methylphenol
Concen: 20.479 ng
RT: 7.198 min Scan# 851
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020






Tgt Ion:107 Resp: 192172
Ion Ratio Lower Upper
107 100
108 114.3 91.8 137.6
77 45.6 37.0 55.6
79 45.8 36.9 55.3

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#18
Hexachloroethane
Concen: 20.828 ng
RT: 7.481 min Scan# 899
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34


Tgt Ion:117 Resp: 88036
Ion Ratio Lower Upper
117 100
119 95.5 77.8 116.8
201 94.8 77.0 115.4





#19
n-Nitroso-di-n-propylamine
Concen: 20.137 ng
RT: 7.363 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion: 70 Resp: 17314
Ion Ratio Lower Upper
70 100
42 68.6 52.5 78.7
101 9.4 7.6 11.4
130 19.7 16.1 24.1

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#20
3+4-Methylphenols
Concen: 21.745 ng
RT: 7.351 min Scan# 877
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion:107 Resp: 247578
Ion Ratio Lower Upper
107 100
108 90.7 70.0 110.0
77 70.4 57.8 97.8
79 29.5 9.5 49.5






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1029
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020






Tgt Ion:136 Resp: 642580
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 10.2 8.2 12.2
68 6.5 5.4 8.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#22
Acetophenone
Concen: 21.151 ng
RT: 7.363 min Scan# 879
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Tgt Ion:105 Resp: 321774
Ion Ratio Lower Upper
105 100
71 9.0 5.8 8.6#
51 36.8 30.2 45.2
120 22.9 18.2 27.4









#23
Nitrobenzene-d5
Concen: 41.547 ng m
RT: 7.516 min Scan# 905
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 82 Resp: 53558
Ion Ratio Lower Upper
82 100
128 41.9 33.6 50.4
54 59.8 47.1 70.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#24
Nitrobenzene
Concen: 20.739 ng
RT: 7.534 min Scan# 908
Delta R.T. -0.012 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34


Tgt Ion: 77 Resp: 249251
Ion Ratio Lower Upper
77 100
123 43.5 36.1 54.1
65 14.1 11.4 17.2





#25
Isophorone
Concen: 20.088 ng
RT: 7.775 min Scan# 949
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
Client Sample Id :
SSTDICC020




Tgt Ion: 82 Resp: 457140
Ion Ratio Lower Upper
82 100
95 6.9 5.5 8.3
138 17.7 13.8 20.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#26
2-Nitrophenol
Concen: 20.261 ng
RT: 7.851 min Scan# 962
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion:139 Resp: 105681
Ion Ratio Lower Upper
139 100
109 29.0 23.6 35.4
65 55.2 42.6 64.0





#27

2,4-Dimethylphenol

Concen: 20.594 ng

RT: 7.887 min Scan# 90

Delta R.T. 0.000 min

Lab File: BF143143.D

Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020

Tgt Ion:122 Resp: 218960

Ion Ratio Lower Upper

122 100

107 114.5 91.8 137.6





121 56.1 46.3 69.5

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#28

bis(2-Chloroethoxy)methane

Concen: 20.811 ng

RT: 7.987 min Scan# 985

Delta R.T. 0.000 min

Lab File: BF143143.D

Acq: 17 Jul 2025 12:34




Tgt Ion: 93 Resp: 283946


Ion Ratio Lower Upper

93 100

95 32.2 25.8 38.6

123 11.6 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 20.569 ng

RT: 8.092 min Scan# 1003

Delta R.T. -0.006 min

Lab File: BF143143.D

Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020

Tgt Ion:162 Resp: 18443

Ion Ratio Lower Upper

162 100

164 64.4 44.2 84.2





98 38.8 17.9 57.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#30

1,2,4-Trichlorobenzene

Concen: 21.070 ng

RT: 8.181 min Scan# 1018

Delta R.T. -0.006 min

Lab File: BF143143.D

Acq: 17 Jul 2025 12:34




Tgt Ion:180 Resp: 204103


Ion Ratio Lower Upper

180 100

182 93.3 76.2 114.2

145 32.2 25.0 37.6





#31
Naphthalene
Concen: 20.949 ng
RT: 8.263 min Scan# 1033
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020





Tgt Ion:128 Resp: 662968
Ion Ratio Lower Upper
128 100
129 11.1 9.0 13.4
127 13.1 10.6 16.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#32
Benzoic acid
Concen: 19.382 ng m
RT: 7.957 min Scan# 980
Delta R.T. -0.035 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Tgt Ion:122 Resp: 95515
Ion Ratio Lower Upper
122 100
105 126.7 104.8 144.8
77 99.7 77.6 117.6





#33
4-Chloroaniline
Concen: 20.825 ng
RT: 8.304 min Scan# 1039
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020





Tgt Ion:127 Resp: 26910
Ion Ratio Lower Upper
127 100
129 32.2 26.0 39.0
65 34.8 27.4 41.2
92 21.1 16.8 25.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#34
Hexachlorobutadiene
Concen: 20.722 ng
RT: 8.386 min Scan# 1053
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Tgt Ion:225 Resp: 122624
Ion Ratio Lower Upper
225 100
223 64.3 49.8 74.6
227 64.1 50.2 75.4





#35
Caprolactam
Concen: 19.911 ng
RT: 8.651 min Scan# 1103
Delta R.T. -0.029 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC020

Tgt Ion:113 Resp: 53950
Ion Ratio Lower Upper
113 100
55 202.9 174.0 214.0
56 152.2 126.6 166.6

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#36
4-Chloro-3-methylphenol
Concen: 20.246 ng
RT: 8.775 min Scan# 1119
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34


Tgt Ion:107 Resp: 197317
Ion Ratio Lower Upper
107 100
144 24.6 19.8 29.6
142 76.4 60.6 90.8





#37
2-Methylnaphthalene
Concen: 20.943 ng
RT: 8.957 min Scan# 1150
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020



Tgt Ion:142 Resp: 403298
Ion Ratio Lower Upper
142 100
141 87.5 69.9 104.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#38
1-Methylnaphthalene
Concen: 21.060 ng
RT: 9.057 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Tgt Ion:142 Resp: 417629
Ion Ratio Lower Upper
142 100
141 90.0 72.3 108.5






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.998 min Scan# 1178
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020






Tgt Ion:164 Resp: 329670
Ion Ratio Lower Upper
164 100
162 97.5 79.0 118.6
160 43.2 35.1 52.7

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#40
1,2,4,5-Tetrachlorobenzene
Concen: 20.804 ng
RT: 9.122 min Scan# 1178
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion:216 Resp: 198009
Ion Ratio Lower Upper
216 100
214 79.4 63.8 95.8
179 21.0 16.4 24.6
108 19.9 15.6 23.4





#41
Hexachlorocyclopentadiene
Concen: 19.848 ng
RT: 9.116 min Scan# 1177
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC020

Tgt Ion:237 Resp: 12292
Ion Ratio Lower Upper
237 100
235 63.2 43.0 83.0
272 13.2 0.0 33.3

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#42
2,4,6-Tribromophenol
Concen: 41.034 ng
RT: 10.780 min Scan# 1460
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34


Tgt Ion:330 Resp: 139748
Ion Ratio Lower Upper
330 100
332 97.9 76.7 115.1
141 30.4 23.3 34.9





#43
2,4,6-Trichlorophenol
Concen: 20.601 ng
RT: 9.228 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion:196 Resp: 13570
Ion Ratio Lower Upper
196 100
198 95.4 76.2 114.2
200 29.9 23.9 35.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#44
2,4,5-Trichlorophenol
Concen: 20.584 ng
RT: 9.263 min Scan# 1202
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Tgt Ion:196 Resp: 135634
Ion Ratio Lower Upper
196 100
198 95.3 77.3 115.9
97 51.2 40.3 60.5
132 29.3 23.1 34.7





#45
2-Fluorobiphenyl
Concen: 42.301 ng
RT: 9.316 min Scan# 1211
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion:172 Resp: 1019688
Ion Ratio Lower Upper
172 100
171 35.2 28.6 42.8
170 23.2 18.8 28.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#46
1,1'-Biphenyl
Concen: 21.019 ng
RT: 9.416 min Scan# 1228
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion:154 Resp: 540637
Ion Ratio Lower Upper
154 100
153 40.2 20.3 60.3
76 13.9 0.0 33.3





#47

2-Chloronaphthalene

Concen: 20.650 ng

RT: 9.445 min Scan# 1233

Delta R.T. 0.000 min

Lab File: BF143143.D


Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020



Tgt Ion:162 Resp: 393002

Ion Ratio Lower Upper

162 100

127 40.6 33.4 50.2




164 32.9 26.2 39.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#48

2-Nitroaniline

Concen: 20.528 ng

RT: 9.528 min Scan# 1247

Delta R.T. -0.006 min

Lab File: BF143143.D

Acq: 17 Jul 2025 12:34




Tgt Ion: 65 Resp: 122517


Ion Ratio Lower Upper

65 100

92 65.6 52.4 78.6

138 100.8 82.3 123.5






#49
Acenaphthylene
Concen: 20.789 ng
RT: 9.857 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020






Tgt Ion:152 Resp: 663048
Ion Ratio Lower Upper
152 100
151 20.2 16.2 24.2
153 13.3 10.6 16.0

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#50
Dimethylphthalate
Concen: 20.558 ng
RT: 9.710 min Scan# 1278
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion:163 Resp: 441768
Ion Ratio Lower Upper
163 100
194 4.4 3.4 5.2
164 10.3 8.3 12.5





#51
2,6-Dinitrotoluene
Concen: 20.529 ng
RT: 9.769 min Scan# 1288
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC020

Tgt Ion:165 Resp: 8974
Ion Ratio Lower Upper
165 100
63 63.2 49.4 74.2
89 60.6 46.2 69.2

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#52
Acenaphthene
Concen: 20.702 ng
RT: 10.033 min Scan# 1333
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Tgt Ion:154 Resp: 390249
Ion Ratio Lower Upper
154 100
153 107.3 86.6 129.8
152 50.9 40.4 60.6






#53
3-Nitroaniline
Concen: 20.314 ng
RT: 9.933 min Scan# 1316
Delta R.T. -0.012 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020






Tgt Ion:138 Resp: 103870
Ion Ratio Lower Upper
138 100
108 11.7 9.0 13.6
92 123.4 93.0 139.4

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#54
2,4-Dinitrophenol
Concen: 19.073 ng
RT: 10.039 min Scan# 1334
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34


Tgt Ion:184 Resp: 26820
Ion Ratio Lower Upper
184 100
63 145.3 81.8 122.6#
154 980.0 412.2 618.4#





#55
Dibenzenofuran
Concen: 20.806 ng
RT: 10.204 min Scan# 1362
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion:168 Resp: 582320
Ion Ratio Lower Upper
168 100
139 35.9 29.5 44.3
169 13.1 10.9 16.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#56
4-Nitrophenol
Concen: 19.715 ng
RT: 10.081 min Scan# 1341
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Tgt Ion:139 Resp: 75275
Ion Ratio Lower Upper
139 100
109 68.3 48.5 88.5
65 105.1 83.4 123.4





#57
2,4-Dinitrotoluene
Concen: 20.577 ng
RT: 10.169 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020



Tgt Ion:165 Resp: 11285
Ion Ratio Lower Upper
165 100
63 49.9 41.0 61.4
89 77.0 61.1 91.7
182 2.9 2.3 3.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#58
Fluorene
Concen: 20.750 ng
RT: 10.545 min Scan# 1420
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34


Tgt Ion:166 Resp: 435866
Ion Ratio Lower Upper
166 100
165 92.1 73.7 110.5
167 13.8 10.6 16.0





#59
2,3,4,6-Tetrachlorophenol
Concen: 20.859 ng
RT: 10.316 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020



Tgt Ion:232 Resp: 11385
Ion Ratio Lower Upper
232 100
131 44.3 35.3 52.9
130 2.1 1.7 2.5
166 29.1 23.4 35.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#60
Diethylphthalate
Concen: 20.719 ng
RT: 10.410 min Scan# 1397
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34


Tgt Ion:149 Resp: 440058
Ion Ratio Lower Upper
149 100
177 21.7 17.5 26.3
150 12.5 10.2 15.2





#61
4-Chlorophenyl-phenylether
Concen: 20.699 ng
RT: 10.539 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion:204 Resp: 216490
Ion Ratio Lower Upper
204 100
206 32.4 25.8 38.8
141 57.8 47.0 70.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#62
4-Nitroaniline
Concen: 20.005 ng
RT: 10.545 min Scan# 1420
Delta R.T. -0.012 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Tgt Ion:138 Resp: 87666
Ion Ratio Lower Upper
138 100
92 50.7 29.3 69.3
108 69.0 48.3 88.3





#63
Azobenzene
Concen: 20.690 ng
RT: 10.698 min Scan# 1446
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion: 77 Resp: 45801
Ion Ratio Lower Upper
77 100
182 25.8 4.6 44.6
105 21.8 1.4 41.4
51 33.5 13.7 53.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.480 min Scan# 1579
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion:188 Resp: 532921
Ion Ratio Lower Upper
188 100
94 11.0 8.3 12.5
80 11.9 9.0 13.6









#65
4,6-Dinitro-2-methylphenol
Concen: 20.060 ng
RT: 10.580 min Scan# 1427
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:198 Resp: 4612
Ion Ratio Lower Upper
198 100
51 52.7 37.2 77.2
105 43.1 24.8 64.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#66
n-Nitrosodiphenylamine
Concen: 20.488 ng
RT: 10.651 min Scan# 1438
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34


Tgt Ion:169 Resp: 384467
Ion Ratio Lower Upper
169 100
168 65.6 52.1 78.1
167 35.4 28.2 42.2





#67
4-Bromophenyl-phenylether
Concen: 20.259 ng
RT: 11.028 min Scan# 1502
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion:248 Resp: 12866
Ion Ratio Lower Upper
248 100
250 97.8 78.3 117.5
141 72.3 59.2 88.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#68
Hexachlorobenzene
Concen: 20.191 ng
RT: 11.098 min Scan# 1514
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion:284 Resp: 134031
Ion Ratio Lower Upper
284 100
142 32.7 27.0 40.6
249 31.5 25.0 37.6





#69

Atrazine

Concen: 20.370 ng

RT: 11.169 min Scan# 1526

Delta R.T. -0.006 min

Lab File: BF143143.D

Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020

Tgt Ion:200 Resp: 105380

Ion Ratio Lower Upper

200 100

173 27.7 7.9 47.9





215 51.0 30.1 70.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#70

Pentachlorophenol

Concen: 19.957 ng

RT: 11.280 min Scan# 1545

Delta R.T. -0.006 min

Lab File: BF143143.D

Acq: 17 Jul 2025 12:34




Tgt Ion:266 Resp: 77906


Ion Ratio Lower Upper

266 100

268 64.3 51.9 77.9


264 62.6 51.0 76.6





#71
Phenanthrene
Concen: 21.042 ng
RT: 11.510 min Scan# 1584
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion:178 Resp: 59541
Ion Ratio Lower Upper
178 100
176 19.0 15.3 22.9
179 15.2 12.5 18.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#72
Anthracene
Concen: 20.944 ng
RT: 11.557 min Scan# 1592
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Tgt Ion:178 Resp: 604416
Ion Ratio Lower Upper
178 100
176 18.0 15.0 22.4
179 15.4 12.5 18.7





#73
 Carbazole
 Concen: 20.769 ng
 RT: 11.704 min Scan# 1617
 Delta R.T. -0.006 min
 Lab File: BF143143.D
 Acq: 17 Jul 2025 12:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC020




Tgt Ion:167 Resp: 52336
 Ion Ratio Lower Upper
 167 100
 166 21.2 17.0 25.6
 139 12.7 10.0 15.0

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#74
 Di-n-butylphthalate
 Concen: 21.108 ng
 RT: 12.039 min Scan# 1674
 Delta R.T. 0.000 min
 Lab File: BF143143.D
 Acq: 17 Jul 2025 12:34



Tgt Ion:149 Resp: 601867
 Ion Ratio Lower Upper
 149 100
 150 9.2 7.4 11.2
 104 4.7 3.8 5.8





#75

Fluoranthene

Concen: 20.894 ng

RT: 12.692 min Scan# 1785

Delta R.T. -0.006 min

Lab File: BF143143.D

Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020

Tgt Ion:202 Resp: 542662

Ion Ratio Lower Upper

202 100

101 12.5 0.0 31.7





203 17.7 0.0 37.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.121 min Scan# 2028

Delta R.T. 0.000 min

Lab File: BF143143.D

Acq: 17 Jul 2025 12:34




Tgt Ion:240 Resp: 305398


Ion Ratio Lower Upper

240 100

120 11.3 9.4 14.2


236 25.5 20.2 30.4





#77
Benzidine
Concen: 21.919 ng
RT: 12.810 min Scan# 1805
Delta R.T. -0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion:184 Resp: 257904
Ion Ratio Lower Upper
184 100
185 14.9 12.2 18.4
183 10.7 9.0 13.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#78
Pyrene
Concen: 20.897 ng
RT: 12.922 min Scan# 1824
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion:202 Resp: 544650
Ion Ratio Lower Upper
202 100
200 19.1 15.7 23.5
203 17.6 14.2 21.2





#79
Terphenyl-d14
Concen: 42.238 ng
RT: 13.063 min Scan# 1848
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020





Tgt Ion:244 Resp: 866830
Ion Ratio Lower Upper
244 100
212 6.3 5.2 7.8
122 11.3 8.2 12.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#80
Butylbenzylphthalate
Concen: 20.491 ng
RT: 13.539 min Scan# 1929
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Tgt Ion:149 Resp: 163546
Ion Ratio Lower Upper
149 100
91 71.2 57.9 86.9
206 21.4 17.0 25.4





#81

Benzo(a)anthracene

Concen: 20.629 ng

RT: 14.110 min Scan# 2026

Delta R.T. 0.000 min

Lab File: BF143143.D

Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020

Tgt Ion:228 Resp: 42179

Ion Ratio Lower Upper

228 100

226 26.6 21.7 32.5





229 19.8 15.8 23.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#82

3,3'-Dichlorobenzidine

Concen: 22.181 ng

RT: 14.068 min Scan# 2019

Delta R.T. 0.000 min

Lab File: BF143143.D

Acq: 17 Jul 2025 12:34




Tgt Ion:252 Resp: 151153


Ion Ratio Lower Upper

252 100

254 64.9 51.7 77.5


126 12.0 9.4 14.0





#83
 Chrysene
 Concen: 20.714 ng
 RT: 14.145 min Scan# 2032
 Delta R.T. -0.006 min
 Lab File: BF143143.D
 Acq: 17 Jul 2025 12:34

Instrument : BNA_F
 ClientSampleId : SSTDICC020






Tgt Ion: 228 Resp: 380799

Ion	Ratio	Lower	Upper
228	100		
226	29.3	23.8	35.8
229	19.9	15.6	23.4

Manual Integrations
 APPROVED




Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#84
 Bis(2-ethylhexyl)phthalate
 Concen: 20.839 ng
 RT: 14.098 min Scan# 2024
 Delta R.T. 0.000 min
 Lab File: BF143143.D
 Acq: 17 Jul 2025 12:34

Tgt Ion: 149 Resp: 251739


Ion	Ratio	Lower	Upper
149	100		
167	28.2	22.3	33.5
279	4.3	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 19.916 ng
RT: 14.716 min Scan# 2129
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion:149 Resp: 436102
Ion Ratio Lower Upper
149 100
167 1.5 1.1 1.7
43 12.4 9.7 14.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#86
Perylene-d12
Concen: 20.000 ng
RT: 15.621 min Scan# 2283
Delta R.T. 0.000 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion:264 Resp: 338518
Ion Ratio Lower Upper
264 100
260 23.1 18.5 27.7
265 21.7 17.4 26.2






#87
Indeno(1,2,3-cd)pyrene
Concen: 20.286 ng
RT: 17.151 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020






Tgt Ion:276 Resp: 484240
Ion Ratio Lower Upper
276 100
138 27.8 21.8 32.6
277 25.3 20.0 30.0

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#88
Benzo(b)fluoranthene
Concen: 21.071 ng
RT: 15.174 min Scan# 2207
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Tgt Ion:252 Resp: 435747
Ion Ratio Lower Upper
252 100
253 21.7 17.5 26.3
125 10.4 8.0 12.0





#89
Benzo(k)fluoranthene
Concen: 20.044 ng
RT: 15.204 min Scan# 211
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC020




Tgt Ion:252 Resp: 369899
Ion Ratio Lower Upper
252 100
253 22.0 17.8 26.6
125 10.2 8.1 12.1

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#90
Benzo(a)pyrene
Concen: 20.371 ng
RT: 15.557 min Scan# 2272
Delta R.T. -0.006 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion:252 Resp: 388136
Ion Ratio Lower Upper
252 100
253 21.2 17.3 25.9
125 11.0 8.6 13.0






#91
Dibenzo(a,h)anthracene
Concen: 20.534 ng
RT: 17.168 min Scan# 2546
Delta R.T. -0.012 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC020






Tgt Ion:278 Resp: 398949
Ion Ratio Lower Upper
278 100
139 18.2 14.1 21.1
279 23.4 18.6 28.0

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025



#92
Benzo(g,h,i)perylene
Concen: 20.534 ng
RT: 17.615 min Scan# 2622
Delta R.T. -0.012 min
Lab File: BF143143.D
Acq: 17 Jul 2025 12:34



Tgt Ion:276 Resp: 385915
Ion Ratio Lower Upper
276 100
277 23.3 19.1 28.7
138 23.3 18.9 28.3



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143144.D
 Acq On : 17 Jul 2025 13:03
 Operator : RC/JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:03:28 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	167098	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	641413	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	331881	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	542726	20.000	ng	0.00
76) Chrysene-d12	14.121	240	296414	20.000	ng	0.00
86) Perylene-d12	15.621	264	323574	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.587	112	823062	77.946	ng	0.00
7) Phenol-d6	6.587	99	1038821	78.160	ng	0.00
23) Nitrobenzene-d5	7.522	82	1023138	79.512	ng	0.00
42) 2,4,6-Tribromophenol	10.786	330	279373	81.485	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	1802398	74.274	ng	0.00
79) Terphenyl-d14	13.068	244	1554923	78.063	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.822	88	200396	40.108	ng	100
3) Pyridine	3.587	79	511417	39.435	ng	100
4) n-Nitrosodimethylamine	3.534	42	270676	40.426	ng	100
6) Aniline	6.622	93	736668	39.770	ng	100
8) 2-Chlorophenol	6.745	128	437914	39.565	ng	100
9) Benzaldehyde	6.516	77	482238	48.387	ng	100
10) Phenol	6.598	94	571741m	39.487	ng	
11) bis(2-Chloroethyl)ether	6.692	93	435450	39.279	ng	100
12) 1,3-Dichlorobenzene	6.904	146	468194	38.939	ng	100
13) 1,4-Dichlorobenzene	6.981	146	474015	39.147	ng	100
14) 1,2-Dichlorobenzene	7.134	146	448808	38.970	ng	100
15) Benzyl Alcohol	7.098	79	406107	40.017	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.234	45	808980	39.337	ng	100
17) 2-Methylphenol	7.204	107	366495	39.381	ng	100
18) Hexachloroethane	7.481	117	165263	39.425	ng	100
19) n-Nitroso-di-n-propyla...	7.375	70	329619	38.656	ng	100
20) 3+4-Methylphenols	7.357	107	448100	39.685	ng	100
22) Acetophenone	7.369	105	583796	38.444	ng	100
24) Nitrobenzene	7.545	77	481500	40.136	ng	100
25) Isophorone	7.781	82	888017	39.093	ng	100
26) 2-Nitrophenol	7.857	139	220354	42.323	ng	100
27) 2,4-Dimethylphenol	7.886	122	416128	39.210	ng	100
28) bis(2-Chloroethoxy)met...	7.986	93	529258	38.860	ng	100
29) 2,4-Dichlorophenol	8.098	162	353866	39.537	ng	100
30) 1,2,4-Trichlorobenzene	8.186	180	376590	38.947	ng	100
31) Naphthalene	8.269	128	1224033	38.749	ng	100
32) Benzoic acid	7.992	122	230958m	39.680	ng	
33) 4-Chloroaniline	8.310	127	500402	38.796	ng	100
34) Hexachlorobutadiene	8.386	225	231609	39.211	ng	100
35) Caprolactam	8.681	113	111733	41.312	ng	100
36) 4-Chloro-3-methylphenol	8.781	107	385507	39.628	ng	100
37) 2-Methylnaphthalene	8.957	142	744295	38.720	ng	100
38) 1-Methylnaphthalene	9.057	142	768508	38.825	ng	100
40) 1,2,4,5-Tetrachloroben...	9.122	216	365234	38.118	ng	100
41) Hexachlorocyclopentadiene	9.116	237	247480	39.695	ng	100
43) 2,4,6-Trichlorophenol	9.228	196	255115	38.471	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143144.D
 Acq On : 17 Jul 2025 13:03
 Operator : RC/JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025


Quant Time: Jul 17 15:03:28 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.269	196	268615	40.494	ng	100
46) 1,1'-Biphenyl	9.422	154	988537	38.177	ng	100
47) 2-Chloronaphthalene	9.445	162	731879	38.200	ng	100
48) 2-Nitroaniline	9.533	65	249908	41.594	ng	100
49) Acenaphthylene	9.863	152	1234789	38.458	ng	100
50) Dimethylphthalate	9.716	163	848828	39.238	ng	100
51) 2,6-Dinitrotoluene	9.775	165	184242	41.866	ng	100
52) Acenaphthene	10.033	154	727386	38.330	ng	100
53) 3-Nitroaniline	9.945	138	210179	40.832	ng	100
54) 2,4-Dinitrophenol	10.045	184	69157	38.449	ng	100
55) Dibenzofuran	10.204	168	1083678	38.462	ng	100
56) 4-Nitrophenol	10.086	139	163009	42.408	ng	100
57) 2,4-Dinitrotoluene	10.175	165	235101	42.581	ng	100
58) Fluorene	10.551	166	804336	38.037	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.322	232	220872	40.196	ng	100
60) Diethylphthalate	10.416	149	842184	39.387	ng	100
61) 4-Chlorophenyl-phenyle...	10.539	204	406477	38.604	ng	100
62) 4-Nitroaniline	10.557	138	185530	42.055	ng	100
63) Azobenzene	10.698	77	876387	39.326	ng	100
65) 4,6-Dinitro-2-methylph...	10.586	198	105533	38.322	ng	100
66) n-Nitrosodiphenylamine	10.657	169	731532	38.278	ng	100
67) 4-Bromophenyl-phenylether	11.027	248	247764	38.307	ng	100
68) Hexachlorobenzene	11.098	284	259758	38.424	ng	100
69) Atrazine	11.174	200	212970	40.421	ng	100
70) Pentachlorophenol	11.286	266	161013	40.500	ng	100
71) Phenanthrene	11.510	178	1107412	38.429	ng	100
72) Anthracene	11.563	178	1126710	38.336	ng	100
73) Carbazole	11.710	167	1008669	39.304	ng	100
74) Di-n-butylphthalate	12.039	149	1165443	40.135	ng	100
75) Fluoranthene	12.698	202	1034509	39.111	ng	100
77) Benzidine	12.810	184	564732	49.451	ng	100
78) Pyrene	12.927	202	1016822	40.195	ng	100
80) Butylbenzylphthalate	13.539	149	322273	41.603	ng	100
81) Benzo(a)anthracene	14.110	228	759726	38.283	ng	100
82) 3,3'-Dichlorobenzidine	14.068	252	254099	38.418	ng	100
83) Chrysene	14.151	228	715222	40.085	ng	100
84) Bis(2-ethylhexyl)phtha...	14.098	149	467892	39.906	ng	100
85) Di-n-octyl phthalate	14.715	149	820264	38.595	ng	100
87) Indeno(1,2,3-cd)pyrene	17.162	276	914626	40.086	ng	100
88) Benzo(b)fluoranthene	15.180	252	742346	37.554	ng	100
89) Benzo(k)fluoranthene	15.210	252	733635	41.591	ng	100
90) Benzo(a)pyrene	15.562	252	725344	39.826	ng	100
91) Dibenzo(a,h)anthracene	17.180	278	742180	39.964	ng	100
92) Benzo(g,h,i)perylene	17.627	276	717648	39.949	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Manual Integrations


Quant Time: Jul 17 15:03:28 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 14:54:43 2025
Response via : Initial Calibration





#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.963 min Scan# 811
 Delta R.T. 0.000 min
 Lab File: BF143144.D
 Acq: 17 Jul 2025 13:03




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC040



Tgt Ion:152 Resp: 167098
 Ion Ratio Lower Upper
 152 100
 150 160.3 128.2 192.4
 115 59.9 47.9 71.9




Manual Integrations
 APPROVED


Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025



#2
 1,4-Dioxane
 Concen: 40.108 ng
 RT: 2.822 min Scan# 107
 Delta R.T. 0.000 min
 Lab File: BF143144.D
 Acq: 17 Jul 2025 13:03


Tgt Ion: 88 Resp: 200396
 Ion Ratio Lower Upper
 88 100
 58 87.7 70.2 105.2
 43 33.9 27.1 40.7





#3
Pyridine
Concen: 39.435 ng
RT: 3.587 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion: 79 Resp: 51141
Ion Ratio Lower Upper
79 100
52 86.8 69.4 104.2
51 41.9 33.5 50.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#4
n-Nitrosodimethylamine
Concen: 40.426 ng
RT: 3.534 min Scan# 228
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03



Tgt Ion: 42 Resp: 270676
Ion Ratio Lower Upper
42 100
74 114.6 91.7 137.5
44 7.0 5.6 8.4









#5
2-Fluorophenol
Concen: 77.946 ng
RT: 5.587 min Scan# 511
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:112 Resp: 823062
Ion Ratio Lower Upper
112 100
64 66.4 53.1 79.7
63 33.3 26.6 40.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#6
Aniline
Concen: 39.770 ng
RT: 6.622 min Scan# 753
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03


Tgt Ion: 93 Resp: 736668
Ion Ratio Lower Upper
93 100
66 41.5 33.2 49.8
65 21.1 16.9 25.3





#7
Phenol-d6
Concen: 78.160 ng
RT: 6.587 min Scan# 747
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion: 99 Resp: 103882
Ion Ratio Lower Upper
99 100
42 21.3 17.0 25.6
71 34.6 27.7 41.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#8
2-Chlorophenol
Concen: 39.565 ng
RT: 6.745 min Scan# 774
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Tgt Ion:128 Resp: 437914
Ion Ratio Lower Upper
128 100
130 32.3 12.3 52.3
64 55.9 35.9 75.9





#9
Benzaldehyde
Concen: 48.387 ng
RT: 6.516 min Scan# 735
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion: 77 Resp: 482238
Ion Ratio Lower Upper
77 100
105 96.8 76.8 116.8
106 94.4 74.4 114.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#10
Phenol
Concen: 39.487 ng m
RT: 6.598 min Scan# 749
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03



Tgt Ion: 94 Resp: 571741
Ion Ratio Lower Upper
94 100
65 30.0 10.0 50.0
66 40.8 20.8 60.8









#11
bis(2-Chloroethyl)ether
Concen: 39.279 ng
RT: 6.692 min Scan# 765
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 93 Resp: 435450
Ion Ratio Lower Upper
93 100
63 83.4 63.4 103.4
95 32.4 12.4 52.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#12
1,3-Dichlorobenzene
Concen: 38.939 ng
RT: 6.904 min Scan# 801
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:146 Resp: 468194
Ion Ratio Lower Upper
146 100
148 63.3 50.6 76.0
75 34.3 27.4 41.2





#13

1,4-Dichlorobenzene

Concen: 39.147 ng

RT: 6.981 min Scan# 814

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040

Tgt Ion:146 Resp: 474015

Ion Ratio Lower Upper

146 100

148 62.9 50.3 75.5





111 43.0 34.4 51.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#14

1,2-Dichlorobenzene

Concen: 38.970 ng

RT: 7.134 min Scan# 840

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion:146 Resp: 448808


Ion Ratio Lower Upper

146 100

148 63.4 50.7 76.1

111 45.7 36.6 54.8









#15
Benzyl Alcohol
Concen: 40.017 ng
RT: 7.098 min Scan# 834
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 79 Resp: 406107
Ion Ratio Lower Upper
79 100
108 76.4 61.1 91.7
77 61.1 48.9 73.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.337 ng
RT: 7.234 min Scan# 857
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion: 45 Resp: 808980
Ion Ratio Lower Upper
45 100
77 11.2 0.0 31.2
79 8.5 0.0 28.5






#17
2-Methylphenol
Concen: 39.381 ng
RT: 7.204 min Scan# 852
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040






Tgt Ion:107 Resp: 366495
Ion Ratio Lower Upper
107 100
108 114.7 91.8 137.6
77 46.3 37.0 55.6
79 46.1 36.9 55.3

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#18
Hexachloroethane
Concen: 39.425 ng
RT: 7.481 min Scan# 899
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Tgt Ion:117 Resp: 165263
Ion Ratio Lower Upper
117 100
119 97.3 77.8 116.8
201 96.2 77.0 115.4





#19
n-Nitroso-di-n-propylamine
Concen: 38.656 ng
RT: 7.375 min Scan# 881
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040



Tgt Ion:	70	Resp:	329619
Ion	Ratio	Lower	Upper
70	100		
42	65.6	52.5	78.7
101	9.5	7.6	11.4
130	20.1	16.1	24.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#20
3+4-Methylphenols
Concen: 39.685 ng
RT: 7.357 min Scan# 878
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:	107	Resp:	448100
Ion	Ratio	Lower	Upper
107	100		
108	90.0	70.0	110.0
77	77.8	57.8	97.8
79	29.5	9.5	49.5






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1029
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040






Tgt Ion:136 Resp: 641411
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 10.2 8.2 12.2
68 6.8 5.4 8.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#22
Acetophenone
Concen: 38.444 ng
RT: 7.369 min Scan# 880
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:105 Resp: 583796
Ion Ratio Lower Upper
105 100
71 7.2 5.8 8.6
51 37.7 30.2 45.2
120 22.8 18.2 27.4





#23

Nitrobenzene-d5

Concen: 79.512 ng

RT: 7.522 min Scan# 906

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040

Tgt Ion: 82 Resp: 1023138

Ion Ratio Lower Upper

82 100

128 42.0 33.6 50.4





54 58.9 47.1 70.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#24

Nitrobenzene

Concen: 40.136 ng

RT: 7.545 min Scan# 910

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion: 77 Resp: 481500


Ion Ratio Lower Upper

77 100

123 45.1 36.1 54.1


65 14.3 11.4 17.2





#25
Isophorone
Concen: 39.093 ng
RT: 7.781 min Scan# 950
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion: 82 Resp: 88801
Ion Ratio Lower Upper
82 100
95 6.9 5.5 8.3
138 17.3 13.8 20.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#26
2-Nitrophenol
Concen: 42.323 ng
RT: 7.857 min Scan# 963
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03



Tgt Ion:139 Resp: 220354
Ion Ratio Lower Upper
139 100
109 29.5 23.6 35.4
65 53.3 42.6 64.0





#27
2,4-Dimethylphenol
Concen: 39.210 ng
RT: 7.886 min Scan# 968
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :





SSTDICCC040

Tgt Ion:122 Resp: 416128
Ion Ratio Lower Upper
122 100
107 114.7 91.8 137.6
121 57.9 46.3 69.5

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#28
bis(2-Chloroethoxy)methane
Concen: 38.860 ng
RT: 7.986 min Scan# 985
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion: 93 Resp: 529258
Ion Ratio Lower Upper
93 100
95 32.2 25.8 38.6
123 12.1 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 39.537 ng

RT: 8.098 min Scan# 1004

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040

Tgt Ion:162 Resp: 35386

Ion Ratio Lower Upper

162 100

164 64.2 44.2 84.2





98 37.9 17.9 57.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#30

1,2,4-Trichlorobenzene

Concen: 38.947 ng

RT: 8.186 min Scan# 1019

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion:180 Resp: 376590


Ion Ratio Lower Upper

180 100

182 95.2 76.2 114.2


145 31.3 25.0 37.6





#31
Naphthalene
Concen: 38.749 ng
RT: 8.269 min Scan# 1033
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion:128 Resp: 122403
Ion Ratio Lower Upper
128 100
129 11.2 9.0 13.4
127 13.3 10.6 16.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#32
Benzoic acid
Concen: 39.680 ng m
RT: 7.992 min Scan# 986
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03



Tgt Ion:122 Resp: 230958
Ion Ratio Lower Upper
122 100
105 124.8 104.8 144.8
77 97.6 77.6 117.6









#33
4-Chloroaniline
Concen: 38.796 ng
RT: 8.310 min Scan# 1040
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:127 Resp: 500402
Ion Ratio Lower Upper
127 100
129 32.5 26.0 39.0
65 34.3 27.4 41.2
92 21.0 16.8 25.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#34
Hexachlorobutadiene
Concen: 39.211 ng
RT: 8.386 min Scan# 1053
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03


Tgt Ion:225 Resp: 231609
Ion Ratio Lower Upper
225 100
223 62.2 49.8 74.6
227 62.8 50.2 75.4





#35
Caprolactam
Concen: 41.312 ng
RT: 8.681 min Scan# 1103
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040



Tgt Ion:113 Resp: 11173
Ion Ratio Lower Upper
113 100
55 194.0 174.0 214.0
56 146.6 126.6 166.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#36
4-Chloro-3-methylphenol
Concen: 39.628 ng
RT: 8.781 min Scan# 1120
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03


Tgt Ion:107 Resp: 385507
Ion Ratio Lower Upper
107 100
144 24.7 19.8 29.6
142 75.7 60.6 90.8





#37
2-Methylnaphthalene
Concen: 38.720 ng
RT: 8.957 min Scan# 1150
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040



Tgt Ion:142 Resp: 744295
Ion Ratio Lower Upper
142 100
141 87.4 69.9 104.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#38
1-Methylnaphthalene
Concen: 38.825 ng
RT: 9.057 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:142 Resp: 768508
Ion Ratio Lower Upper
142 100
141 90.4 72.3 108.5





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.998 min Scan# 1178

Delta R.T. 0.000 min

Lab File: BF143144.D


Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040



Tgt Ion:164 Resp: 33188




Ion	Ratio	Lower	Upper
164	100		
162	98.8	79.0	118.6
160	43.9	35.1	52.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 38.118 ng

RT: 9.122 min Scan# 1178




Delta R.T. 0.000 min


Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Tgt Ion:216 Resp: 365234


Ion	Ratio	Lower	Upper
216	100		
214	79.8	63.8	95.8
179	20.5	16.4	24.6
108	19.5	15.6	23.4





#41
Hexachlorocyclopentadiene
Concen: 39.695 ng
RT: 9.116 min Scan# 1177
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion:237 Resp: 247480
Ion Ratio Lower Upper
237 100
235 63.0 43.0 83.0
272 13.3 0.0 33.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#42
2,4,6-Tribromophenol
Concen: 81.485 ng
RT: 10.786 min Scan# 1461
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Tgt Ion:330 Resp: 279373
Ion Ratio Lower Upper
330 100
332 95.9 76.7 115.1
141 29.1 23.3 34.9





#43
2,4,6-Trichlorophenol
Concen: 38.471 ng
RT: 9.228 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion:196 Resp: 25511
Ion Ratio Lower Upper
196 100
198 95.2 76.2 114.2
200 29.9 23.9 35.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#44
2,4,5-Trichlorophenol
Concen: 40.494 ng
RT: 9.269 min Scan# 1203
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Tgt Ion:196 Resp: 268615
Ion Ratio Lower Upper
196 100
198 96.6 77.3 115.9
97 50.4 40.3 60.5
132 28.9 23.1 34.7





#45
2-Fluorobiphenyl
Concen: 74.274 ng
RT: 9.322 min Scan# 1212
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion:172 Resp: 1802398
Ion Ratio Lower Upper
172 100
171 35.7 28.6 42.8
170 23.5 18.8 28.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#46
1,1'-Biphenyl
Concen: 38.177 ng
RT: 9.422 min Scan# 1229
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Tgt Ion:154 Resp: 988537
Ion Ratio Lower Upper
154 100
153 40.3 20.3 60.3
76 13.3 0.0 33.3





#47
2-Chloronaphthalene
Concen: 38.200 ng
RT: 9.445 min Scan# 1233
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040



Tgt Ion:162 Resp: 731879
Ion Ratio Lower Upper
162 100
127 41.8 33.4 50.2
164 32.7 26.2 39.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#48
2-Nitroaniline
Concen: 41.594 ng
RT: 9.533 min Scan# 1248
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion: 65 Resp: 249908
Ion Ratio Lower Upper
65 100
92 65.5 52.4 78.6
138 102.9 82.3 123.5






#49
Acenaphthylene
Concen: 38.458 ng
RT: 9.863 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040






Tgt Ion:152 Resp: 1234789
Ion Ratio Lower Upper
152 100
151 20.2 16.2 24.2
153 13.3 10.6 16.0

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#50
Dimethylphthalate
Concen: 39.238 ng
RT: 9.716 min Scan# 1279
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Tgt Ion:163 Resp: 848828
Ion Ratio Lower Upper
163 100
194 4.3 3.4 5.2
164 10.4 8.3 12.5





#51
2,6-Dinitrotoluene
Concen: 41.866 ng
RT: 9.775 min Scan# 1289
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
Client Sample Id :
SSTDICCC040



Tgt Ion:165 Resp: 18424
Ion Ratio Lower Upper
165 100
63 61.8 49.4 74.2
89 57.7 46.2 69.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#52
Acenaphthene
Concen: 38.330 ng
RT: 10.033 min Scan# 1333
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03


Tgt Ion:154 Resp: 727386
Ion Ratio Lower Upper
154 100
153 108.2 86.6 129.8
152 50.5 40.4 60.6





#53
3-Nitroaniline
Concen: 40.832 ng
RT: 9.945 min Scan# 1318
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion:138 Resp: 210179
Ion Ratio Lower Upper
138 100
108 11.3 9.0 13.6
92 116.2 93.0 139.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#54
2,4-Dinitrophenol
Concen: 38.449 ng
RT: 10.045 min Scan# 1335
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Tgt Ion:184 Resp: 69157
Ion Ratio Lower Upper
184 100
63 102.2 81.8 122.6
154 515.3 412.2 618.4





#55
Dibenzenofuran
Concen: 38.462 ng
RT: 10.204 min Scan# 1362
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion:168 Resp: 1083678
Ion Ratio Lower Upper
168 100
139 36.9 29.5 44.3
169 13.6 10.9 16.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#56
4-Nitrophenol
Concen: 42.408 ng
RT: 10.086 min Scan# 1342
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Tgt Ion:139 Resp: 163009
Ion Ratio Lower Upper
139 100
109 68.5 48.5 88.5
65 103.4 83.4 123.4





#57
2,4-Dinitrotoluene
Concen: 42.581 ng
RT: 10.175 min Scan# 1357
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion:165 Resp: 23510
Ion Ratio Lower Upper
165 100
63 51.2 41.0 61.4
89 76.4 61.1 91.7
182 2.9 2.3 3.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#58
Fluorene
Concen: 38.037 ng
RT: 10.551 min Scan# 1421
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Tgt Ion:166 Resp: 804336
Ion Ratio Lower Upper
166 100
165 92.1 73.7 110.5
167 13.3 10.6 16.0





#59
2,3,4,6-Tetrachlorophenol
Concen: 40.196 ng
RT: 10.322 min Scan# 1382
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040



Tgt Ion:232 Resp: 220872
Ion Ratio Lower Upper
232 100
131 44.1 35.3 52.9
130 2.1 1.7 2.5
166 29.3 23.4 35.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#60
Diethylphthalate
Concen: 39.387 ng
RT: 10.416 min Scan# 1398
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03


Tgt Ion:149 Resp: 842184
Ion Ratio Lower Upper
149 100
177 21.9 17.5 26.3
150 12.7 10.2 15.2





#61
4-Chlorophenyl-phenylether
Concen: 38.604 ng
RT: 10.539 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion:204 Resp: 40647
Ion Ratio Lower Upper
204 100
206 32.3 25.8 38.8
141 58.7 47.0 70.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#62
4-Nitroaniline
Concen: 42.055 ng
RT: 10.557 min Scan# 1422
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Tgt Ion:138 Resp: 185530
Ion Ratio Lower Upper
138 100
92 49.3 29.3 69.3
108 68.3 48.3 88.3





#63
Azobenzene
Concen: 39.326 ng
RT: 10.698 min Scan# 1446
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion: 77 Resp: 87638
Ion Ratio Lower Upper
77 100
182 24.6 4.6 44.6
105 21.4 1.4 41.4
51 33.7 13.7 53.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.486 min Scan# 1580
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03



Tgt Ion:188 Resp: 542726
Ion Ratio Lower Upper
188 100
94 10.4 8.3 12.5
80 11.3 9.0 13.6









#65
4,6-Dinitro-2-methylphenol
Concen: 38.322 ng
RT: 10.586 min Scan# 1427
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:198 Resp: 105532
Ion Ratio Lower Upper
198 100
51 57.2 37.2 77.2
105 44.8 24.8 64.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#66
n-Nitrosodiphenylamine
Concen: 38.278 ng
RT: 10.657 min Scan# 1439
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03


Tgt Ion:169 Resp: 731532
Ion Ratio Lower Upper
169 100
168 65.1 52.1 78.1
167 35.2 28.2 42.2





#67
4-Bromophenyl-phenylether
Concen: 38.307 ng
RT: 11.027 min Scan# 1502
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion:248 Resp: 247764
Ion Ratio Lower Upper
248 100
250 97.9 78.3 117.5
141 74.0 59.2 88.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#68
Hexachlorobenzene
Concen: 38.424 ng
RT: 11.098 min Scan# 1514
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03



Tgt Ion:284 Resp: 259758
Ion Ratio Lower Upper
284 100
142 33.8 27.0 40.6
249 31.3 25.0 37.6





#69

Atrazine

Concen: 40.421 ng

RT: 11.174 min Scan# 1527

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040

Tgt Ion:200 Resp: 212970

Ion Ratio Lower Upper

200 100

173 27.9 7.9 47.9





215 50.1 30.1 70.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#70

Pentachlorophenol

Concen: 40.500 ng

RT: 11.286 min Scan# 1546

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion:266 Resp: 161013


Ion Ratio Lower Upper

266 100

268 64.9 51.9 77.9


264 63.8 51.0 76.6





#71
Phenanthrene
Concen: 38.429 ng
RT: 11.510 min Scan# 1584
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion:178 Resp: 1107412
Ion Ratio Lower Upper
178 100
176 19.1 15.3 22.9
179 15.6 12.5 18.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#72
Anthracene
Concen: 38.336 ng
RT: 11.563 min Scan# 1593
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Tgt Ion:178 Resp: 1126710
Ion Ratio Lower Upper
178 100
176 18.7 15.0 22.4
179 15.6 12.5 18.7





#73
 Carbazole
 Concen: 39.304 ng
 RT: 11.710 min Scan# 1618
 Delta R.T. 0.000 min
 Lab File: BF143144.D
 Acq: 17 Jul 2025 13:03




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040




Tgt Ion:167 Resp: 1008669
 Ion Ratio Lower Upper
 167 100
 166 21.3 17.0 25.6
 139 12.5 10.0 15.0

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#74
 Di-n-butylphthalate
 Concen: 40.135 ng
 RT: 12.039 min Scan# 1674
 Delta R.T. 0.000 min
 Lab File: BF143144.D
 Acq: 17 Jul 2025 13:03




Tgt Ion:149 Resp: 1165443
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.4 11.2
 104 4.8 3.8 5.8





#75
Fluoranthene
Concen: 39.111 ng
RT: 12.698 min Scan# 1786
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040



Tgt Ion:202 Resp: 1034509
Ion Ratio Lower Upper
202 100
101 11.7 0.0 31.7
203 17.4 0.0 37.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.121 min Scan# 2028
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03


Tgt Ion:240 Resp: 296414
Ion Ratio Lower Upper
240 100
120 11.8 9.4 14.2
236 25.3 20.2 30.4





#77
Benzidine
Concen: 49.451 ng
RT: 12.810 min Scan# 1805
Delta R.T. -0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040



Tgt Ion:184 Resp: 564732
Ion Ratio Lower Upper
184 100
185 15.3 12.2 18.4
183 11.2 9.0 13.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#78
Pyrene
Concen: 40.195 ng
RT: 12.927 min Scan# 1825
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03


Tgt Ion:202 Resp: 1016822
Ion Ratio Lower Upper
202 100
200 19.6 15.7 23.5
203 17.7 14.2 21.2





#79
 Terphenyl-d14
 Concen: 78.063 ng
 RT: 13.068 min Scan# 1849
 Delta R.T. 0.000 min
 Lab File: BF143144.D
 Acq: 17 Jul 2025 13:03




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC040




Tgt Ion:244 Resp: 155492
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.2 7.8
 122 10.2 8.2 12.2

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#80
 Butylbenzylphthalate
 Concen: 41.603 ng
 RT: 13.539 min Scan# 1929
 Delta R.T. 0.000 min
 Lab File: BF143144.D
 Acq: 17 Jul 2025 13:03




Tgt Ion:149 Resp: 322273
 Ion Ratio Lower Upper
 149 100
 91 72.4 57.9 86.9
 206 21.2 17.0 25.4





#81
 Benzo(a)anthracene
 Concen: 38.283 ng
 RT: 14.110 min Scan# 2026
 Delta R.T. 0.000 min
 Lab File: BF143144.D
 Acq: 17 Jul 2025 13:03




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICCC040



Tgt Ion:228 Resp: 759720
 Ion Ratio Lower Upper
 228 100
 226 27.1 21.7 32.5
 229 19.7 15.8 23.6




Manual Integrations
 APPROVED


Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025



#82
 3,3'-Dichlorobenzidine
 Concen: 38.418 ng
 RT: 14.068 min Scan# 2019
 Delta R.T. 0.000 min
 Lab File: BF143144.D
 Acq: 17 Jul 2025 13:03

Tgt Ion:252 Resp: 254099
 Ion Ratio Lower Upper
 252 100
 254 64.6 51.7 77.5
 126 11.7 9.4 14.0





#83

Chrysene

Concen: 40.085 ng

RT: 14.151 min Scan# 2033

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040

Tgt Ion:228 Resp: 71522





Ion	Ratio	Lower	Upper
228	100		
226	29.8	23.8	35.8
229	19.5	15.6	23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 39.906 ng

RT: 14.098 min Scan# 2024




Delta R.T. 0.000 min


Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Tgt Ion:149 Resp: 467892


Ion	Ratio	Lower	Upper
149	100		
167	27.9	22.3	33.5
279	4.5	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 38.595 ng
RT: 14.715 min Scan# 2129
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion:149 Resp: 820264
Ion Ratio Lower Upper
149 100
167 1.4 1.1 1.7
43 12.1 9.7 14.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#86
Perylene-d12
Concen: 20.000 ng
RT: 15.621 min Scan# 2283
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Tgt Ion:264 Resp: 323574
Ion Ratio Lower Upper
264 100
260 23.1 18.5 27.7
265 21.8 17.4 26.2





#87
Indeno(1,2,3-cd)pyrene
Concen: 40.086 ng
RT: 17.162 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040



Tgt Ion:276 Resp: 914620
Ion Ratio Lower Upper
276 100
138 27.2 21.8 32.6
277 25.0 20.0 30.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#88
Benzo(b)fluoranthene
Concen: 37.554 ng
RT: 15.180 min Scan# 2208
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03

Tgt Ion:252 Resp: 742346
Ion Ratio Lower Upper
252 100
253 21.9 17.5 26.3
125 10.0 8.0 12.0





#89

Benzo(k)fluoranthene

Concen: 41.591 ng

RT: 15.210 min Scan# 2213

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03

Instrument :

BNA_F

ClientSampleId :

SSTDICCC040

Tgt Ion:252 Resp: 73363

Ion Ratio Lower Upper

252 100

253 22.2 17.8 26.6





125 10.1 8.1 12.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#90

Benzo(a)pyrene

Concen: 39.826 ng

RT: 15.562 min Scan# 2273

Delta R.T. 0.000 min

Lab File: BF143144.D

Acq: 17 Jul 2025 13:03




Tgt Ion:252 Resp: 725344


Ion Ratio Lower Upper

252 100

253 21.6 17.3 25.9


125 10.8 8.6 13.0





#91
Dibenzo(a,h)anthracene
Concen: 39.964 ng
RT: 17.180 min Scan# 2548
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03




Instrument :
BNA_F
ClientSampleId :
SSTDICCC040




Tgt Ion:278 Resp: 742180
Ion Ratio Lower Upper
278 100
139 17.6 14.1 21.1
279 23.3 18.6 28.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#92
Benzo(g,h,i)perylene
Concen: 39.949 ng
RT: 17.627 min Scan# 2624
Delta R.T. 0.000 min
Lab File: BF143144.D
Acq: 17 Jul 2025 13:03



Tgt Ion:276 Resp: 717648
Ion Ratio Lower Upper
276 100
277 23.9 19.1 28.7
138 23.6 18.9 28.3



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143145.D
 Acq On : 17 Jul 2025 13:33
 Operator : RC/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:04:19 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	144385	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	555536	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	283657	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	447089	20.000	ng	0.00
76) Chrysene-d12	14.121	240	247878	20.000	ng	0.00
86) Perylene-d12	15.621	264	282289	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.587	112	927268	101.629	ng	0.00
7) Phenol-d6	6.587	99	1178468	102.615	ng	0.00
23) Nitrobenzene-d5	7.528	82	1158494	103.949	ng	0.00
42) 2,4,6-Tribromophenol	10.786	330	309465	105.607	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	2005894	96.712	ng	0.00
79) Terphenyl-d14	13.068	244	1663033	99.838	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.816	88	225749	52.289	ng	100
3) Pyridine	3.587	79	584060	52.122	ng	99
4) n-Nitrosodimethylamine	3.534	42	307202	53.098	ng	100
6) Aniline	6.628	93	827275	51.687	ng	100
8) 2-Chlorophenol	6.751	128	493989	51.652	ng	98
9) Benzaldehyde	6.516	77	509476	59.162	ng	99
10) Phenol	6.598	94	645540m	51.598	ng	
11) bis(2-Chloroethyl)ether	6.698	93	491371	51.295	ng	99
12) 1,3-Dichlorobenzene	6.910	146	529202	50.937	ng	99
13) 1,4-Dichlorobenzene	6.981	146	531696	50.818	ng	99
14) 1,2-Dichlorobenzene	7.134	146	510140	51.264	ng	100
15) Benzyl Alcohol	7.098	79	461379	52.616	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.239	45	908530	51.128	ng	99
17) 2-Methylphenol	7.204	107	418793	52.079	ng	100
18) Hexachloroethane	7.481	117	189394	52.289	ng	99
19) n-Nitroso-di-n-propyla...	7.381	70	369367	50.131	ng	99
20) 3+4-Methylphenols	7.363	107	506069	51.870	ng	# 89
22) Acetophenone	7.369	105	661017	50.258	ng	98
24) Nitrobenzene	7.545	77	538666	51.843	ng	100
25) Isophorone	7.786	82	1018783	51.783	ng	99
26) 2-Nitrophenol	7.857	139	252169	55.920	ng	98
27) 2,4-Dimethylphenol	7.892	122	469819	51.112	ng	100
28) bis(2-Chloroethoxy)met...	7.986	93	597241	50.631	ng	100
29) 2,4-Dichlorophenol	8.098	162	401336	51.773	ng	99
30) 1,2,4-Trichlorobenzene	8.186	180	420763	50.242	ng	99
31) Naphthalene	8.269	128	1369627	50.060	ng	100
32) Benzoic acid	7.998	122	273361m	52.352	ng	
33) 4-Chloroaniline	8.310	127	566422	50.703	ng	99
34) Hexachlorobutadiene	8.392	225	260787	50.976	ng	99
35) Caprolactam	8.680	113	126050	53.811	ng	96
36) 4-Chloro-3-methylphenol	8.786	107	431745	51.242	ng	98
37) 2-Methylnaphthalene	8.957	142	837820	50.324	ng	100
38) 1-Methylnaphthalene	9.057	142	862300	50.298	ng	100
40) 1,2,4,5-Tetrachloroben...	9.128	216	412916	50.420	ng	100
41) Hexachlorocyclopentadiene	9.116	237	286805	53.823	ng	99
43) 2,4,6-Trichlorophenol	9.228	196	304466	53.718	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143145.D
 Acq On : 17 Jul 2025 13:33
 Operator : RC/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:04:19 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.269	196	291607	51.434	ng	99
46) 1,1'-Biphenyl	9.422	154	1101317	49.764	ng	99
47) 2-Chloronaphthalene	9.445	162	826749	50.488	ng	100
48) 2-Nitroaniline	9.533	65	281082	54.736	ng	99
49) Acenaphthylene	9.863	152	1388721	50.605	ng	100
50) Dimethylphthalate	9.716	163	939863	50.832	ng	100
51) 2,6-Dinitrotoluene	9.775	165	205147	54.541	ng	98
52) Acenaphthene	10.033	154	818783	50.481	ng	100
53) 3-Nitroaniline	9.945	138	236959	53.861	ng	99
54) 2,4-Dinitrophenol	10.045	184	81983	50.750	ng	98
55) Dibenzofuran	10.204	168	1204088	50.001	ng	99
56) 4-Nitrophenol	10.086	139	177408	54.001	ng	98
57) 2,4-Dinitrotoluene	10.180	165	264045	55.954	ng	95
58) Fluorene	10.551	166	891646	49.335	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.322	232	248745	52.965	ng	100
60) Diethylphthalate	10.416	149	942625	51.580	ng	100
61) 4-Chlorophenyl-phenyle...	10.539	204	449168	49.911	ng	99
62) 4-Nitroaniline	10.557	138	205210	54.424	ng	99
63) Azobenzene	10.698	77	966931	50.766	ng	100
65) 4,6-Dinitro-2-methylph...	10.586	198	122876	51.927	ng	100
66) n-Nitrosodiphenylamine	10.657	169	811422	51.540	ng	100
67) 4-Bromophenyl-phenylether	11.027	248	275679	51.741	ng	98
68) Hexachlorobenzene	11.098	284	288405	51.788	ng	100
69) Atrazine	11.180	200	232907	53.662	ng	99
70) Pentachlorophenol	11.286	266	178753	54.581	ng	99
71) Phenanthrene	11.510	178	1194582	50.321	ng	100
72) Anthracene	11.563	178	1223920	50.552	ng	100
73) Carbazole	11.710	167	1076803	50.934	ng	100
74) Di-n-butylphthalate	12.045	149	1250841	52.290	ng	100
75) Fluoranthene	12.698	202	1093890	50.203	ng	100
77) Benzidine	12.810	184	431944	45.229	ng	100
78) Pyrene	12.927	202	1078520	50.982	ng	100
80) Butylbenzylphthalate	13.539	149	360698	55.681	ng	98
81) Benzo(a)anthracene	14.110	228	880975	53.085	ng	99
82) 3,3'-Dichlorobenzidine	14.068	252	294836	53.305	ng	99
83) Chrysene	14.151	228	754953	50.597	ng	100
84) Bis(2-ethylhexyl)phtha...	14.098	149	534128	54.475	ng	100
85) Di-n-octyl phthalate	14.715	149	960309	54.032	ng	99
87) Indeno(1,2,3-cd)pyrene	17.168	276	1061877	53.347	ng	99
88) Benzo(b)fluoranthene	15.180	252	953990	55.319	ng	100
89) Benzo(k)fluoranthene	15.209	252	754417	49.024	ng	99
90) Benzo(a)pyrene	15.562	252	840968	52.928	ng	100
91) Dibenzo(a,h)anthracene	17.186	278	861467	53.172	ng	99
92) Benzo(g,h,i)perylene	17.633	276	843865	53.845	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Manual Integrations


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025

[illegible]



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 811
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:152 Resp: 144385
Ion Ratio Lower Upper
152 100
150 160.9 128.2 192.4
115 61.2 47.9 71.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#2
1,4-Dioxane
Concen: 52.289 ng
RT: 2.816 min Scan# 106
Delta R.T. -0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Tgt Ion: 88 Resp: 225749
Ion Ratio Lower Upper
88 100
58 87.3 70.2 105.2
43 34.0 27.1 40.7





#3
Pyridine
Concen: 52.122 ng
RT: 3.587 min Scan# 21
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion: 79 Resp: 584060
Ion Ratio Lower Upper
79 100
52 85.8 69.4 104.2
51 42.0 33.5 50.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#4
n-Nitrosodimethylamine
Concen: 53.098 ng
RT: 3.534 min Scan# 228
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33



Tgt Ion: 42 Resp: 307202
Ion Ratio Lower Upper
42 100
74 114.6 91.7 137.5
44 6.8 5.6 8.4





#5
2-Fluorophenol
Concen: 101.629 ng
RT: 5.587 min Scan# 51
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:112 Resp: 927268
Ion Ratio Lower Upper
112 100
64 66.3 53.1 79.7
63 33.2 26.6 40.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#6
Aniline
Concen: 51.687 ng
RT: 6.628 min Scan# 754
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33


Tgt Ion: 93 Resp: 827275
Ion Ratio Lower Upper
93 100
66 41.2 33.2 49.8
65 21.1 16.9 25.3





#7
Phenol-d6
Concen: 102.615 ng
RT: 6.587 min Scan# 747
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion: 99 Resp: 1178468
Ion Ratio Lower Upper
99 100
42 21.1 17.0 25.6
71 34.4 27.7 41.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#8
2-Chlorophenol
Concen: 51.652 ng
RT: 6.751 min Scan# 775
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Tgt Ion:128 Resp: 493989
Ion Ratio Lower Upper
128 100
130 32.8 12.3 52.3
64 53.6 35.9 75.9





#9
Benzaldehyde
Concen: 59.162 ng
RT: 6.516 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion: 77 Resp: 509470
Ion Ratio Lower Upper
77 100
105 95.5 76.8 116.8
106 93.3 74.4 114.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#10
Phenol
Concen: 51.598 ng m
RT: 6.598 min Scan# 749
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33



Tgt Ion: 94 Resp: 645540
Ion Ratio Lower Upper
94 100
65 30.5 10.0 50.0
66 41.9 20.8 60.8









#11
bis(2-Chloroethyl)ether
Concen: 51.295 ng
RT: 6.698 min Scan# 766
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 93 Resp: 49137
Ion Ratio Lower Upper
93 100
63 82.0 63.4 103.4
95 32.8 12.4 52.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#12
1,3-Dichlorobenzene
Concen: 50.937 ng
RT: 6.910 min Scan# 802
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:146 Resp: 529202
Ion Ratio Lower Upper
146 100
148 63.4 50.6 76.0
75 32.7 27.4 41.2





#13

1,4-Dichlorobenzene

Concen: 50.818 ng

RT: 6.981 min Scan# 814

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion:146 Resp: 531690

Ion Ratio Lower Upper

146 100

148 63.6 50.3 75.5





111 43.5 34.4 51.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#14

1,2-Dichlorobenzene

Concen: 51.264 ng

RT: 7.134 min Scan# 840

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:146 Resp: 510140


Ion Ratio Lower Upper

146 100

148 63.5 50.7 76.1

111 45.4 36.6 54.8






#15
Benzyl Alcohol
Concen: 52.616 ng
RT: 7.098 min Scan# 81
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion: 79 Resp: 461379
Ion Ratio Lower Upper
79 100
108 76.7 61.1 91.7
77 60.6 48.9 73.3

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#16
2,2'-oxybis(1-Chloropropane)
Concen: 51.128 ng
RT: 7.239 min Scan# 858
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33



Tgt Ion: 45 Resp: 908530
Ion Ratio Lower Upper
45 100
77 11.4 0.0 31.2
79 8.8 0.0 28.5






#17
2-Methylphenol
Concen: 52.079 ng
RT: 7.204 min Scan# 852
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:107 Resp: 418793
Ion Ratio Lower Upper
107 100
108 114.2 91.8 137.6
77 46.3 37.0 55.6
79 46.5 36.9 55.3

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#18
Hexachloroethane
Concen: 52.289 ng
RT: 7.481 min Scan# 899
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:117 Resp: 189394
Ion Ratio Lower Upper
117 100
119 96.2 77.8 116.8
201 94.5 77.0 115.4









#19
n-Nitroso-di-n-propylamine
Concen: 50.131 ng
RT: 7.381 min Scan# 881
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 70 Resp: 36936
Ion Ratio Lower Upper
70 100
42 64.4 52.5 78.7
101 9.7 7.6 11.4
130 21.0 16.1 24.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#20
3+4-Methylphenols
Concen: 51.870 ng
RT: 7.363 min Scan# 879
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:107 Resp: 506069
Ion Ratio Lower Upper
107 100
108 90.7 70.0 110.0
77 101.5 57.8 97.8#
79 30.3 9.5 49.5






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1029
Delta R.T. 0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:136 Resp: 555530
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 10.2 8.2 12.2
68 6.9 5.4 8.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#22
Acetophenone
Concen: 50.258 ng
RT: 7.369 min Scan# 880
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33



Tgt Ion:105 Resp: 661017
Ion Ratio Lower Upper
105 100
71 6.0 5.8 8.6
51 39.6 30.2 45.2
120 23.1 18.2 27.4





#23
Nitrobenzene-d5
Concen: 103.949 ng
RT: 7.528 min Scan# 906
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F





ClientSampleId :

SSTDICC050

Tgt Ion: 82 Resp: 1158494
Ion Ratio Lower Upper
82 100
128 43.5 33.6 50.4
54 58.2 47.1 70.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#24
Nitrobenzene
Concen: 51.843 ng
RT: 7.545 min Scan# 910
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion: 77 Resp: 538666
Ion Ratio Lower Upper
77 100
123 44.9 36.1 54.1
65 14.3 11.4 17.2





#25

Isophorone

Concen: 51.783 ng

RT: 7.786 min Scan# 90

Delta R.T. 0.006 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion: 82 Resp: 101878

Ion Ratio Lower Upper

82 100

95 7.0 5.5 8.3





138 17.9 13.8 20.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#26

2-Nitrophenol

Concen: 55.920 ng

RT: 7.857 min Scan# 963

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:139 Resp: 252169


Ion Ratio Lower Upper

139 100

109 29.0 23.6 35.4

65 55.0 42.6 64.0





#27
2,4-Dimethylphenol
Concen: 51.112 ng
RT: 7.892 min Scan# 968
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:122 Resp: 469815
Ion Ratio Lower Upper
122 100
107 114.3 91.8 137.6
121 58.4 46.3 69.5

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#28
bis(2-Chloroethoxy)methane
Concen: 50.631 ng
RT: 7.986 min Scan# 985
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion: 93 Resp: 597241
Ion Ratio Lower Upper
93 100
95 32.0 25.8 38.6
123 12.1 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 51.773 ng

RT: 8.098 min Scan# 1004

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion:162 Resp: 401330

Ion Ratio Lower Upper

162 100

164 64.0 44.2 84.2





98 39.2 17.9 57.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#30

1,2,4-Trichlorobenzene

Concen: 50.242 ng

RT: 8.186 min Scan# 1019

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:180 Resp: 420763


Ion Ratio Lower Upper

180 100

182 95.8 76.2 114.2

145 31.8 25.0 37.6






#31
Naphthalene
Concen: 50.060 ng
RT: 8.269 min Scan# 1033
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:128 Resp: 136962
Ion Ratio Lower Upper
128 100
129 11.1 9.0 13.4
127 13.4 10.6 16.0

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#32
Benzoic acid
Concen: 52.352 ng m
RT: 7.998 min Scan# 987
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Tgt Ion:122 Resp: 273361
Ion Ratio Lower Upper
122 100
105 123.0 104.8 144.8
77 98.4 77.6 117.6





#33
4-Chloroaniline
Concen: 50.703 ng
RT: 8.310 min Scan# 1040
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:127 Resp: 56642
Ion Ratio Lower Upper
127 100
129 32.6 26.0 39.0
65 34.9 27.4 41.2
92 21.4 16.8 25.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#34
Hexachlorobutadiene
Concen: 50.976 ng
RT: 8.392 min Scan# 1054
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33



Tgt Ion:225 Resp: 260787
Ion Ratio Lower Upper
225 100
223 62.3 49.8 74.6
227 64.8 50.2 75.4





#35
 Caprolactam
 Concen: 53.811 ng
 RT: 8.680 min Scan# 1103
 Delta R.T. -0.000 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :





SSTDICC050

Tgt Ion:113 Resp: 126050
 Ion Ratio Lower Upper
 113 100
 55 200.3 174.0 214.0
 56 150.8 126.6 166.6

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025



#36
 4-Chloro-3-methylphenol
 Concen: 51.242 ng
 RT: 8.786 min Scan# 1121
 Delta R.T. 0.006 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33


Tgt Ion:107 Resp: 431745
 Ion Ratio Lower Upper
 107 100
 144 25.0 19.8 29.6
 142 77.8 60.6 90.8





#37
2-Methylnaphthalene
Concen: 50.324 ng
RT: 8.957 min Scan# 1150
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050



Tgt Ion:142 Resp: 837820
Ion Ratio Lower Upper
142 100
141 87.1 69.9 104.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#38
1-Methylnaphthalene
Concen: 50.298 ng
RT: 9.057 min Scan# 1167
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:142 Resp: 862300
Ion Ratio Lower Upper
142 100
141 90.6 72.3 108.5






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.998 min Scan# 1178
Delta R.T. 0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:164 Resp: 28365
Ion Ratio Lower Upper
164 100
162 98.3 79.0 118.6
160 43.5 35.1 52.7

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#40
1,2,4,5-Tetrachlorobenzene
Concen: 50.420 ng
RT: 9.128 min Scan# 1179
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33



Tgt Ion:216 Resp: 412916
Ion Ratio Lower Upper
216 100
214 79.7 63.8 95.8
179 20.5 16.4 24.6
108 19.6 15.6 23.4





#41
Hexachlorocyclopentadiene
Concen: 53.823 ng
RT: 9.116 min Scan# 1177
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :





SSTDICC050

Tgt Ion:237 Resp: 28680
Ion Ratio Lower Upper
237 100
235 63.9 43.0 83.0
272 13.1 0.0 33.3

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#42
2,4,6-Tribromophenol
Concen: 105.607 ng
RT: 10.786 min Scan# 1461
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:330 Resp: 309465
Ion Ratio Lower Upper
330 100
332 97.0 76.7 115.1
141 29.0 23.3 34.9






#43
2,4,6-Trichlorophenol
Concen: 53.718 ng
RT: 9.228 min Scan# 1196
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:196 Resp: 304460
Ion Ratio Lower Upper
196 100
198 95.2 76.2 114.2
200 30.3 23.9 35.9

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#44
2,4,5-Trichlorophenol
Concen: 51.434 ng
RT: 9.269 min Scan# 1203
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33



Tgt Ion:196 Resp: 291607
Ion Ratio Lower Upper
196 100
198 94.7 77.3 115.9
97 50.8 40.3 60.5
132 29.4 23.1 34.7






#45
2-Fluorobiphenyl
Concen: 96.712 ng
RT: 9.322 min Scan# 1212
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:172 Resp: 2005894
Ion Ratio Lower Upper
172 100
171 35.8 28.6 42.8
170 23.5 18.8 28.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#46
1,1'-Biphenyl
Concen: 49.764 ng
RT: 9.422 min Scan# 1229
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33



Tgt Ion:154 Resp: 1101317
Ion Ratio Lower Upper
154 100
153 40.6 20.3 60.3
76 13.5 0.0 33.3






#47
2-Chloronaphthalene
Concen: 50.488 ng
RT: 9.445 min Scan# 1233
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:162 Resp: 826749
Ion Ratio Lower Upper
162 100
127 42.3 33.4 50.2
164 32.8 26.2 39.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#48
2-Nitroaniline
Concen: 54.736 ng
RT: 9.533 min Scan# 1248
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33



Tgt Ion: 65 Resp: 281082
Ion Ratio Lower Upper
65 100
92 66.5 52.4 78.6
138 103.5 82.3 123.5





#49

Acenaphthylene

Concen: 50.605 ng

RT: 9.863 min Scan# 11

Delta R.T. -0.000 min

Lab File: BF143145.D


Acq: 17 Jul 2025 13:33

Instrument :

BNF_F

ClientSampleId :

SSTDICC050



Tgt Ion:152 Resp: 138872

Ion Ratio Lower Upper

152 100

151 20.1 16.2 24.2




153 13.1 10.6 16.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#50

Dimethylphthalate

Concen: 50.832 ng

RT: 9.716 min Scan# 1279

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:163 Resp: 939863


Ion Ratio Lower Upper

163 100

194 4.3 3.4 5.2


164 10.5 8.3 12.5





#51
2,6-Dinitrotoluene
Concen: 54.541 ng
RT: 9.775 min Scan# 1289
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050



Tgt Ion:165 Resp: 20514
Ion Ratio Lower Upper
165 100
63 63.4 49.4 74.2
89 58.4 46.2 69.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#52
Acenaphthene
Concen: 50.481 ng
RT: 10.033 min Scan# 1333
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:154 Resp: 818783
Ion Ratio Lower Upper
154 100
153 108.2 86.6 129.8
152 51.1 40.4 60.6






#53
3-Nitroaniline
Concen: 53.861 ng
RT: 9.945 min Scan# 1318
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:138 Resp: 236959
Ion Ratio Lower Upper
138 100
108 10.9 9.0 13.6
92 114.8 93.0 139.4

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#54
2,4-Dinitrophenol
Concen: 50.750 ng
RT: 10.045 min Scan# 1335
Delta R.T. 0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33


Tgt Ion:184 Resp: 81983
Ion Ratio Lower Upper
184 100
63 106.9 81.8 122.6
154 519.2 412.2 618.4





#55
Dibenzenofuran
Concen: 50.001 ng
RT: 10.204 min Scan# 1362
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050



Tgt Ion:168 Resp: 1204088
Ion Ratio Lower Upper
168 100
139 37.4 29.5 44.3
169 13.6 10.9 16.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#56
4-Nitrophenol
Concen: 54.001 ng
RT: 10.086 min Scan# 1342
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33


Tgt Ion:139 Resp: 177408
Ion Ratio Lower Upper
139 100
109 68.7 48.5 88.5
65 106.2 83.4 123.4





#57
2,4-Dinitrotoluene
Concen: 55.954 ng
RT: 10.180 min Scan# 1357
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050



Tgt Ion:165 Resp: 264045
Ion Ratio Lower Upper
165 100
63 47.9 41.0 61.4
89 72.4 61.1 91.7
182 3.1 2.3 3.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#58
Fluorene
Concen: 49.335 ng
RT: 10.551 min Scan# 1421
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33


Tgt Ion:166 Resp: 891646
Ion Ratio Lower Upper
166 100
165 91.0 73.7 110.5
167 13.6 10.6 16.0





#59
2,3,4,6-Tetrachlorophenol
Concen: 52.965 ng
RT: 10.322 min Scan# 1382
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:232 Resp: 248745
Ion Ratio Lower Upper
232 100
131 44.3 35.3 52.9
130 2.1 1.7 2.5
166 28.9 23.4 35.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#60
Diethylphthalate
Concen: 51.580 ng
RT: 10.416 min Scan# 1398
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Tgt Ion:149 Resp: 942625
Ion Ratio Lower Upper
149 100
177 21.7 17.5 26.3
150 12.6 10.2 15.2





#61
4-Chlorophenyl-phenylether
Concen: 49.911 ng
RT: 10.539 min Scan# 1419
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:204 Resp: 449168
Ion Ratio Lower Upper
204 100
206 32.8 25.8 38.8
141 58.9 47.0 70.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#62
4-Nitroaniline
Concen: 54.424 ng
RT: 10.557 min Scan# 1422
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Tgt Ion:138 Resp: 205210
Ion Ratio Lower Upper
138 100
92 50.0 29.3 69.3
108 68.7 48.3 88.3





#63
Azobenzene
Concen: 50.766 ng
RT: 10.698 min Scan# 1446
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion: 77 Resp: 96693
Ion Ratio Lower Upper
77 100
182 24.1 4.6 44.6
105 21.6 1.4 41.4
51 33.8 13.7 53.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.486 min Scan# 1580
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Tgt Ion:188 Resp: 447089
Ion Ratio Lower Upper
188 100
94 10.6 8.3 12.5
80 11.4 9.0 13.6





#65
4,6-Dinitro-2-methylphenol
Concen: 51.927 ng
RT: 10.586 min Scan# 1427
Delta R.T. 0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:198 Resp: 122870
Ion Ratio Lower Upper
198 100
51 57.3 37.2 77.2
105 45.1 24.8 64.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#66
n-Nitrosodiphenylamine
Concen: 51.540 ng
RT: 10.657 min Scan# 1439
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33



Tgt Ion:169 Resp: 811422
Ion Ratio Lower Upper
169 100
168 65.1 52.1 78.1
167 35.7 28.2 42.2





#67
4-Bromophenyl-phenylether
Concen: 51.741 ng
RT: 11.027 min Scan# 1502
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :





SSTDICC050

Tgt Ion:248 Resp: 275679
Ion Ratio Lower Upper
248 100
250 98.5 78.3 117.5
141 76.6 59.2 88.8

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#68
Hexachlorobenzene
Concen: 51.788 ng
RT: 11.098 min Scan# 1514
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:284 Resp: 288405
Ion Ratio Lower Upper
284 100
142 34.1 27.0 40.6
249 31.4 25.0 37.6





#69

Atrazine

Concen: 53.662 ng

RT: 11.180 min Scan# 1528

Delta R.T. 0.006 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion:200 Resp: 23290

Ion Ratio Lower Upper

200 100

173 28.2 7.9 47.9





215 50.6 30.1 70.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#70

Pentachlorophenol

Concen: 54.581 ng

RT: 11.286 min Scan# 1546

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:266 Resp: 178753


Ion Ratio Lower Upper

266 100

268 65.2 51.9 77.9


264 64.5 51.0 76.6





#71
Phenanthrene
Concen: 50.321 ng
RT: 11.510 min Scan# 1584
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:178 Resp: 1194582
Ion Ratio Lower Upper
178 100
176 19.2 15.3 22.9
179 15.4 12.5 18.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#72
Anthracene
Concen: 50.552 ng
RT: 11.563 min Scan# 1593
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Tgt Ion:178 Resp: 1223920
Ion Ratio Lower Upper
178 100
176 18.5 15.0 22.4
179 15.5 12.5 18.7





#73
 Carbazole
 Concen: 50.934 ng
 RT: 11.710 min Scan# 1618
 Delta R.T. -0.000 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC050




Tgt Ion:167 Resp: 107680
 Ion Ratio Lower Upper
 167 100
 166 21.1 17.0 25.6
 139 12.8 10.0 15.0

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#74
 Di-n-butylphthalate
 Concen: 52.290 ng
 RT: 12.045 min Scan# 1675
 Delta R.T. 0.006 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33




Tgt Ion:149 Resp: 1250841
 Ion Ratio Lower Upper
 149 100
 150 9.1 7.4 11.2
 104 4.7 3.8 5.8





#75
Fluoranthene
Concen: 50.203 ng
RT: 12.698 min Scan# 1786
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050



Tgt Ion:202 Resp: 1093890
Ion Ratio Lower Upper
202 100
101 11.6 0.0 31.7
203 17.6 0.0 37.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.121 min Scan# 2028
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Tgt Ion:240 Resp: 247878
Ion Ratio Lower Upper
240 100
120 12.1 9.4 14.2
236 25.4 20.2 30.4





#77

Benzidine

Concen: 45.229 ng

RT: 12.810 min Scan# 1805

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050





Tgt Ion:184 Resp: 431944
 Ion Ratio Lower Upper
 184 100
 185 15.3 12.2 18.4
 183 11.2 9.0 13.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#78

Pyrene

Concen: 50.982 ng




RT: 12.927 min Scan# 1825


Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Tgt Ion:202 Resp: 1078520
 Ion Ratio Lower Upper
 202 100
 200 19.8 15.7 23.5
 203 17.5 14.2 21.2






#79
 Terphenyl-d14
 Concen: 99.838 ng
 RT: 13.068 min Scan# 1849
 Delta R.T. -0.000 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:244 Resp: 166303
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.2 7.8
 122 10.4 8.2 12.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#80
 Butylbenzylphthalate
 Concen: 55.681 ng
 RT: 13.539 min Scan# 1929
 Delta R.T. -0.000 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33



Tgt Ion:149 Resp: 360698
 Ion Ratio Lower Upper
 149 100
 91 70.8 57.9 86.9
 206 22.0 17.0 25.4









#81
 Benzo(a)anthracene
 Concen: 53.085 ng
 RT: 14.110 min Scan# 2026
 Delta R.T. -0.000 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33

Instrument : BNA_F
 ClientSampleId : SSTDICC050

Tgt Ion:228 Resp: 880975

Ion	Ratio	Lower	Upper
228	100		
226	27.2	21.7	32.5
229	20.3	15.8	23.6




Manual Integrations
APPROVED
 Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#82
 3,3'-Dichlorobenzidine
 Concen: 53.305 ng
 RT: 14.068 min Scan# 2019
 Delta R.T. -0.000 min
 Lab File: BF143145.D
 Acq: 17 Jul 2025 13:33

Tgt Ion:252 Resp: 294836

Ion	Ratio	Lower	Upper
252	100		
254	63.5	51.7	77.5
126	11.6	9.4	14.0





#83

Chrysene

Concen: 50.597 ng

RT: 14.151 min Scan# 2033

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion:228 Resp: 75495





Ion	Ratio	Lower	Upper
228	100		
226	29.6	23.8	35.8
229	19.5	15.6	23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 54.475 ng

RT: 14.098 min Scan# 2024




Delta R.T. -0.000 min


Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Tgt Ion:149 Resp: 534128


Ion	Ratio	Lower	Upper
149	100		
167	28.1	22.3	33.5
279	4.3	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 54.032 ng
RT: 14.715 min Scan# 2129
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33




Instrument :
BNA_F
ClientSampleId :
SSTDICC050




Tgt Ion:149 Resp: 960309
Ion Ratio Lower Upper
149 100
167 1.5 1.1 1.7
43 11.9 9.7 14.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#86
Perylene-d12
Concen: 20.000 ng
RT: 15.621 min Scan# 2283
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33



Tgt Ion:264 Resp: 282289
Ion Ratio Lower Upper
264 100
260 23.1 18.5 27.7
265 21.6 17.4 26.2






#87
Indeno(1,2,3-cd)pyrene
Concen: 53.347 ng
RT: 17.168 min Scan# 21
Delta R.T. 0.006 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050






Tgt Ion:276 Resp: 106187
Ion Ratio Lower Upper
276 100
138 26.8 21.8 32.6
277 25.4 20.0 30.0

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#88
Benzo(b)fluoranthene
Concen: 55.319 ng
RT: 15.180 min Scan# 2208
Delta R.T. -0.000 min
Lab File: BF143145.D
Acq: 17 Jul 2025 13:33



Tgt Ion:252 Resp: 953990
Ion Ratio Lower Upper
252 100
253 21.9 17.5 26.3
125 10.4 8.0 12.0





#89

Benzo(k)fluoranthene

Concen: 49.024 ng

RT: 15.209 min Scan# 21

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion:252 Resp: 75441

Ion Ratio Lower Upper

252 100

253 21.9 17.8 26.6





125 10.5 8.1 12.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#90

Benzo(a)pyrene

Concen: 52.928 ng

RT: 15.562 min Scan# 2273

Delta R.T. -0.000 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:252 Resp: 840968


Ion Ratio Lower Upper

252 100

253 21.7 17.3 25.9

125 10.7 8.6 13.0





#91

Dibenzo(a,h)anthracene

Concen: 53.172 ng

RT: 17.186 min Scan# 21

Delta R.T. 0.006 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33

Instrument :

BNA_F

ClientSampleId :

SSTDICC050

Tgt Ion:278 Resp: 86146

Ion Ratio Lower Upper

278 100

139 16.5 14.1 21.1





279 23.5 18.6 28.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#92

Benzo(g,h,i)perylene

Concen: 53.845 ng

RT: 17.633 min Scan# 2625

Delta R.T. 0.006 min

Lab File: BF143145.D

Acq: 17 Jul 2025 13:33




Tgt Ion:276 Resp: 843865

Ion Ratio Lower Upper

276 100

277 23.6 19.1 28.7

138 23.5 18.9 28.3



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143146.D
 Acq On : 17 Jul 2025 14:04
 Operator : RC/JU
 Sample : SSTDICC060
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC060

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:05:08 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	153150	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	573541	20.000	ng	0.00
39) Acenaphthene-d10	10.004	164	286544	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	442888	20.000	ng	0.00
76) Chrysene-d12	14.121	240	264384	20.000	ng	0.00
86) Perylene-d12	15.621	264	315904	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.587	112	1096776	113.327	ng	0.00
7) Phenol-d6	6.587	99	1384010	113.616	ng	0.00
23) Nitrobenzene-d5	7.528	82	1367018	118.809	ng	0.00
42) 2,4,6-Tribromophenol	10.792	330	354678	119.817	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	2274500	108.558	ng	0.00
79) Terphenyl-d14	13.069	244	1888544	106.298	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.805	88	268511	58.635	ng	99
3) Pyridine	3.581	79	700860	58.965	ng	99
4) n-Nitrosodimethylamine	3.534	42	369452	60.203	ng	99
6) Aniline	6.628	93	982918	57.896	ng	100
8) 2-Chlorophenol	6.751	128	589870	58.147	ng	98
9) Benzaldehyde	6.516	77	515585	56.445	ng	99
10) Phenol	6.604	94	769713m	58.002	ng	
11) bis(2-Chloroethyl)ether	6.698	93	588491	57.918	ng	99
12) 1,3-Dichlorobenzene	6.910	146	625605	56.769	ng	99
13) 1,4-Dichlorobenzene	6.981	146	623375	56.171	ng	98
14) 1,2-Dichlorobenzene	7.140	146	598571	56.708	ng	99
15) Benzyl Alcohol	7.098	79	548155	58.934	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.240	45	1076628	57.120	ng	98
17) 2-Methylphenol	7.210	107	498077	58.393	ng	99
18) Hexachloroethane	7.481	117	225488	58.691	ng	99
19) n-Nitroso-di-n-propyla...	7.381	70	437750	56.012	ng	100
20) 3+4-Methylphenols	7.363	107	582354	56.273	ng	96
22) Acetophenone	7.375	105	760969	56.041	ng	99
24) Nitrobenzene	7.545	77	641832	59.832	ng	99
25) Isophorone	7.787	82	1202506	59.202	ng	99
26) 2-Nitrophenol	7.857	139	304218	65.345	ng	97
27) 2,4-Dimethylphenol	7.892	122	548823	57.833	ng	99
28) bis(2-Chloroethoxy)met...	7.992	93	696403	57.184	ng	99
29) 2,4-Dichlorophenol	8.098	162	466809	58.329	ng	98
30) 1,2,4-Trichlorobenzene	8.187	180	498478	57.653	ng	99
31) Naphthalene	8.269	128	1575696	55.784	ng	99
32) Benzoic acid	8.010	122	321703	58.961	ng	99
33) 4-Chloroaniline	8.310	127	659467	57.178	ng	99
34) Hexachlorobutadiene	8.392	225	307552	58.230	ng	99
35) Caprolactam	8.692	113	145894	60.327	ng	100
36) 4-Chloro-3-methylphenol	8.787	107	506142	58.186	ng	99
37) 2-Methylnaphthalene	8.957	142	966031	56.203	ng	99
38) 1-Methylnaphthalene	9.057	142	997009	56.329	ng	100
40) 1,2,4,5-Tetrachloroben...	9.128	216	479450	57.955	ng	99
41) Hexachlorocyclopentadiene	9.116	237	337833	62.761	ng	99
43) 2,4,6-Trichlorophenol	9.234	196	344941	60.246	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143146.D
 Acq On : 17 Jul 2025 14:04
 Operator : RC/JU
 Sample : SSTDICC060
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC060

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:05:08 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.269	196	339656	59.305	ng	99
46) 1,1'-Biphenyl	9.422	154	1265588	56.610	ng	100
47) 2-Chloronaphthalene	9.451	162	948912	57.364	ng	100
48) 2-Nitroaniline	9.534	65	331501	63.904	ng	99
49) Acenaphthylene	9.863	152	1576240	56.860	ng	100
50) Dimethylphthalate	9.722	163	1075052	57.558	ng	100
51) 2,6-Dinitrotoluene	9.775	165	238103	62.665	ng	97
52) Acenaphthene	10.039	154	930883	56.814	ng	98
53) 3-Nitroaniline	9.945	138	273506	61.542	ng	100
54) 2,4-Dinitrophenol	10.045	184	101491	60.690	ng	72
55) Dibenzofuran	10.210	168	1364531	56.093	ng	100
56) 4-Nitrophenol	10.092	139	203477	61.312	ng	99
57) 2,4-Dinitrotoluene	10.181	165	304460	63.868	ng	97
58) Fluorene	10.551	166	997710	54.647	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.322	232	283124	59.678	ng	99
60) Diethylphthalate	10.422	149	1057851	57.301	ng	100
61) 4-Chlorophenyl-phenyle...	10.539	204	516980	56.867	ng	99
62) 4-Nitroaniline	10.563	138	232488	61.037	ng	98
63) Azobenzene	10.698	77	1098772	57.107	ng	99
65) 4,6-Dinitro-2-methylph...	10.592	198	144751	60.728	ng	98
66) n-Nitrosodiphenylamine	10.657	169	910468	58.380	ng	98
67) 4-Bromophenyl-phenylether	11.028	248	318085	60.266	ng	99
68) Hexachlorobenzene	11.104	284	325779	59.054	ng	96
69) Atrazine	11.181	200	262374	61.024	ng	100
70) Pentachlorophenol	11.286	266	206417	63.625	ng	98
71) Phenanthrene	11.510	178	1331485	56.620	ng	100
72) Anthracene	11.563	178	1379601	57.522	ng	100
73) Carbazole	11.710	167	1194026	57.015	ng	100
74) Di-n-butylphthalate	12.045	149	1392335	58.757	ng	100
75) Fluoranthene	12.698	202	1232952	57.122	ng	99
77) Benzidine	12.810	184	476553	46.785	ng	100
78) Pyrene	12.927	202	1207978	53.536	ng	99
80) Butylbenzylphthalate	13.539	149	441334	63.875	ng	99
81) Benzo(a)anthracene	14.110	228	1041236	58.825	ng	99
82) 3,3'-Dichlorobenzidine	14.069	252	348979	59.155	ng	100
83) Chrysene	14.151	228	930545	58.472	ng	100
84) Bis(2-ethylhexyl)phtha...	14.098	149	655482	62.678	ng	100
85) Di-n-octyl phthalate	14.716	149	1196044	63.095	ng	100
87) Indeno(1,2,3-cd)pyrene	17.168	276	1337361	60.037	ng	99
88) Benzo(b)fluoranthene	15.180	252	1125667	58.328	ng	100
89) Benzo(k)fluoranthene	15.216	252	1023132	59.411	ng	99
90) Benzo(a)pyrene	15.563	252	1062049	59.730	ng	99
91) Dibenzo(a,h)anthracene	17.192	278	1080768	59.610	ng	98
92) Benzo(g,h,i)perylene	17.639	276	1055168	60.163	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
Data File : BF143146.D
Acq On : 17 Jul 2025 14:04
Operator : RC/JU
Sample : SSTDICC060
Misc :
ALS Vial : 9 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025


Quant Time: Jul 17 15:05:08 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 14:54:43 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060



Tgt Ion:152 Resp: 153150
Ion Ratio Lower Upper
152 100
150 158.5 128.2 192.4
115 60.7 47.9 71.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#2
1,4-Dioxane
Concen: 58.635 ng
RT: 2.805 min Scan# 104
Delta R.T. -0.018 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04


Tgt Ion: 88 Resp: 268511
Ion Ratio Lower Upper
88 100
58 88.2 70.2 105.2
43 34.2 27.1 40.7





#3
Pyridine
Concen: 58.965 ng
RT: 3.581 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060



Tgt Ion: 79 Resp: 700860
Ion Ratio Lower Upper
79 100
52 85.7 69.4 104.2
51 41.4 33.5 50.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#4
n-Nitrosodimethylamine
Concen: 60.203 ng
RT: 3.534 min Scan# 228
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion: 42 Resp: 369452
Ion Ratio Lower Upper
42 100
74 115.5 91.7 137.5
44 7.2 5.6 8.4





#5
2-Fluorophenol
Concen: 113.327 ng
RT: 5.587 min Scan# 51
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:112 Resp: 1096770
Ion Ratio Lower Upper
112 100
64 66.5 53.1 79.7
63 33.4 26.6 40.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#6
Aniline
Concen: 57.896 ng
RT: 6.628 min Scan# 754
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04


Tgt Ion: 93 Resp: 982918
Ion Ratio Lower Upper
93 100
66 41.4 33.2 49.8
65 21.0 16.9 25.3





#7
Phenol-d6
Concen: 113.616 ng
RT: 6.587 min Scan# 747
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060




Tgt Ion: 99 Resp: 1384010
Ion Ratio Lower Upper
99 100
42 21.4 17.0 25.6
71 35.3 27.7 41.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#8
2-Chlorophenol
Concen: 58.147 ng
RT: 6.751 min Scan# 775
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04



Tgt Ion:128 Resp: 589870
Ion Ratio Lower Upper
128 100
130 32.3 12.3 52.3
64 54.0 35.9 75.9









#9
Benzaldehyde
Concen: 56.445 ng
RT: 6.516 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 77 Resp: 51558
Ion Ratio Lower Upper
77 100
105 96.1 76.8 116.8
106 92.7 74.4 114.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#10
Phenol
Concen: 58.002 ng m
RT: 6.604 min Scan# 750
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion: 94 Resp: 769713
Ion Ratio Lower Upper
94 100
65 31.5 10.0 50.0
66 44.0 20.8 60.8









#11
bis(2-Chloroethyl)ether
Concen: 57.918 ng
RT: 6.698 min Scan# 766
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 93 Resp: 58849
Ion Ratio Lower Upper
93 100
63 82.9 63.4 103.4
95 32.8 12.4 52.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#12
1,3-Dichlorobenzene
Concen: 56.769 ng
RT: 6.910 min Scan# 802
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:146 Resp: 625605
Ion Ratio Lower Upper
146 100
148 63.1 50.6 76.0
75 33.2 27.4 41.2





#13

1,4-Dichlorobenzene

Concen: 56.171 ng

RT: 6.981 min Scan# 814

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060

Tgt Ion:146 Resp: 623375

Ion Ratio Lower Upper

146 100

148 63.6 50.3 75.5





111 44.7 34.4 51.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#14

1,2-Dichlorobenzene

Concen: 56.708 ng

RT: 7.140 min Scan# 841

Delta R.T. 0.006 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:146 Resp: 598571


Ion Ratio Lower Upper

146 100

148 63.6 50.7 76.1

111 44.8 36.6 54.8






#15
Benzyl Alcohol
Concen: 58.934 ng
RT: 7.098 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060






Tgt Ion: 79 Resp: 54815
Ion Ratio Lower Upper
79 100
108 74.2 61.1 91.7
77 61.2 48.9 73.3

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#16
2,2'-oxybis(1-Chloropropane)
Concen: 57.120 ng
RT: 7.240 min Scan# 858
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04



Tgt Ion: 45 Resp: 1076628
Ion Ratio Lower Upper
45 100
77 11.8 0.0 31.2
79 9.0 0.0 28.5






#17
2-Methylphenol
Concen: 58.393 ng
RT: 7.210 min Scan# 852
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060






Tgt Ion:107 Resp: 49807
Ion Ratio Lower Upper
107 100
108 113.6 91.8 137.6
77 45.6 37.0 55.6
79 46.1 36.9 55.3

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#18
Hexachloroethane
Concen: 58.691 ng
RT: 7.481 min Scan# 899
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04


Tgt Ion:117 Resp: 225488
Ion Ratio Lower Upper
117 100
119 96.5 77.8 116.8
201 94.6 77.0 115.4





#19
n-Nitroso-di-n-propylamine
Concen: 56.012 ng
RT: 7.381 min Scan# 881
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060




Tgt Ion: 70 Resp: 437750
Ion Ratio Lower Upper
70 100
42 65.7 52.5 78.7
101 9.7 7.6 11.4
130 20.7 16.1 24.1

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#20
3+4-Methylphenols
Concen: 56.273 ng
RT: 7.363 min Scan# 879
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Tgt Ion:107 Resp: 582354
Ion Ratio Lower Upper
107 100
108 90.1 70.0 110.0
77 86.3 57.8 97.8
79 29.5 9.5 49.5





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1029
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060



Tgt Ion:136 Resp: 57354
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 10.6 8.2 12.2
68 7.0 5.4 8.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#22
Acetophenone
Concen: 56.041 ng
RT: 7.375 min Scan# 881
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:105 Resp: 760969
Ion Ratio Lower Upper
105 100
71 6.9 5.8 8.6
51 37.4 30.2 45.2
120 23.2 18.2 27.4





#23
Nitrobenzene-d5
Concen: 118.809 ng
RT: 7.528 min Scan# 906
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :





SSTDICC060

Tgt Ion: 82 Resp: 1367018
Ion Ratio Lower Upper
82 100
128 43.1 33.6 50.4
54 58.9 47.1 70.7

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#24
Nitrobenzene
Concen: 59.832 ng
RT: 7.545 min Scan# 910
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion: 77 Resp: 641832
Ion Ratio Lower Upper
77 100
123 44.3 36.1 54.1
65 14.4 11.4 17.2









#25
Isophorone
Concen: 59.202 ng
RT: 7.787 min Scan# 951
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 82 Resp: 1202500
Ion Ratio Lower Upper
82 100
95 7.1 5.5 8.3
138 17.9 13.8 20.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#26
2-Nitrophenol
Concen: 65.345 ng
RT: 7.857 min Scan# 963
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:139 Resp: 304218
Ion Ratio Lower Upper
139 100
109 29.8 23.6 35.4
65 56.0 42.6 64.0





#27
2,4-Dimethylphenol
Concen: 57.833 ng
RT: 7.892 min Scan# 90
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:122 Resp: 54882
Ion Ratio Lower Upper
122 100
107 116.0 91.8 137.6
121 58.4 46.3 69.5

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#28
bis(2-Chloroethoxy)methane
Concen: 57.184 ng
RT: 7.992 min Scan# 986
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion: 93 Resp: 696403
Ion Ratio Lower Upper
93 100
95 32.6 25.8 38.6
123 12.4 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 58.329 ng

RT: 8.098 min Scan# 1004

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:162 Resp: 466809
 Ion Ratio Lower Upper
 162 100
 164 64.9 44.2 84.2
 98 39.9 17.9 57.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#30

1,2,4-Trichlorobenzene

Concen: 57.653 ng




RT: 8.187 min Scan# 1019


Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04


Tgt Ion:180 Resp: 498478
 Ion Ratio Lower Upper
 180 100
 182 94.2 76.2 114.2
 145 31.8 25.0 37.6





#31
Naphthalene
Concen: 55.784 ng
RT: 8.269 min Scan# 1033
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060



Tgt Ion:128 Resp: 1575690
Ion Ratio Lower Upper
128 100
129 11.4 9.0 13.4
127 13.5 10.6 16.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#32
Benzoic acid
Concen: 58.961 ng
RT: 8.010 min Scan# 989
Delta R.T. 0.018 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:122 Resp: 321703
Ion Ratio Lower Upper
122 100
105 126.3 104.8 144.8
77 96.5 77.6 117.6






#33
4-Chloroaniline
Concen: 57.178 ng
RT: 8.310 min Scan# 1040
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060






Tgt Ion:127 Resp: 65946
Ion Ratio Lower Upper
127 100
129 32.4 26.0 39.0
65 35.3 27.4 41.2
92 21.5 16.8 25.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#34
Hexachlorobutadiene
Concen: 58.230 ng
RT: 8.392 min Scan# 1054
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04


Tgt Ion:225 Resp: 307552
Ion Ratio Lower Upper
225 100
223 63.0 49.8 74.6
227 63.7 50.2 75.4





#35
 Caprolactam
 Concen: 60.327 ng
 RT: 8.692 min Scan# 1105
 Delta R.T. 0.012 min
 Lab File: BF143146.D
 Acq: 17 Jul 2025 14:04




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC060




Tgt Ion:113 Resp: 145894
 Ion Ratio Lower Upper
 113 100
 55 193.5 174.0 214.0
 56 146.9 126.6 166.6

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#36
 4-Chloro-3-methylphenol
 Concen: 58.186 ng
 RT: 8.787 min Scan# 1121
 Delta R.T. 0.006 min
 Lab File: BF143146.D
 Acq: 17 Jul 2025 14:04




Tgt Ion:107 Resp: 506142
 Ion Ratio Lower Upper
 107 100
 144 24.7 19.8 29.6
 142 76.9 60.6 90.8





#37
2-Methylnaphthalene
Concen: 56.203 ng
RT: 8.957 min Scan# 1150
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060



Tgt Ion:142 Resp: 96603
Ion Ratio Lower Upper
142 100
141 87.9 69.9 104.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#38
1-Methylnaphthalene
Concen: 56.329 ng
RT: 9.057 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:142 Resp: 997009
Ion Ratio Lower Upper
142 100
141 90.1 72.3 108.5





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.004 min Scan# 11

Delta R.T. 0.006 min

Lab File: BF143146.D


Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060



Tgt Ion:164 Resp: 286544

Ion Ratio Lower Upper

164 100

162 99.1 79.0 118.6




160 44.6 35.1 52.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 57.955 ng

RT: 9.128 min Scan# 1179

Delta R.T. 0.006 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Tgt Ion:216 Resp: 479450




Ion Ratio Lower Upper


216 100

214 78.4 63.8 95.8

179 20.4 16.4 24.6


108 19.4 15.6 23.4





#41
Hexachlorocyclopentadiene
Concen: 62.761 ng
RT: 9.116 min Scan# 1177
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060




Tgt Ion:237 Resp: 33783
Ion Ratio Lower Upper
237 100
235 63.4 43.0 83.0
272 13.2 0.0 33.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#42
2,4,6-Tribromophenol
Concen: 119.817 ng
RT: 10.792 min Scan# 1462
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04



Tgt Ion:330 Resp: 354678
Ion Ratio Lower Upper
330 100
332 96.5 76.7 115.1
141 28.9 23.3 34.9





#43

2,4,6-Trichlorophenol

Concen: 60.246 ng

RT: 9.234 min Scan# 1196

Delta R.T. 0.006 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060

Tgt Ion:196 Resp: 34494

Ion Ratio Lower Upper

196 100

198 95.8 76.2 114.2





200 30.7 23.9 35.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#44

2,4,5-Trichlorophenol

Concen: 59.305 ng

RT: 9.269 min Scan# 1203

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Tgt Ion:196 Resp: 339656




Ion Ratio Lower Upper


196 100

198 96.9 77.3 115.9

97 52.6 40.3 60.5


132 30.0 23.1 34.7





#45
2-Fluorobiphenyl
Concen: 108.558 ng
RT: 9.322 min Scan# 1212
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060



Tgt Ion:172 Resp: 2274500
Ion Ratio Lower Upper
172 100
171 36.0 28.6 42.8
170 23.7 18.8 28.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#46
1,1'-Biphenyl
Concen: 56.610 ng
RT: 9.422 min Scan# 1229
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:154 Resp: 1265588
Ion Ratio Lower Upper
154 100
153 40.5 20.3 60.3
76 13.7 0.0 33.3





#47

2-Chloronaphthalene

Concen: 57.364 ng

RT: 9.451 min Scan# 1234

Delta R.T. 0.006 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060

Tgt Ion:162 Resp: 948912





Ion	Ratio	Lower	Upper
162	100		
127	41.5	33.4	50.2
164	32.6	26.2	39.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#48

2-Nitroaniline

Concen: 63.904 ng

RT: 9.534 min Scan# 1248




Delta R.T. 0.000 min


Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Tgt Ion: 65 Resp: 331501

Ion	Ratio	Lower	Upper
65	100		
92	65.8	52.4	78.6
138	101.5	82.3	123.5






#49
Acenaphthylene
Concen: 56.860 ng
RT: 9.863 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060






Tgt Ion:152 Resp: 1576240
Ion Ratio Lower Upper
152 100
151 20.3 16.2 24.2
153 13.5 10.6 16.0

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#50
Dimethylphthalate
Concen: 57.558 ng
RT: 9.722 min Scan# 1280
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04



Tgt Ion:163 Resp: 1075052
Ion Ratio Lower Upper
163 100
194 4.4 3.4 5.2
164 10.3 8.3 12.5





#51
2,6-Dinitrotoluene
Concen: 62.665 ng
RT: 9.775 min Scan# 1289
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :

BNA_F





ClientSampleId :

SSTDICC060

Tgt Ion:165 Resp: 23810
Ion Ratio Lower Upper
165 100
63 64.4 49.4 74.2
89 59.1 46.2 69.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#52
Acenaphthene
Concen: 56.814 ng
RT: 10.039 min Scan# 1334
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:154 Resp: 930883
Ion Ratio Lower Upper
154 100
153 105.6 86.6 129.8
152 49.9 40.4 60.6





#53
3-Nitroaniline
Concen: 61.542 ng
RT: 9.945 min Scan# 1318
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:138 Resp: 273500
Ion Ratio Lower Upper
138 100
108 11.1 9.0 13.6
92 116.5 93.0 139.4

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#54
2,4-Dinitrophenol
Concen: 60.690 ng
RT: 10.045 min Scan# 1335
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04


Tgt Ion:184 Resp: 101491
Ion Ratio Lower Upper
184 100
63 115.6 81.8 122.6
154 603.3 412.2 618.4





#55
Dibenzenofuran
Concen: 56.093 ng
RT: 10.210 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060



Tgt Ion:168 Resp: 136453
Ion Ratio Lower Upper
168 100
139 36.7 29.5 44.3
169 13.4 10.9 16.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#56
4-Nitrophenol
Concen: 61.312 ng
RT: 10.092 min Scan# 1343
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04


Tgt Ion:139 Resp: 203477
Ion Ratio Lower Upper
139 100
109 68.7 48.5 88.5
65 102.2 83.4 123.4





#57
2,4-Dinitrotoluene
Concen: 63.868 ng
RT: 10.181 min Scan# 1358
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060




Tgt Ion:165 Resp: 304460
Ion Ratio Lower Upper
165 100
63 48.7 41.0 61.4
89 73.4 61.1 91.7
182 2.9 2.3 3.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#58
Fluorene
Concen: 54.647 ng
RT: 10.551 min Scan# 1421
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Tgt Ion:166 Resp: 997710
Ion Ratio Lower Upper
166 100
165 91.6 73.7 110.5
167 13.6 10.6 16.0





#59
2,3,4,6-Tetrachlorophenol
Concen: 59.678 ng
RT: 10.322 min Scan# 1382
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060




Tgt Ion:232 Resp: 283124
Ion Ratio Lower Upper
232 100
131 44.2 35.3 52.9
130 2.1 1.7 2.5
166 28.5 23.4 35.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#60
Diethylphthalate
Concen: 57.301 ng
RT: 10.422 min Scan# 1399
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Tgt Ion:149 Resp: 1057851
Ion Ratio Lower Upper
149 100
177 22.1 17.5 26.3
150 12.6 10.2 15.2





#61
4-Chlorophenyl-phenylether
Concen: 56.867 ng
RT: 10.539 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060




Tgt Ion:204 Resp: 516980
Ion Ratio Lower Upper
204 100
206 31.8 25.8 38.8
141 59.0 47.0 70.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#62
4-Nitroaniline
Concen: 61.037 ng
RT: 10.563 min Scan# 1423
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Tgt Ion:138 Resp: 232488
Ion Ratio Lower Upper
138 100
92 50.2 29.3 69.3
108 69.9 48.3 88.3





#63
Azobenzene
Concen: 57.107 ng
RT: 10.698 min Scan# 1446
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060




Tgt Ion: 77 Resp: 1098772
Ion Ratio Lower Upper
77 100
182 23.6 4.6 44.6
105 21.4 1.4 41.4
51 34.1 13.7 53.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.486 min Scan# 1580
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Tgt Ion:188 Resp: 442888
Ion Ratio Lower Upper
188 100
94 10.6 8.3 12.5
80 11.5 9.0 13.6





#65
4,6-Dinitro-2-methylphenol
Concen: 60.728 ng
RT: 10.592 min Scan# 1428
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060




Tgt Ion:198 Resp: 14475
Ion Ratio Lower Upper
198 100
51 55.6 37.2 77.2
105 43.9 24.8 64.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#66
n-Nitrosodiphenylamine
Concen: 58.380 ng
RT: 10.657 min Scan# 1439
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Tgt Ion:169 Resp: 910468
Ion Ratio Lower Upper
169 100
168 66.6 52.1 78.1
167 35.8 28.2 42.2





#67
4-Bromophenyl-phenylether
Concen: 60.266 ng
RT: 11.028 min Scan# 1502
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060




Tgt Ion:248 Resp: 318085
Ion Ratio Lower Upper
248 100
250 97.9 78.3 117.5
141 75.0 59.2 88.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#68
Hexachlorobenzene
Concen: 59.054 ng
RT: 11.104 min Scan# 1515
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04



Tgt Ion:284 Resp: 325779
Ion Ratio Lower Upper
284 100
142 30.9 27.0 40.6
249 30.1 25.0 37.6





#69

Atrazine

Concen: 61.024 ng

RT: 11.181 min Scan# 1528

Delta R.T. 0.006 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060

Tgt Ion:200 Resp: 262374

Ion Ratio Lower Upper

200 100

173 27.6 7.9 47.9





215 50.1 30.1 70.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#70

Pentachlorophenol

Concen: 63.625 ng

RT: 11.286 min Scan# 1546

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:266 Resp: 206417


Ion Ratio Lower Upper

266 100

268 63.3 51.9 77.9


264 62.5 51.0 76.6





#71
Phenanthrene
Concen: 56.620 ng
RT: 11.510 min Scan# 1584
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060



Tgt Ion:178 Resp: 1331485
Ion Ratio Lower Upper
178 100
176 19.4 15.3 22.9
179 15.7 12.5 18.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#72
Anthracene
Concen: 57.522 ng
RT: 11.563 min Scan# 1593
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04


Tgt Ion:178 Resp: 1379601
Ion Ratio Lower Upper
178 100
176 18.6 15.0 22.4
179 15.8 12.5 18.7





#73
 Carbazole
 Concen: 57.015 ng
 RT: 11.710 min Scan# 1618
 Delta R.T. 0.000 min
 Lab File: BF143146.D
 Acq: 17 Jul 2025 14:04




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC060




Tgt Ion:167 Resp: 1194020
 Ion Ratio Lower Upper
 167 100
 166 21.2 17.0 25.6
 139 12.9 10.0 15.0

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#74
 Di-n-butylphthalate
 Concen: 58.757 ng
 RT: 12.045 min Scan# 1675
 Delta R.T. 0.006 min
 Lab File: BF143146.D
 Acq: 17 Jul 2025 14:04




Tgt Ion:149 Resp: 1392335
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.4 11.2
 104 4.7 3.8 5.8





#75
Fluoranthene
Concen: 57.122 ng
RT: 12.698 min Scan# 1786
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060




Tgt Ion:202 Resp: 123295
Ion Ratio Lower Upper
202 100
101 11.8 0.0 31.7
203 17.8 0.0 37.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.121 min Scan# 2028
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04



Tgt Ion:240 Resp: 264384
Ion Ratio Lower Upper
240 100
120 11.9 9.4 14.2
236 25.1 20.2 30.4





#77

Benzidine

Concen: 46.785 ng

RT: 12.810 min Scan# 1805

Delta R.T. -0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:184 Resp: 47655
 Ion Ratio Lower Upper
 184 100
 185 15.1 12.2 18.4
 183 11.0 9.0 13.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#78

Pyrene

Concen: 53.536 ng




RT: 12.927 min Scan# 1825


Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Tgt Ion:202 Resp: 1207978
 Ion Ratio Lower Upper
 202 100
 200 20.0 15.7 23.5
 203 18.0 14.2 21.2






#79
 Terphenyl-d14
 Concen: 106.298 ng
 RT: 13.069 min Scan# 1849
 Delta R.T. 0.000 min
 Lab File: BF143146.D
 Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060






Tgt Ion:244 Resp: 1888544
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.2 7.8
 122 10.4 8.2 12.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#80
 Butylbenzylphthalate
 Concen: 63.875 ng
 RT: 13.539 min Scan# 1929
 Delta R.T. 0.000 min
 Lab File: BF143146.D
 Acq: 17 Jul 2025 14:04



Tgt Ion:149 Resp: 441334
 Ion Ratio Lower Upper
 149 100
 91 71.6 57.9 86.9
 206 21.5 17.0 25.4





#81

Benzo(a)anthracene

Concen: 58.825 ng

RT: 14.110 min Scan# 2026

Delta R.T. 0.000 min

Lab File: BF143146.D


Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060



Tgt Ion:228 Resp: 1041230

Ion Ratio Lower Upper

228 100

226 27.0 21.7 32.5




229 20.2 15.8 23.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#82

3,3'-Dichlorobenzidine

Concen: 59.155 ng

RT: 14.069 min Scan# 2019

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:252 Resp: 348979


Ion Ratio Lower Upper

252 100

254 64.4 51.7 77.5

126 12.0 9.4 14.0





#83

Chrysene

Concen: 58.472 ng

RT: 14.151 min Scan# 2033

Delta R.T. 0.000 min

Lab File: BF143146.D


Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060



Tgt Ion:228 Resp: 930549

Ion Ratio Lower Upper

228 100

226 29.9 23.8 35.8




229 19.6 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 62.678 ng

RT: 14.098 min Scan# 2024

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:149 Resp: 655482


Ion Ratio Lower Upper

149 100

167 27.9 22.3 33.5


279 4.3 3.6 5.4





#85
Di-n-octyl phthalate
Concen: 63.095 ng
RT: 14.716 min Scan# 2129
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060




Tgt Ion:149 Resp: 1196044
Ion Ratio Lower Upper
149 100
167 1.5 1.1 1.7
43 12.0 9.7 14.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#86
Perylene-d12
Concen: 20.000 ng
RT: 15.621 min Scan# 2283
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04



Tgt Ion:264 Resp: 315904
Ion Ratio Lower Upper
264 100
260 22.7 18.5 27.7
265 21.5 17.4 26.2





#87

Indeno(1,2,3-cd)pyrene

Concen: 60.037 ng

RT: 17.168 min Scan# 21

Delta R.T. 0.006 min

Lab File: BF143146.D


Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060



Tgt Ion:276 Resp: 133736

Ion Ratio Lower Upper

276 100

138 26.9 21.8 32.6




277 25.4 20.0 30.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#88

Benzo(b)fluoranthene

Concen: 58.328 ng

RT: 15.180 min Scan# 2208

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:252 Resp: 1125667


Ion Ratio Lower Upper

252 100

253 21.8 17.5 26.3

125 10.3 8.0 12.0






#89
Benzo(k)fluoranthene
Concen: 59.411 ng
RT: 15.216 min Scan# 211
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060






Tgt Ion:252 Resp: 102313
Ion Ratio Lower Upper
252 100
253 21.8 17.8 26.6
125 9.9 8.1 12.1

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#90
Benzo(a)pyrene
Concen: 59.730 ng
RT: 15.563 min Scan# 2273
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04


Tgt Ion:252 Resp: 1062049
Ion Ratio Lower Upper
252 100
253 21.8 17.3 25.9
125 11.5 8.6 13.0





#91
Dibenzo(a,h)anthracene
Concen: 59.610 ng
RT: 17.192 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060



Tgt Ion:278 Resp: 1080768
Ion Ratio Lower Upper
278 100
139 16.6 14.1 21.1
279 24.0 18.6 28.0




Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#92
Benzo(g,h,i)perylene
Concen: 60.163 ng
RT: 17.639 min Scan# 2626
Delta R.T. 0.012 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:276 Resp: 1055168
Ion Ratio Lower Upper
276 100
277 23.7 19.1 28.7
138 24.2 18.9 28.3



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143147.D
 Acq On : 17 Jul 2025 14:34
 Operator : RC/JU
 Sample : SSTDICC080
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:05:57 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	145034	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	544516	20.000	ng	0.00
39) Acenaphthene-d10	10.004	164	275619	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	429046	20.000	ng	0.00
76) Chrysene-d12	14.127	240	245351	20.000	ng	0.00
86) Perylene-d12	15.627	264	296687	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.587	112	1300344	141.880	ng	0.00
7) Phenol-d6	6.593	99	1639937	142.159	ng	0.00
23) Nitrobenzene-d5	7.534	82	1644581	150.551	ng	0.01
42) 2,4,6-Tribromophenol	10.792	330	437054	153.498	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	2623071	130.157	ng	0.00
79) Terphenyl-d14	13.069	244	2202828	133.606	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.793	88	323993	74.710	ng	99
3) Pyridine	3.569	79	842446	74.844	ng	99
4) n-Nitrosodimethylamine	3.528	42	445612	76.677	ng	97
6) Aniline	6.628	93	1170943	72.831	ng	98
8) 2-Chlorophenol	6.751	128	699193	72.781	ng	99
9) Benzaldehyde	6.516	77	493544	57.055	ng	99
10) Phenol	6.610	94	888041m	70.663	ng	
11) bis(2-Chloroethyl)ether	6.698	93	697645	72.503	ng	100
12) 1,3-Dichlorobenzene	6.910	146	734699	70.400	ng	100
13) 1,4-Dichlorobenzene	6.987	146	739462	70.360	ng	99
14) 1,2-Dichlorobenzene	7.140	146	709300	70.958	ng	100
15) Benzyl Alcohol	7.104	79	661847	75.139	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.240	45	1265589	70.902	ng	99
17) 2-Methylphenol	7.210	107	595477	73.719	ng	99
18) Hexachloroethane	7.481	117	266665	73.293	ng	99
19) n-Nitroso-di-n-propyla...	7.387	70	528820	71.452	ng	99
20) 3+4-Methylphenols	7.369	107	673906	68.763	ng	# 87
22) Acetophenone	7.375	105	890890	69.107	ng	# 95
24) Nitrobenzene	7.551	77	751964	73.836	ng	100
25) Isophorone	7.792	82	1453353	75.366	ng	99
26) 2-Nitrophenol	7.863	139	364951	82.568	ng	100
27) 2,4-Dimethylphenol	7.898	122	649144	72.050	ng	99
28) bis(2-Chloroethoxy)met...	7.992	93	834021	72.134	ng	99
29) 2,4-Dichlorophenol	8.104	162	558665	73.527	ng	99
30) 1,2,4-Trichlorobenzene	8.187	180	588333	71.673	ng	99
31) Naphthalene	8.269	128	1854387	69.150	ng	100
32) Benzoic acid	8.028	122	423625m	79.801	ng	
33) 4-Chloroaniline	8.310	127	787243	71.895	ng	98
34) Hexachlorobutadiene	8.392	225	368327	73.453	ng	99
35) Caprolactam	8.698	113	178271	77.644	ng	96
36) 4-Chloro-3-methylphenol	8.792	107	614048	74.354	ng	99
37) 2-Methylnaphthalene	8.957	142	1137176	69.687	ng	100
38) 1-Methylnaphthalene	9.057	142	1168702	69.550	ng	100
40) 1,2,4,5-Tetrachloroben...	9.128	216	568070	71.389	ng	99
41) Hexachlorocyclopentadiene	9.122	237	412756	79.719	ng	100
43) 2,4,6-Trichlorophenol	9.234	196	412148	74.838	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143147.D
 Acq On : 17 Jul 2025 14:34
 Operator : RC/JU
 Sample : SSTDICC080
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080


Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 15:05:57 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.275	196	423565	76.888	ng	99
46) 1,1'-Biphenyl	9.428	154	1492094	69.388	ng	100
47) 2-Chloronaphthalene	9.451	162	1131626	71.122	ng	100
48) 2-Nitroaniline	9.534	65	404023	80.971	ng	96
49) Acenaphthylene	9.869	152	1868062	70.057	ng	100
50) Dimethylphthalate	9.728	163	1288559	71.723	ng	99
51) 2,6-Dinitrotoluene	9.781	165	292718	80.093	ng	99
52) Acenaphthene	10.039	154	1120315	71.086	ng	99
53) 3-Nitroaniline	9.951	138	333980	78.128	ng	98
54) 2,4-Dinitrophenol	10.051	184	133446	80.516	ng	# 40
55) Dibenzofuran	10.210	168	1615399	69.038	ng	99
56) 4-Nitrophenol	10.098	139	252698	79.161	ng	99
57) 2,4-Dinitrotoluene	10.186	165	376124	82.029	ng	96
58) Fluorene	10.551	166	1197731	68.203	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.322	232	340118	74.533	ng	100
60) Diethylphthalate	10.422	149	1276217	71.870	ng	99
61) 4-Chlorophenyl-phenyle...	10.539	204	614962	70.326	ng	99
62) 4-Nitroaniline	10.569	138	291926	79.680	ng	98
63) Azobenzene	10.704	77	1318720	71.255	ng	99
65) 4,6-Dinitro-2-methylph...	10.592	198	186415	78.948	ng	98
66) n-Nitrosodiphenylamine	10.663	169	1087990	72.014	ng	98
67) 4-Bromophenyl-phenylether	11.033	248	382122	74.734	ng	98
68) Hexachlorobenzene	11.104	284	399107	74.680	ng	96
69) Atrazine	11.180	200	324126	77.819	ng	99
70) Pentachlorophenol	11.286	266	257176	81.829	ng	98
71) Phenanthrene	11.516	178	1602208	70.331	ng	100
72) Anthracene	11.563	178	1641264	70.640	ng	100
73) Carbazole	11.710	167	1435444	70.754	ng	99
74) Di-n-butylphthalate	12.045	149	1699503	74.034	ng	100
75) Fluoranthene	12.698	202	1498103	71.645	ng	99
78) Pyrene	12.927	202	1466205	70.021	ng	100
80) Butylbenzylphthalate	13.539	149	521631	81.353	ng	99
81) Benzo(a)anthracene	14.116	228	1212056	73.788	ng	100
82) 3,3'-Dichlorobenzidine	14.074	252	393448	71.867	ng	99
83) Chrysene	14.151	228	1105636	74.863	ng	100
84) Bis(2-ethylhexyl)phtha...	14.104	149	774366	79.790	ng	99
85) Di-n-octyl phthalate	14.716	149	1434055	81.519	ng	99
87) Indeno(1,2,3-cd)pyrene	17.174	276	1604969	76.718	ng	99
88) Benzo(b)fluoranthene	15.186	252	1438518	79.367	ng	100
89) Benzo(k)fluoranthene	15.216	252	1111726	68.737	ng	100
90) Benzo(a)pyrene	15.568	252	1269253	76.006	ng	99
91) Dibenzo(a,h)anthracene	17.198	278	1289789	75.746	ng	99
92) Benzo(g,h,i)perylene	17.645	276	1265778	76.846	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion:152 Resp: 145034
Ion Ratio Lower Upper
152 100
150 159.0 128.2 192.4
115 60.4 47.9 71.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#2
1,4-Dioxane
Concen: 74.710 ng
RT: 2.793 min Scan# 102
Delta R.T. -0.029 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Tgt Ion: 88 Resp: 323993
Ion Ratio Lower Upper
88 100
58 86.8 70.2 105.2
43 33.6 27.1 40.7





#3
Pyridine
Concen: 74.844 ng
RT: 3.569 min Scan# 21
Delta R.T. -0.018 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080



Tgt Ion: 79 Resp: 842440
Ion Ratio Lower Upper
79 100
52 85.3 69.4 104.2
51 41.4 33.5 50.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#4
n-Nitrosodimethylamine
Concen: 76.677 ng
RT: 3.528 min Scan# 227
Delta R.T. -0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion: 42 Resp: 445612
Ion Ratio Lower Upper
42 100
74 118.0 91.7 137.5
44 6.9 5.6 8.4





#5
2-Fluorophenol
Concen: 141.880 ng
RT: 5.587 min Scan# 511
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:112 Resp: 1300344
Ion Ratio Lower Upper
112 100
64 66.6 53.1 79.7
63 33.6 26.6 40.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#6
Aniline
Concen: 72.831 ng
RT: 6.628 min Scan# 754
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion: 93 Resp: 1170943
Ion Ratio Lower Upper
93 100
66 42.9 33.2 49.8
65 21.6 16.9 25.3









#7
Phenol-d6
Concen: 142.159 ng
RT: 6.593 min Scan# 747
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 99 Resp: 163993
Ion Ratio Lower Upper
99 100
42 21.1 17.0 25.6
71 35.0 27.7 41.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#8
2-Chlorophenol
Concen: 72.781 ng
RT: 6.751 min Scan# 775
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34


Tgt Ion:128 Resp: 699193
Ion Ratio Lower Upper
128 100
130 32.9 12.3 52.3
64 55.5 35.9 75.9





#9
Benzaldehyde
Concen: 57.055 ng
RT: 6.516 min Scan# 711
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion: 77 Resp: 493544
Ion Ratio Lower Upper
77 100
105 96.2 76.8 116.8
106 93.1 74.4 114.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#10
Phenol
Concen: 70.663 ng m
RT: 6.610 min Scan# 751
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34



Tgt Ion: 94 Resp: 888041
Ion Ratio Lower Upper
94 100
65 34.9 10.0 50.0
66 50.1 20.8 60.8





#11
bis(2-Chloroethyl)ether
Concen: 72.503 ng
RT: 6.698 min Scan# 766
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion: 93 Resp: 697649
Ion Ratio Lower Upper
93 100
63 83.6 63.4 103.4
95 32.6 12.4 52.4

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#12
1,3-Dichlorobenzene
Concen: 70.400 ng
RT: 6.910 min Scan# 802
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:146 Resp: 734699
Ion Ratio Lower Upper
146 100
148 63.2 50.6 76.0
75 33.9 27.4 41.2









#13
1,4-Dichlorobenzene
Concen: 70.360 ng
RT: 6.987 min Scan# 814
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:146 Resp: 739462
Ion Ratio Lower Upper
146 100
148 64.1 50.3 75.5
111 43.4 34.4 51.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#14
1,2-Dichlorobenzene
Concen: 70.958 ng
RT: 7.140 min Scan# 841
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34


Tgt Ion:146 Resp: 709300
Ion Ratio Lower Upper
146 100
148 63.2 50.7 76.1
111 45.3 36.6 54.8





#15
Benzyl Alcohol
Concen: 75.139 ng
RT: 7.104 min Scan# 81
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion: 79 Resp: 66184
Ion Ratio Lower Upper
79 100
108 75.8 61.1 91.7
77 61.6 48.9 73.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#16
2,2'-oxybis(1-Chloropropane)
Concen: 70.902 ng
RT: 7.240 min Scan# 858
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34



Tgt Ion: 45 Resp: 1265589
Ion Ratio Lower Upper
45 100
77 11.8 0.0 31.2
79 9.0 0.0 28.5






#17
2-Methylphenol
Concen: 73.719 ng
RT: 7.210 min Scan# 810
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080






Tgt Ion:107 Resp: 59547
Ion Ratio Lower Upper
107 100
108 115.6 91.8 137.6
77 46.2 37.0 55.6
79 47.1 36.9 55.3

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#18
Hexachloroethane
Concen: 73.293 ng
RT: 7.481 min Scan# 899
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:117 Resp: 266665
Ion Ratio Lower Upper
117 100
119 96.9 77.8 116.8
201 94.3 77.0 115.4






#19
n-Nitroso-di-n-propylamine
Concen: 71.452 ng
RT: 7.387 min Scan# 881
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080






Tgt Ion: 70 Resp: 528820
Ion Ratio Lower Upper
70 100
42 64.4 52.5 78.7
101 9.9 7.6 11.4
130 20.4 16.1 24.1

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#20
3+4-Methylphenols
Concen: 68.763 ng
RT: 7.369 min Scan# 880
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Tgt Ion:107 Resp: 673906
Ion Ratio Lower Upper
107 100
108 90.3 70.0 110.0
77 105.4 57.8 97.8#
79 30.4 9.5 49.5





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1029
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion:136 Resp: 544510
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 10.6 8.2 12.2
68 6.9 5.4 8.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#22
Acetophenone
Concen: 69.107 ng
RT: 7.375 min Scan# 881
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34



Tgt Ion:105 Resp: 890890
Ion Ratio Lower Upper
105 100
71 4.8 5.8 8.6#
51 41.6 30.2 45.2
120 23.0 18.2 27.4





#23

Nitrobenzene-d5

Concen: 150.551 ng

RT: 7.534 min Scan# 906

Delta R.T. 0.012 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion: 82 Resp: 164458

Ion Ratio Lower Upper

82 100

128 43.4 33.6 50.4





54 57.5 47.1 70.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#24

Nitrobenzene

Concen: 73.836 ng

RT: 7.551 min Scan# 911

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion: 77 Resp: 751964


Ion Ratio Lower Upper

77 100

123 45.2 36.1 54.1

65 14.4 11.4 17.2





#25
Isophorone
Concen: 75.366 ng
RT: 7.792 min Scan# 91
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC080

Tgt Ion: 82 Resp: 145335
Ion Ratio Lower Upper
82 100
95 7.2 5.5 8.3
138 17.6 13.8 20.8

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#26
2-Nitrophenol
Concen: 82.568 ng
RT: 7.863 min Scan# 964
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:139 Resp: 364951
Ion Ratio Lower Upper
139 100
109 29.7 23.6 35.4
65 53.4 42.6 64.0






#27
2,4-Dimethylphenol
Concen: 72.050 ng
RT: 7.898 min Scan# 91
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080






Tgt Ion:122 Resp: 64914
Ion Ratio Lower Upper
122 100
107 115.7 91.8 137.6
121 58.0 46.3 69.5

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#28
bis(2-Chloroethoxy)methane
Concen: 72.134 ng
RT: 7.992 min Scan# 986
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34



Tgt Ion: 93 Resp: 834021
Ion Ratio Lower Upper
93 100
95 32.7 25.8 38.6
123 12.2 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 73.527 ng

RT: 8.104 min Scan# 1005

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion:162 Resp: 55866

Ion Ratio Lower Upper

162 100

164 63.9 44.2 84.2





98 38.5 17.9 57.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#30

1,2,4-Trichlorobenzene

Concen: 71.673 ng

RT: 8.187 min Scan# 1019

Delta R.T. 0.000 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:180 Resp: 588333


Ion Ratio Lower Upper

180 100

182 94.9 76.2 114.2


145 32.7 25.0 37.6





#31
Naphthalene
Concen: 69.150 ng
RT: 8.269 min Scan# 1033
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080



Tgt Ion:128 Resp: 185438
Ion Ratio Lower Upper
128 100
129 11.3 9.0 13.4
127 13.3 10.6 16.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#32
Benzoic acid
Concen: 79.801 ng m
RT: 8.028 min Scan# 992
Delta R.T. 0.036 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:122 Resp: 423625
Ion Ratio Lower Upper
122 100
105 126.7 104.8 144.8
77 98.6 77.6 117.6






#33
4-Chloroaniline
Concen: 71.895 ng
RT: 8.310 min Scan# 1040
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080






Tgt Ion:127 Resp: 78724
Ion Ratio Lower Upper
127 100
129 32.6 26.0 39.0
65 35.9 27.4 41.2
92 21.7 16.8 25.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#34
Hexachlorobutadiene
Concen: 73.453 ng
RT: 8.392 min Scan# 1054
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Tgt Ion:225 Resp: 368327
Ion Ratio Lower Upper
225 100
223 63.6 49.8 74.6
227 63.7 50.2 75.4





#35
Caprolactam
Concen: 77.644 ng
RT: 8.698 min Scan# 1106
Delta R.T. 0.018 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion:113 Resp: 17827
Ion Ratio Lower Upper
113 100
55 200.6 174.0 214.0
56 152.0 126.6 166.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#36
4-Chloro-3-methylphenol
Concen: 74.354 ng
RT: 8.792 min Scan# 1122
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Tgt Ion:107 Resp: 614048
Ion Ratio Lower Upper
107 100
144 24.9 19.8 29.6
142 76.9 60.6 90.8





#37
2-Methylnaphthalene
Concen: 69.687 ng
RT: 8.957 min Scan# 1150
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080



Tgt Ion:142 Resp: 1137170
Ion Ratio Lower Upper
142 100
141 87.7 69.9 104.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#38
1-Methylnaphthalene
Concen: 69.550 ng
RT: 9.057 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:142 Resp: 1168702
Ion Ratio Lower Upper
142 100
141 90.4 72.3 108.5





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.004 min Scan# 1179

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion:164 Resp: 275619

Ion Ratio Lower Upper

164 100

162 99.2 79.0 118.6





160 44.5 35.1 52.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 71.389 ng

RT: 9.128 min Scan# 1179

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Tgt Ion:216 Resp: 568070




Ion Ratio Lower Upper


216 100

214 78.9 63.8 95.8

179 20.4 16.4 24.6


108 19.3 15.6 23.4





#41
Hexachlorocyclopentadiene
Concen: 79.719 ng
RT: 9.122 min Scan# 1177
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion: 237 Resp: 412750
Ion Ratio Lower Upper
237 100
235 63.2 43.0 83.0
272 13.6 0.0 33.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#42
2,4,6-Tribromophenol
Concen: 153.498 ng
RT: 10.792 min Scan# 1462
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34



Tgt Ion: 330 Resp: 437054
Ion Ratio Lower Upper
330 100
332 96.6 76.7 115.1
141 27.7 23.3 34.9





#43

2,4,6-Trichlorophenol

Concen: 74.838 ng

RT: 9.234 min Scan# 1196

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion:196 Resp: 412148

Ion Ratio Lower Upper

196 100

198 95.2 76.2 114.2





200 30.6 23.9 35.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#44

2,4,5-Trichlorophenol

Concen: 76.888 ng

RT: 9.275 min Scan# 1204

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Tgt Ion:196 Resp: 423565




Ion Ratio Lower Upper


196 100

198 95.6 77.3 115.9

97 50.1 40.3 60.5

132 28.8 23.1 34.7





#45
2-Fluorobiphenyl
Concen: 130.157 ng
RT: 9.322 min Scan# 1212
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:172 Resp: 262307
Ion Ratio Lower Upper
172 100
171 36.0 28.6 42.8
170 23.7 18.8 28.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#46
1,1'-Biphenyl
Concen: 69.388 ng
RT: 9.428 min Scan# 1230
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:154 Resp: 1492094
Ion Ratio Lower Upper
154 100
153 40.5 20.3 60.3
76 13.3 0.0 33.3





#47

2-Chloronaphthalene

Concen: 71.122 ng

RT: 9.451 min Scan# 1233

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion:162 Resp: 113162

Ion Ratio Lower Upper

162 100

127 42.2 33.4 50.2





164 32.8 26.2 39.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#48

2-Nitroaniline

Concen: 80.971 ng

RT: 9.534 min Scan# 1248

Delta R.T. 0.000 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion: 65 Resp: 404023


Ion Ratio Lower Upper

65 100

92 64.0 52.4 78.6

138 97.3 82.3 123.5





#49

Acenaphthylene

Concen: 70.057 ng

RT: 9.869 min Scan# 11

Delta R.T. 0.006 min

Lab File: BF143147.D


Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080



Tgt Ion:152 Resp: 186806

Ion Ratio Lower Upper

152 100

151 20.5 16.2 24.2




153 13.4 10.6 16.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#50

Dimethylphthalate

Concen: 71.723 ng

RT: 9.728 min Scan# 1281

Delta R.T. 0.012 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:163 Resp: 1288559


Ion Ratio Lower Upper

163 100

194 4.6 3.4 5.2

164 10.0 8.3 12.5





#51
2,6-Dinitrotoluene
Concen: 80.093 ng
RT: 9.781 min Scan# 1289
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:165 Resp: 292718
Ion Ratio Lower Upper
165 100
63 62.6 49.4 74.2
89 57.2 46.2 69.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#52
Acenaphthene
Concen: 71.086 ng
RT: 10.039 min Scan# 1334
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:154 Resp: 1120315
Ion Ratio Lower Upper
154 100
153 106.1 86.6 129.8
152 50.4 40.4 60.6





#53
3-Nitroaniline
Concen: 78.128 ng
RT: 9.951 min Scan# 1318
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC080

Tgt Ion:138 Resp: 333980
Ion Ratio Lower Upper
138 100
108 10.9 9.0 13.6
92 114.1 93.0 139.4

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#54
2,4-Dinitrophenol
Concen: 80.516 ng
RT: 10.051 min Scan# 1336
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34


Tgt Ion:184 Resp: 133446
Ion Ratio Lower Upper
184 100
63 86.6 81.8 122.6
154 321.6 412.2 618.4#





#55
Dibenzofuran
Concen: 69.038 ng
RT: 10.210 min Scan# 1363
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080



Tgt Ion:168 Resp: 1615399
Ion Ratio Lower Upper
168 100
139 37.5 29.5 44.3
169 13.8 10.9 16.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#56
4-Nitrophenol
Concen: 79.161 ng
RT: 10.098 min Scan# 1344
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34


Tgt Ion:139 Resp: 252698
Ion Ratio Lower Upper
139 100
109 68.4 48.5 88.5
65 101.3 83.4 123.4





#57
2,4-Dinitrotoluene
Concen: 82.029 ng
RT: 10.186 min Scan# 1359
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion:165 Resp: 376124
Ion Ratio Lower Upper
165 100
63 48.1 41.0 61.4
89 72.5 61.1 91.7
182 3.0 2.3 3.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#58
Fluorene
Concen: 68.203 ng
RT: 10.551 min Scan# 1421
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Tgt Ion:166 Resp: 1197731
Ion Ratio Lower Upper
166 100
165 92.5 73.7 110.5
167 13.8 10.6 16.0





#59
2,3,4,6-Tetrachlorophenol
Concen: 74.533 ng
RT: 10.322 min Scan# 1382
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion:232 Resp: 340118
Ion Ratio Lower Upper
232 100
131 44.5 35.3 52.9
130 2.4 1.7 2.5
166 29.4 23.4 35.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#60
Diethylphthalate
Concen: 71.870 ng
RT: 10.422 min Scan# 1399
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Tgt Ion:149 Resp: 1276217
Ion Ratio Lower Upper
149 100
177 22.4 17.5 26.3
150 13.0 10.2 15.2





#61
4-Chlorophenyl-phenylether
Concen: 70.326 ng
RT: 10.539 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion:204 Resp: 614962
Ion Ratio Lower Upper
204 100
206 32.4 25.8 38.8
141 60.3 47.0 70.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#62
4-Nitroaniline
Concen: 79.680 ng
RT: 10.569 min Scan# 1424
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34



Tgt Ion:138 Resp: 291926
Ion Ratio Lower Upper
138 100
92 50.4 29.3 69.3
108 70.7 48.3 88.3






#63
Azobenzene
Concen: 71.255 ng
RT: 10.704 min Scan# 1447
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080






Tgt Ion: 77 Resp: 1318720
Ion Ratio Lower Upper
77 100
182 25.9 4.6 44.6
105 21.9 1.4 41.4
51 33.5 13.7 53.7

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.486 min Scan# 1580
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Tgt Ion:188 Resp: 429046
Ion Ratio Lower Upper
188 100
94 10.6 8.3 12.5
80 11.8 9.0 13.6





#65
4,6-Dinitro-2-methylphenol
Concen: 78.948 ng
RT: 10.592 min Scan# 1427
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion:198 Resp: 186415
Ion Ratio Lower Upper
198 100
51 58.9 37.2 77.2
105 46.0 24.8 64.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#66
n-Nitrosodiphenylamine
Concen: 72.014 ng
RT: 10.663 min Scan# 1440
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34



Tgt Ion:169 Resp: 1087990
Ion Ratio Lower Upper
169 100
168 66.8 52.1 78.1
167 36.1 28.2 42.2





#67
4-Bromophenyl-phenylether
Concen: 74.734 ng
RT: 11.033 min Scan# 1503
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:248 Resp: 38212
Ion Ratio Lower Upper
248 100
250 98.3 78.3 117.5
141 69.8 59.2 88.8

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#68
Hexachlorobenzene
Concen: 74.680 ng
RT: 11.104 min Scan# 1515
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:284 Resp: 399107
Ion Ratio Lower Upper
284 100
142 30.7 27.0 40.6
249 30.5 25.0 37.6





#69

Atrazine

Concen: 77.819 ng

RT: 11.180 min Scan# 1528

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion:200 Resp: 324120

Ion Ratio Lower Upper

200 100

173 28.3 7.9 47.9





215 49.8 30.1 70.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#70

Pentachlorophenol

Concen: 81.829 ng

RT: 11.286 min Scan# 1546

Delta R.T. 0.000 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:266 Resp: 257176


Ion Ratio Lower Upper

266 100

268 62.2 51.9 77.9


264 62.9 51.0 76.6





#71
Phenanthrene
Concen: 70.331 ng
RT: 11.516 min Scan# 1584
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion:178 Resp: 1602208
Ion Ratio Lower Upper
178 100
176 19.1 15.3 22.9
179 15.5 12.5 18.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#72
Anthracene
Concen: 70.640 ng
RT: 11.563 min Scan# 1593
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Tgt Ion:178 Resp: 1641264
Ion Ratio Lower Upper
178 100
176 18.7 15.0 22.4
179 15.8 12.5 18.7





#73
 Carbazole
 Concen: 70.754 ng
 RT: 11.710 min Scan# 1618
 Delta R.T. 0.000 min
 Lab File: BF143147.D
 Acq: 17 Jul 2025 14:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080




Tgt Ion:167 Resp: 143544
 Ion Ratio Lower Upper
 167 100
 166 21.6 17.0 25.6
 139 13.1 10.0 15.0

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#74
 Di-n-butylphthalate
 Concen: 74.034 ng
 RT: 12.045 min Scan# 1675
 Delta R.T. 0.006 min
 Lab File: BF143147.D
 Acq: 17 Jul 2025 14:34



Tgt Ion:149 Resp: 1699503
 Ion Ratio Lower Upper
 149 100
 150 9.2 7.4 11.2
 104 4.9 3.8 5.8






#75
Fluoranthene
Concen: 71.645 ng
RT: 12.698 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080






Tgt Ion:202 Resp: 149810
Ion Ratio Lower Upper
202 100
101 11.9 0.0 31.7
203 17.8 0.0 37.4

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.127 min Scan# 2029
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34



Tgt Ion:240 Resp: 245351
Ion Ratio Lower Upper
240 100
120 11.2 9.4 14.2
236 25.2 20.2 30.4





#78

Pyrene

Concen: 70.021 ng

RT: 12.927 min Scan# 1825

Delta R.T. 0.000 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion:202 Resp: 1466205

Ion Ratio Lower Upper

202 100

200 20.0 15.7 23.5





203 17.7 14.2 21.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#79

Terphenyl-d14

Concen: 133.606 ng

RT: 13.069 min Scan# 1849

Delta R.T. 0.000 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:244 Resp: 2202828


Ion Ratio Lower Upper

244 100

212 6.6 5.2 7.8


122 10.4 8.2 12.2





#80
Butylbenzylphthalate
Concen: 81.353 ng
RT: 13.539 min Scan# 1929
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion:149 Resp: 521633
Ion Ratio Lower Upper
149 100
91 72.9 57.9 86.9
206 21.5 17.0 25.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#81
Benzo(a)anthracene
Concen: 73.788 ng
RT: 14.116 min Scan# 2027
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Tgt Ion:228 Resp: 1212056
Ion Ratio Lower Upper
228 100
226 27.4 21.7 32.5
229 19.8 15.8 23.6





#82
3,3'-Dichlorobenzidine
Concen: 71.867 ng
RT: 14.074 min Scan# 2019
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080



Tgt Ion:252 Resp: 393448
Ion Ratio Lower Upper
252 100
254 65.3 51.7 77.5
126 10.9 9.4 14.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#83
Chrysene
Concen: 74.863 ng
RT: 14.151 min Scan# 2033
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34


Tgt Ion:228 Resp: 1105636
Ion Ratio Lower Upper
228 100
226 29.8 23.8 35.8
229 19.9 15.6 23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 79.790 ng
RT: 14.104 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion:149 Resp: 774360
Ion Ratio Lower Upper
149 100
167 28.1 22.3 33.5
279 4.9 3.6 5.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#85
Di-n-octyl phthalate
Concen: 81.519 ng
RT: 14.716 min Scan# 2129
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34



Tgt Ion:149 Resp: 1434055
Ion Ratio Lower Upper
149 100
167 1.6 1.1 1.7
43 11.9 9.7 14.5





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.627 min Scan# 21

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion:264 Resp: 29668

Ion Ratio Lower Upper

264 100

260 23.2 18.5 27.7





265 21.1 17.4 26.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#87

Indeno(1,2,3-cd)pyrene

Concen: 76.718 ng

RT: 17.174 min Scan# 2547

Delta R.T. 0.012 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:276 Resp: 1604969


Ion Ratio Lower Upper

276 100

138 26.5 21.8 32.6

277 25.5 20.0 30.0






#88
Benzo(b)fluoranthene
Concen: 79.367 ng
RT: 15.186 min Scan# 2114
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080






Tgt Ion:252 Resp: 1438518
Ion Ratio Lower Upper
252 100
253 22.1 17.5 26.3
125 10.0 8.0 12.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#89
Benzo(k)fluoranthene
Concen: 68.737 ng
RT: 15.216 min Scan# 2214
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34


Tgt Ion:252 Resp: 1111726
Ion Ratio Lower Upper
252 100
253 22.1 17.8 26.6
125 10.4 8.1 12.1





#90
Benzo(a)pyrene
Concen: 76.006 ng
RT: 15.568 min Scan# 21
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080




Tgt Ion:252 Resp: 126925
Ion Ratio Lower Upper
252 100
253 21.9 17.3 25.9
125 10.8 8.6 13.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#91
Dibenzo(a,h)anthracene
Concen: 75.746 ng
RT: 17.198 min Scan# 2551
Delta R.T. 0.018 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Tgt Ion:278 Resp: 1289789
Ion Ratio Lower Upper
278 100
139 16.7 14.1 21.1
279 23.8 18.6 28.0





#92
 Benzo(g,h,i)perylene
 Concen: 76.846 ng
 RT: 17.645 min Scan# 20
 Delta R.T. 0.018 min
 Lab File: BF143147.D
 Acq: 17 Jul 2025 14:34



Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080



Tgt Ion:276 Resp: 1265778
 Ion Ratio Lower Upper
 276 100
 277 24.0 19.1 28.7
 138 23.7 18.9 28.3

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143148.D
 Acq On : 17 Jul 2025 15:06
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ICVBF071725

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 16:24:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	143868	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	559677	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	287255	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	457098	20.000	ng	0.00
76) Chrysene-d12	14.121	240	265008	20.000	ng	0.00
86) Perylene-d12	15.621	264	310192	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.581	112	701339	77.143	ng	0.00
7) Phenol-d6	6.581	99	894087	78.133	ng	0.00
23) Nitrobenzene-d5	7.522	82	811178	72.247	ng	0.00
42) 2,4,6-Tribromophenol	10.786	330	237309	79.969	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	1449098	68.992	ng	0.00
79) Terphenyl-d14	13.068	244	1234701	69.333	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.793	88	165605	38.496	ng	98
3) Pyridine	3.569	79	453367	40.604	ng	99
4) n-Nitrosodimethylamine	3.510	42	235215	40.802	ng	97
6) Aniline	6.622	93	655116	41.078	ng	99
8) 2-Chlorophenol	6.745	128	395767	41.530	ng	99
9) Benzaldehyde	6.510	77	321269	37.441	ng	98
10) Phenol	6.598	94	508952m	40.827	ng	
11) bis(2-Chloroethyl)ether	6.692	93	387791	40.628	ng	100
12) 1,3-Dichlorobenzene	6.904	146	418232	40.400	ng	99
13) 1,4-Dichlorobenzene	6.981	146	424629	40.731	ng	99
14) 1,2-Dichlorobenzene	7.134	146	411560	41.506	ng	99
15) Benzyl Alcohol	7.098	79	366608	41.958	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.234	45	732274	41.357	ng	100
17) 2-Methylphenol	7.204	107	331709	41.398	ng	99
18) Hexachloroethane	7.481	117	151232	41.903	ng	98
19) n-Nitroso-di-n-propyla...	7.375	70	296171	40.342	ng	100
20) 3+4-Methylphenols	7.357	107	412065	42.387	ng	98
22) Acetophenone	7.369	105	533464	40.260	ng	99
24) Nitrobenzene	7.539	77	436834	41.731	ng	98
25) Isophorone	7.781	82	804071	40.567	ng	99
26) 2-Nitrophenol	7.857	139	203967	44.896	ng	100
27) 2,4-Dimethylphenol	7.886	122	377575	40.773	ng	100
28) bis(2-Chloroethoxy)met...	7.986	93	474637	39.939	ng	99
29) 2,4-Dichlorophenol	8.092	162	319216	40.875	ng	98
30) 1,2,4-Trichlorobenzene	8.186	180	342135	40.551	ng	99
31) Naphthalene	8.269	128	1106482	40.143	ng	100
32) Benzoic acid	7.986	122	202337	39.782	ng	98
33) 4-Chloroaniline	8.310	127	457742	40.671	ng	99
34) Hexachlorobutadiene	8.386	225	212781	41.284	ng	100
35) Caprolactam	8.675	113	96661	40.959	ng	98
36) 4-Chloro-3-methylphenol	8.780	107	344726	40.611	ng	99
37) 2-Methylnaphthalene	8.957	142	675594	40.279	ng	100
38) 1-Methylnaphthalene	9.057	142	703170	40.712	ng	100
40) 1,2,4,5-Tetrachloroben...	9.122	216	339567	40.944	ng	98
41) Hexachlorocyclopentadiene	9.116	237	231349	42.872	ng	99
43) 2,4,6-Trichlorophenol	9.228	196	231043	40.253	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143148.D
 Acq On : 17 Jul 2025 15:06
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ICVBF071725


Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025

Quant Time: Jul 17 16:24:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.263	196	246820	42.989	ng	97
46) 1,1'-Biphenyl	9.422	154	920059	41.053	ng	100
47) 2-Chloronaphthalene	9.445	162	666359	40.184	ng	100
48) 2-Nitroaniline	9.533	65	227376	43.723	ng	100
49) Acenaphthylene	9.863	152	1111992	40.013	ng	100
50) Dimethylphthalate	9.716	163	753041	40.218	ng	100
51) 2,6-Dinitrotoluene	9.775	165	166911	43.820	ng	98
52) Acenaphthene	10.033	154	659908	40.176	ng	99
53) 3-Nitroaniline	9.939	138	191512	42.985	ng	98
54) 2,4-Dinitrophenol	10.045	184	64659	40.998	ng	98
55) Dibenzofuran	10.204	168	974991	39.981	ng	100
56) 4-Nitrophenol	10.086	139	140876	42.344	ng	99
57) 2,4-Dinitrotoluene	10.175	165	212369	44.440	ng	97
58) Fluorene	10.551	166	717816	39.219	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.322	232	198530	41.743	ng	99
60) Diethylphthalate	10.416	149	753774	40.729	ng	100
61) 4-Chlorophenyl-phenyle...	10.539	204	367981	40.377	ng	99
62) 4-Nitroaniline	10.551	138	160193	41.953	ng	98
63) Azobenzene	10.698	77	779524	40.414	ng	100
65) 4,6-Dinitro-2-methylph...	10.586	198	98462	41.869	ng	97
66) n-Nitrosodiphenylamine	10.657	169	647855	40.250	ng	100
67) 4-Bromophenyl-phenylether	11.027	248	222405	40.828	ng	100
68) Hexachlorobenzene	11.098	284	229272	40.268	ng	100
69) Atrazine	11.174	200	189104	42.615	ng	99
70) Pentachlorophenol	11.286	266	141608	42.292	ng	99
71) Phenanthrene	11.510	178	971448	40.026	ng	100
72) Anthracene	11.563	178	1003925	40.557	ng	99
73) Carbazole	11.710	167	874867	40.476	ng	100
74) Di-n-butylphthalate	12.039	149	1035244	42.330	ng	100
75) Fluoranthene	12.698	202	909717	40.836	ng	100
77) Benzidine	12.810	184	441470	43.239	ng	100
78) Pyrene	12.927	202	902771	39.916	ng	99
80) Butylbenzylphthalate	13.539	149	303528	43.827	ng	98
81) Benzo(a)anthracene	14.110	228	708799	39.950	ng	100
82) 3,3'-Dichlorobenzidine	14.068	252	258837	43.772	ng	100
83) Chrysene	14.145	228	673701	42.233	ng	100
84) Bis(2-ethylhexyl)phtha...	14.098	149	456811	43.578	ng	100
85) Di-n-octyl phthalate	14.715	149	818512	43.077	ng	100
87) Indeno(1,2,3-cd)pyrene	17.162	276	896404	40.983	ng	100
88) Benzo(b)fluoranthene	15.180	252	820119	43.278	ng	100
89) Benzo(k)fluoranthene	15.209	252	634642	37.531	ng	99
90) Benzo(a)pyrene	15.562	252	708756	40.594	ng	99
91) Dibenzo(a,h)anthracene	17.180	278	724758	40.710	ng	99
92) Benzo(g,h,i)perylene	17.627	276	712864	41.394	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed




#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 811
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion:152 Resp: 143868
Ion Ratio Lower Upper
152 100
150 159.5 128.2 192.4
115 62.0 47.9 71.9

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#2
1,4-Dioxane
Concen: 38.496 ng
RT: 2.793 min Scan# 102
Delta R.T. -0.029 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06




Tgt Ion: 88 Resp: 165605
Ion Ratio Lower Upper
88 100
58 86.0 70.2 105.2
43 34.4 27.1 40.7





#3
Pyridine
Concen: 40.604 ng
RT: 3.569 min Scan# 21
Delta R.T. -0.018 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06




Instrument :
BNA_F
ClientSampleId :
ICVBF071725




Tgt Ion: 79 Resp: 45336
Ion Ratio Lower Upper
79 100
52 85.0 69.4 104.2
51 42.0 33.5 50.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#4
n-Nitrosodimethylamine
Concen: 40.802 ng
RT: 3.510 min Scan# 224
Delta R.T. -0.024 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06



Tgt Ion: 42 Resp: 235215
Ion Ratio Lower Upper
42 100
74 118.1 91.7 137.5
44 7.5 5.6 8.4





#5
2-Fluorophenol
Concen: 77.143 ng
RT: 5.581 min Scan# 511
Delta R.T. -0.006 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725





Tgt Ion:112 Resp: 701339
Ion Ratio Lower Upper
112 100
64 68.0 53.1 79.7
63 33.9 26.6 40.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#6
Aniline
Concen: 41.078 ng
RT: 6.622 min Scan# 753
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06


Tgt Ion: 93 Resp: 655116
Ion Ratio Lower Upper
93 100
66 42.2 33.2 49.8
65 21.3 16.9 25.3





#7
Phenol-d6
Concen: 78.133 ng
RT: 6.581 min Scan# 747
Delta R.T. -0.006 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06




Instrument :
BNA_F
ClientSampleId :
ICVBF071725




Tgt Ion: 99 Resp: 89408
Ion Ratio Lower Upper
99 100
42 21.5 17.0 25.6
71 34.5 27.7 41.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#8
2-Chlorophenol
Concen: 41.530 ng
RT: 6.745 min Scan# 774
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06



Tgt Ion:128 Resp: 395767
Ion Ratio Lower Upper
128 100
130 32.9 12.3 52.3
64 54.9 35.9 75.9






#9
Benzaldehyde
Concen: 37.441 ng
RT: 6.510 min Scan# 734
Delta R.T. -0.006 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion: 77 Resp: 321269
Ion Ratio Lower Upper
77 100
105 94.2 76.8 116.8
106 92.4 74.4 114.4

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#10
Phenol
Concen: 40.827 ng m
RT: 6.598 min Scan# 749
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion: 94 Resp: 508952
Ion Ratio Lower Upper
94 100
65 29.4 10.0 50.0
66 40.0 20.8 60.8





#11
bis(2-Chloroethyl)ether
Concen: 40.628 ng
RT: 6.692 min Scan# 765
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F





ClientSampleId :

ICVBF071725

Tgt Ion: 93 Resp: 38779
Ion Ratio Lower Upper
93 100
63 83.7 63.4 103.4
95 32.7 12.4 52.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#12
1,3-Dichlorobenzene
Concen: 40.400 ng
RT: 6.904 min Scan# 801
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:146 Resp: 418232
Ion Ratio Lower Upper
146 100
148 63.9 50.6 76.0
75 34.6 27.4 41.2









#13
1,4-Dichlorobenzene
Concen: 40.731 ng
RT: 6.981 min Scan# 814
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :
BNA_F
ClientSampleId :
ICVBF071725

Tgt Ion:146 Resp: 424629
Ion Ratio Lower Upper
146 100
148 63.5 50.3 75.5
111 43.8 34.4 51.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#14
1,2-Dichlorobenzene
Concen: 41.506 ng
RT: 7.134 min Scan# 840
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:146 Resp: 411560
Ion Ratio Lower Upper
146 100
148 63.0 50.7 76.1
111 44.8 36.6 54.8





#15
Benzyl Alcohol
Concen: 41.958 ng
RT: 7.098 min Scan# 834
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :





ICVBF071725

Tgt Ion: 79 Resp: 366608
Ion Ratio Lower Upper
79 100
108 76.2 61.1 91.7
77 60.8 48.9 73.3

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 41.357 ng
RT: 7.234 min Scan# 857
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion: 45 Resp: 732274
Ion Ratio Lower Upper
45 100
77 11.1 0.0 31.2
79 8.5 0.0 28.5






#17
2-Methylphenol
Concen: 41.398 ng
RT: 7.204 min Scan# 852
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion:107 Resp: 331709
Ion Ratio Lower Upper
107 100
108 113.9 91.8 137.6
77 45.7 37.0 55.6
79 46.3 36.9 55.3

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#18
Hexachloroethane
Concen: 41.903 ng
RT: 7.481 min Scan# 899
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:117 Resp: 151232
Ion Ratio Lower Upper
117 100
119 94.7 77.8 116.8
201 95.2 77.0 115.4






#19
n-Nitroso-di-n-propylamine
Concen: 40.342 ng
RT: 7.375 min Scan# 881
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion: 70 Resp: 29617
Ion Ratio Lower Upper
70 100
42 65.6 52.5 78.7
101 9.8 7.6 11.4
130 20.8 16.1 24.1

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#20
3+4-Methylphenols
Concen: 42.387 ng
RT: 7.357 min Scan# 878
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06



Tgt Ion:107 Resp: 412065
Ion Ratio Lower Upper
107 100
108 91.8 70.0 110.0
77 80.5 57.8 97.8
79 30.0 9.5 49.5






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1029
Delta R.T. 0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion:136 Resp: 55967
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 10.1 8.2 12.2
68 6.9 5.4 8.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#22
Acetophenone
Concen: 40.260 ng
RT: 7.369 min Scan# 880
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:105 Resp: 533464
Ion Ratio Lower Upper
105 100
71 8.2 5.8 8.6
51 37.0 30.2 45.2
120 23.1 18.2 27.4





#23

Nitrobenzene-d5

Concen: 72.247 ng

RT: 7.522 min Scan# 906

Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725





Tgt Ion: 82	Resp: 811178
Ion Ratio	Lower Upper
82 100	
128 43.1	33.6 50.4
54 58.9	47.1 70.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#24

Nitrobenzene

Concen: 41.731 ng




RT: 7.539 min Scan# 909


Delta R.T. -0.006 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Tgt Ion: 77	Resp: 436834
Ion Ratio	Lower Upper
77 100	
123 43.5	36.1 54.1
65 14.4	11.4 17.2





#25

Isophorone

Concen: 40.567 ng

RT: 7.781 min Scan# 91

Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725





Tgt Ion: 82 Resp: 80407
 Ion Ratio Lower Upper
 82 100
 95 7.1 5.5 8.3
 138 17.8 13.8 20.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#26

2-Nitrophenol

Concen: 44.896 ng




RT: 7.857 min Scan# 963


Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Tgt Ion:139 Resp: 203967
 Ion Ratio Lower Upper
 139 100
 109 29.0 23.6 35.4
 65 53.4 42.6 64.0






#27
2,4-Dimethylphenol
Concen: 40.773 ng
RT: 7.886 min Scan# 90
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion:122 Resp: 377575
Ion Ratio Lower Upper
122 100
107 114.6 91.8 137.6
121 57.7 46.3 69.5

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#28
bis(2-Chloroethoxy)methane
Concen: 39.939 ng
RT: 7.986 min Scan# 985
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion: 93 Resp: 474637
Ion Ratio Lower Upper
93 100
95 33.0 25.8 38.6
123 12.2 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 40.875 ng

RT: 8.092 min Scan# 1003

Delta R.T. -0.006 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725





Tgt Ion:162 Resp: 319210
 Ion Ratio Lower Upper
 162 100
 164 63.6 44.2 84.2
 98 40.7 17.9 57.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#30

1,2,4-Trichlorobenzene

Concen: 40.551 ng




RT: 8.186 min Scan# 1019


Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Tgt Ion:180 Resp: 342135
 Ion Ratio Lower Upper
 180 100
 182 94.2 76.2 114.2
 145 30.8 25.0 37.6






#31
Naphthalene
Concen: 40.143 ng
RT: 8.269 min Scan# 1033
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion:128 Resp: 110648
Ion Ratio Lower Upper
128 100
129 11.1 9.0 13.4
127 13.3 10.6 16.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#32
Benzoic acid
Concen: 39.782 ng
RT: 7.986 min Scan# 985
Delta R.T. -0.006 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:122 Resp: 202337
Ion Ratio Lower Upper
122 100
105 127.2 104.8 144.8
77 100.3 77.6 117.6





#33
4-Chloroaniline
Concen: 40.671 ng
RT: 8.310 min Scan# 1040
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725





Tgt Ion:127 Resp: 45774
Ion Ratio Lower Upper
127 100
129 32.3 26.0 39.0
65 33.8 27.4 41.2
92 20.7 16.8 25.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#34
Hexachlorobutadiene
Concen: 41.284 ng
RT: 8.386 min Scan# 1053
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:225 Resp: 212781
Ion Ratio Lower Upper
225 100
223 62.3 49.8 74.6
227 63.2 50.2 75.4





#35
 Caprolactam
 Concen: 40.959 ng
 RT: 8.675 min Scan# 1103
 Delta R.T. -0.006 min
 Lab File: BF143148.D
 Acq: 17 Jul 2025 15:06

Instrument :

BNA_F





ClientSampleId :

ICVBF071725

Tgt Ion:113 Resp: 9666
 Ion Ratio Lower Upper
 113 100
 55 197.3 174.0 214.0
 56 149.4 126.6 166.6




Manual Integrations
 APPROVED


Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025



#36
 4-Chloro-3-methylphenol
 Concen: 40.611 ng
 RT: 8.780 min Scan# 1120
 Delta R.T. -0.000 min
 Lab File: BF143148.D
 Acq: 17 Jul 2025 15:06


Tgt Ion:107 Resp: 344726
 Ion Ratio Lower Upper
 107 100
 144 24.6 19.8 29.6
 142 77.3 60.6 90.8





#37
2-Methylnaphthalene
Concen: 40.279 ng
RT: 8.957 min Scan# 1150
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06




Instrument :
BNA_F
ClientSampleId :
ICVBF071725



Tgt Ion:142 Resp: 675594
Ion Ratio Lower Upper
142 100
141 87.6 69.9 104.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#38
1-Methylnaphthalene
Concen: 40.712 ng
RT: 9.057 min Scan# 1167
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:142 Resp: 703170
Ion Ratio Lower Upper
142 100
141 90.8 72.3 108.5





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.998 min Scan# 1178

Delta R.T. 0.000 min

Lab File: BF143148.D


Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion:164 Resp: 28725

Ion	Ratio	Lower	Upper
164	100		
162	97.5	79.0	118.6
160	43.4	35.1	52.7

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 40.944 ng

RT: 9.122 min Scan# 1178




Delta R.T. -0.000 min


Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Tgt Ion:216 Resp: 339567


Ion	Ratio	Lower	Upper
216	100		
214	77.8	63.8	95.8
179	20.8	16.4	24.6
108	19.9	15.6	23.4





#41
Hexachlorocyclopentadiene
Concen: 42.872 ng
RT: 9.116 min Scan# 1177
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06




Instrument :
BNA_F
ClientSampleId :
ICVBF071725




Tgt Ion:237 Resp: 231349
Ion Ratio Lower Upper
237 100
235 62.5 43.0 83.0
272 13.0 0.0 33.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#42
2,4,6-Tribromophenol
Concen: 79.969 ng
RT: 10.786 min Scan# 1461
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06



Tgt Ion:330 Resp: 237309
Ion Ratio Lower Upper
330 100
332 96.0 76.7 115.1
141 29.8 23.3 34.9





#43

2,4,6-Trichlorophenol

Concen: 40.253 ng

RT: 9.228 min Scan# 1196

Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725

Tgt Ion:196 Resp: 23104





Ion	Ratio	Lower	Upper
196	100		
198	95.9	76.2	114.2
200	29.9	23.9	35.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#44

2,4,5-Trichlorophenol

Concen: 42.989 ng

RT: 9.263 min Scan# 1202




Delta R.T. -0.006 min


Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Tgt Ion:196 Resp: 246820


Ion	Ratio	Lower	Upper
196	100		
198	94.8	77.3	115.9
97	53.3	40.3	60.5
132	29.9	23.1	34.7





#45
2-Fluorobiphenyl
Concen: 68.992 ng
RT: 9.322 min Scan# 1212
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06




Instrument :
BNA_F
ClientSampleId :
ICVBF071725




Tgt Ion:172 Resp: 1449098
Ion Ratio Lower Upper
172 100
171 35.5 28.6 42.8
170 23.5 18.8 28.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#46
1,1'-Biphenyl
Concen: 41.053 ng
RT: 9.422 min Scan# 1229
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06



Tgt Ion:154 Resp: 920059
Ion Ratio Lower Upper
154 100
153 40.3 20.3 60.3
76 13.5 0.0 33.3





#47

2-Chloronaphthalene

Concen: 40.184 ng

RT: 9.445 min Scan# 1233

Delta R.T. -0.000 min

Lab File: BF143148.D


Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725



Tgt Ion:162 Resp: 666359

Ion Ratio Lower Upper

162 100

127 42.0 33.4 50.2




164 33.0 26.2 39.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#48

2-Nitroaniline

Concen: 43.723 ng

RT: 9.533 min Scan# 1248

Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06




Tgt Ion: 65 Resp: 227376


Ion Ratio Lower Upper

65 100

92 66.2 52.4 78.6

138 102.9 82.3 123.5





#49

Acenaphthylene

Concen: 40.013 ng

RT: 9.863 min Scan# 1111992

Delta R.T. -0.000 min

Lab File: BF143148.D


Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725



Tgt Ion:152 Resp: 1111992

Ion Ratio Lower Upper

152 100

151 20.3 16.2 24.2




153 13.3 10.6 16.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#50

Dimethylphthalate

Concen: 40.218 ng

RT: 9.716 min Scan# 1279

Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06




Tgt Ion:163 Resp: 753041


Ion Ratio Lower Upper

163 100

194 4.3 3.4 5.2

164 10.2 8.3 12.5






#51
2,6-Dinitrotoluene
Concen: 43.820 ng
RT: 9.775 min Scan# 1289
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion:165 Resp: 16691
Ion Ratio Lower Upper
165 100
63 62.4 49.4 74.2
89 56.0 46.2 69.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#52
Acenaphthene
Concen: 40.176 ng
RT: 10.033 min Scan# 1333
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:154 Resp: 659908
Ion Ratio Lower Upper
154 100
153 106.6 86.6 129.8
152 50.7 40.4 60.6





#53
3-Nitroaniline
Concen: 42.985 ng
RT: 9.939 min Scan# 1317
Delta R.T. -0.006 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725





Tgt Ion:138 Resp: 191512
Ion Ratio Lower Upper
138 100
108 11.2 9.0 13.6
92 118.6 93.0 139.4

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#54
2,4-Dinitrophenol
Concen: 40.998 ng
RT: 10.045 min Scan# 1335
Delta R.T. 0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06


Tgt Ion:184 Resp: 64659
Ion Ratio Lower Upper
184 100
63 102.3 81.8 122.6
154 509.4 412.2 618.4





#55
Dibenzenofuran
Concen: 39.981 ng
RT: 10.204 min Scan# 1362
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06




Instrument :
BNA_F
ClientSampleId :
ICVBF071725




Tgt Ion:168 Resp: 97499
Ion Ratio Lower Upper
168 100
139 36.9 29.5 44.3
169 13.5 10.9 16.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#56
4-Nitrophenol
Concen: 42.344 ng
RT: 10.086 min Scan# 1342
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06



Tgt Ion:139 Resp: 140876
Ion Ratio Lower Upper
139 100
109 67.2 48.5 88.5
65 102.1 83.4 123.4





#57
2,4-Dinitrotoluene
Concen: 44.440 ng
RT: 10.175 min Scan# 1357
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725





Tgt Ion:165 Resp: 212369
Ion Ratio Lower Upper
165 100
63 49.5 41.0 61.4
89 74.0 61.1 91.7
182 3.1 2.3 3.5

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#58
Fluorene
Concen: 39.219 ng
RT: 10.551 min Scan# 1421
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:166 Resp: 717816
Ion Ratio Lower Upper
166 100
165 92.1 73.7 110.5
167 13.7 10.6 16.0






#59
2,3,4,6-Tetrachlorophenol
Concen: 41.743 ng
RT: 10.322 min Scan# 1382
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion:232 Resp: 198530
Ion Ratio Lower Upper
232 100
131 43.9 35.3 52.9
130 2.1 1.7 2.5
166 28.4 23.4 35.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#60
Diethylphthalate
Concen: 40.729 ng
RT: 10.416 min Scan# 1398
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06




Tgt Ion:149 Resp: 753774
Ion Ratio Lower Upper
149 100
177 22.1 17.5 26.3
150 12.6 10.2 15.2





#61
4-Chlorophenyl-phenylether
Concen: 40.377 ng
RT: 10.539 min Scan# 1419
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06




Instrument :
BNA_F
ClientSampleId :
ICVBF071725




Tgt Ion:204 Resp: 36798
Ion Ratio Lower Upper
204 100
206 31.8 25.8 38.8
141 58.3 47.0 70.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#62
4-Nitroaniline
Concen: 41.953 ng
RT: 10.551 min Scan# 1421
Delta R.T. -0.006 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06



Tgt Ion:138 Resp: 160193
Ion Ratio Lower Upper
138 100
92 50.7 29.3 69.3
108 69.5 48.3 88.3






#63
Azobenzene
Concen: 40.414 ng
RT: 10.698 min Scan# 1446
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion: 77 Resp: 779524
Ion Ratio Lower Upper
77 100
182 24.6 4.6 44.6
105 21.6 1.4 41.4
51 33.9 13.7 53.7

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.486 min Scan# 1580
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06



Tgt Ion:188 Resp: 457098
Ion Ratio Lower Upper
188 100
94 10.5 8.3 12.5
80 11.4 9.0 13.6









#65
4,6-Dinitro-2-methylphenol
Concen: 41.869 ng
RT: 10.586 min Scan# 1427
Delta R.T. 0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :
BNA_F
ClientSampleId :
ICVBF071725

Tgt Ion:198 Resp: 98462
Ion Ratio Lower Upper
198 100
51 55.0 37.2 77.2
105 43.3 24.8 64.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#66
n-Nitrosodiphenylamine
Concen: 40.250 ng
RT: 10.657 min Scan# 1439
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:169 Resp: 647855
Ion Ratio Lower Upper
169 100
168 65.2 52.1 78.1
167 35.8 28.2 42.2





#67
4-Bromophenyl-phenylether
Concen: 40.828 ng
RT: 11.027 min Scan# 1502
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725





Tgt Ion:248 Resp: 222400
Ion Ratio Lower Upper
248 100
250 97.7 78.3 117.5
141 74.3 59.2 88.8

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#68
Hexachlorobenzene
Concen: 40.268 ng
RT: 11.098 min Scan# 1514
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:284 Resp: 229272
Ion Ratio Lower Upper
284 100
142 34.0 27.0 40.6
249 31.3 25.0 37.6





#69

Atrazine

Concen: 42.615 ng

RT: 11.174 min Scan# 1527

Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725

Tgt Ion:200 Resp: 189104

Ion Ratio Lower Upper

200 100

173 28.3 7.9 47.9





215 49.8 30.1 70.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#70

Pentachlorophenol

Concen: 42.292 ng

RT: 11.286 min Scan# 1546

Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06




Tgt Ion:266 Resp: 141608


Ion Ratio Lower Upper

266 100

268 63.1 51.9 77.9


264 63.3 51.0 76.6





#71
Phenanthrene
Concen: 40.026 ng
RT: 11.510 min Scan# 1584
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06




Instrument :
BNA_F
ClientSampleId :
ICVBF071725



Tgt Ion:178 Resp: 971448
Ion Ratio Lower Upper
178 100
176 19.1 15.3 22.9
179 15.3 12.5 18.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025



#72
Anthracene
Concen: 40.557 ng
RT: 11.563 min Scan# 1593
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06


Tgt Ion:178 Resp: 1003925
Ion Ratio Lower Upper
178 100
176 18.4 15.0 22.4
179 15.0 12.5 18.7





#73
 Carbazole
 Concen: 40.476 ng
 RT: 11.710 min Scan# 1618
 Delta R.T. -0.000 min
 Lab File: BF143148.D
 Acq: 17 Jul 2025 15:06




Instrument :
 BNA_F
 ClientSampleId :
 ICVBF071725




Tgt Ion:167 Resp: 87486
 Ion Ratio Lower Upper
 167 100
 166 21.1 17.0 25.6
 139 12.5 10.0 15.0

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 07/18/2025
 Supervised By :Jagrut Upadhyay 07/18/2025




#74
 Di-n-butylphthalate
 Concen: 42.330 ng
 RT: 12.039 min Scan# 1674
 Delta R.T. -0.000 min
 Lab File: BF143148.D
 Acq: 17 Jul 2025 15:06



Tgt Ion:149 Resp: 1035244
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.4 11.2
 104 4.7 3.8 5.8






#75
Fluoranthene
Concen: 40.836 ng
RT: 12.698 min Scan# 1786
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion:202 Resp: 90971
Ion Ratio Lower Upper
202 100
101 11.7 0.0 31.7
203 17.6 0.0 37.4

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.121 min Scan# 2028
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06



Tgt Ion:240 Resp: 265008
Ion Ratio Lower Upper
240 100
120 11.6 9.4 14.2
236 25.7 20.2 30.4





#77

Benzidine

Concen: 43.239 ng

RT: 12.810 min Scan# 1805

Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725





Tgt Ion:184 Resp: 441470
 Ion Ratio Lower Upper
 184 100
 185 15.1 12.2 18.4
 183 11.1 9.0 13.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#78

Pyrene

Concen: 39.916 ng




RT: 12.927 min Scan# 1825


Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Tgt Ion:202 Resp: 902771
 Ion Ratio Lower Upper
 202 100
 200 19.3 15.7 23.5
 203 17.3 14.2 21.2





#79
 Terphenyl-d14
 Concen: 69.333 ng
 RT: 13.068 min Scan# 1849
 Delta R.T. -0.000 min
 Lab File: BF143148.D
 Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725





Tgt Ion:244 Resp: 123470
 Ion Ratio Lower Upper
 244 100
 212 6.4 5.2 7.8
 122 10.2 8.2 12.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#80
 Butylbenzylphthalate
 Concen: 43.827 ng
 RT: 13.539 min Scan# 1929
 Delta R.T. -0.000 min
 Lab File: BF143148.D
 Acq: 17 Jul 2025 15:06

Tgt Ion:149 Resp: 303528
 Ion Ratio Lower Upper
 149 100
 91 70.9 57.9 86.9
 206 21.9 17.0 25.4






#81
Benzo(a)anthracene
Concen: 39.950 ng
RT: 14.110 min Scan# 2026
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion:228 Resp: 708799
Ion Ratio Lower Upper
228 100
226 26.9 21.7 32.5
229 20.0 15.8 23.6

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025


Supervised By :Jagrut Upadhyay 07/18/2025



#82
3,3'-Dichlorobenzidine
Concen: 43.772 ng
RT: 14.068 min Scan# 2019
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:252 Resp: 258837
Ion Ratio Lower Upper
252 100
254 64.6 51.7 77.5
126 11.9 9.4 14.0





#83

Chrysene

Concen: 42.233 ng

RT: 14.145 min Scan# 2033

Delta R.T. -0.006 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725

Tgt Ion:228 Resp: 67370

Ion Ratio Lower Upper

228 100

226 29.9 23.8 35.8





229 19.6 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 43.578 ng

RT: 14.098 min Scan# 2024

Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06




Tgt Ion:149 Resp: 456811


Ion Ratio Lower Upper

149 100

167 27.7 22.3 33.5


279 4.6 3.6 5.4





#85
Di-n-octyl phthalate
Concen: 43.077 ng
RT: 14.715 min Scan# 2129
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06




Instrument :
BNA_F
ClientSampleId :
ICVBF071725




Tgt Ion:149 Resp: 818512
Ion Ratio Lower Upper
149 100
167 1.5 1.1 1.7
43 12.2 9.7 14.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/18/2025
Supervised By :Jagrut Upadhyay 07/18/2025




#86
Perylene-d12
Concen: 20.000 ng
RT: 15.621 min Scan# 2283
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06



Tgt Ion:264 Resp: 310192
Ion Ratio Lower Upper
264 100
260 23.2 18.5 27.7
265 20.9 17.4 26.2






#87
Indeno(1,2,3-cd)pyrene
Concen: 40.983 ng
RT: 17.162 min Scan# 21
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion:276 Resp: 896404
Ion Ratio Lower Upper
276 100
138 26.9 21.8 32.6
277 25.2 20.0 30.0

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/18/2025



Supervised By :Jagrut Upadhyay 07/18/2025




#88
Benzo(b)fluoranthene
Concen: 43.278 ng
RT: 15.180 min Scan# 2208
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06



Tgt Ion:252 Resp: 820119
Ion Ratio Lower Upper
252 100
253 21.9 17.5 26.3
125 10.3 8.0 12.0





#89

Benzo(k)fluoranthene

Concen: 37.531 ng

RT: 15.209 min Scan# 21

Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725

Tgt Ion:252 Resp: 63464

Ion Ratio Lower Upper

252 100

253 21.7 17.8 26.6





125 10.6 8.1 12.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#90

Benzo(a)pyrene

Concen: 40.594 ng

RT: 15.562 min Scan# 2273

Delta R.T. -0.000 min

Lab File: BF143148.D

Acq: 17 Jul 2025 15:06




Tgt Ion:252 Resp: 708756


Ion Ratio Lower Upper

252 100

253 22.0 17.3 25.9

125 11.1 8.6 13.0






#91
Dibenzo(a,h)anthracene
Concen: 40.710 ng
RT: 17.180 min Scan# 2548
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Instrument :

BNA_F

ClientSampleId :

ICVBF071725






Tgt Ion:278 Resp: 724758
Ion Ratio Lower Upper
278 100
139 17.8 14.1 21.1
279 23.8 18.6 28.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/18/2025

Supervised By :Jagrut Upadhyay 07/18/2025



#92
Benzo(g,h,i)perylene
Concen: 41.394 ng
RT: 17.627 min Scan# 2624
Delta R.T. -0.000 min
Lab File: BF143148.D
Acq: 17 Jul 2025 15:06

Tgt Ion:276 Resp: 712864
Ion Ratio Lower Upper
276 100
277 23.8 19.1 28.7
138 23.9 18.9 28.3



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143148.D
 Acq On : 17 Jul 2025 15:06
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ICVBF071725

Quant Time: Jul 17 16:24:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	86	0.00
2	1,4-Dioxane	0.598	0.576	3.7	83	-0.03
3	Pyridine	1.552	1.576	-1.5	89	-0.02
4	n-Nitrosodimethylamine	0.801	0.817	-2.0	87	-0.02
5 S	2-Fluorophenol	1.264	1.219	3.6	85	0.00
6	Aniline	2.217	2.277	-2.7	89	0.00
7 S	Phenol-d6	1.591	1.554	2.3	86	0.00
8	2-Chlorophenol	1.325	1.375	-3.8	90	0.00
9	Benzaldehyde	1.193	1.117	6.4	67	0.00
10 C	Phenol	1.733	1.769	-2.1	89	0.00
11	bis(2-Chloroethyl)ether	1.327	1.348	-1.6	89	0.00
12	1,3-Dichlorobenzene	1.439	1.454	-1.0	89	0.00
13 C	1,4-Dichlorobenzene	1.449	1.476	-1.9	90	0.00
14	1,2-Dichlorobenzene	1.378	1.430	-3.8	92	0.00
15	Benzyl Alcohol	1.215	1.274	-4.9	90	0.00
16	2,2'-oxybis(1-Chloropropane	2.461	2.545	-3.4	91	0.00
17	2-Methylphenol	1.114	1.153	-3.5	91	0.00
18	Hexachloroethane	0.502	0.526	-4.8	92	0.00
19 P	n-Nitroso-di-n-propylamine	1.021	1.029	-0.8	90	0.00
20	3+4-Methylphenols	1.351	1.432	-6.0	92	0.00
21 I	Naphthalene-d8	1.000	1.000	0.0	87	0.00
22	Acetophenone	0.474	0.477	-0.6	91	0.00
23 S	Nitrobenzene-d5	0.401	0.362	9.7	79	0.00
24	Nitrobenzene	0.374	0.390	-4.3	91	0.00
25	Isophorone	0.708	0.718	-1.4	91	0.00
26 C	2-Nitrophenol	0.162	0.182	-12.3	93	0.00
27	2,4-Dimethylphenol	0.331	0.337	-1.8	91	0.00
28	bis(2-Chloroethoxy)methane	0.425	0.424	0.2	90	0.00
29 C	2,4-Dichlorophenol	0.279	0.285	-2.2	90	0.00
30	1,2,4-Trichlorobenzene	0.302	0.306	-1.3	91	0.00
31	Naphthalene	0.985	0.989	-0.4	90	0.00
32	Benzoic acid	0.169	0.181	-7.1	88	0.00
33	4-Chloroaniline	0.402	0.409	-1.7	91	0.00
34 C	Hexachlorobutadiene	0.184	0.190	-3.3	92	0.00
35	Caprolactam	0.084	0.086	-2.4	87	0.00
36 C	4-Chloro-3-methylphenol	0.303	0.308	-1.7	89	0.00
37	2-Methylnaphthalene	0.599	0.604	-0.8	91	0.00
38	1-Methylnaphthalene	0.617	0.628	-1.8	91	0.00
39 I	Acenaphthene-d10	1.000	1.000	0.0	87	0.00
40	1,2,4,5-Tetrachlorobenzene	0.577	0.591	-2.4	93	0.00
41 P	Hexachlorocyclopentadiene	0.376	0.403	-7.2	93	0.00
42 S	2,4,6-Tribromophenol	0.207	0.207	0.0	85	0.00
43 C	2,4,6-Trichlorophenol	0.400	0.402	-0.5	91	0.00
44	2,4,5-Trichlorophenol	0.400	0.430	-7.5	92	0.00
45 S	2-Fluorobiphenyl	1.462	1.261	13.7	80	0.00
46	1,1'-Biphenyl	1.560	1.601	-2.6	93	0.00
47	2-Chloronaphthalene	1.155	1.160	-0.4	91	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143148.D
 Acq On : 17 Jul 2025 15:06
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ICVBF071725

Quant Time: Jul 17 16:24:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48	2-Nitroaniline	0.362	0.396	-9.4	91	0.00
49	Acenaphthylene	1.935	1.936	-0.1	90	0.00
50	Dimethylphthalate	1.304	1.311	-0.5	89	0.00
51	2,6-Dinitrotoluene	0.265	0.291	-9.8	91	0.00
52 C	Acenaphthene	1.144	1.149	-0.4	91	0.00
53	3-Nitroaniline	0.310	0.333	-7.4	91	0.00
54 P	2,4-Dinitrophenol	0.098	0.113	-15.3	93	0.00
55	Dibenzofuran	1.698	1.697	0.1	90	0.00
56 P	4-Nitrophenol	0.232	0.245	-5.6	86	0.00
57	2,4-Dinitrotoluene	0.333	0.370	-11.1	90	0.00
58	Fluorene	1.274	1.249	2.0	89	0.00
59	2,3,4,6-Tetrachlorophenol	0.331	0.346	-4.5	90	0.00
60	Diethylphthalate	1.289	1.312	-1.8	90	0.00
61	4-Chlorophenyl-phenylether	0.635	0.641	-0.9	91	0.00
62	4-Nitroaniline	0.266	0.279	-4.9	86	0.00
63	Azobenzene	1.343	1.357	-1.0	89	0.00
64 I	Phenanthrene-d10	1.000	1.000	0.0	84	0.00
65	4,6-Dinitro-2-methylphenol	0.094	0.108	-14.9	93	0.00
66 c	n-Nitrosodiphenylamine	0.704	0.709	-0.7	89	0.00
67	4-Bromophenyl-phenylether	0.238	0.243	-2.1	90	0.00
68	Hexachlorobenzene	0.249	0.251	-0.8	88	0.00
69	Atrazine	0.194	0.207	-6.7	89	0.00
70 C	Pentachlorophenol	0.147	0.155	-5.4	88	0.00
71	Phenanthrene	1.062	1.063	-0.1	88	0.00
72	Anthracene	1.083	1.098	-1.4	89	0.00
73	Carbazole	0.946	0.957	-1.2	87	0.00
74	Di-n-butylphthalate	1.070	1.132	-5.8	89	0.00
75 C	Fluoranthene	0.975	0.995	-2.1	88	0.00
76 I	Chrysene-d12	1.000	1.000	0.0	89	0.00
77	Benzydine	0.771	0.833	-8.0	78	0.00
78	Pyrene	1.707	1.703	0.2	89	0.00
79 S	Terphenyl-d14	1.344	1.165	13.3	79	0.00
80	Butylbenzylphthalate	0.523	0.573	-9.6	94	0.00
81	Benzo(a)anthracene	1.339	1.337	0.1	93	0.00
82	3,3'-Dichlorobenzidine	0.446	0.488	-9.4	102	0.00
83	Chrysene	1.204	1.271	-5.6	94	0.00
84	Bis(2-ethylhexyl)phthalate	0.791	0.862	-9.0	98	0.00
85 c	Di-n-octyl phthalate	1.434	1.544	-7.7	100	0.00
86 I	Perylene-d12	1.000	1.000	0.0	96	0.00
87	Indeno(1,2,3-cd)pyrene	1.410	1.445	-2.5	98	0.00
88	Benzo(b)fluoranthene	1.222	1.322	-8.2	110	0.00
89	Benzo(k)fluoranthene	1.090	1.023	6.1	87	0.00
90 C	Benzo(a)pyrene	1.126	1.142	-1.4	98	0.00
91	Dibenzo(a,h)anthracene	1.148	1.168	-1.7	98	0.00
92	Benzo(g,h,i)perylene	1.110	1.149	-3.5	99	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
Data File : BF143148.D
Acq On : 17 Jul 2025 15:06
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF071725

Quant Time: Jul 17 16:24:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 15:14:05 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev Area	% Dev(min)
----------	-------	------	-----------	------------

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143148.D
 Acq On : 17 Jul 2025 15:06
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ICVBF071725

Quant Time: Jul 17 16:24:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	86	0.00
2	1,4-Dioxane	40.000	38.496	3.8	83	-0.03
3	Pyridine	40.000	40.604	-1.5	89	-0.02
4	n-Nitrosodimethylamine	40.000	40.802	-2.0	87	-0.02
5 S	2-Fluorophenol	80.000	77.143	3.6	85	0.00
6	Aniline	40.000	41.078	-2.7	89	0.00
7 S	Phenol-d6	80.000	78.133	2.3	86	0.00
8	2-Chlorophenol	40.000	41.530	-3.8	90	0.00
9	Benzaldehyde	40.000	37.441	6.4	67	0.00
10 C	Phenol	40.000	40.827	-2.1	89	0.00
11	bis(2-Chloroethyl)ether	40.000	40.628	-1.6	89	0.00
12	1,3-Dichlorobenzene	40.000	40.400	-1.0	89	0.00
13 C	1,4-Dichlorobenzene	40.000	40.731	-1.8	90	0.00
14	1,2-Dichlorobenzene	40.000	41.506	-3.8	92	0.00
15	Benzyl Alcohol	40.000	41.958	-4.9	90	0.00
16	2,2'-oxybis(1-Chloropropane	40.000	41.357	-3.4	91	0.00
17	2-Methylphenol	40.000	41.398	-3.5	91	0.00
18	Hexachloroethane	40.000	41.903	-4.8	92	0.00
19 P	n-Nitroso-di-n-propylamine	40.000	40.342	-0.9	90	0.00
20	3+4-Methylphenols	40.000	42.387	-6.0	92	0.00
21 I	Naphthalene-d8	20.000	20.000	0.0	87	0.00
22	Acetophenone	40.000	40.260	-0.6	91	0.00
23 S	Nitrobenzene-d5	80.000	72.247	9.7	79	0.00
24	Nitrobenzene	40.000	41.731	-4.3	91	0.00
25	Isophorone	40.000	40.567	-1.4	91	0.00
26 C	2-Nitrophenol	40.000	44.896	-12.2	93	0.00
27	2,4-Dimethylphenol	40.000	40.773	-1.9	91	0.00
28	bis(2-Chloroethoxy)methane	40.000	39.939	0.2	90	0.00
29 C	2,4-Dichlorophenol	40.000	40.875	-2.2	90	0.00
30	1,2,4-Trichlorobenzene	40.000	40.551	-1.4	91	0.00
31	Naphthalene	40.000	40.143	-0.4	90	0.00
32	Benzoic acid	40.000	39.782	0.5	88	0.00
33	4-Chloroaniline	40.000	40.671	-1.7	91	0.00
34 C	Hexachlorobutadiene	40.000	41.284	-3.2	92	0.00
35	Caprolactam	40.000	40.959	-2.4	87	0.00
36 C	4-Chloro-3-methylphenol	40.000	40.611	-1.5	89	0.00
37	2-Methylnaphthalene	40.000	40.279	-0.7	91	0.00
38	1-Methylnaphthalene	40.000	40.712	-1.8	91	0.00
39 I	Acenaphthene-d10	20.000	20.000	0.0	87	0.00
40	1,2,4,5-Tetrachlorobenzene	40.000	40.944	-2.4	93	0.00
41 P	Hexachlorocyclopentadiene	40.000	42.872	-7.2	93	0.00
42 S	2,4,6-Tribromophenol	80.000	79.969	0.0	85	0.00
43 C	2,4,6-Trichlorophenol	40.000	40.253	-0.6	91	0.00
44	2,4,5-Trichlorophenol	40.000	42.989	-7.5	92	0.00
45 S	2-Fluorobiphenyl	80.000	68.992	13.8	80	0.00
46	1,1'-Biphenyl	40.000	41.053	-2.6	93	0.00
47	2-Chloronaphthalene	40.000	40.184	-0.5	91	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143148.D
 Acq On : 17 Jul 2025 15:06
 Operator : RC/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 ICVBF071725

Quant Time: Jul 17 16:24:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48	2-Nitroaniline	40.000	43.723	-9.3	91	0.00
49	Acenaphthylene	40.000	40.013	-0.0	90	0.00
50	Dimethylphthalate	40.000	40.218	-0.5	89	0.00
51	2,6-Dinitrotoluene	40.000	43.820	-9.6	91	0.00
52 C	Acenaphthene	40.000	40.176	-0.4	91	0.00
53	3-Nitroaniline	40.000	42.985	-7.5	91	0.00
54 P	2,4-Dinitrophenol	40.000	40.998	-2.5	93	0.00
55	Dibenzofuran	40.000	39.981	0.0	90	0.00
56 P	4-Nitrophenol	40.000	42.344	-5.9	86	0.00
57	2,4-Dinitrotoluene	40.000	44.440	-11.1	90	0.00
58	Fluorene	40.000	39.219	2.0	89	0.00
59	2,3,4,6-Tetrachlorophenol	40.000	41.743	-4.4	90	0.00
60	Diethylphthalate	40.000	40.729	-1.8	90	0.00
61	4-Chlorophenyl-phenylether	40.000	40.377	-0.9	91	0.00
62	4-Nitroaniline	40.000	41.953	-4.9	86	0.00
63	Azobenzene	40.000	40.414	-1.0	89	0.00
64 I	Phenanthrene-d10	20.000	20.000	0.0	84	0.00
65	4,6-Dinitro-2-methylphenol	40.000	41.869	-4.7	93	0.00
66 c	n-Nitrosodiphenylamine	40.000	40.250	-0.6	89	0.00
67	4-Bromophenyl-phenylether	40.000	40.828	-2.1	90	0.00
68	Hexachlorobenzene	40.000	40.268	-0.7	88	0.00
69	Atrazine	40.000	42.615	-6.5	89	0.00
70 C	Pentachlorophenol	40.000	42.292	-5.7	88	0.00
71	Phenanthrene	40.000	40.026	-0.1	88	0.00
72	Anthracene	40.000	40.557	-1.4	89	0.00
73	Carbazole	40.000	40.476	-1.2	87	0.00
74	Di-n-butylphthalate	40.000	42.330	-5.8	89	0.00
75 C	Fluoranthene	40.000	40.836	-2.1	88	0.00
76 I	Chrysene-d12	20.000	20.000	0.0	89	0.00
77	Benzydine	40.000	43.239	-8.1	78	0.00
78	Pyrene	40.000	39.916	0.2	89	0.00
79 S	Terphenyl-d14	80.000	69.333	13.3	79	0.00
80	Butylbenzylphthalate	40.000	43.827	-9.6	94	0.00
81	Benzo(a)anthracene	40.000	39.950	0.1	93	0.00
82	3,3'-Dichlorobenzidine	40.000	43.772	-9.4	102	0.00
83	Chrysene	40.000	42.233	-5.6	94	0.00
84	Bis(2-ethylhexyl)phthalate	40.000	43.578	-8.9	98	0.00
85 c	Di-n-octyl phthalate	40.000	43.077	-7.7	100	0.00
86 I	Perylene-d12	20.000	20.000	0.0	96	0.00
87	Indeno(1,2,3-cd)pyrene	40.000	40.983	-2.5	98	0.00
88	Benzo(b)fluoranthene	40.000	43.278	-8.2	110	0.00
89	Benzo(k)fluoranthene	40.000	37.531	6.2	87	0.00
90 C	Benzo(a)pyrene	40.000	40.594	-1.5	98	0.00
91	Dibenzo(a,h)anthracene	40.000	40.710	-1.8	98	0.00
92	Benzo(g,h,i)perylene	40.000	41.394	-3.5	99	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
Data File : BF143148.D
Acq On : 17 Jul 2025 15:06
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF071725

Quant Time: Jul 17 16:24:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 15:14:05 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name:	<u>Alliance</u>	Contract:	<u>ENVI60</u>
Lab Code:	<u>ACE</u>	SDG No.:	<u>Q2594</u>
Instrument ID:	<u>BNA_F</u>	Calibration Date/Time:	<u>07/18/2025 11:24</u>
Lab File ID:	<u>BF143159.D</u>	Init. Calib. Date(s):	<u>07/17/2025 07/17/2025</u>
EPA Sample No.:	<u>SSTDCCC040</u>	Init. Calib. Time(s):	<u>11:04 14:34</u>
GC Column:	<u>DB-UI</u>	ID:	<u>0.18</u> (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.264	1.224		-3.2	
Benzaldehyde	1.193	1.315		10.2	
Phenol-d6	1.591	1.558		-2.1	
Phenol	1.733	1.713		-1.2	20.0
bis(2-Chloroethyl)ether	1.327	1.320		-0.5	
2-Chlorophenol	1.325	1.308		-1.3	
2-Methylphenol	1.114	1.090		-2.2	
2,2-oxybis(1-Chloropropane)	2.461	2.451		-0.4	
Acetophenone	0.474	0.456		-3.8	
3+4-Methylphenols	1.351	1.350		-0.1	
n-Nitroso-di-n-propylamine	1.021	0.986	0.050	-3.4	
Nitrobenzene-d5	0.401	0.411		2.5	
Hexachloroethane	0.502	0.499		-0.6	
Nitrobenzene	0.374	0.376		0.5	
Isophorone	0.708	0.694		-2.0	
2-Nitrophenol	0.162	0.167		3.1	20.0
2,4-Dimethylphenol	0.331	0.323		-2.4	
bis(2-Chloroethoxy)methane	0.425	0.413		-2.8	
2,4-Dichlorophenol	0.279	0.273		-2.2	20.0
Naphthalene	0.985	0.953		-3.2	
4-Chloroaniline	0.402	0.387		-3.7	
Hexachlorobutadiene	0.184	0.182		-1.1	20.0
Caprolactam	0.084	0.084		0.0	
4-Chloro-3-methylphenol	0.303	0.296		-2.3	20.0
2-Methylnaphthalene	0.599	0.575		-4.0	
Hexachlorocyclopentadiene	0.376	0.376	0.050	0.0	
2,4,6-Trichlorophenol	0.400	0.386		-3.5	20.0
2-Fluorobiphenyl	1.462	1.373		-6.1	
2,4,5-Trichlorophenol	0.400	0.398		-0.5	
1,1-Biphenyl	1.560	1.495		-4.2	
2-Chloronaphthalene	1.155	1.124		-2.7	
2-Nitroaniline	0.362	0.371		2.5	
Dimethylphthalate	1.304	1.253		-3.9	
Acenaphthylene	1.935	1.861		-3.8	
2,6-Dinitrotoluene	0.265	0.270		1.9	
3-Nitroaniline	0.310	0.306		-1.3	
Acenaphthene	1.144	1.092		-4.5	20.0
2,4-Dinitrophenol	0.098	0.102	0.050	4.1	
4-Nitrophenol	0.232	0.221	0.050	-4.7	

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name:	<u>Alliance</u>	Contract:	<u>ENVI60</u>
Lab Code:	<u>ACE</u>	SDG No.:	<u>Q2594</u>
Instrument ID:	<u>BNA_F</u>	Calibration Date/Time:	<u>07/18/2025 11:24</u>
Lab File ID:	<u>BF143159.D</u>	Init. Calib. Date(s):	<u>07/17/2025 07/17/2025</u>
EPA Sample No.:	<u>SSTDCCC040</u>	Init. Calib. Time(s):	<u>11:04 14:34</u>
GC Column:	<u>DB-UI</u>	ID:	<u>0.18 (mm)</u>

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.698	1.630		-4.0	
2,4-Dinitrotoluene	0.333	0.335		0.6	
Diethylphthalate	1.289	1.253		-2.8	
4-Chlorophenyl-phenylether	0.635	0.598		-5.8	
Fluorene	1.274	1.203		-5.6	
4-Nitroaniline	0.266	0.261		-1.9	
4,6-Dinitro-2-methylphenol	0.094	0.097		3.2	
n-Nitrosodiphenylamine	0.704	0.686		-2.6	20.0
2,4,6-Tribromophenol	0.207	0.198		-4.3	
4-Bromophenyl-phenylether	0.238	0.236		-0.8	
Hexachlorobenzene	0.249	0.243		-2.4	
Atrazine	0.194	0.194		0.0	
Pentachlorophenol	0.147	0.151		2.7	20.0
Phenanthrene	1.062	1.008		-5.1	
Anthracene	1.083	1.044		-3.6	
Carbazole	0.946	0.911		-3.7	
Di-n-butylphthalate	1.070	1.053		-1.6	
Fluoranthene	0.975	0.946		-3.0	20.0
Pyrene	1.707	1.562		-8.5	
Terphenyl-d14	1.344	1.220		-9.2	
Butylbenzylphthalate	0.523	0.515		-1.5	
3,3-Dichlorobenzidine	0.446	0.437		-2.0	
Benzo (a) anthracene	1.339	1.282		-4.3	
Chrysene	1.204	1.187		-1.4	
Bis(2-ethylhexyl)phthalate	0.791	0.789		-0.3	
Di-n-octyl phthalate	1.434	1.381		-3.7	20.0
Benzo (b) fluoranthene	1.222	1.169		-4.3	
Benzo (k) fluoranthene	1.090	1.072		-1.7	
Benzo (a) pyrene	1.126	1.108		-1.6	20.0
Indeno (1,2,3-cd) pyrene	1.410	1.396		-1.0	
Dibenzo (a,h) anthracene	1.148	1.145		-0.3	
Benzo (g,h,i) perylene	1.110	1.112		0.2	
1,2,4,5-Tetrachlorobenzene	0.577	0.563		-2.4	
1,4-Dioxane	0.598	0.597		-0.2	20.0
2,3,4,6-Tetrachlorophenol	0.331	0.324		-2.1	

All other compounds must meet a minimum RRF of 0.010.

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
 Data File : BF143159.D
 Acq On : 18 Jul 2025 11:24
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Quant Time: Jul 18 11:50:35 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	158986	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	609943	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	308568	20.000	ng	0.00
64) Phenanthrene-d10	11.480	188	484154	20.000	ng	0.00
76) Chrysene-d12	14.121	240	288972	20.000	ng	0.00
86) Perylene-d12	15.621	264	331263	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.587	112	778233	77.461	ng	0.00
7) Phenol-d6	6.581	99	991026	78.369	ng	0.00
23) Nitrobenzene-d5	7.522	82	1001726	81.865	ng	0.00
42) 2,4,6-Tribromophenol	10.786	330	244627	76.741	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	1694866	75.119	ng	0.00
79) Terphenyl-d14	13.063	244	1409765	72.598	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.805	88	189776	39.920	ng	99
3) Pyridine	3.575	79	493326	39.981	ng	97
4) n-Nitrosodimethylamine	3.522	42	251829	39.530	ng	98
6) Aniline	6.622	93	694602	39.412	ng	100
8) 2-Chlorophenol	6.745	128	415970	39.499	ng	99
9) Benzaldehyde	6.510	77	418013	44.083	ng	97
10) Phenol	6.598	94	544726m	39.541	ng	
11) bis(2-Chloroethyl)ether	6.692	93	419746	39.794	ng	100
12) 1,3-Dichlorobenzene	6.904	146	447626	39.128	ng	100
13) 1,4-Dichlorobenzene	6.981	146	449558	39.021	ng	100
14) 1,2-Dichlorobenzene	7.134	146	432823	39.500	ng	98
15) Benzyl Alcohol	7.098	79	379636	39.318	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.234	45	779314	39.828	ng	100
17) 2-Methylphenol	7.204	107	346501	39.132	ng	99
18) Hexachloroethane	7.481	117	158665	39.782	ng	100
19) n-Nitroso-di-n-propyla...	7.375	70	313487	38.640	ng	99
20) 3+4-Methylphenols	7.357	107	429153	39.947	ng	97
22) Acetophenone	7.369	105	556574	38.543	ng	98
24) Nitrobenzene	7.539	77	459039	40.238	ng	98
25) Isophorone	7.781	82	846892	39.206	ng	99
26) 2-Nitrophenol	7.857	139	203329	41.068	ng	100
27) 2,4-Dimethylphenol	7.887	122	393950	39.035	ng	100
28) bis(2-Chloroethoxy)met...	7.987	93	504354	38.942	ng	99
29) 2,4-Dichlorophenol	8.092	162	333406	39.173	ng	99
30) 1,2,4-Trichlorobenzene	8.187	180	360548	39.212	ng	99
31) Naphthalene	8.269	128	1162476	38.699	ng	100
32) Benzoic acid	7.987	122	207123	37.681	ng	96
33) 4-Chloroaniline	8.304	127	472144	38.494	ng	99
34) Hexachlorobutadiene	8.386	225	221836	39.494	ng	99
35) Caprolactam	8.675	113	102297	39.775	ng	97
36) 4-Chloro-3-methylphenol	8.781	107	361586	39.087	ng	99
37) 2-Methylnaphthalene	8.957	142	701400	38.372	ng	100
38) 1-Methylnaphthalene	9.057	142	727247	38.636	ng	99
40) 1,2,4,5-Tetrachloroben...	9.122	216	347715	39.031	ng	99
41) Hexachlorocyclopentadiene	9.116	237	232191	40.056	ng	98
43) 2,4,6-Trichlorophenol	9.228	196	238377	38.663	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
 Data File : BF143159.D
 Acq On : 18 Jul 2025 11:24
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Quant Time: Jul 18 11:50:35 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.263	196	245550	39.814	ng	98
46) 1,1'-Biphenyl	9.422	154	922458	38.317	ng	99
47) 2-Chloronaphthalene	9.445	162	693644	38.940	ng	100
48) 2-Nitroaniline	9.528	65	228667	40.934	ng	97
49) Acenaphthylene	9.863	152	1148448	38.471	ng	100
50) Dimethylphthalate	9.716	163	773127	38.438	ng	100
51) 2,6-Dinitrotoluene	9.775	165	166618	40.722	ng	99
52) Acenaphthene	10.033	154	673791	38.188	ng	99
53) 3-Nitroaniline	9.939	138	188626	39.413	ng	99
54) 2,4-Dinitrophenol	10.039	184	62679	37.648	ng	# 1
55) Dibenzofuran	10.204	168	1006197	38.410	ng	100
56) 4-Nitrophenol	10.086	139	136499	38.194	ng	100
57) 2,4-Dinitrotoluene	10.175	165	206647	40.255	ng	97
58) Fluorene	10.545	166	742445	37.763	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.316	232	200053	39.158	ng	100
60) Diethylphthalate	10.416	149	772963	38.881	ng	100
61) 4-Chlorophenyl-phenyle...	10.539	204	368853	37.677	ng	100
62) 4-Nitroaniline	10.551	138	160962	39.243	ng	99
63) Azobenzene	10.698	77	801032	38.661	ng	99
65) 4,6-Dinitro-2-methylph...	10.580	198	94155	38.326	ng	95
66) n-Nitrosodiphenylamine	10.651	169	664562	38.980	ng	100
67) 4-Bromophenyl-phenylether	11.028	248	228802	39.655	ng	98
68) Hexachlorobenzene	11.098	284	235254	39.010	ng	99
69) Atrazine	11.175	200	188190	40.039	ng	100
70) Pentachlorophenol	11.286	266	145757	41.098	ng	98
71) Phenanthrene	11.510	178	975972	37.965	ng	100
72) Anthracene	11.563	178	1010485	38.541	ng	100
73) Carbazole	11.710	167	882163	38.533	ng	100
74) Di-n-butylphthalate	12.039	149	1019612	39.361	ng	100
75) Fluoranthene	12.692	202	915546	38.801	ng	99
77) Benzidine	12.810	184	438982	39.430	ng	99
78) Pyrene	12.921	202	902645	36.600	ng	100
80) Butylbenzylphthalate	13.539	149	297533	39.398	ng	97
81) Benzo(a)anthracene	14.110	228	740974	38.300	ng	100
82) 3,3'-Dichlorobenzidine	14.068	252	252484	39.157	ng	99
83) Chrysene	14.145	228	685795	39.426	ng	99
84) Bis(2-ethylhexyl)phtha...	14.098	149	456161	39.907	ng	100
85) Di-n-octyl phthalate	14.715	149	798316	38.530	ng	99
87) Indeno(1,2,3-cd)pyrene	17.157	276	924864	39.594	ng	99
88) Benzo(b)fluoranthene	15.174	252	774544	38.273	ng	98
89) Benzo(k)fluoranthene	15.210	252	710438	39.341	ng	100
90) Benzo(a)pyrene	15.557	252	733915	39.362	ng	100
91) Dibenzo(a,h)anthracene	17.174	278	758585	39.900	ng	100
92) Benzo(g,h,i)perylene	17.621	276	736996	40.073	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Jul 18 11:50:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 15:14:05 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:152 Resp: 158986
Ion Ratio Lower Upper
152 100
150 160.2 128.2 192.4
115 60.4 47.9 71.9



#2
1,4-Dioxane
Concen: 39.920 ng
RT: 2.805 min Scan# 104
Delta R.T. -0.018 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion: 88 Resp: 189776
Ion Ratio Lower Upper
88 100
58 87.4 70.2 105.2
43 33.3 27.1 40.7









#3
Pyridine
Concen: 39.981 ng
RT: 3.575 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 493326
Ion Ratio Lower Upper
79 100
52 83.8 69.4 104.2
51 40.9 33.5 50.3



#4
n-Nitrosodimethylamine
Concen: 39.530 ng
RT: 3.522 min Scan# 226
Delta R.T. -0.012 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion: 42 Resp: 251829
Ion Ratio Lower Upper
42 100
74 117.1 91.7 137.5
44 7.0 5.6 8.4









#5
2-Fluorophenol
Concen: 77.461 ng
RT: 5.587 min Scan# 511
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:112 Resp: 778233
Ion Ratio Lower Upper
112 100
64 65.0 53.1 79.7
63 32.4 26.6 40.0



#6
Aniline
Concen: 39.412 ng
RT: 6.622 min Scan# 753
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion: 93 Resp: 694602
Ion Ratio Lower Upper
93 100
66 41.6 33.2 49.8
65 20.9 16.9 25.3









#7
Phenol-d6
Concen: 78.369 ng
RT: 6.581 min Scan# 747
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 99 Resp: 991026
Ion Ratio Lower Upper
99 100
42 21.4 17.0 25.6
71 34.1 27.7 41.5



#8
2-Chlorophenol
Concen: 39.499 ng
RT: 6.745 min Scan# 774
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:128 Resp: 415970
Ion Ratio Lower Upper
128 100
130 32.4 12.3 52.3
64 54.7 35.9 75.9









#9
Benzaldehyde
Concen: 44.083 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 77 Resp: 418013
Ion Ratio Lower Upper
77 100
105 93.6 76.8 116.8
106 92.3 74.4 114.4



#10
Phenol
Concen: 39.541 ng m
RT: 6.598 min Scan# 749
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion: 94 Resp: 544726
Ion Ratio Lower Upper
94 100
65 29.5 10.0 50.0
66 40.8 20.8 60.8









#11
bis(2-Chloroethyl)ether
Concen: 39.794 ng
RT: 6.692 min Scan# 765
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 93 Resp: 419746
Ion Ratio Lower Upper
93 100
63 83.1 63.4 103.4
95 32.7 12.4 52.4



#12
1,3-Dichlorobenzene
Concen: 39.128 ng
RT: 6.904 min Scan# 801
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:146 Resp: 447626
Ion Ratio Lower Upper
146 100
148 63.0 50.6 76.0
75 34.1 27.4 41.2





#13

1,4-Dichlorobenzene

Concen: 39.021 ng

RT: 6.981 min Scan# 81

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:146 Resp: 449558

Ion Ratio Lower Upper

146 100

148 62.9 50.3 75.5

111 42.5 34.4 51.6



#14

1,2-Dichlorobenzene

Concen: 39.500 ng

RT: 7.134 min Scan# 840

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24




Tgt Ion:146 Resp: 432823


Ion Ratio Lower Upper

146 100

148 62.0 50.7 76.1

111 44.6 36.6 54.8









#15
Benzyl Alcohol
Concen: 39.318 ng
RT: 7.098 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 379636
Ion Ratio Lower Upper
79 100
108 76.6 61.1 91.7
77 61.6 48.9 73.3



#16
2,2'-oxybis(1-chloropropane)
Concen: 39.828 ng
RT: 7.234 min Scan# 857
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion: 45 Resp: 779314
Ion Ratio Lower Upper
45 100
77 11.1 0.0 31.2
79 8.6 0.0 28.5









#17
2-Methylphenol
Concen: 39.132 ng
RT: 7.204 min Scan# 852
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	107	Resp:	346501
Ion	Ratio	Lower	Upper
107	100		
108	113.4	91.8	137.6
77	45.5	37.0	55.6
79	46.4	36.9	55.3



#18
Hexachloroethane
Concen: 39.782 ng
RT: 7.481 min Scan# 899
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:	117	Resp:	158665
Ion	Ratio	Lower	Upper
117	100		
119	97.5	77.8	116.8
201	96.9	77.0	115.4









#19
n-Nitroso-di-n-propylamine
Concen: 38.640 ng
RT: 7.375 min Scan# 881
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	70	Resp:	313487
Ion	Ratio	Lower	Upper
70	100		
42	64.2	52.5	78.7
101	9.4	7.6	11.4
130	20.4	16.1	24.1



#20
3+4-Methylphenols
Concen: 39.947 ng
RT: 7.357 min Scan# 878
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:	107	Resp:	429153
Ion	Ratio	Lower	Upper
107	100		
108	90.7	70.0	110.0
77	83.7	57.8	97.8
79	30.2	9.5	49.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1029
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:136 Resp: 609943




Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.6	13.0
54	10.4	8.2	12.2
68	6.7	5.4	8.2




#22
Acetophenone
Concen: 38.543 ng
RT: 7.369 min Scan# 880
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:105 Resp: 556574

Ion	Ratio	Lower	Upper
105	100		
71	8.0	5.8	8.6
51	35.7	30.2	45.2
120	22.9	18.2	27.4





#23

Nitrobenzene-d5

Concen: 81.865 ng

RT: 7.522 min Scan# 906

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion: 82 Resp: 1001726

Ion Ratio Lower Upper

82 100

128 42.5 33.6 50.4

54 59.0 47.1 70.7



#24

Nitrobenzene

Concen: 40.238 ng

RT: 7.539 min Scan# 909

Delta R.T. -0.006 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24




Tgt Ion: 77 Resp: 459039


Ion Ratio Lower Upper

77 100

123 43.3 36.1 54.1

65 14.2 11.4 17.2









#25
Isophorone
Concen: 39.206 ng
RT: 7.781 min Scan# 950
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 846892
Ion Ratio Lower Upper
82 100
95 6.9 5.5 8.3
138 17.7 13.8 20.8



#26
2-Nitrophenol
Concen: 41.068 ng
RT: 7.857 min Scan# 963
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:139 Resp: 203329
Ion Ratio Lower Upper
139 100
109 28.9 23.6 35.4
65 53.4 42.6 64.0





#27

2,4-Dimethylphenol

Concen: 39.035 ng

RT: 7.887 min Scan# 968

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:122 Resp: 393950

Ion Ratio Lower Upper

122 100

107 115.1 91.8 137.6

121 58.2 46.3 69.5



#28

bis(2-Chloroethoxy)methane

Concen: 38.942 ng

RT: 7.987 min Scan# 985

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24




Tgt Ion: 93 Resp: 504354


Ion Ratio Lower Upper

93 100

95 32.7 25.8 38.6

123 12.2 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 39.173 ng

RT: 8.092 min Scan# 1003

Delta R.T. -0.006 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:162 Resp: 333406

Ion Ratio Lower Upper

162 100

164 63.8 44.2 84.2

98 39.7 17.9 57.9



#30

1,2,4-Trichlorobenzene

Concen: 39.212 ng

RT: 8.187 min Scan# 1019

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24




Tgt Ion:180 Resp: 360548


Ion Ratio Lower Upper

180 100

182 94.3 76.2 114.2

145 31.2 25.0 37.6









#31
Naphthalene
Concen: 38.699 ng
RT: 8.269 min Scan# 1033
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:128 Resp: 1162476
Ion Ratio Lower Upper
128 100
129 11.1 9.0 13.4
127 13.2 10.6 16.0



#32
Benzoic acid
Concen: 37.681 ng
RT: 7.987 min Scan# 985
Delta R.T. -0.005 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:122 Resp: 207123
Ion Ratio Lower Upper
122 100
105 128.8 104.8 144.8
77 101.5 77.6 117.6









#33
4-Chloroaniline
Concen: 38.494 ng
RT: 8.304 min Scan# 1039
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	127	Resp:	472144
Ion Ratio	Lower	Upper	
127	100		
129	32.4	26.0	39.0
65	35.3	27.4	41.2
92	21.1	16.8	25.2



#34
Hexachlorobutadiene
Concen: 39.494 ng
RT: 8.386 min Scan# 1053
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:	225	Resp:	221836
Ion Ratio	Lower	Upper	
225	100		
223	63.7	49.8	74.6
227	63.4	50.2	75.4









#35
 Caprolactam
 Concen: 39.775 ng
 RT: 8.675 min Scan# 1103
 Delta R.T. -0.006 min
 Lab File: BF143159.D
 Acq: 18 Jul 2025 11:24




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:113 Resp: 102297
 Ion Ratio Lower Upper
 113 100
 55 199.5 174.0 214.0
 56 148.8 126.6 166.6



#36
 4-Chloro-3-methylphenol
 Concen: 39.087 ng
 RT: 8.781 min Scan# 1120
 Delta R.T. 0.000 min
 Lab File: BF143159.D
 Acq: 18 Jul 2025 11:24

Tgt Ion:107 Resp: 361586
 Ion Ratio Lower Upper
 107 100
 144 24.7 19.8 29.6
 142 76.5 60.6 90.8









#37
2-Methylnaphthalene
Concen: 38.372 ng
RT: 8.957 min Scan# 1150
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:142 Resp: 701400
Ion Ratio Lower Upper
142 100
141 87.1 69.9 104.9



#38
1-Methylnaphthalene
Concen: 38.636 ng
RT: 9.057 min Scan# 1167
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:142 Resp: 727247
Ion Ratio Lower Upper
142 100
141 91.0 72.3 108.5





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.998 min Scan# 1178

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:164 Resp: 308568

Ion Ratio Lower Upper

164 100

162 97.3 79.0 118.6

160 44.1 35.1 52.7



#40

1,2,4,5-Tetrachlorobenzene

Concen: 39.031 ng

RT: 9.122 min Scan# 1178

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Tgt Ion:216 Resp: 347715




Ion Ratio Lower Upper


216 100

214 78.5 63.8 95.8

179 20.9 16.4 24.6

108 19.7 15.6 23.4









#41
Hexachlorocyclopentadiene
Concen: 40.056 ng
RT: 9.116 min Scan# 1177
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:237 Resp: 232191
Ion Ratio Lower Upper
237 100
235 61.7 43.0 83.0
272 12.4 0.0 33.3



#42
2,4,6-Tribromophenol
Concen: 76.741 ng
RT: 10.786 min Scan# 1461
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:330 Resp: 244627
Ion Ratio Lower Upper
330 100
332 98.6 76.7 115.1
141 30.0 23.3 34.9





#43

2,4,6-Trichlorophenol

Concen: 38.663 ng

RT: 9.228 min Scan# 1196

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:196 Resp: 238377

Ion Ratio Lower Upper

196 100

198 94.4 76.2 114.2

200 29.8 23.9 35.9



#44

2,4,5-Trichlorophenol

Concen: 39.814 ng

RT: 9.263 min Scan# 1202

Delta R.T. -0.006 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Tgt Ion:196 Resp: 245550




Ion Ratio Lower Upper


196 100

198 97.4 77.3 115.9

97 54.3 40.3 60.5

132 30.2 23.1 34.7





#45

2-Fluorobiphenyl

Concen: 75.119 ng

RT: 9.322 min Scan# 1212

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:172 Resp: 1694866

Ion Ratio Lower Upper

172 100

171 35.7 28.6 42.8

170 23.7 18.8 28.2



#46

1,1'-Biphenyl

Concen: 38.317 ng

RT: 9.422 min Scan# 1229

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24




Tgt Ion:154 Resp: 922458


Ion Ratio Lower Upper

154 100

153 40.9 20.3 60.3

76 13.7 0.0 33.3





#47

2-Chloronaphthalene

Concen: 38.940 ng

RT: 9.445 min Scan# 1233

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:162 Resp: 693644

Ion Ratio Lower Upper

162 100

127 41.5 33.4 50.2

164 32.7 26.2 39.2



#48

2-Nitroaniline

Concen: 40.934 ng

RT: 9.528 min Scan# 1247

Delta R.T. -0.006 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24




Tgt Ion: 65 Resp: 228667


Ion Ratio Lower Upper

65 100

92 65.4 52.4 78.6

138 97.8 82.3 123.5









#49
Acenaphthylene
Concen: 38.471 ng
RT: 9.863 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:152 Resp: 1148448
Ion Ratio Lower Upper
152 100
151 20.3 16.2 24.2
153 13.0 10.6 16.0



#50
Dimethylphthalate
Concen: 38.438 ng
RT: 9.716 min Scan# 1279
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:163 Resp: 773127
Ion Ratio Lower Upper
163 100
194 4.3 3.4 5.2
164 10.2 8.3 12.5









#51
2,6-Dinitrotoluene
Concen: 40.722 ng
RT: 9.775 min Scan# 1289
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 166618
Ion Ratio Lower Upper
165 100
63 60.2 49.4 74.2
89 57.1 46.2 69.2



#52
Acenaphthene
Concen: 38.188 ng
RT: 10.033 min Scan# 1333
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:154 Resp: 673791
Ion Ratio Lower Upper
154 100
153 107.7 86.6 129.8
152 51.6 40.4 60.6









#53
3-Nitroaniline
Concen: 39.413 ng
RT: 9.939 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:138 Resp: 188626
Ion Ratio Lower Upper
138 100
108 11.5 9.0 13.6
92 117.8 93.0 139.4



#54
2,4-Dinitrophenol
Concen: 37.648 ng
RT: 10.039 min Scan# 1334
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:184 Resp: 62679
Ion Ratio Lower Upper
184 100
63 147.3 81.8 122.6#
154 915.2 412.2 618.4#









#55
Dibenzofuran
Concen: 38.410 ng
RT: 10.204 min Scan# 1362
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:168 Resp: 1006197
Ion Ratio Lower Upper
168 100
139 36.9 29.5 44.3
169 13.4 10.9 16.3



#56
4-Nitrophenol
Concen: 38.194 ng
RT: 10.086 min Scan# 1342
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:139 Resp: 136499
Ion Ratio Lower Upper
139 100
109 69.3 48.5 88.5
65 103.5 83.4 123.4









#57
2,4-Dinitrotoluene
Concen: 40.255 ng
RT: 10.175 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 206647
Ion Ratio Lower Upper
165 100
63 48.7 41.0 61.4
89 74.0 61.1 91.7
182 3.1 2.3 3.5



#58
Fluorene
Concen: 37.763 ng
RT: 10.545 min Scan# 1420
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:166 Resp: 742445
Ion Ratio Lower Upper
166 100
165 91.6 73.7 110.5
167 13.8 10.6 16.0









#59
2,3,4,6-Tetrachlorophenol
Concen: 39.158 ng
RT: 10.316 min Scan# 1381
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:232 Resp: 200053
Ion Ratio Lower Upper
232 100
131 44.4 35.3 52.9
130 2.3 1.7 2.5
166 29.5 23.4 35.2



#60
Diethylphthalate
Concen: 38.881 ng
RT: 10.416 min Scan# 1398
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:149 Resp: 772963
Ion Ratio Lower Upper
149 100
177 21.9 17.5 26.3
150 12.8 10.2 15.2









#61
4-Chlorophenyl-phenylether
Concen: 37.677 ng
RT: 10.539 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:204 Resp: 368853
Ion Ratio Lower Upper
204 100
206 32.8 25.8 38.8
141 58.7 47.0 70.4



#62
4-Nitroaniline
Concen: 39.243 ng
RT: 10.551 min Scan# 1421
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:138 Resp: 160962
Ion Ratio Lower Upper
138 100
92 49.6 29.3 69.3
108 69.5 48.3 88.3









#63
Azobenzene
Concen: 38.661 ng
RT: 10.698 min Scan# 1446
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 77	Resp: 801032
Ion Ratio	Lower Upper
77 100	
182 24.9	4.6 44.6
105 21.9	1.4 41.4
51 33.3	13.7 53.7



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.480 min Scan# 1579
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:188	Resp: 484154
Ion Ratio	Lower Upper
188 100	
94 11.1	8.3 12.5
80 12.1	9.0 13.6









#65
4,6-Dinitro-2-methylphenol
Concen: 38.326 ng
RT: 10.580 min Scan# 1427
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:198 Resp: 94155
Ion Ratio Lower Upper
198 100
51 62.1 37.2 77.2
105 47.2 24.8 64.8



#66
n-Nitrosodiphenylamine
Concen: 38.980 ng
RT: 10.651 min Scan# 1438
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:169 Resp: 664562
Ion Ratio Lower Upper
169 100
168 65.5 52.1 78.1
167 35.1 28.2 42.2









#67
4-Bromophenyl-phenylether
Concen: 39.655 ng
RT: 11.028 min Scan# 1502
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:248 Resp: 228802
Ion Ratio Lower Upper
248 100
250 96.3 78.3 117.5
141 72.5 59.2 88.8



#68
Hexachlorobenzene
Concen: 39.010 ng
RT: 11.098 min Scan# 1514
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:284 Resp: 235254
Ion Ratio Lower Upper
284 100
142 32.7 27.0 40.6
249 30.7 25.0 37.6





#69

Atrazine

Concen: 40.039 ng

RT: 11.175 min Scan# 1

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:200 Resp: 188190

Ion Ratio Lower Upper

200 100

173 28.0 7.9 47.9

215 49.8 30.1 70.1



#70

Pentachlorophenol

Concen: 41.098 ng

RT: 11.286 min Scan# 1546

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24




Tgt Ion:266 Resp: 145757


Ion Ratio Lower Upper

266 100

268 63.6 51.9 77.9

264 62.6 51.0 76.6









#71
Phenanthrene
Concen: 37.965 ng
RT: 11.510 min Scan# 1584
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:178 Resp: 975972
Ion Ratio Lower Upper
178 100
176 19.3 15.3 22.9
179 15.6 12.5 18.7



#72
Anthracene
Concen: 38.541 ng
RT: 11.563 min Scan# 1593
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:178 Resp: 1010485
Ion Ratio Lower Upper
178 100
176 18.7 15.0 22.4
179 15.6 12.5 18.7









#73
 Carbazole
 Concen: 38.533 ng
 RT: 11.710 min Scan# 1618
 Delta R.T. 0.000 min
 Lab File: BF143159.D
 Acq: 18 Jul 2025 11:24




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:167 Resp: 882163
 Ion Ratio Lower Upper
 167 100
 166 21.0 17.0 25.6
 139 12.5 10.0 15.0



#74
 Di-n-butylphthalate
 Concen: 39.361 ng
 RT: 12.039 min Scan# 1674
 Delta R.T. 0.000 min
 Lab File: BF143159.D
 Acq: 18 Jul 2025 11:24

Tgt Ion:149 Resp: 1019612
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.4 11.2
 104 4.8 3.8 5.8









#75
Fluoranthene
Concen: 38.801 ng
RT: 12.692 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:202 Resp: 915546
Ion Ratio Lower Upper
202 100
101 12.5 0.0 31.7
203 17.1 0.0 37.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.121 min Scan# 2028
Delta R.T. 0.000 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:240 Resp: 288972
Ion Ratio Lower Upper
240 100
120 11.2 9.4 14.2
236 24.9 20.2 30.4





#77

Benzidine

Concen: 39.430 ng

RT: 12.810 min Scan# 1805

Delta R.T. -0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:184 Resp: 438982

Ion Ratio Lower Upper

184 100

185 14.8 12.2 18.4

183 11.0 9.0 13.4



#78

Pyrene

Concen: 36.600 ng

RT: 12.921 min Scan# 1824

Delta R.T. -0.006 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24




Tgt Ion:202 Resp: 902645


Ion Ratio Lower Upper

202 100

200 19.7 15.7 23.5

203 17.6 14.2 21.2









#79
 Terphenyl-d14
 Concen: 72.598 ng
 RT: 13.063 min Scan# 1848
 Delta R.T. -0.006 min
 Lab File: BF143159.D
 Acq: 18 Jul 2025 11:24




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:244 Resp: 1409765
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.2 7.8
 122 10.8 8.2 12.2



#80
 Butylbenzylphthalate
 Concen: 39.398 ng
 RT: 13.539 min Scan# 1929
 Delta R.T. 0.000 min
 Lab File: BF143159.D
 Acq: 18 Jul 2025 11:24

Tgt Ion:149 Resp: 297533
 Ion Ratio Lower Upper
 149 100
 91 69.6 57.9 86.9
 206 21.7 17.0 25.4





#81

Benzo(a)anthracene

Concen: 38.300 ng

RT: 14.110 min Scan# 2026

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:228 Resp: 740974

Ion Ratio Lower Upper

228 100

226 26.8 21.7 32.5

229 19.8 15.8 23.6



#82

3,3'-Dichlorobenzidine

Concen: 39.157 ng

RT: 14.068 min Scan# 2019

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24




Tgt Ion:252 Resp: 252484


Ion Ratio Lower Upper

252 100

254 65.4 51.7 77.5

126 11.4 9.4 14.0





#83

Chrysene

Concen: 39.426 ng

RT: 14.145 min Scan# 2033

Delta R.T. -0.006 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:228 Resp: 685795

Ion Ratio Lower Upper

228 100

226 29.7 23.8 35.8

229 19.9 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 39.907 ng

RT: 14.098 min Scan# 2024

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24




Tgt Ion:149 Resp: 456161


Ion Ratio Lower Upper

149 100

167 28.1 22.3 33.5

279 4.6 3.6 5.4





#85

Di-n-octyl phthalate

Concen: 38.530 ng

RT: 14.715 min Scan# 2129

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:149 Resp: 798316

Ion Ratio Lower Upper

149 100

167 1.5 1.1 1.7

43 12.5 9.7 14.5



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.621 min Scan# 2283

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24




Tgt Ion:264 Resp: 331263


Ion Ratio Lower Upper

264 100

260 23.4 18.5 27.7

265 21.5 17.4 26.2









#87
Indeno(1,2,3-cd)pyrene
Concen: 39.594 ng
RT: 17.157 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:276 Resp: 924864
Ion Ratio Lower Upper
276 100
138 27.4 21.8 32.6
277 25.4 20.0 30.0



#88
Benzo(b)fluoranthene
Concen: 38.273 ng
RT: 15.174 min Scan# 2207
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:252 Resp: 774544
Ion Ratio Lower Upper
252 100
253 22.6 17.5 26.3
125 10.8 8.0 12.0





#89

Benzo(k)fluoranthene

Concen: 39.341 ng

RT: 15.210 min Scan# 21

Delta R.T. 0.000 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:252 Resp: 710438

Ion Ratio Lower Upper

252 100

253 21.9 17.8 26.6

125 10.1 8.1 12.1



#90

Benzo(a)pyrene

Concen: 39.362 ng

RT: 15.557 min Scan# 2272

Delta R.T. -0.006 min

Lab File: BF143159.D

Acq: 18 Jul 2025 11:24




Tgt Ion:252 Resp: 733915


Ion Ratio Lower Upper

252 100

253 21.5 17.3 25.9

125 11.1 8.6 13.0









#91
Dibenzo(a,h)anthracene
Concen: 39.900 ng
RT: 17.174 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 758585
Ion Ratio Lower Upper
278 100
139 17.8 14.1 21.1
279 23.0 18.6 28.0



#92
Benzo(g,h,i)perylene
Concen: 40.073 ng
RT: 17.621 min Scan# 2623
Delta R.T. -0.006 min
Lab File: BF143159.D
Acq: 18 Jul 2025 11:24

Tgt Ion:276 Resp: 736996
Ion Ratio Lower Upper
276 100
277 23.9 19.1 28.7
138 23.5 18.9 28.3



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
 Data File : BF143159.D
 Acq On : 18 Jul 2025 11:24
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 LabSampleId :
 SSTDCCC040

Quant Time: Jul 18 11:50:35 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
2	1,4-Dioxane	0.598	0.597	0.2	95	-0.02
3	Pyridine	1.552	1.551	0.1	96	-0.01
4	n-Nitrosodimethylamine	0.801	0.792	1.1	93	-0.01
5 S	2-Fluorophenol	1.264	1.224	3.2	95	0.00
6	Aniline	2.217	2.184	1.5	94	0.00
7 S	Phenol-d6	1.591	1.558	2.1	95	0.00
8	2-Chlorophenol	1.325	1.308	1.3	95	0.00
9	Benzaldehyde	1.193	1.315	-10.2	87	0.00
10 C	Phenol	1.733	1.713	1.2	95	0.00
11	bis(2-Chloroethyl)ether	1.327	1.320	0.5	96	0.00
12	1,3-Dichlorobenzene	1.439	1.408	2.2	96	0.00
13 C	1,4-Dichlorobenzene	1.449	1.414	2.4	95	0.00
14	1,2-Dichlorobenzene	1.378	1.361	1.2	96	0.00
15	Benzyl Alcohol	1.215	1.194	1.7	93	0.00
16	2,2'-oxybis(1-Chloropropane	2.461	2.451	0.4	96	0.00
17	2-Methylphenol	1.114	1.090	2.2	95	0.00
18	Hexachloroethane	0.502	0.499	0.6	96	0.00
19 P	n-Nitroso-di-n-propylamine	1.021	0.986	3.4	95	0.00
20	3+4-Methylphenols	1.351	1.350	0.1	96	0.00
21 I	Naphthalene-d8	1.000	1.000	0.0	95	0.00
22	Acetophenone	0.474	0.456	3.8	95	0.00
23 S	Nitrobenzene-d5	0.401	0.411	-2.5	98	0.00
24	Nitrobenzene	0.374	0.376	-0.5	95	0.00
25	Isophorone	0.708	0.694	2.0	95	0.00
26 C	2-Nitrophenol	0.162	0.167	-3.1	92	0.00
27	2,4-Dimethylphenol	0.331	0.323	2.4	95	0.00
28	bis(2-Chloroethoxy)methane	0.425	0.413	2.8	95	0.00
29 C	2,4-Dichlorophenol	0.279	0.273	2.2	94	0.00
30	1,2,4-Trichlorobenzene	0.302	0.296	2.0	96	0.00
31	Naphthalene	0.985	0.953	3.2	95	0.00
32	Benzoic acid	0.169	0.170	-0.6	90	0.00
33	4-Chloroaniline	0.402	0.387	3.7	94	0.00
34 C	Hexachlorobutadiene	0.184	0.182	1.1	96	0.00
35	Caprolactam	0.084	0.084	0.0	92	0.00
36 C	4-Chloro-3-methylphenol	0.303	0.296	2.3	94	0.00
37	2-Methylnaphthalene	0.599	0.575	4.0	94	0.00
38	1-Methylnaphthalene	0.617	0.596	3.4	95	0.00
39 I	Acenaphthene-d10	1.000	1.000	0.0	93	0.00
40	1,2,4,5-Tetrachlorobenzene	0.577	0.563	2.4	95	0.00
41 P	Hexachlorocyclopentadiene	0.376	0.376	0.0	94	0.00
42 S	2,4,6-Tribromophenol	0.207	0.198	4.3	88	0.00
43 C	2,4,6-Trichlorophenol	0.400	0.386	3.5	93	0.00
44	2,4,5-Trichlorophenol	0.400	0.398	0.5	91	0.00
45 S	2-Fluorobiphenyl	1.462	1.373	6.1	94	0.00
46	1,1'-Biphenyl	1.560	1.495	4.2	93	0.00
47	2-Chloronaphthalene	1.155	1.124	2.7	95	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
 Data File : BF143159.D
 Acq On : 18 Jul 2025 11:24
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 LabSampleId :
 SSTDCCC040

Quant Time: Jul 18 11:50:35 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48	2-Nitroaniline	0.362	0.371	-2.5	92	0.00
49	Acenaphthylene	1.935	1.861	3.8	93	0.00
50	Dimethylphthalate	1.304	1.253	3.9	91	0.00
51	2,6-Dinitrotoluene	0.265	0.270	-1.9	90	0.00
52 C	Acenaphthene	1.144	1.092	4.5	93	0.00
53	3-Nitroaniline	0.310	0.306	1.3	90	0.00
54 P	2,4-Dinitrophenol	0.098	0.102	-4.1	91	0.00
55	Dibenzofuran	1.698	1.630	4.0	93	0.00
56 P	4-Nitrophenol	0.232	0.221	4.7	84	0.00
57	2,4-Dinitrotoluene	0.333	0.335	-0.6	88	0.00
58	Fluorene	1.274	1.203	5.6	92	0.00
59	2,3,4,6-Tetrachlorophenol	0.331	0.324	2.1	91	0.00
60	Diethylphthalate	1.289	1.253	2.8	92	0.00
61	4-Chlorophenyl-phenylether	0.635	0.598	5.8	91	0.00
62	4-Nitroaniline	0.266	0.261	1.9	87	0.00
63	Azobenzene	1.343	1.298	3.4	91	0.00
64 I	Phenanthrene-d10	1.000	1.000	0.0	89	0.00
65	4,6-Dinitro-2-methylphenol	0.094	0.097	-3.2	89	0.00
66 c	n-Nitrosodiphenylamine	0.704	0.686	2.6	91	0.00
67	4-Bromophenyl-phenylether	0.238	0.236	0.8	92	0.00
68	Hexachlorobenzene	0.249	0.243	2.4	91	0.00
69	Atrazine	0.194	0.194	0.0	88	0.00
70 C	Pentachlorophenol	0.147	0.151	-2.7	91	0.00
71	Phenanthrene	1.062	1.008	5.1	88	0.00
72	Anthracene	1.083	1.044	3.6	90	0.00
73	Carbazole	0.946	0.911	3.7	87	0.00
74	Di-n-butylphthalate	1.070	1.053	1.6	87	0.00
75 C	Fluoranthene	0.975	0.946	3.0	89	0.00
76 I	Chrysene-d12	1.000	1.000	0.0	97	0.00
77	Benzydine	0.771	0.760	1.4	78	0.00
78	Pyrene	1.707	1.562	8.5	89	0.00
79 S	Terphenyl-d14	1.344	1.220	9.2	91	0.00
80	Butylbenzylphthalate	0.523	0.515	1.5	92	0.00
81	Benzo(a)anthracene	1.339	1.282	4.3	98	0.00
82	3,3'-Dichlorobenzidine	0.446	0.437	2.0	99	0.00
83	Chrysene	1.204	1.187	1.4	96	0.00
84	Bis(2-ethylhexyl)phthalate	0.791	0.789	0.3	97	0.00
85 c	Di-n-octyl phthalate	1.434	1.381	3.7	97	0.00
86 I	Perylene-d12	1.000	1.000	0.0	102	0.00
87	Indeno(1,2,3-cd)pyrene	1.410	1.396	1.0	101	0.00
88	Benzo(b)fluoranthene	1.222	1.169	4.3	104	0.00
89	Benzo(k)fluoranthene	1.090	1.072	1.7	97	0.00
90 C	Benzo(a)pyrene	1.126	1.108	1.6	101	0.00
91	Dibenzo(a,h)anthracene	1.148	1.145	0.3	102	0.00
92	Benzo(g,h,i)perylene	1.110	1.112	-0.2	103	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143159.D
Acq On : 18 Jul 2025 11:24
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Jul 18 11:50:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 15:14:05 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
 Data File : BF143159.D
 Acq On : 18 Jul 2025 11:24
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 LabSampleId :
 SSTDCCC040

Quant Time: Jul 18 11:50:35 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	95	0.00
2	1,4-Dioxane	40.000	39.920	0.2	95	-0.02
3	Pyridine	40.000	39.981	0.0	96	-0.01
4	n-Nitrosodimethylamine	40.000	39.530	1.2	93	-0.01
5 S	2-Fluorophenol	80.000	77.461	3.2	95	0.00
6	Aniline	40.000	39.412	1.5	94	0.00
7 S	Phenol-d6	80.000	78.369	2.0	95	0.00
8	2-Chlorophenol	40.000	39.499	1.3	95	0.00
9	Benzaldehyde	40.000	44.083	-10.2	87	0.00
10 C	Phenol	40.000	39.541	1.1	95	0.00
11	bis(2-Chloroethyl)ether	40.000	39.794	0.5	96	0.00
12	1,3-Dichlorobenzene	40.000	39.128	2.2	96	0.00
13 C	1,4-Dichlorobenzene	40.000	39.021	2.4	95	0.00
14	1,2-Dichlorobenzene	40.000	39.500	1.3	96	0.00
15	Benzyl Alcohol	40.000	39.318	1.7	93	0.00
16	2,2'-oxybis(1-Chloropropane	40.000	39.828	0.4	96	0.00
17	2-Methylphenol	40.000	39.132	2.2	95	0.00
18	Hexachloroethane	40.000	39.782	0.5	96	0.00
19 P	n-Nitroso-di-n-propylamine	40.000	38.640	3.4	95	0.00
20	3+4-Methylphenols	40.000	39.947	0.1	96	0.00
21 I	Naphthalene-d8	20.000	20.000	0.0	95	0.00
22	Acetophenone	40.000	38.543	3.6	95	0.00
23 S	Nitrobenzene-d5	80.000	81.865	-2.3	98	0.00
24	Nitrobenzene	40.000	40.238	-0.6	95	0.00
25	Isophorone	40.000	39.206	2.0	95	0.00
26 C	2-Nitrophenol	40.000	41.068	-2.7	92	0.00
27	2,4-Dimethylphenol	40.000	39.035	2.4	95	0.00
28	bis(2-Chloroethoxy)methane	40.000	38.942	2.6	95	0.00
29 C	2,4-Dichlorophenol	40.000	39.173	2.1	94	0.00
30	1,2,4-Trichlorobenzene	40.000	39.212	2.0	96	0.00
31	Naphthalene	40.000	38.699	3.3	95	0.00
32	Benzoic acid	40.000	37.681	5.8	90	0.00
33	4-Chloroaniline	40.000	38.494	3.8	94	0.00
34 C	Hexachlorobutadiene	40.000	39.494	1.3	96	0.00
35	Caprolactam	40.000	39.775	0.6	92	0.00
36 C	4-Chloro-3-methylphenol	40.000	39.087	2.3	94	0.00
37	2-Methylnaphthalene	40.000	38.372	4.1	94	0.00
38	1-Methylnaphthalene	40.000	38.636	3.4	95	0.00
39 I	Acenaphthene-d10	20.000	20.000	0.0	93	0.00
40	1,2,4,5-Tetrachlorobenzene	40.000	39.031	2.4	95	0.00
41 P	Hexachlorocyclopentadiene	40.000	40.056	-0.1	94	0.00
42 S	2,4,6-Tribromophenol	80.000	76.741	4.1	88	0.00
43 C	2,4,6-Trichlorophenol	40.000	38.663	3.3	93	0.00
44	2,4,5-Trichlorophenol	40.000	39.814	0.5	91	0.00
45 S	2-Fluorobiphenyl	80.000	75.119	6.1	94	0.00
46	1,1'-Biphenyl	40.000	38.317	4.2	93	0.00
47	2-Chloronaphthalene	40.000	38.940	2.7	95	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143159.D
 Acq On : 18 Jul 2025 11:24
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 LabSampleId :
 SSTDCCC040

Quant Time: Jul 18 11:50:35 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48	2-Nitroaniline	40.000	40.934	-2.3	92	0.00
49	Acenaphthylene	40.000	38.471	3.8	93	0.00
50	Dimethylphthalate	40.000	38.438	3.9	91	0.00
51	2,6-Dinitrotoluene	40.000	40.722	-1.8	90	0.00
52 C	Acenaphthene	40.000	38.188	4.5	93	0.00
53	3-Nitroaniline	40.000	39.413	1.5	90	0.00
54 P	2,4-Dinitrophenol	40.000	37.648	5.9	91	0.00
55	Dibenzofuran	40.000	38.410	4.0	93	0.00
56 P	4-Nitrophenol	40.000	38.194	4.5	84	0.00
57	2,4-Dinitrotoluene	40.000	40.255	-0.6	88	0.00
58	Fluorene	40.000	37.763	5.6	92	0.00
59	2,3,4,6-Tetrachlorophenol	40.000	39.158	2.1	91	0.00
60	Diethylphthalate	40.000	38.881	2.8	92	0.00
61	4-Chlorophenyl-phenylether	40.000	37.677	5.8	91	0.00
62	4-Nitroaniline	40.000	39.243	1.9	87	0.00
63	Azobenzene	40.000	38.661	3.3	91	0.00
64 I	Phenanthrene-d10	20.000	20.000	0.0	89	0.00
65	4,6-Dinitro-2-methylphenol	40.000	38.326	4.2	89	0.00
66 c	n-Nitrosodiphenylamine	40.000	38.980	2.6	91	0.00
67	4-Bromophenyl-phenylether	40.000	39.655	0.9	92	0.00
68	Hexachlorobenzene	40.000	39.010	2.5	91	0.00
69	Atrazine	40.000	40.039	-0.1	88	0.00
70 C	Pentachlorophenol	40.000	41.098	-2.7	91	0.00
71	Phenanthrene	40.000	37.965	5.1	88	0.00
72	Anthracene	40.000	38.541	3.6	90	0.00
73	Carbazole	40.000	38.533	3.7	87	0.00
74	Di-n-butylphthalate	40.000	39.361	1.6	87	0.00
75 C	Fluoranthene	40.000	38.801	3.0	89	0.00
76 I	Chrysene-d12	20.000	20.000	0.0	97	0.00
77	Benzidine	40.000	39.430	1.4	78	0.00
78	Pyrene	40.000	36.600	8.5	89	0.00
79 S	Terphenyl-d14	80.000	72.598	9.3	91	0.00
80	Butylbenzylphthalate	40.000	39.398	1.5	92	0.00
81	Benzo(a)anthracene	40.000	38.300	4.3	98	0.00
82	3,3'-Dichlorobenzidine	40.000	39.157	2.1	99	0.00
83	Chrysene	40.000	39.426	1.4	96	0.00
84	Bis(2-ethylhexyl)phthalate	40.000	39.907	0.2	97	0.00
85 c	Di-n-octyl phthalate	40.000	38.530	3.7	97	0.00
86 I	Perylene-d12	20.000	20.000	0.0	102	0.00
87	Indeno(1,2,3-cd)pyrene	40.000	39.594	1.0	101	0.00
88	Benzo(b)fluoranthene	40.000	38.273	4.3	104	0.00
89	Benzo(k)fluoranthene	40.000	39.341	1.6	97	0.00
90 C	Benzo(a)pyrene	40.000	39.362	1.6	101	0.00
91	Dibenzo(a,h)anthracene	40.000	39.900	0.3	102	0.00
92	Benzo(g,h,i)perylene	40.000	40.073	-0.2	103	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143159.D
Acq On : 18 Jul 2025 11:24
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Jul 18 11:50:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 15:14:05 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------

(#) = Out of Range

SPCC's out = 0 CCC's out = 0





QC SAMPLE DATA

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
Data File : BF143138.D
Acq On : 17 Jul 2025 09:58
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Jul 17 15:14:05 2025



AutoFind: Scans 1622, 1623, 1624; Background Corrected with Scan 1616

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
68	69	0.00	2	1.9	1515	PASS
69	69	100	100	100.0	80680	PASS
70	69	0.00	2	0.5	430	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	215296	PASS
199	198	5	9	6.8	14617	PASS
365	198	1	100	3.8	8287	PASS
441	443	0.01	150	79.6	44723	PASS
442	442	100	100	100.0	288853	PASS
443	442	15	24	19.5	56203	PASS

DDT Breakdown




Date	Instrument Name	DFTPP Data File
7/17/2025	BNA_F	<u>BF143138.D</u>
Compound Name	Response	Retention Time
DDT	490244	13.639
DDD	9488	13.339
DDE	328	13.004
SUM(DDD+DDE)	SUM(DDT+DDD+DDE)	% Breakdown Of DDT
9816	500060	1.96

Instrument :
BNA_F
ClientSampleId :
DFTPP

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
Data File : BF143138.D
Acq On : 17 Jul 2025 09:58
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Jul 17 16:32:18 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 15:14:05 2025
Response via : Initial Calibration



TIC: BF143138.D\data.ms

(70) Pentachlorophenol (C)

11.286min (+ 0.000) 29509.64 ng




response 268044

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	64.90	63.24
264.00	63.80	62.50
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
Data File : BF143138.D
Acq On : 17 Jul 2025 09:58
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Jul 17 16:32:18 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 15:14:05 2025
Response via : Initial Calibration



TIC: BF143138.D\data.ms

(77) Benzidine

12.816min (+ 0.006) 0.00 ng

response 1266864


Ion	Exp%	Act%
184.00	100.00	100.00
185.00	15.30	14.57
183.00	11.20	10.98
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143158.D
Acq On : 18 Jul 2025 10:55
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Jul 17 15:14:05 2025



AutoFind: Scans 1622, 1623, 1624; Background Corrected with Scan 1616

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
68	69	0.00	2	1.9	919	PASS
69	69	100	100	100.0	47752	PASS
70	69	0.00	2	0.6	277	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	128128	PASS
199	198	5	9	6.9	8805	PASS
365	198	1	100	3.8	4844	PASS
441	443	0.01	150	78.8	24960	PASS
442	442	100	100	100.0	167149	PASS
443	442	15	24	19.0	31683	PASS

DDT Breakdown




Date	Instrument Name	DFTPP Data File
7/17/2025	BNA_F	<u>BF143138.D</u>
Compound Name	Response	Retention Time
DDT	262709	13.639
DDD	5014	13.339
DDE	214	13.004
SUM(DDD+DDE)	SUM(DDT+DDD+DDE)	% Breakdown Of DDT
5228	267937	1.95

Instrument :
BNA_F
ClientSampleId :
DFTPP

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143158.D
Acq On : 18 Jul 2025 10:55
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Jul 18 12:10:18 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 15:14:05 2025
Response via : Initial Calibration



TIC: BF143158.D\data.ms

(70) Pentachlorophenol (C)

11.280min (-0.006) 27822.04 ng




response 150610

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	64.90	63.42
264.00	63.80	62.47
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071825\
Data File : BF143158.D
Acq On : 18 Jul 2025 10:55
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Jul 18 12:10:18 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 15:14:05 2025
Response via : Initial Calibration



TIC: BF143158.D\data.ms

(77) Benzidine

12.810min (-0.000) 0.00 ng

response 711133

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	15.30	14.82
183.00	11.20	10.97
0.00	0.00	0.00

Instrument ID: **BNA_F**

Daily Analysis Runlog For Sequence/QC Batch ID # BF071725

Review By	Rahul	Review On	7/18/2025 11:02:11 AM
Supervise By	Jagrut	Supervise On	7/18/2025 1:30:54 PM
SubDirectory	BF071725	HP Acquire Method	BNA_F
		HP Processing Method	bf071725
STD. NAME	STD REF.#		
Tune/Reschk	SP6757		
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840		
CCC	SP6836		
Internal Standard/PEM	S12674,10ul/1000ul sample		
ICV/I.BLK	SP6770		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	DFTPP	BF143138.D	17 Jul 2025 09:58	RC/JU	Ok
2	SSTDCCC040	BF143139.D	17 Jul 2025 10:28	RC/JU	Not Ok
3	SSTDICC2.5	BF143140.D	17 Jul 2025 11:04	RC/JU	Ok
4	SSTDICC005	BF143141.D	17 Jul 2025 11:34	RC/JU	Ok,M
5	SSTDICC010	BF143142.D	17 Jul 2025 12:04	RC/JU	Ok,M
6	SSTDICC020	BF143143.D	17 Jul 2025 12:34	RC/JU	Ok,M
7	SSTDICCC040	BF143144.D	17 Jul 2025 13:03	RC/JU	Ok,M
8	SSTDICC050	BF143145.D	17 Jul 2025 13:33	RC/JU	Ok,M
9	SSTDICC060	BF143146.D	17 Jul 2025 14:04	RC/JU	Ok,M
10	SSTDICC080	BF143147.D	17 Jul 2025 14:34	RC/JU	Ok,M
11	SSTDICV040	BF143148.D	17 Jul 2025 15:06	RC/JU	Ok,M
12	PB168813BL	BF143149.D	17 Jul 2025 15:36	RC/JU	Ok
13	Q2126-03	BF143150.D	17 Jul 2025 16:06	RC/JU	Ok,M
14	Q2126-03	BF143151.D	17 Jul 2025 16:36	RC/JU	Ok,M
15	Q2126-09	BF143152.D	17 Jul 2025 17:07	RC/JU	Ok,M
16	Q2126-09	BF143153.D	17 Jul 2025 17:37	RC/JU	Ok,M
17	PB168816BL	BF143154.D	17 Jul 2025 18:07	RC/JU	Ok
18	PB167904BL	BF143155.D	17 Jul 2025 18:37	RC/JU	Ok
19	PB167904BS	BF143156.D	17 Jul 2025 19:07	RC/JU	Ok,M
20	SSTDCCC040	BF143157.D	17 Jul 2025 19:37	RC/JU	Ok,M

M : Manual Integration

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QC Batch ID # BF071825

Review By	Rahul	Review On	7/21/2025 8:15:21 AM		
Supervise By	Jagrut	Supervise On	7/21/2025 9:31:31 AM		
SubDirectory	BF071825	HP Acquire Method	BNA_F	HP Processing Method	bf071725
STD. NAME		STD REF.#			
Tune/Reschk	SP6757				
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840				
CCC	SP6836				
Internal Standard/PEM	S12674,10ul/1000ul sample				
ICV/I.BLK	SP6770				
Surrogate Standard					
MS/MSD Standard					
LCS Standard					

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	DFTPP	BF143158.D	18 Jul 2025 10:55	RC/JU	Ok
2	SSTDCCC040	BF143159.D	18 Jul 2025 11:24	RC/JU	Ok,M
3	PB168737BL	BF143160.D	18 Jul 2025 11:54	RC/JU	Ok
4	PB168854BS	BF143161.D	18 Jul 2025 12:23	RC/JU	Not Ok
5	PB168904BS	BF143162.D	18 Jul 2025 12:53	RC/JU	Ok,M
6	PB168904BSD	BF143163.D	18 Jul 2025 13:22	RC/JU	Ok,M
7	PB168904BL	BF143164.D	18 Jul 2025 13:52	RC/JU	Ok
8	Q2585-04	BF143165.D	18 Jul 2025 14:25	RC/JU	Ok
9	Q2594-01	BF143166.D	18 Jul 2025 14:54	RC/JU	Ok

M : Manual Integration

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QC Batch ID # BF071725

Review By	Rahul	Review On	7/18/2025 11:02:11 AM
Supervise By	Jagrut	Supervise On	7/18/2025 1:30:54 PM
SubDirectory	BF071725	HP Acquire Method	BNA_F
		HP Processing Method	bf071725

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S12674,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleID	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	DFTPP	DFTPP	BF143138.D	17 Jul 2025 09:58		RC/JU	Ok
2	SSTDCCC040	SSTDCCC040	BF143139.D	17 Jul 2025 10:28	A Fresh Calibration is required.	RC/JU	Not Ok
3	SSTDICC2.5	SSTDICC2.5	BF143140.D	17 Jul 2025 11:04		RC/JU	Ok
4	SSTDICC005	SSTDICC005	BF143141.D	17 Jul 2025 11:34		RC/JU	Ok,M
5	SSTDICC010	SSTDICC010	BF143142.D	17 Jul 2025 12:04		RC/JU	Ok,M
6	SSTDICC020	SSTDICC020	BF143143.D	17 Jul 2025 12:34		RC/JU	Ok,M
7	SSTDICCC040	SSTDICCC040	BF143144.D	17 Jul 2025 13:03	Compound #32,54,65 Kept on LR	RC/JU	Ok,M
8	SSTDICC050	SSTDICC050	BF143145.D	17 Jul 2025 13:33		RC/JU	Ok,M
9	SSTDICC060	SSTDICC060	BF143146.D	17 Jul 2025 14:04		RC/JU	Ok,M
10	SSTDICC080	SSTDICC080	BF143147.D	17 Jul 2025 14:34	Compound#77 removed from 80 ppm	RC/JU	Ok,M
11	SSTDICV040	ICVBF071725	BF143148.D	17 Jul 2025 15:06		RC/JU	Ok,M
12	PB168813BL	PB168813BL	BF143149.D	17 Jul 2025 15:36		RC/JU	Ok
13	Q2126-03	MDL-SOIL-03-QT2-202	BF143150.D	17 Jul 2025 16:06	MDL-SOIL 4 ppm	RC/JU	Ok,M
14	Q2126-03	MDL-SOIL-03-QT2-202	BF143151.D	17 Jul 2025 16:36	MDL-SOIL 8 ppm	RC/JU	Ok,M
15	Q2126-09	MDL-WATER-03-QT2-2	BF143152.D	17 Jul 2025 17:07	MDL-WATER 4 ppm	RC/JU	Ok,M
16	Q2126-09	MDL-WATER-03-QT2-2	BF143153.D	17 Jul 2025 17:37	MDL-WATER 8 ppm	RC/JU	Ok,M
17	PB168816BL	PB168816BL	BF143154.D	17 Jul 2025 18:07		RC/JU	Ok

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QC Batch ID # BF071725

Review By	Rahul	Review On	7/18/2025 11:02:11 AM		
Supervise By	Jagrut	Supervise On	7/18/2025 1:30:54 PM		
SubDirectory	BF071725	HP Acquire Method	BNA_F	HP Processing Method	bf071725

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S12674,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

18	PB167904BL	PB167904BL	BF143155.D	17 Jul 2025 18:37		RC/JU	Ok
19	PB167904BS	PB167904BS	BF143156.D	17 Jul 2025 19:07		RC/JU	Ok,M
20	SSTDCCC040	SSTDCCC040EC	BF143157.D	17 Jul 2025 19:37		RC/JU	Ok,M

M : Manual Integration

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QC Batch ID # BF071825

Review By	Rahul	Review On	7/21/2025 8:15:21 AM
Supervise By	Jagrut	Supervise On	7/21/2025 9:31:31 AM
SubDirectory	BF071825	HP Acquire Method	BNA_F
		HP Processing Method	bf071725

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S12674,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleID	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	DFTPP	DFTPP	BF143158.D	18 Jul 2025 10:55		RC/JU	Ok
2	SSTDCCC040	SSTDCCC040	BF143159.D	18 Jul 2025 11:24		RC/JU	Ok,M
3	PB168737BL	PB168737BL	BF143160.D	18 Jul 2025 11:54		RC/JU	Ok
4	PB168854BS	PB168854BS	BF143161.D	18 Jul 2025 12:23	Already analyzed	RC/JU	Not Ok
5	PB168904BS	PB168904BS	BF143162.D	18 Jul 2025 12:53		RC/JU	Ok,M
6	PB168904BSD	PB168904BSD	BF143163.D	18 Jul 2025 13:22		RC/JU	Ok,M
7	PB168904BL	PB168904BL	BF143164.D	18 Jul 2025 13:52		RC/JU	Ok
8	Q2585-04	EFF-WW	BF143165.D	18 Jul 2025 14:25	Surrogate and Internal standard fail	RC/JU	Ok
9	Q2594-01	CC-071325-RW	BF143166.D	18 Jul 2025 14:54	Surrogate fail.	RC/JU	Ok

M : Manual Integration

SOP ID: M625.1-BNA-21

Clean Up SOP #: N/A

Matrix : Water

Weight By: N/A

Balance check: N/A

Balance ID: N/A

pH Strip Lot#: E3880

Extraction By: RS

Filter By: RS

pH Meter ID: N/A

Hood ID: 4,6,7

Extraction Start Date : 07/17/2025

Extraction Start Time : 08:39

Extraction End Date : 07/17/2025

Extraction End Time : 13:40

Concentration By: EH

Supervisor By : RUPESH

Extraction Method: ☒ Separatory Funnel ☐ Continuous Liquid/Liquid ☐ Sonication ☐ Waste Dilution ☐ Soxhlet

Standardized Name	MLS USED	Concentration ug/mL	STD REF. # FROM LOG
Spike Sol 1	1.0ML	50/100 PPM	SP6849
Surrogate	1.0ML	100 PPM	SP6759
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
Methylene Chloride	N/A	E3954
Baked Na2SO4	N/A	EP2625
10N NaOH	N/A	EP2609
H2SO4 1:1	N/A	EP2610
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

1.5 ML Vial lot# 2210443. pH Adjusted <2 with 1:1 H2SO4 & >11 with 10N NaOH.

KD Bath ID: Water bath -01

KD Bath Temperature: 60 °C

Envap ID: NEVAP-02

Envap Temperature: 40 °C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
7/17/25	RS (B4 Lab)	RC/eva
13:45	Preparation Group	Analysis Group

Analytical Method: M625.1-BNA-21

Concentration Date: 07/17/2025

Sample ID	Client Sample ID	Test	g /mL	PH	Surr/Spike By:		Final Vol. (mL)	JarID	Comments	Prep Pos
					AddedBy	VerifiedBy				
PB168904BL	SBLK904	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1			SEP-1
PB168904BS	SLCS904	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1			2
PB168904BS D	SLCSD904	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1			3
Q2585-04	EFF-WW	SVOCMS Group1	950	6	RUPESH	ritesh	1	C		4
Q2594-01	CC-071325-RW	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	D		5

* Extracts relinquished on the same date as received.



168904
625.1

WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q2585 WorkList ID : 190795 Department : Extraction Date : 07-17-2025 08:31:15

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2585-04	EFF-WW	Water	SVOCMS Group1	Cool 4 deg C	ARDM01	D41	07/11/2025	625.1
Q2594-01	CC-071325-RW	Water	SVOC-TCL BNA -20	Cool 4 deg C	ENV160	O42	07/14/2025	625.1

Date/Time 7/17/25 8:32
Raw Sample Received by: RJ (PA Lab)
Raw Sample Relinquished by: CJP Sun

Date/Time 7/17/25 9:05
Raw Sample Received by: CJP Sun
Raw Sample Relinquished by: RJ (PA Lab)



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax: (908) 788-9222
www.chemtech.net

CHAIN OF CUSTODY RECORD

Alliance Project Number:

22594

COC Number:

CC-002

CLIENT INFORMATION

COMPANY: ENVIRONMENTAL RESTORATION LLC
ADDRESS: 1666 FABICK DR.
CITY: FENTON STATE: MO ZIP: 63026
ATTENTION: Byron Hartman
PHONE: 801 209 0368 FAX:

PROJECT INFORMATION

PROJECT NAME: COOPER CHEMICAL
PROJECT #: CC2-16 LOCATION: LONG VALLEY NJ
PROJECT MANAGER: BYRON HARTMAN
E-MAIL: b.hartman@erllc.com
PHONE: 801 209 0368 FAX:

BILLING INFORMATION

BILL TO: ENVIRONMENTAL REST. PO# CC.2 - 16
ADDRESS: 1666 FABICK DR
CITY: FENTON STATE: MO ZIP: 63026
ATTENTION: Ryan Simpson PHONE: 636-227-7477

DATA TURNAROUND INFORMATION

FAX: _____ DAYS*
HARD COPY: 14 (STANDARD) DAYS*
EDD: 10 (STANDARD) DAYS*
* TO BE APPROVED BY ALLIANCE
STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

- ☐ RESULTS ONLY ☐ USEPA CLP
☐ RESULTS + QC ☐ New York State ASP "B"
☐ New Jersey REDUCED ☐ New York State ASP "A"
☐ New Jersey CLP ☐ Other _____
☐ EDD Format _____

ANALYSIS								
EPA METH 624 VOA	EPA METH 625 NVO	EPA METH 608 PCBs	EPA METH 608 PCBs					
1	2	3	4	5	6	7	8	9

PRESERVATIVES

COMMENTS

<-- Specify Preservatives
A-HCl B-HNO3
C-H2SO4 D-NaOH
E-ICE F-Other

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles									
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9
1.	CC-071325 - RW	W			7-14-25	1030	8									
2.																
3.																
4.																
5.																
6.																
7.																
8.																
9.																
10.																

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE PROSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER	DATE/TIME	15	RECEIVED BY	1153	Conditions of bottles or coolers at receipt: ☐ Compliant ☐ Non Compliant ☐ Cooler Temp 24.2 C MeOH extraction requires an additional 4oz. Jar for percent solid Comments:
1. [Signature]	7/14/25		[Signature]	7-14-25	
RELINQUISHED BY	DATE/TIME		RECEIVED BY		
2.					
RELINQUISHED BY	DATE/TIME		RECEIVED FOR LAB BY		SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight
3.					ALLIANCE: ☐ Picked Up ☐ Overnight
					Shipment Complete ☐ YES ☐ NO

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT

YELLOW - ALLIANCE COPY

PINK - SAMPLER COPY

From: Byron Hartman <b.hartman@erllc.com>
Sent: Tuesday, July 15, 2025 2:10 PM
Subject: Re: [EXT]no ice

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Please proceed as normal with analytical and make a notation on ice.

From: Deepak Parmar <Deepak.Parmar@alliancetg.com>
Sent: Monday, July 14, 2025 2:05 PM
To: Byron Hartman <b.hartman@erllc.com>
Subject: [EXT]no ice

*****CAUTION*** This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request.**

Good afternoon,

sample received with melted ice with Temp 24.2 cel on 7/14/2025 let us know how to proceed with analysis ?

Thanks & Regards,



Deepak Parmar
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3154
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com



Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer

system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2594	ENVI60	Order Date : 7/14/2025 12:05:00 PM	Project Mgr :
Client Name : Environmental Restoration,		Project Name : Cooper Chemical - Long Va	Report Type : NJ Reduced
Client Contact : Byron Hartman		Receive DateTime : 7/14/2025 11:53:00 AM	EDD Type : Excel NJ
Invoice Name : Environmental Restoration,		Purchase Order :	Hard Copy Date :
Invoice Contact : Byron Hartman			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2594-01	CC-071325-RW	Water	07/14/2025	10:30	VOC-TCLVOA-10		624.1		10 Bus. Days

Relinquished By : 

Date / Time :

7-14-25 1250

Received By : 

Date / Time :

7/14/25 1250

Storage Area : VOA Refridgerator Room