

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Athenia Switching Station	Date Received:	
Client Sample ID:	PB168855BSD	SDG No.:	Q2597
Lab Sample ID:	PB168855BSD	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.01 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_NF
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
07/15/25 09:30	07/15/25 16:24	PB168855

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C28-C40	Aliphatic C28-C40	25.5		1	1.18	2.00	mg/kg	FE054853.D
Aliphatic C9-C28	Aliphatic C9-C28	69.8		1	0.91	4.00	mg/kg	FE054853.D
Total AliphaticEPH	Total AliphaticEPH	95.3			2.09	6.00	mg/kg	
Total EPH	Total EPH	95.3			2.09	6.00	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Athenia Switching Station	Date Received:	
Client Sample ID:	PB168855BSD	SDG No.:	Q2597
Lab Sample ID:	PB168855BSD	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.01 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_NF
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE054853.D	1	07/15/25	07/15/25	PB168855

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	69.8		0.91	4.00	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	25.5		1.18	2.00	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	35.7		40 - 140	71%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	35.4		40 - 140	71%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	PB168855BSD	Acq On:	15 Jul 2025 16:24
Client Sample ID:	PB168855BSD	Operator:	YP\AJ
Data file:	FE054853.D	Misc:	
Instrument:	FID_E	ALS Vial:	13
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.326	6.958	24074453	176.946	300	ug/ml
Aliphatic C12-C16	6.959	10.409	34789161	247.49	200	ug/ml
Aliphatic C16-C21	10.410	13.786	40330133	279.307	300	ug/ml
Aliphatic C21-C28	13.787	17.455	49739091	343.854	400	ug/ml
Aliphatic C28-C40	17.456	22.473	53026654	382.457	600	ug/ml
Aliphatic EPH	3.326	22.473	201959492	1430		ug/ml
ortho-Terphenyl (SURR)	12.086	12.086	5753177	35.43		ug/ml
1-chlorooctadecane (SURR)	13.521	13.521	4510992	35.72		ug/ml
Aliphatic C9-C28	3.326	17.455	148932838	1050	1200	ug/ml