

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP070325\
 Data File : BP025074.D
 Acq On : 03 Jul 2025 11:44
 Operator : CG/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC020

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/07/2025
 Supervised By :Jagrut Upadhyay 07/07/2025

Quant Time: Jul 03 15:52:25 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP070325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 03 15:38:19 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.443	152	357536	20.000	ng	0.00
21) Naphthalene-d8	10.184	136	1460146	20.000	ng	0.00
39) Acenaphthene-d10	14.089	164	975973	20.000	ng	0.00
64) Phenanthrene-d10	16.913	188	1992018	20.000	ng	0.00
76) Chrysene-d12	21.348	240	2159758	20.000	ng	0.00
86) Perylene-d12	24.483	264	2243019	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.102	112	842975	41.776	ng	0.00
7) Phenol-d6	6.625	99	1087166	41.286	ng	0.00
23) Nitrobenzene-d5	8.566	82	918035	41.814	ng	0.00
42) 2,4,6-Tribromophenol	15.607	330	468488	40.634	ng	-0.01
45) 2-Fluorobiphenyl	12.690	172	2657285	42.179	ng	0.00
79) Terphenyl-d14	19.672	244	4224886	42.993	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.125	88	163489	20.836	ng	98
3) Pyridine	3.490	79	444402	20.702	ng	98
4) n-Nitrosodimethylamine	3.408	42	189864	20.874	ng	# 98
6) Aniline	6.784	93	511196	20.777	ng	99
8) 2-Chlorophenol	7.013	128	472043	20.908	ng	98
9) Benzaldehyde	6.596	77	319740	23.250	ng	99
10) Phenol	6.655	94	554695	20.731	ng	99
11) bis(2-Chloroethyl)ether	6.884	93	429103	20.838	ng	99
12) 1,3-Dichlorobenzene	7.331	146	531035	21.016	ng	99
13) 1,4-Dichlorobenzene	7.484	146	538001	21.030	ng	98
14) 1,2-Dichlorobenzene	7.784	146	516666	20.995	ng	100
15) Benzyl Alcohol	7.666	79	354316	20.160	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.966	45	561269	20.963	ng	99
17) 2-Methylphenol	7.878	107	359925	20.883	ng	99
18) Hexachloroethane	8.502	117	171635	20.594	ng	96
19) n-Nitroso-di-n-propyla...	8.237	70	335331	21.473	ng	97
20) 3+4-Methylphenols	8.202	107	494507	20.484	ng	99
22) Acetophenone	8.243	105	733244	21.234	ng	99
24) Nitrobenzene	8.613	77	465912	20.834	ng	98
25) Isophorone	9.131	82	857174	20.891	ng	100
26) 2-Nitrophenol	9.313	139	171063	17.980	ng	97
27) 2,4-Dimethylphenol	9.384	122	318872	20.834	ng	99
28) bis(2-Chloroethoxy)met...	9.619	93	585299	21.009	ng	99
29) 2,4-Dichlorophenol	9.837	162	435473	20.519	ng	99
30) 1,2,4-Trichlorobenzene	10.060	180	483959	20.592	ng	99
31) Naphthalene	10.237	128	1578374	20.993	ng	99
32) Benzoic acid	9.472	122	222091	18.881	ng	99
33) 4-Chloroaniline	10.348	127	583020	20.779	ng	98
34) Hexachlorobutadiene	10.537	225	275058	20.394	ng	99
35) Caprolactam	11.096	113	148067	20.394	ng	99
36) 4-Chloro-3-methylphenol	11.478	107	468989	21.146	ng	100
37) 2-Methylnaphthalene	11.866	142	1118020	21.075	ng	99
38) 1-Methylnaphthalene	12.090	142	1099060	21.243	ng	99
40) 1,2,4,5-Tetrachloroben...	12.243	216	570143	20.326	ng	100
41) Hexachlorocyclopentadiene	12.237	237	131777	17.986	ng	97
43) 2,4,6-Trichlorophenol	12.490	196	346793	20.418	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP070325\
 Data File : BP025074.D
 Acq On : 03 Jul 2025 11:44
 Operator : CG/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC020


Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 07/07/2025
 Supervised By :Jagrut Upadhyay 07/07/2025

Quant Time: Jul 03 15:52:25 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP070325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 03 15:38:19 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.560	196	395864	20.566	ng	99
46) 1,1'-Biphenyl	12.907	154	1473578	20.751	ng	99
47) 2-Chloronaphthalene	12.942	162	1113594	20.865	ng	99
48) 2-Nitroaniline	13.137	65	228962	19.268	ng	97
49) Acenaphthylene	13.795	152	1728416	21.159	ng	99
50) Dimethylphthalate	13.554	163	1434045	20.991	ng	100
51) 2,6-Dinitrotoluene	13.660	165	274371	20.592	ng	97
52) Acenaphthene	14.154	154	1114579m	21.170	ng	
53) 3-Nitroaniline	13.989	138	290162	20.320	ng	95
54) 2,4-Dinitrophenol	14.189	184	95858	19.115	ng	97
55) Dibenzofuran	14.501	168	1821290	20.961	ng	99
56) 4-Nitrophenol	14.307	139	253402	19.230	ng	97
57) 2,4-Dinitrotoluene	14.460	165	354786	19.783	ng	95
58) Fluorene	15.166	166	1431605	21.301	ng	99
59) 2,3,4,6-Tetrachlorophenol	14.742	232	361259	20.726	ng	100
60) Diethylphthalate	14.960	149	1433207	20.887	ng	99
61) 4-Chlorophenyl-phenyle...	15.172	204	692727	20.828	ng	99
62) 4-Nitroaniline	15.172	138	313433	20.933	ng	99
63) Azobenzene	15.472	77	1295934	21.209	ng	100
65) 4,6-Dinitro-2-methylph...	15.242	198	138316	19.064	ng	99
66) n-Nitrosodiphenylamine	15.395	169	1189868	20.872	ng	99
67) 4-Bromophenyl-phenylether	16.095	248	425191	20.847	ng	95
68) Hexachlorobenzene	16.201	284	507935	20.375	ng	97
69) Atrazine	16.378	200	363960	21.787	ng	99
70) Pentachlorophenol	16.548	266	324553	19.277	ng	99
71) Phenanthrene	16.948	178	2198840	20.658	ng	100
72) Anthracene	17.042	178	2176257	21.311	ng	100
73) Carbazole	17.319	167	2105955	21.092	ng	99
74) Di-n-butylphthalate	17.960	149	2284685	20.548	ng	100
75) Fluoranthene	19.060	202	2649288	21.293	ng	100
77) Benzidine	19.260	184	764455	20.041	ng	100
78) Pyrene	19.436	202	2780845	20.788	ng	100
80) Butylbenzylphthalate	20.430	149	815246	18.287	ng	99
81) Benzo(a)anthracene	21.330	228	2791625	21.329	ng	99
82) 3,3'-Dichlorobenzidine	21.260	252	734695	18.647	ng	100
83) Chrysene	21.395	228	2642166	20.977	ng	100
84) Bis(2-ethylhexyl)phtha...	21.330	149	1396109	19.886	ng	99
85) Di-n-octyl phthalate	22.548	149	1892919	18.935	ng	98
87) Indeno(1,2,3-cd)pyrene	28.018	276	2955341	20.677	ng	97
88) Benzo(b)fluoranthene	23.495	252	2724905	20.872	ng	100
89) Benzo(k)fluoranthene	23.560	252	2800667	21.560	ng	99
90) Benzo(a)pyrene	24.330	252	2321462	20.892	ng	99
91) Dibenzo(a,h)anthracene	28.101	278	2461745	20.842	ng	99
92) Benzo(g,h,i)perylene	29.095	276	2525145	20.695	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.443 min Scan# 766
Delta R.T. -0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020





Tgt Ion:152 Resp: 357530
Ion Ratio Lower Upper
152 100
150 158.3 126.1 189.1
115 56.4 44.3 66.5

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/07/2025


Supervised By :Jagrut Upadhyay 07/07/2025



#2
1,4-Dioxane
Concen: 20.836 ng
RT: 3.125 min Scan# 32
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44


Tgt Ion: 88 Resp: 163489
Ion Ratio Lower Upper
88 100
58 70.1 55.0 82.4
43 28.4 21.9 32.9





#3
 Pyridine
 Concen: 20.702 ng
 RT: 3.490 min Scan# 94
 Delta R.T. 0.000 min
 Lab File: BP025074.D
 Acq: 03 Jul 2025 11:44




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC020




Tgt Ion: 79 Resp: 444402
 Ion Ratio Lower Upper
 79 100
 52 67.2 52.2 78.4
 51 33.9 26.8 40.2

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 07/07/2025
 Supervised By :Jagrut Upadhyay 07/07/2025




#4
 n-Nitrosodimethylamine
 Concen: 20.874 ng
 RT: 3.408 min Scan# 80
 Delta R.T. 0.000 min
 Lab File: BP025074.D
 Acq: 03 Jul 2025 11:44




Tgt Ion: 42 Resp: 189864
 Ion Ratio Lower Upper
 42 100
 74 130.0 105.2 157.8
 44 10.1 6.6 9.8





#5
2-Fluorophenol
Concen: 41.776 ng
RT: 5.102 min Scan# 368
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion: 112 Resp: 842975
Ion Ratio Lower Upper
112 100
64 52.2 42.0 63.0
63 27.3 22.2 33.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#6
Aniline
Concen: 20.777 ng
RT: 6.784 min Scan# 654
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44


Tgt Ion: 93 Resp: 511196
Ion Ratio Lower Upper
93 100
66 37.0 28.9 43.3
65 18.9 15.2 22.8





#7
Phenol-d6
Concen: 41.286 ng
RT: 6.625 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion: 99 Resp: 108716
Ion Ratio Lower Upper
99 100
42 17.7 13.6 20.4
71 31.3 24.4 36.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#8
2-Chlorophenol
Concen: 20.908 ng
RT: 7.013 min Scan# 693
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44


Tgt Ion:128 Resp: 472043
Ion Ratio Lower Upper
128 100
130 31.9 12.9 52.9
64 41.7 20.3 60.3





#9
Benzaldehyde
Concen: 23.250 ng
RT: 6.596 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 77 Resp: 319740
Ion Ratio Lower Upper
77 100
105 102.6 82.4 122.4
106 99.5 78.3 118.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025




#10
Phenol
Concen: 20.731 ng
RT: 6.655 min Scan# 632
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Tgt Ion: 94 Resp: 554695
Ion Ratio Lower Upper
94 100
65 26.2 6.9 46.9
66 34.3 14.6 54.6





#11
bis(2-Chloroethyl)ether
Concen: 20.838 ng
RT: 6.884 min Scan# 611
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion: 93 Resp: 42910
Ion Ratio Lower Upper
93 100
63 72.6 51.9 91.9
95 32.4 12.4 52.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#12
1,3-Dichlorobenzene
Concen: 21.016 ng
RT: 7.331 min Scan# 747
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Tgt Ion:146 Resp: 531035
Ion Ratio Lower Upper
146 100
148 64.4 51.9 77.9
75 27.9 21.8 32.6









#13
1,4-Dichlorobenzene
Concen: 21.030 ng
RT: 7.484 min Scan# 771
Delta R.T. 0.012 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:146 Resp: 53800
Ion Ratio Lower Upper
146 100
148 63.9 51.1 76.7
111 36.2 31.2 46.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#14
1,2-Dichlorobenzene
Concen: 20.995 ng
RT: 7.784 min Scan# 824
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Tgt Ion:146 Resp: 516666
Ion Ratio Lower Upper
146 100
148 64.0 51.1 76.7
111 39.5 31.2 46.8









#15
Benzyl Alcohol
Concen: 20.160 ng
RT: 7.666 min Scan# 804
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 79 Resp: 354310
Ion Ratio Lower Upper
79 100
108 84.7 66.0 99.0
77 67.4 53.4 80.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 20.963 ng
RT: 7.966 min Scan# 855
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Tgt Ion: 45 Resp: 561269
Ion Ratio Lower Upper
45 100
77 14.0 0.0 34.8
79 10.5 0.0 30.7






#17
2-Methylphenol
Concen: 20.883 ng
RT: 7.878 min Scan# 840
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020






Tgt Ion:107 Resp: 359925
Ion Ratio Lower Upper
107 100
108 113.8 89.7 134.5
77 42.8 34.2 51.4
79 42.1 33.4 50.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/07/2025



Supervised By :Jagrut Upadhyay 07/07/2025




#18
Hexachloroethane
Concen: 20.594 ng
RT: 8.502 min Scan# 946
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Tgt Ion:117 Resp: 171635
Ion Ratio Lower Upper
117 100
119 94.5 76.6 115.0
201 100.0 85.4 128.2





#19
n-Nitroso-di-n-propylamine
Concen: 21.473 ng
RT: 8.237 min Scan# 901
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 70 Resp: 33533
Ion Ratio Lower Upper
70 100
42 60.5 46.5 69.7
101 10.1 7.9 11.9
130 22.8 19.3 28.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025




#20
3+4-Methylphenols
Concen: 20.484 ng
RT: 8.202 min Scan# 895
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Tgt Ion:107 Resp: 494507
Ion Ratio Lower Upper
107 100
108 89.5 69.5 109.5
77 30.3 11.4 51.4
79 27.2 6.9 46.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.184 min Scan# 1232
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:136 Resp: 1460140
Ion Ratio Lower Upper
136 100
137 11.3 8.7 13.1
54 6.8 5.4 8.2
68 5.7 4.5 6.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#22
Acetophenone
Concen: 21.234 ng
RT: 8.243 min Scan# 902
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44


Tgt Ion:105 Resp: 733244
Ion Ratio Lower Upper
105 100
71 7.5 5.4 8.2
51 24.6 19.6 29.4
120 23.0 18.8 28.2





#23
Nitrobenzene-d5
Concen: 41.814 ng
RT: 8.566 min Scan# 91
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 82 Resp: 91803
Ion Ratio Lower Upper
82 100
128 44.8 38.4 57.6
54 47.7 37.8 56.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025




#24
Nitrobenzene
Concen: 20.834 ng
RT: 8.613 min Scan# 965
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Tgt Ion: 77 Resp: 465912
Ion Ratio Lower Upper
77 100
123 50.0 39.0 58.6
65 12.8 10.7 16.1





#25
Isophorone
Concen: 20.891 ng
RT: 9.131 min Scan# 1053
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion: 82 Resp: 857174
Ion Ratio Lower Upper
82 100
95 7.2 5.8 8.6
138 19.5 15.7 23.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#26
2-Nitrophenol
Concen: 17.980 ng
RT: 9.313 min Scan# 1084
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Tgt Ion:139 Resp: 171063
Ion Ratio Lower Upper
139 100
109 29.1 22.3 33.5
65 44.4 33.8 50.8






#27
2,4-Dimethylphenol
Concen: 20.834 ng
RT: 9.384 min Scan# 1096
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020






Tgt Ion:122 Resp: 318872
Ion Ratio Lower Upper
122 100
107 109.0 88.2 132.2
121 58.2 46.1 69.1

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/07/2025


Supervised By :Jagrut Upadhyay 07/07/2025



#28
bis(2-Chloroethoxy)methane
Concen: 21.009 ng
RT: 9.619 min Scan# 1136
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Tgt Ion: 93 Resp: 585299
Ion Ratio Lower Upper
93 100
95 32.3 26.4 39.6
123 11.9 10.1 15.1





#29
2,4-Dichlorophenol
Concen: 20.519 ng
RT: 9.837 min Scan# 1173
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020





Tgt Ion:162 Resp: 43547
Ion Ratio Lower Upper
162 100
164 63.5 44.1 84.1
98 33.7 13.1 53.1

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/07/2025


Supervised By :Jagrut Upadhyay 07/07/2025



#30
1,2,4-Trichlorobenzene
Concen: 20.592 ng
RT: 10.060 min Scan# 1211
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44


Tgt Ion:180 Resp: 483959
Ion Ratio Lower Upper
180 100
182 94.9 75.1 112.7
145 28.5 23.3 34.9





#31
Naphthalene
Concen: 20.993 ng
RT: 10.237 min Scan# 1111
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:128 Resp: 1578374
Ion Ratio Lower Upper
128 100
129 10.7 8.9 13.3
127 12.9 10.4 15.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#32
Benzoic acid
Concen: 18.881 ng
RT: 9.472 min Scan# 1111
Delta R.T. -0.029 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Tgt Ion:122 Resp: 222091
Ion Ratio Lower Upper
122 100
105 122.3 101.0 141.0
77 87.8 67.6 107.6





#33
4-Chloroaniline
Concen: 20.779 ng
RT: 10.348 min Scan# 1259
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020





Tgt Ion:127 Resp: 583020
Ion Ratio Lower Upper
127 100
129 32.9 25.4 38.2
65 27.6 21.0 31.6
92 17.3 13.4 20.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/07/2025


Supervised By :Jagrut Upadhyay 07/07/2025



#34
Hexachlorobutadiene
Concen: 20.394 ng
RT: 10.537 min Scan# 1292
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44


Tgt Ion:225 Resp: 275058
Ion Ratio Lower Upper
225 100
223 62.2 50.3 75.5
227 63.5 51.3 76.9





#35
Caprolactam
Concen: 20.394 ng
RT: 11.096 min Scan# 11
Delta R.T. -0.012 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:113 Resp: 14806
Ion Ratio Lower Upper
113 100
55 149.7 128.1 168.1
56 109.2 90.7 130.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025




#36
4-Chloro-3-methylphenol
Concen: 21.146 ng
RT: 11.478 min Scan# 1452
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Tgt Ion:107 Resp: 468989
Ion Ratio Lower Upper
107 100
144 28.8 22.4 33.6
142 87.0 69.6 104.4





#37
2-Methylnaphthalene
Concen: 21.075 ng
RT: 11.866 min Scan# 1517
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:142 Resp: 1118020
Ion Ratio Lower Upper
142 100
141 89.7 71.2 106.8
115 31.5 25.9 38.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025




#38
1-Methylnaphthalene
Concen: 21.243 ng
RT: 12.090 min Scan# 1556
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44



Tgt Ion:142 Resp: 1099060
Ion Ratio Lower Upper
142 100
141 91.6 74.1 111.1
116 3.6 2.7 4.1






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.089 min Scan# 1896
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020






Tgt Ion:164 Resp: 97597
Ion Ratio Lower Upper
164 100
162 101.9 80.3 120.5
160 45.4 35.9 53.9

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/07/2025



Supervised By :Jagrut Upadhyay 07/07/2025




#40
1,2,4,5-Tetrachlorobenzene
Concen: 20.326 ng
RT: 12.243 min Scan# 1582
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Tgt Ion:216 Resp: 570143
Ion Ratio Lower Upper
216 100
214 78.4 62.4 93.6
179 20.9 16.5 24.7
108 17.0 13.7 20.5





#41
Hexachlorocyclopentadiene
Concen: 17.986 ng
RT: 12.237 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 237 Resp: 13177
Ion Ratio Lower Upper
237 100
235 64.3 41.6 81.6
272 14.0 0.0 33.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025




#42
2,4,6-Tribromophenol
Concen: 40.634 ng
RT: 15.607 min Scan# 2154
Delta R.T. -0.012 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44



Tgt Ion: 330 Resp: 468488
Ion Ratio Lower Upper
330 100
332 97.7 77.7 116.5
141 33.2 26.0 39.0





#43

2,4,6-Trichlorophenol

Concen: 20.418 ng

RT: 12.490 min Scan# 1623

Delta R.T. 0.006 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:196 Resp: 34679

Ion Ratio Lower Upper

196 100

198 97.0 76.2 114.2





200 31.7 24.3 36.5

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/07/2025

Supervised By :Jagrut Upadhyay 07/07/2025



#44

2,4,5-Trichlorophenol

Concen: 20.566 ng

RT: 12.560 min Scan# 1636

Delta R.T. 0.006 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44

Tgt Ion:196 Resp: 395864




Ion Ratio Lower Upper


196 100

198 95.1 76.6 115.0

97 44.7 36.6 55.0

132 27.5 21.4 32.0





#45
2-Fluorobiphenyl
Concen: 42.179 ng
RT: 12.690 min Scan# 1658
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020





Tgt Ion:172 Resp: 265728
Ion Ratio Lower Upper
172 100
171 35.2 28.2 42.2
170 23.6 18.7 28.1

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/07/2025


Supervised By :Jagrut Upadhyay 07/07/2025



#46
1,1'-Biphenyl
Concen: 20.751 ng
RT: 12.907 min Scan# 1695
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Tgt Ion:154 Resp: 1473578
Ion Ratio Lower Upper
154 100
153 39.8 20.2 60.2
76 11.7 0.0 31.5






#47
2-Chloronaphthalene
Concen: 20.865 ng
RT: 12.942 min Scan# 1701
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020






Tgt Ion:162 Resp: 1113594
Ion Ratio Lower Upper
162 100
127 36.2 29.4 44.2
164 32.4 26.4 39.6

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/07/2025



Supervised By :Jagrut Upadhyay 07/07/2025




#48
2-Nitroaniline
Concen: 19.268 ng
RT: 13.137 min Scan# 1734
Delta R.T. -0.005 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44



Tgt Ion: 65 Resp: 228962
Ion Ratio Lower Upper
65 100
92 70.6 58.7 88.1
138 119.6 99.0 148.4






#49
Acenaphthylene
Concen: 21.159 ng
RT: 13.795 min Scan# 1846
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020






Tgt Ion:152 Resp: 1728410
Ion Ratio Lower Upper
152 100
151 19.8 16.1 24.1
153 13.2 10.7 16.1

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/07/2025



Supervised By :Jagrut Upadhyay 07/07/2025




#50
Dimethylphthalate
Concen: 20.991 ng
RT: 13.554 min Scan# 1805
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44



Tgt Ion:163 Resp: 1434045
Ion Ratio Lower Upper
163 100
194 3.9 3.4 5.0
164 10.0 8.0 12.0









#51
2,6-Dinitrotoluene
Concen: 20.592 ng
RT: 13.660 min Scan# 1823
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:	165	Resp:	27437
Ion Ratio	Lower	Upper	
165	100		
63	49.3	38.5	57.7
89	53.1	40.6	61.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#52
Acenaphthene
Concen: 21.170 ng m
RT: 14.154 min Scan# 1907
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44


Tgt Ion:	154	Resp:	1114579
Ion Ratio	Lower	Upper	
154	100		
153	112.7	90.6	136.0
152	55.2	43.8	65.8





#53
3-Nitroaniline
Concen: 20.320 ng
RT: 13.989 min Scan# 1878
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:138 Resp: 290162
Ion Ratio Lower Upper
138 100
108 11.3 7.8 11.8
92 106.9 81.0 121.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025




#54
2,4-Dinitrophenol
Concen: 19.115 ng
RT: 14.189 min Scan# 1913
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Tgt Ion:184 Resp: 95858
Ion Ratio Lower Upper
184 100
63 57.3 47.4 71.0
154 61.9 47.8 71.8





#55
Dibenzenofuran
Concen: 20.961 ng
RT: 14.501 min Scan# 1966
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:168 Resp: 1821290
Ion Ratio Lower Upper
168 100
139 36.2 28.6 43.0
169 13.2 10.7 16.1

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025




#56
4-Nitrophenol
Concen: 19.230 ng
RT: 14.307 min Scan# 1933
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44



Tgt Ion:139 Resp: 253402
Ion Ratio Lower Upper
139 100
109 68.2 45.9 85.9
65 84.0 61.4 101.4





#57
2,4-Dinitrotoluene
Concen: 19.783 ng
RT: 14.460 min Scan# 1960
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020





Tgt Ion:165 Resp: 354780
Ion Ratio Lower Upper
165 100
63 35.3 31.0 46.4
89 63.5 53.4 80.0
182 2.7 2.0 3.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/07/2025


Supervised By :Jagrut Upadhyay 07/07/2025



#58
Fluorene
Concen: 21.301 ng
RT: 15.166 min Scan# 2079
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44


Tgt Ion:166 Resp: 1431605
Ion Ratio Lower Upper
166 100
165 97.4 78.6 117.8
167 13.6 10.7 16.1





#59
2,3,4,6-Tetrachlorophenol
Concen: 20.726 ng
RT: 14.742 min Scan# 2007
Delta R.T. 0.012 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
Client Sample Id :
SSTDICC020



Tgt Ion: 232 Resp: 361259
Ion Ratio Lower Upper
232 100
131 44.2 35.7 53.5
130 2.3 1.8 2.6
166 30.3 24.4 36.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#60
Diethylphthalate
Concen: 20.887 ng
RT: 14.960 min Scan# 2044
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Tgt Ion: 149 Resp: 1433207
Ion Ratio Lower Upper
149 100
177 21.9 17.8 26.8
150 12.4 10.2 15.2









#61
4-Chlorophenyl-phenylether
Concen: 20.828 ng
RT: 15.172 min Scan# 2080
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:204 Resp: 69272
Ion Ratio Lower Upper
204 100
206 33.3 25.8 38.6
141 56.6 45.1 67.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#62
4-Nitroaniline
Concen: 20.933 ng
RT: 15.172 min Scan# 2080
Delta R.T. -0.012 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44


Tgt Ion:138 Resp: 313433
Ion Ratio Lower Upper
138 100
92 46.8 26.0 66.0
108 70.9 50.0 90.0





#63
Azobenzene
Concen: 21.209 ng
RT: 15.472 min Scan# 2132
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion: 77 Resp: 1295934
Ion Ratio Lower Upper
77 100
182 27.4 7.7 47.7
105 21.9 1.9 41.9
51 28.1 8.2 48.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.913 min Scan# 2376
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44


Tgt Ion:188 Resp: 1992018
Ion Ratio Lower Upper
188 100
94 8.5 7.3 10.9
80 9.0 7.8 11.6





#65
4,6-Dinitro-2-methylphenol
Concen: 19.064 ng
RT: 15.242 min Scan# 2093
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:198 Resp: 138310
Ion Ratio Lower Upper
198 100
51 36.5 16.8 56.8
105 39.9 20.8 60.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#66
n-Nitrosodiphenylamine
Concen: 20.872 ng
RT: 15.395 min Scan# 2118
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44


Tgt Ion:169 Resp: 1189868
Ion Ratio Lower Upper
169 100
168 67.6 54.1 81.1
167 37.2 29.0 43.6





#67
4-Bromophenyl-phenylether
Concen: 20.847 ng
RT: 16.095 min Scan# 2237
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:248 Resp: 42519
Ion Ratio Lower Upper
248 100
250 99.7 79.4 119.2
141 73.5 51.4 77.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025




#68
Hexachlorobenzene
Concen: 20.375 ng
RT: 16.201 min Scan# 2255
Delta R.T. 0.000 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44



Tgt Ion:284 Resp: 507935
Ion Ratio Lower Upper
284 100
142 34.4 25.9 38.9
249 31.4 23.8 35.8





#69

Atrazine

Concen: 21.787 ng

RT: 16.378 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:200 Resp: 363960

Ion Ratio Lower Upper

200 100

173 26.8 6.6 46.6





215 48.5 28.0 68.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/07/2025

Supervised By :Jagrut Upadhyay 07/07/2025



#70

Pentachlorophenol

Concen: 19.277 ng

RT: 16.548 min Scan# 2314

Delta R.T. 0.000 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44




Tgt Ion:266 Resp: 324553


Ion Ratio Lower Upper

266 100

268 62.4 50.4 75.6

264 61.9 50.2 75.2





#71

Phenanthrene

Concen: 20.658 ng

RT: 16.948 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:178 Resp: 2198840

Ion Ratio Lower Upper

178 100

176 19.3 15.4 23.2





179 15.6 12.6 19.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/07/2025

Supervised By :Jagrut Upadhyay 07/07/2025



#72

Anthracene

Concen: 21.311 ng

RT: 17.042 min Scan# 2398

Delta R.T. -0.006 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44




Tgt Ion:178 Resp: 2176257


Ion Ratio Lower Upper

178 100

176 18.6 15.0 22.6


179 15.7 12.5 18.7





#73
 Carbazole
 Concen: 21.092 ng
 RT: 17.319 min Scan# 2446
 Delta R.T. -0.006 min
 Lab File: BP025074.D
 Acq: 03 Jul 2025 11:44




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC020



Tgt Ion:167 Resp: 210595
 Ion Ratio Lower Upper
 167 100
 166 21.3 17.4 26.0
 139 13.0 10.4 15.6




Manual Integrations
 APPROVED


Reviewed By :Rahul Chavli 07/07/2025
 Supervised By :Jagrut Upadhyay 07/07/2025



#74
 Di-n-butylphthalate
 Concen: 20.548 ng
 RT: 17.960 min Scan# 2554
 Delta R.T. 0.000 min
 Lab File: BP025074.D
 Acq: 03 Jul 2025 11:44

Tgt Ion:149 Resp: 2284685
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.3 10.9
 104 4.8 3.8 5.6






#75
Fluoranthene
Concen: 21.293 ng
RT: 19.060 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020






Tgt Ion:202 Resp: 2649288
Ion Ratio Lower Upper
202 100
101 10.5 0.0 30.4
203 17.5 0.0 37.6

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 07/07/2025


Supervised By :Jagrut Upadhyay 07/07/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.348 min Scan# 3130
Delta R.T. 0.006 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Tgt Ion:240 Resp: 2159758
Ion Ratio Lower Upper
240 100
120 11.2 9.0 13.4
236 25.9 20.3 30.5





#77

Benzidine

Concen: 20.041 ng

RT: 19.260 min Scan# 2776

Delta R.T. -0.006 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020





Tgt Ion:	184	Resp:	76445
Ion Ratio	Lower	Upper	
184	100		
185	15.4	12.6	18.8
183	11.9	9.4	14.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/07/2025

Supervised By :Jagrut Upadhyay 07/07/2025



#78

Pyrene

Concen: 20.788 ng




RT: 19.436 min Scan# 2805


Delta R.T. 0.000 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44

Tgt Ion:	202	Resp:	2780845
Ion Ratio	Lower	Upper	
202	100		
200	21.1	17.1	25.7
203	17.6	14.1	21.1





#79

Terphenyl-d14

Concen: 42.993 ng

RT: 19.672 min Scan# 2845

Delta R.T. 0.000 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:244 Resp: 422488

Ion Ratio Lower Upper

244 100

212 6.7 5.9 8.9





122 10.3 9.4 14.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/07/2025

Supervised By :Jagrut Upadhyay 07/07/2025



#80

Butylbenzylphthalate

Concen: 18.287 ng

RT: 20.430 min Scan# 2974

Delta R.T. 0.000 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44




Tgt Ion:149 Resp: 815246


Ion Ratio Lower Upper

149 100

91 62.3 50.6 76.0

206 21.1 17.2 25.8





#81

Benzo(a)anthracene

Concen: 21.329 ng

RT: 21.330 min Scan# 3115

Delta R.T. 0.006 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:228 Resp: 279162

Ion Ratio Lower Upper

228 100

226 27.1 22.1 33.1





229 19.6 16.0 24.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/07/2025

Supervised By :Jagrut Upadhyay 07/07/2025



#82

3,3'-Dichlorobenzidine

Concen: 18.647 ng

RT: 21.260 min Scan# 3115

Delta R.T. -0.012 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44




Tgt Ion:252 Resp: 734695


Ion Ratio Lower Upper

252 100

254 65.1 51.9 77.9

126 10.7 8.1 12.1





#83

Chrysene

Concen: 20.977 ng

RT: 21.395 min Scan# 3138

Delta R.T. 0.006 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:228 Resp: 264216

Ion Ratio Lower Upper

228 100

226 30.2 24.4 36.6





229 19.8 16.0 24.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/07/2025

Supervised By :Jagrut Upadhyay 07/07/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 19.886 ng

RT: 21.330 min Scan# 3127

Delta R.T. 0.000 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44




Tgt Ion:149 Resp: 1396109


Ion Ratio Lower Upper

149 100

167 27.1 21.9 32.9

279 4.4 3.5 5.3





#85

Di-n-octyl phthalate

Concen: 18.935 ng

RT: 22.548 min Scan# 31

Delta R.T. -0.012 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:149 Resp: 1892919

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9





43 9.2 6.9 10.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/07/2025

Supervised By :Jagrut Upadhyay 07/07/2025



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.483 min Scan# 3663

Delta R.T. -0.012 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44




Tgt Ion:264 Resp: 2243019


Ion Ratio Lower Upper

264 100

260 23.6 18.6 28.0

265 21.1 17.7 26.5





#87

Indeno(1,2,3-cd)pyrene

Concen: 20.677 ng

RT: 28.018 min Scan# 41

Delta R.T. -0.018 min

Lab File: BP025074.D


Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020



Tgt Ion:276 Resp: 295534

Ion Ratio Lower Upper

276 100

138 14.7 13.0 19.6




277 18.4 15.9 23.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 07/07/2025

Supervised By :Jagrut Upadhyay 07/07/2025



#88

Benzo(b)fluoranthene

Concen: 20.872 ng

RT: 23.495 min Scan# 3495

Delta R.T. -0.018 min

Lab File: BP025074.D

Acq: 03 Jul 2025 11:44




Tgt Ion:252 Resp: 2724905


Ion Ratio Lower Upper

252 100

253 22.0 17.7 26.5


125 10.5 8.1 12.1





#89
Benzo(k)fluoranthene
Concen: 21.560 ng
RT: 23.560 min Scan# 31
Delta R.T. -0.024 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:252 Resp: 280066
Ion Ratio Lower Upper
252 100
253 21.6 17.7 26.5
125 9.9 8.2 12.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 07/07/2025
Supervised By :Jagrut Upadhyay 07/07/2025



#90
Benzo(a)pyrene
Concen: 20.892 ng
RT: 24.330 min Scan# 3637
Delta R.T. -0.024 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Tgt Ion:252 Resp: 2321462
Ion Ratio Lower Upper
252 100
253 21.6 17.6 26.4
125 11.2 9.0 13.4






#91
Dibenzo(a,h)anthracene
Concen: 20.842 ng
RT: 28.101 min Scan# 41
Delta R.T. -0.035 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44

Instrument :

BNA_P

ClientSampleId :

SSTDICC020






Tgt Ion:278 Resp: 246174
Ion Ratio Lower Upper
278 100
139 16.0 13.1 19.7
279 24.1 18.9 28.3

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 07/07/2025

Supervised By :Jagrut Upadhyay 07/07/2025



#92
Benzo(g,h,i)perylene
Concen: 20.695 ng
RT: 29.095 min Scan# 4447
Delta R.T. -0.029 min
Lab File: BP025074.D
Acq: 03 Jul 2025 11:44



Tgt Ion:276 Resp: 2525145
Ion Ratio Lower Upper
276 100
277 23.9 19.3 28.9
138 22.0 16.9 25.3

