

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071625\
 Data File : BF143125.D
 Acq On : 16 Jul 2025 23:37
 Operator : RC/JU
 Sample : Q2600-06
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 STOCK-PILE

Quant Time: Jul 17 03:47:28 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 15 17:53:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.969	152	135703	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	519161	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	263439	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	430869	20.000	ng	0.00
76) Chrysene-d12	14.127	240	225535	20.000	ng	0.00
86) Perylene-d12	15.633	264	242433	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.604	112	879190	102.360	ng	0.02
7) Phenol-d6	6.581	99	1024827	94.922	ng	0.00
23) Nitrobenzene-d5	7.522	82	756837	81.780	ng	0.00
42) 2,4,6-Tribromophenol	10.786	330	289742	123.349	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	1386618	69.967	ng	0.00
79) Terphenyl-d14	13.074	244	1207177	78.243	ng	0.00
Target Compounds						
32) Benzoic acid	7.922	122	12607	9.154	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071625\
Data File : BF143125.D
Acq On : 16 Jul 2025 23:37
Operator : RC/JU
Sample : Q2600-06
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
STOCK-PILE

Quant Time: Jul 17 03:47:28 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 15 17:53:25 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.969 min Scan# 812
Delta R.T. -0.000 min
Lab File: BF143125.D
Acq: 16 Jul 2025 23:37




Instrument :
BNA_F
ClientSampleId :
STOCK-PILE


Tgt Ion:152 Resp: 135703
Ion Ratio Lower Upper
152 100
150 157.5 126.5 189.7
115 59.2 47.0 70.6



#5
2-Fluorophenol
Concen: 102.360 ng
RT: 5.604 min Scan# 580
Delta R.T. 0.018 min
Lab File: BF143125.D
Acq: 16 Jul 2025 23:37

Tgt Ion:112 Resp: 879190
Ion Ratio Lower Upper
112 100
64 64.8 54.6 82.0
63 32.7 27.3 40.9









#7
Phenol-d6
Concen: 94.922 ng
RT: 6.581 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF143125.D
Acq: 16 Jul 2025 23:37




Instrument :
BNA_F
ClientSampleId :
STOCK-PILE


Tgt Ion: 99 Resp: 1024827
Ion Ratio Lower Upper
99 100
42 21.5 17.2 25.8
71 35.1 27.4 41.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1029
Delta R.T. -0.006 min
Lab File: BF143125.D
Acq: 16 Jul 2025 23:37

Tgt Ion: 136 Resp: 519161
Ion Ratio Lower Upper
136 100
137 10.7 8.9 13.3
54 10.1 8.3 12.5
68 6.6 5.3 7.9





#23

Nitrobenzene-d5

Concen: 81.780 ng

RT: 7.522 min Scan# 907

Delta R.T. -0.006 min

Lab File: BF143125.D

Acq: 16 Jul 2025 23:37

Instrument :

BNA_F

ClientSampleId :

STOCK-PILE





Tgt Ion: 82 Resp: 756837

Ion Ratio Lower Upper

82 100

128 42.3 33.3 49.9

54 58.5 47.4 71.2



#32

Benzoic acid

Concen: 9.154 ng

RT: 7.922 min Scan# 974

Delta R.T. -0.065 min

Lab File: BF143125.D

Acq: 16 Jul 2025 23:37




Tgt Ion:122 Resp: 12607


Ion Ratio Lower Upper

122 100

105 126.0 105.4 145.4

77 102.9 78.6 118.6









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.998 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143125.D
Acq: 16 Jul 2025 23:37




Instrument :
BNA_F
ClientSampleId :
STOCK-PILE


Tgt Ion:164 Resp: 263439
Ion Ratio Lower Upper
164 100
162 97.7 79.0 118.6
160 43.9 35.8 53.6



#42
2,4,6-Tribromophenol
Concen: 123.349 ng
RT: 10.786 min Scan# 1461
Delta R.T. -0.006 min
Lab File: BF143125.D
Acq: 16 Jul 2025 23:37

Tgt Ion:330 Resp: 289742
Ion Ratio Lower Upper
330 100
332 95.9 77.9 116.9
141 29.8 25.9 38.9





#45

2-Fluorobiphenyl

Concen: 69.967 ng

RT: 9.322 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF143125.D

Acq: 16 Jul 2025 23:37

Instrument :

BNA_F

ClientSampleId :

STOCK-PILE





Tgt Ion:172 Resp: 1386618

Ion Ratio Lower Upper

172 100

171 35.1 28.2 42.4

170 23.0 18.6 28.0



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.486 min Scan# 1580

Delta R.T. -0.006 min

Lab File: BF143125.D

Acq: 16 Jul 2025 23:37




Tgt Ion:188 Resp: 430869


Ion Ratio Lower Upper

188 100

94 10.2 8.6 13.0

80 11.4 9.3 13.9









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.127 min Scan# 2029
Delta R.T. 0.000 min
Lab File: BF143125.D
Acq: 16 Jul 2025 23:37




Instrument :
BNA_F
ClientSampleId :
STOCK-PILE


Tgt Ion:240 Resp: 225535
Ion Ratio Lower Upper
240 100
120 11.5 10.0 15.0
236 24.7 20.0 30.0



#79
Terphenyl-d14
Concen: 78.243 ng
RT: 13.074 min Scan# 1850
Delta R.T. 0.000 min
Lab File: BF143125.D
Acq: 16 Jul 2025 23:37


Tgt Ion:244 Resp: 1207177
Ion Ratio Lower Upper
244 100
212 6.4 5.2 7.8
122 10.5 8.8 13.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.633 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143125.D
Acq: 16 Jul 2025 23:37

Instrument :
BNA_F
ClientSampleId :
STOCK-PILE



Tgt Ion:264 Resp: 242433
Ion Ratio Lower Upper
264 100
260 22.6 18.5 27.7
265 21.0 17.5 26.3

