

Report of Analysis

Client:	PSEG	Date Collected:	07/14/25 13:10
Project:	North Ave Substation	Date Received:	07/14/25
Client Sample ID:	FRAC-TANK-266380	SDG No.:	Q2602
Lab Sample ID:	Q2602-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	0.10	U	1	0.030	0.10	mg/L	07/16/25 09:00	07/17/25 09:34	SM 4500-NH3 B plus G-21
Orthophosphate as P	1.00	U	1	0.34	1.00	mg/L		07/15/25 10:31	300.0
BOD5	2.00	U	1	0.20	2.00	mg/L		07/16/25 12:40	SM 5210 B-16
COD	10.0	U	1	1.50	10.0	mg/L		07/15/25 12:15	SM 5220 D-11
Flash Point	>212		1	0	0	o F		07/15/25 12:30	1010B
Dissolved Hexavalent Chromium	0.17		1	0.0030	0.010	mg/L		07/14/25 16:42	SM 3500-Cr B-20
pH	10.2	H	1	0	0	pH		07/15/25 09:40	9040C
Reactive Cyanide	0.0050	U	1	0.00096	0.0050	mg/L	07/16/25 10:10	07/16/25 12:23	9012B
Reactive Sulfide	1.00	U	1	0.43	1.00	mg/L	07/16/25 12:10	07/16/25 14:18	9034
TKN	0.36	J	1	0.11	0.50	mg/L	07/16/25 09:25	07/17/25 10:59	SM4500-N Org C-21 plus NH3 B plus G-21
TOC	3.70		1	0.40	1.00	mg/L		07/15/25 10:44	9060A
TPH	4.20	J	1	0.29	5.00	mg/L		07/16/25 14:40	1664A
TS	686		1	1.00	5.00	mg/L		07/15/25 11:00	SM 2540 B-20
TSS	2.90	J	1	1.00	4.00	mg/L		07/15/25 10:00	SM 2540 D-20
TVS	240		1	1.00	10.0	mg/L		07/15/25 15:00	SM2540G

Comments: Other method reference for flash point : Pensky-Martens Closed Cup Flash Point ASTM D 93 - IP 34, pH result reported at temperature

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits