

Client Contact Information		Bottle Order ID : B2507015		Courier : FGALDUN		3 of 3 COCs														
Client ID : GFEL01		Project ID : 10-51101-01		Sampler Name(s) : FRANK GILDUN		Analysis Matrix														
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																
Address : 58 Nokomis Ave		Phone Number : 646-542-3465																		
City : Lake Hiawatha		Fax Number : 973-334-1692																		
State : NJ		Analysis Turnaround Time 5 DAY																		
Zip Code : 07034		Standard : 10-business-days OR		Data Package Type : RESULTS ONLY																
Country :		Rush (Specify): 5 Days		EDD Type :																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Controller Readout (ml/min)	Can ID	Can Cert ID	Flow Reg. ID	10579	10608	6 L	50	VL042564.D	Indoor/Ambient Air	Soil Gas
SUB	10/25/15	11:55	12:30	6	12-75	-30	-6.7													
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Self										
Pressure (Inches of Hg)										**Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST. Please follow the instructions on the back of this COC.										
Special Instructions/QC Requirements & Comments :										PID Readings: 0.0										
Suspected Contamination: High Medium Low										Sampling site (State):										
Quick Connector required : NO										Canisters Shipped by: SAG Date/Time: 10/25/15										
Samples Relinquished by: FGALDUN Date/Time: 10/25/15										Canisters Received by: Self Date/Time: 10/25/15										
Relinquished by:										Received by:										

Client Contact Information		Bottle Order ID : B2507014	Courier : F. Galdun	2 of 3 COCs																						
Client ID : GFEL01	Project ID : 1014 E. 103rd St. NY	Sampler Name(s) : FRANK G. Galdun																								
Customer Name : GFE LLC	Project Manager : Frank galdun	AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																								
Address : 58 Nokomis Ave	Phone Number : 646-542-3465																									
	Fax Number : 973-334-1692																									
	Site Details : 151 HUBBARD AVE FREEPORT, NY																									
City : Lake Hiawatha	Analysis Turnaround Time : 5 DAY																									
State : NJ	Standard : 10-business days OR																									
Zip Code : 07034	Rush (Specify) : 5 Days																									
Country :																										
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg) (Lab)	In coming Can Pressure ("Hg) (Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas										
SN2	10/29/10	10:40	12:40	30	4	72	75	-30	-3.9	10226	10283	6 L	50	VL042600.D	1	1	1									
GC/MS Analyst Signature (TO-15) <i>[Signature]</i>																										
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																		Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																								
Start																										
Stop																										
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																		Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																								
Start																										
Stop																										
Special Instructions/QC Requirements & Comments : ** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.																										
Suspected Contamination: High Medium Low PID Readings: 0.0																										
Sampling site (State):																										
Quick Connector required : NO																										
Canisters Shipped by: <i>[Signature]</i> Date/Time: 10/29/10																										
Samples Relinquished by: <i>[Signature]</i> Date/Time: 10/29/10																										
Relinquished by: <i>[Signature]</i> Date/Time: 10/29/10																										
Canisters Received by: <i>[Signature]</i> Date/Time: 10/29/10																										
Samples Relinquished by: <i>[Signature]</i> Date/Time: 10/29/10																										
Relinquished by: <i>[Signature]</i> Date/Time: 10/29/10																										
B2507014 - 1																										



Alliance Project No. :

284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Client Contact Information		Bottle Order ID : B2507015		Courier : F Galdun		1 of 3 COCs	
Client ID : GFEL01		Project ID : 10-010000-01		Sampler Name(s) : FRANK Galdun		Analysis	
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS		Matrix	
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY			
City : Lake Hiawatha		Fax Number : 973-334-1692		Individual Certified			
State : NJ		Site Details: 151 HUGANAY AVE TREPOORT, NJ					
Zip Code : 07034		Analysis Turnaround Time		Data Package Type : RESULTS ONLY			
Country :		Standard : 10 Business Days		EDD Type : PDF			
		Rush (Specify):					
		Days					
		In coming Can Pressure ("Hg)(Lab)					
		Out going Can Pressure ("Hg)(Lab)					
		Interior Temp. (F) (Start)					
		Interior Temp. (F) (Stop)					
		Can Vacuum in Field ("Hg) (Start)**					
		Can Vacuum in Field ("Hg) (Stop)**					
		Time Start (24 hr Clock)					
		Time Stop (24 hr Clock)					
		Sample Date(s)					
		Sample Identification					
		Flow Controller Readout (ml/min)					
		Can ID					
		Flow Reg. ID					
		10649					
		10331					
		6 L					
		50					
		VL042564.D					
		TO-15					
		Indoor/Ambient Air					
		Soil Gas					
		1					
		GC/MS Analyst Signature (TO-15)					
		GC/MS Analyst Signature (TO-15)					
		** Submittal of this COC indicates approval of the analysis based on existing conditions.					
		REPORT ONLY THOSE ANALYTES AND THE ATTACHED LIST.					
		Please follow the instructions on the back of this COC.					
		PID Readings: 0.0					
		Special Instructions/QC Requirements & Comments :					
		Suspected Contamination: High Medium Low					
		Sampling site (State):					
		Quick Connector required : No					
		Canisters Shipped by: SGA					
		Samples Relinquished by: FGA					
		Relinquished by:					
		Date/Time: 7/16/21					
		Canisters Received by: CR					
		Date/Time: 7/16/21					
		Received by:					
		Date/Time:					
		B2507015 - 1					

Parameter	CAS Number	status
1,1,1-Trichloroethane	71-55-6	Certified
1,1-Dichloroethene	75-35-4	Certified
1,2,4-Trimethylbenzene	95-63-6	Certified
1,3,5-Trimethylbenzene	108-67-8	Certified
2,2,4-Trimethylpentane	540-84-1	Certified
Benzene	71-43-2	Certified
cis-1,2-dichloroethene	156-59-2	Certified
Cyclohexane	110-82-7	Certified
Ethylbenzene	100-41-4	Certified
Heptane	142-82-5	Certified
Hexane	110-54-3	Certified
m&p-Xylenes	179601-23-1	Certified
Napthalene	91-20-3	Certified
o-Xylene	95-47-6	Certified
Tetrachloroethene	127-18-4	Certified
Toluene	108-88-3	Certified
Trichloroethene	79-01-6	Certified
Vinyl Chloride	75-01-4	Certified

Show Param

Parameter is Reviewed By DEPAK On 07/16/2025

Parameter is Supervised By DEPAK On 07/16/2025

Client: GFE LLC

Project: 151 Albany Ave, Freeport NY

Test: VOCMS Group2

Matrix: Air

Method: TO-15

Test Type: Special

Total Parameter : 18



LogIn Page:: Show Param

New Jersey Department of Environmental Protection
Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory: Chemtech		Location: 284 Sheffield Street, Mountainside, NJ 7092	
LAB:		Title: Sample Custodian	
Field Sample Seal No. Q2617		Date Broken Z/16/2025	
Case No.: 151 Albany Ave, Freeport I		Analytical Parameter/Fraction/OCMS Group2	
Military Time Seal Broken: 11:05:00			

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q2617-01	SV1		
Q2617-02	SV2		
Q2617-03	SV3		


Date	Time	Relinquished By	Received By	Purpose of Change of Custody
7/16/25	12:15	Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	
		Signature Printed Name	Signature Printed Name	

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy

AIR SAMPLE PRESSURE & DILUTION LOGBOOK

Analyst Signature: 

METHOD: TO-15

Supervisor Signature: 

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
6/18/15	Q2359-01	10280	10.6	-8.4				sh
6/19/15	Q2368-01	10606	12.4	-4.7				
	Q2368-01	10321	11.8	-5.9				
	Q2369-01	10153	12.4	-4.7				
	Q2369-02	10590	12.0	-5.5				
6/22/15	Q2390-01	10598	12.8	-3.9				sh
6/23/15	Q2390-01	10724	1.0		10		10X	sh
6/24/15	Q2432-01	10311	11.4	-6.7				sh
6/24/15	Q2432-01	10639	1.0		10.0		10X	sh
6/25/15	Q2518-01	10281	11.2	-7.1				sh
	Q2518-02	10602	11.2	-7.1				sh
6/16/15	Q2617-01	10331	12.2	-5.1				sh
	Q2617-02	10283	12.8	-3.9				sh
	Q2617-03	10608	11.4	-6.7				sh

Process Report

Order ID : Q2617

Date	Bottle ID	Lab Sample Number	Incoming Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
07/16/2025	B2507014	Q2617-02	-3.9	10283	6 L	10226		C2505004	VL042600.D Seq: V1052925 TUNE: VL042578.D ICAL: VL042584.D CCAL: VL042579.D MB: VL042588.D
07/16/2025	B2507015	Q2617-01	-5.1	10331	6 L	10649		C2505002	VL042564.D Seq: VL052125 TUNE: VL042555.D ICAL: VL042551.D CCAL: VL042556.D MB: VL042557.D
07/16/2025	B2507015	Q2617-03	-6.7	10608	6 L	10579		C2505002	VL042564.D Seq: VL052125 TUNE: VL042555.D ICAL: VL042551.D CCAL: VL042556.D MB: VL042557.D

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SV2
Client Name: 455 ALBANY AVE
Project Name: 7115
Date: 10-15
Analysis: TO-15
Comments: _____

Storage Location: VOA Lab
Sample: Q2617-02
Cust #: SV2

CHEMTECH'S
Date Received: _____
Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SV1
Client Name: 455 ALBANY AVE
Project Name: 7115
Date: 10-15
Analysis: _____
Comments: _____

Storage Location: VOA Lab
Sample: Q2617-01
Cust #: SV1

CHEMTECH'S
Date Received: _____
Disposal: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SV3
Client Name: 455 ALBANY AVE
Project Name: 7115
Date: 10-15
Analysis: _____
Comments: _____

Storage Location: VOA Lab
Sample: Q2617-03
Cust #: SV3

CHEMTECH'S
Date Received: _____
Disposal: _____