



SAMPLE DATA

A

B

C

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	07/16/25
Project:	166 Belmont Ave Belleville	Date Received:	07/16/25
Client Sample ID:	1	SDG No.:	Q2618
Lab Sample ID:	Q2618-03	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	91.1
Sample Wt/Vol:	30.03 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
07/18/25 08:55	07/18/25 13:55	PB168910

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	11.8		1	1.00	4.39	mg/kg	FE054924.D
Total EPH	Total EPH	11.8			1.00	4.39	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	07/16/25
Project:	166 Belmont Ave Belleville	Date Received:	07/16/25
Client Sample ID:	1	SDG No.:	Q2618
Lab Sample ID:	Q2618-03	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	91.1
Sample Wt/Vol:	30.03 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE054924.D	1	07/18/25	07/18/25	PB168910

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	11.8		1.00	4.39	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	4.77		1.29	2.19	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	33.7		40 - 140	67%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	34.0		40 - 140	68%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2618-03	Acq On:	18 Jul 2025 13:55
Client Sample ID:	1	Operator:	YP\AJ
Data file:	FE054924.D	Misc:	
Instrument:	FID_E	ALS Vial:	14
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.330	6.963	296089	2.176	300	ug/ml
Aliphatic C12-C16	6.964	10.415	1322504	9.408	200	ug/ml
Aliphatic C16-C21	10.416	13.793	15154465	104.952	300	ug/ml
Aliphatic C21-C28	13.794	17.463	6548171	45.269	400	ug/ml
Aliphatic C28-C40	17.464	22.490	9040287	65.203	600	ug/ml
Aliphatic EPH	3.330	22.490	32361516	227.009		ug/ml
ortho-Terphenyl (SURR)	12.088	12.088	5520080	33.99		ug/ml
1-chlorooctadecane (SURR)	13.524	13.524	4260430	33.73		ug/ml
Aliphatic C9-C28	3.330	17.463	23321229	161.805	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	07/16/25
Project:	166 Belmont Ave Belleville	Date Received:	07/16/25
Client Sample ID:	2	SDG No.:	Q2618
Lab Sample ID:	Q2618-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.6
Sample Wt/Vol:	30.08 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
07/18/25 08:55	07/18/25 14:25	PB168910

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	38.7		1	0.97	4.27	mg/kg	FE054925.D
Total EPH	Total EPH	38.7			0.97	4.27	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	07/16/25
Project:	166 Belmont Ave Belleville	Date Received:	07/16/25
Client Sample ID:	2	SDG No.:	Q2618
Lab Sample ID:	Q2618-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.6
Sample Wt/Vol:	30.08 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE054925.D	1	07/18/25	07/18/25	PB168910

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	38.7		0.97	4.27	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	4.81		1.26	2.13	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	33.2		40 - 140	66%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	34.0		40 - 140	68%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2618-04	Acq On:	18 Jul 2025 14:25
Client Sample ID:	2	Operator:	YP\AJ
Data file:	FE054925.D	Misc:	
Instrument:	FID_E	ALS Vial:	15
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.330	6.963	1836878	13.501	300	ug/ml
Aliphatic C12-C16	6.964	10.415	5348353	38.048	200	ug/ml
Aliphatic C16-C21	10.416	13.793	51986094	360.03	300	ug/ml
Aliphatic C21-C28	13.794	17.463	19216433	132.846	400	ug/ml
Aliphatic C28-C40	17.464	22.490	9397576	67.78	600	ug/ml
Aliphatic EPH	3.330	22.490	87785334	612.206		ug/ml
ortho-Terphenyl (SURR)	12.088	12.088	5519565	33.99		ug/ml
1-chlorooctadecane (SURR)	13.524	13.524	4191336	33.19		ug/ml
Aliphatic C9-C28	3.330	17.463	78387758	544.425	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	07/16/25
Project:	166 Belmont Ave Belleville	Date Received:	07/16/25
Client Sample ID:	3	SDG No.:	Q2618
Lab Sample ID:	Q2618-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	94.2
Sample Wt/Vol:	30.05 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
07/18/25 08:55	07/18/25 14:55	PB168910

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	40.5		1	0.97	4.24	mg/kg	FE054926.D
Total EPH	Total EPH	40.5			0.97	4.24	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	07/16/25
Project:	166 Belmont Ave Belleville	Date Received:	07/16/25
Client Sample ID:	3	SDG No.:	Q2618
Lab Sample ID:	Q2618-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	94.2
Sample Wt/Vol:	30.05 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE054926.D	1	07/18/25	07/18/25	PB168910

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	40.5		0.97	4.24	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	4.46		1.25	2.12	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	38.2		40 - 140	76%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	39.2		40 - 140	78%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2618-05	Acq On:	18 Jul 2025 14:55
Client Sample ID:	3	Operator:	YP\AJ
Data file:	FE054926.D	Misc:	
Instrument:	FID_E	ALS Vial:	16
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.330	6.963	538939	3.961	300	ug/ml
Aliphatic C12-C16	6.964	10.415	5705176	40.587	200	ug/ml
Aliphatic C16-C21	10.416	13.793	55671465	385.553	300	ug/ml
Aliphatic C21-C28	13.794	17.463	20903504	144.509	400	ug/ml
Aliphatic C28-C40	17.464	22.490	8743883	63.066	600	ug/ml
Aliphatic EPH	3.330	22.490	91562967	637.676		ug/ml
ortho-Terphenyl (SURR)	12.089	12.089	6359911	39.16		ug/ml
1-chlorooctadecane (SURR)	13.524	13.524	4821724	38.18		ug/ml
Aliphatic C9-C28	3.330	17.463	82819084	574.61	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	07/16/25
Project:	166 Belmont Ave Belleville	Date Received:	07/16/25
Client Sample ID:	4	SDG No.:	Q2618
Lab Sample ID:	Q2618-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.4
Sample Wt/Vol:	30.04 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
07/18/25 08:55	07/18/25 15:25	PB168910

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	36.1		1	0.97	4.28	mg/kg	FE054927.D
Total EPH	Total EPH	36.1			0.97	4.28	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	07/16/25
Project:	166 Belmont Ave Belleville	Date Received:	07/16/25
Client Sample ID:	4	SDG No.:	Q2618
Lab Sample ID:	Q2618-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.4
Sample Wt/Vol:	30.04 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE054927.D	1	07/18/25	07/18/25	PB168910

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	36.1		0.97	4.28	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	4.78		1.26	2.14	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	35.2		40 - 140	70%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	36.2		40 - 140	72%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2618-06	Acq On:	18 Jul 2025 15:25
Client Sample ID:	4	Operator:	YP\AJ
Data file:	FE054927.D	Misc:	
Instrument:	FID_E	ALS Vial:	17
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.330	6.963	626015	4.601	300	ug/ml
Aliphatic C12-C16	6.964	10.415	4525977	32.198	200	ug/ml
Aliphatic C16-C21	10.416	13.793	48703538	337.297	300	ug/ml
Aliphatic C21-C28	13.794	17.463	19184881	132.628	400	ug/ml
Aliphatic C28-C40	17.464	22.490	9300394	67.079	600	ug/ml
Aliphatic EPH	3.330	22.490	82340805	573.803		ug/ml
ortho-Terphenyl (SURR)	12.088	12.088	5874568	36.17		ug/ml
1-chlorooctadecane (SURR)	13.523	13.523	4441371	35.17		ug/ml
Aliphatic C9-C28	3.330	17.463	73040411	506.724	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	07/16/25
Project:	166 Belmont Ave Belleville	Date Received:	07/16/25
Client Sample ID:	5	SDG No.:	Q2618
Lab Sample ID:	Q2618-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.8
Sample Wt/Vol:	30.02 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
07/18/25 08:55	07/18/25 15:56	PB168910

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	27.5		1	0.97	4.27	mg/kg	FE054928.D
Total EPH	Total EPH	27.5			0.97	4.27	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	07/16/25
Project:	166 Belmont Ave Belleville	Date Received:	07/16/25
Client Sample ID:	5	SDG No.:	Q2618
Lab Sample ID:	Q2618-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.8
Sample Wt/Vol:	30.02 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE054928.D	1	07/18/25	07/18/25	PB168910

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	27.5		0.97	4.27	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	5.03		1.26	2.13	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	36.0		40 - 140	72%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	36.7		40 - 140	73%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2618-07	Acq On:	18 Jul 2025 15:56
Client Sample ID:	5	Operator:	YP\AJ
Data file:	FE054928.D	Misc:	
Instrument:	FID_E	ALS Vial:	18
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.330	6.963	413575	3.04	300	ug/ml
Aliphatic C12-C16	6.964	10.415	3227155	22.958	200	ug/ml
Aliphatic C16-C21	10.416	13.793	37667311	260.865	300	ug/ml
Aliphatic C21-C28	13.794	17.463	14606713	100.978	400	ug/ml
Aliphatic C28-C40	17.464	22.490	9823909	70.855	600	ug/ml
Aliphatic EPH	3.330	22.490	65738663	458.697		ug/ml
ortho-Terphenyl (SURR)	12.088	12.088	5955040	36.67		ug/ml
1-chlorooctadecane (SURR)	13.524	13.524	4552503	36.05		ug/ml
Aliphatic C9-C28	3.330	17.463	55914754	387.841	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	07/16/25
Project:	166 Belmont Ave Belleville	Date Received:	07/16/25
Client Sample ID:	6	SDG No.:	Q2618
Lab Sample ID:	Q2618-08	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.4
Sample Wt/Vol:	30.09 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
07/18/25 08:55	07/18/25 16:26	PB168910

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	20.3		1	0.97	4.27	mg/kg	FE054929.D
Total EPH	Total EPH	20.3			0.97	4.27	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	07/16/25
Project:	166 Belmont Ave Belleville	Date Received:	07/16/25
Client Sample ID:	6	SDG No.:	Q2618
Lab Sample ID:	Q2618-08	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.4
Sample Wt/Vol:	30.09 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE054929.D	1	07/18/25	07/18/25	PB168910

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	20.3		0.97	4.27	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	4.84		1.26	2.13	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	35.5		40 - 140	71%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	35.5		40 - 140	71%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2618-08	Acq On:	18 Jul 2025 16:26
Client Sample ID:	6	Operator:	YP\AJ
Data file:	FE054929.D	Misc:	
Instrument:	FID_E	ALS Vial:	19
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.330	6.963	250876	1.844	300	ug/ml
Aliphatic C12-C16	6.964	10.415	5398377	38.404	200	ug/ml
Aliphatic C16-C21	10.416	13.793	27157696	188.081	300	ug/ml
Aliphatic C21-C28	13.794	17.463	8373718	57.889	400	ug/ml
Aliphatic C28-C40	17.464	22.490	9426343	67.988	600	ug/ml
Aliphatic EPH	3.330	22.490	50607010	354.206		ug/ml
ortho-Terphenyl (SURR)	12.088	12.088	5770269	35.53		ug/ml
1-chlorooctadecane (SURR)	13.524	13.524	4483088	35.5		ug/ml
Aliphatic C9-C28	3.330	17.463	41180667	286.218	1200	ug/ml

LAB CHRONICLE

OrderID:	Q2618	OrderDate:	7/16/2025 12:13:00 PM
Client:	Sciacca General Contractors, LLC	Project:	166 Belmont Ave Belleville
Contact:	Rosanne Scirica	Location:	--Select--,O11,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2618-01	WASTE	SOIL	TPH GC	8015D	07/16/25	07/17/25	07/18/25	07/16/25
Q2618-03	1	Solid	EPH_F2	NJEPH	07/16/25	07/18/25	07/18/25	07/16/25
Q2618-04	2	Solid	EPH_F2	NJEPH	07/16/25	07/18/25	07/18/25	07/16/25
Q2618-05	3	Solid	EPH_F2	NJEPH	07/16/25	07/18/25	07/18/25	07/16/25
Q2618-06	4	Solid	EPH_F2	NJEPH	07/16/25	07/18/25	07/18/25	07/16/25
Q2618-07	5	Solid	EPH_F2	NJEPH	07/16/25	07/18/25	07/18/25	07/16/25
Q2618-08	6	Solid	EPH_F2	NJEPH	07/16/25	07/18/25	07/18/25	07/16/25