

**DATA PACKAGE**  
**GENERAL CHEMISTRY**

**PROJECT NAME : HALOGENS**

**PARADIGM ENVIRONMENTAL SERVICES, INC.**

**179 Lake Avenue**

**Rochester, NY - 14608**

**Phone No: (585) 647-2530**

**ORDER ID : Q2627**

**ATTENTION : Quintin McCooey**



## Cover Page

**Order ID :** Q2627

**Project ID :** Halogens

**Client :** Paradigm Environmental Services, Inc.

**Lab Sample Number**

Q2627-01

**Client Sample Number**

MACLEAN-CURTIS

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_



*Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>*

July 24, 2025

Yazmeen Gomez  
Chemtech  
284 Sheffield Street  
Mountainside, NJ 07092  
TEL:  
FAX:  
RE: Q2627

Order No.: 25071502

Dear Yazmeen Gomez:

Alliance Technical Group - Akron received 1 sample(s) on 7/18/2025 for the analyses presented in the following report.

There were no problems with the analytical events associated with this report unless noted in the Case Narrative.

Quality control data is within laboratory defined or method specified acceptance limits except where noted.

If you have any questions regarding these tests results, please feel free to call the laboratory.

Sincerely,

A handwritten signature in black ink that reads "Jennifer Woolf". The signature is fluid and cursive, with the first name "Jennifer" and last name "Woolf" clearly distinguishable.

Jennifer Woolf

Project Manager

3310 Win St.  
Cuyahoga Falls, Ohio 44223

Arkansas 88-0735, California 2943, Colorado, Connecticut PH-0828, Florida NELAC E87688, Idaho OH00923, Illinois 200061, Indiana C-OH-13, ISO/IEC 17025:2017 119125 L22-544, Kansas E-10347, Kentucky (Underground Storage Tank) 3, Kentucky 90146, Maryland 339, Michigan 9988, Minnesota 1780279, Nevada OH009232020-1, New Hampshire 2996, New Jersey OH006, New York 11777, North Carolina 39705 and 631, North Dakota R-201, Ohio DW, Ohio VAP CL0052, Oklahoma 2019-155, Oregon OH200001, Pennsylvania 68-01335, Rhode Island LA000317, South Carolina 92016001, Texas T104704466-19-16, Utah OH009232020-12, Virginia VELAP 10381, West Virginia 9957C



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>

## Case Narrative

WO#: 25071502  
Date: 7/24/2025

---

**CLIENT:** Chemtech

**Project:** Q2627

---

### WorkOrder Narrative:

25071502: This report in its entirety consists of the following documents: Cover Letter, Case Narrative, Analytical Results, QC Summary Report, Applicable Accreditation Information, Chain-of-Custody, Cooler Receipt Form, and other applicable forms as necessary. All documents contain the Alliance Technical Group Work Order Number assigned to this report.

Alliance Technical Group holds the accreditations/certifications listed at the bottom of the cover letter that may or may not pertain to this report. Please refer to the "Accreditation Program Analytes Report" for accredited analytes list.

The information contained in this analytical report is the sole property of Alliance Technical Group and that of the customer. It cannot be reproduced in any form without the consent of Alliance Technical Group or the customer for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Alliance Technical Group is not responsible for use or interpretation of the data included herein.

All results for solid samples are reported on an "as received" or "wet weight" basis unless indicated as "dry weight" using the "-dry" designation on the reporting units.

This report is believed to meet all of the requirements of the accrediting agency, where applicable. Any comments or problems with the analytical events associated with this report are noted below.

### Analytical Sequence Sample Notes:

25071502-001A TOX\_NPW(9020): Analyst diluted sample due to sample matrix interference

---

Original

These commonly used Qualifiers and Acronyms may or may not be present in this report.

#### Qualifiers

<b>U</b>	The compound was analyzed for but was not detected above the MDL.
<b>J</b>	The reported value is greater than the Method Detection Limit but less than the Reporting Limit.
<b>H</b>	The hold time for sample preparation and/or analysis was exceeded. Not Clean Water Act compliant.
<b>D</b>	The result is reported from a dilution.
<b>E</b>	The result exceeded the linear range of the calibration or is estimated due to interference.
<b>MC</b>	The result is below the Minimum Compound Limit.
<b>*</b>	The result exceeds the Regulatory Limit or Maximum Contamination Limit.
<b>m</b>	Manual integration was used to determine the area response.
<b>d</b>	Manual integration in which peak was deleted
<b>N</b>	The result is presumptive based on a Mass Spectral library search assuming a 1:1 response.
<b>P</b>	The second column confirmation exceeded 25% difference.
<b>C</b>	The result has been confirmed by GC/MS.
<b>X</b>	The result was not confirmed when GC/MS Analysis was performed.
<b>B</b>	The analyte was detected in the Method Blank at a concentration greater than the RL.
<b>MB+</b>	The analyte was detected in the Method Blank at a concentration greater than the MDL.
<b>G</b>	The ICB or CCB contained reportable amounts of analyte.
<b>QC-/+</b>	The CCV recovery failed low (-) or high (+).
<b>R/QDR</b>	The RPD was outside of accepted recovery limits.
<b>QL-/+</b>	The LCS or LCSD recovery failed low (-) or high (+).
<b>QLR</b>	The LCS/LCSD RPD was outside of accepted recovery limits.
<b>QM-/+</b>	The MS or MSD recovery failed low (-) or high (+).
<b>QMR</b>	The MS/MSD RPD was outside of accepted recovery limits.
<b>QV-/+</b>	The ICV recovery failed low (-) or high (+).
<b>S</b>	The spike result was outside of accepted recovery limits.
<b>W</b>	Samples were received outside temperature limits (0° – 6° C). Not Clean Water Act compliant.
<b>Z</b>	Deviation; A deviation from the method was performed; Please refer to the Case Narrative for additional information

#### Acronyms

<b>ND</b>	Not Detected	<b>RL</b>	Reporting Limit
<b>QC</b>	Quality Control	<b>MDL</b>	Method Detection Limit
<b>MB</b>	Method Blank	<b>LOD</b>	Level of Detection
<b>LCS</b>	Laboratory Control Sample	<b>LOQ</b>	Level of Quantitation
<b>LCSD</b>	Laboratory Control Sample Duplicate	<b>PQL</b>	Practical Quantitation Limit
<b>QCS</b>	Quality Control Sample	<b>CRQL</b>	Contract Required Quantitation Limit
<b>DUP</b>	Duplicate	<b>PL</b>	Permit Limit
<b>MS</b>	Matrix Spike	<b>RegLvl</b>	Regulatory Limit
<b>MSD</b>	Matrix Spike Duplicate	<b>MCL</b>	Maximum Contamination Limit
<b>RPD</b>	Relative Percent Different	<b>MinCL</b>	Minimum Compound Limit
<b>ICV</b>	Initial Calibration Verification	<b>RA</b>	Reanalysis
<b>ICB</b>	Initial Calibration Blank	<b>RE</b>	Reextraction
<b>CCV</b>	Continuing Calibration Verification	<b>TIC</b>	Tentatively Identified Compound
<b>CCB</b>	Continuing Calibration Blank	<b>RT</b>	Retention Time
<b>RLC</b>	Reporting Limit Check	<b>CF</b>	Calibration Factor

This list of Qualifiers and Acronyms reflects the most commonly utilized Qualifiers and Acronyms for reporting. Please refer to the Analytical Notes in the Case Narrative for any Qualifiers or Acronyms that do not appear in this list or for additional information regarding the use of these Qualifiers on reported data.



*Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>*

**Workorder**  
**Sample Summary**  
WO#: **25071502**  
**24-Jul-25**

---

**CLIENT:** Chemtech  
**Project:** Q2627

---

---

Lab SampleID	Client Sample ID	Tag No	Date Collected	Date Received	Matrix
25071502-001	MACLEAN-CURTIS`		7/10/2025 12:00:00 PM	7/18/2025 10:30:00 AM	Non-Potable Water

---



*Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>*

## DATES REPORT

WO#: 25071502

24-Jul-25

**Client:** Chemtech

**Project:** Q2627

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	Leachate Date	Prep Date	Analysis Date
25071502-001A	MACLEAN-CURTIS`	7/10/2025 12:00:00 PM	Non-Potable Water	Total Organic Halides (TOX) (9020)			7/23/2025 8:00:00 AM

Original



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>

WO#: 25071502  
Date Reported: 7/24/2025  
Company: Chemtech  
Address: 284 Sheffield Street  
Mountainside NJ 07092  
Received: 7/18/2025  
Project#: Q2627

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
MACLEAN-CURTIS`	001	7/10/2025	Total Organic Halides	1.35	mg/L	J	Non-Potable Water	EPA 9020	50	0.440	5.00	7/23/2025	KMS





Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>

## Accreditation Program Analytes Report

WO#: 25071502  
24-Jul-25

**Client:** Chemtech

**State:** NY

**Project:** Q2627

**Program Name:** NY\_DW\_WW\_SC  
M\_NELAP

Test Name	Matrix	Analyte	Status
Total Organic Halides (TOX) (9020)	Non-Potable Water	Total Organic Halides	A

Accreditation (Acc.) Status Key	
A: Accredited	N: Not Accredited
P: Provisional	U: Unavailable

Page 1 of 1  
Version #1



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>

## QC SUMMARY REPORT

WO#: 25071502  
24-Jul-25

Client: Chemtech  
Project: Q2627

BatchID: R213024

Sample ID: <b>MB-R213024</b>	SampType: <b>MBLK</b>	TestCode: <b>TOX_NPW(90</b> Units: <b>mg/L</b>				Prep Date:				RunNo: <b>213024</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R213024</b>	TestNo: <b>SW9020</b>				Analysis Date: <b>7/23/2025</b>				SeqNo: <b>5690931</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Total Organic Halides	ND	0.100									U	

Sample ID: <b>LCS-R213024</b>	SampType: <b>LCS</b>	TestCode: <b>TOX_NPW(90</b> Units: <b>mg/L</b>				Prep Date:			RunNo: <b>213024</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R213024</b>	TestNo: <b>SW9020</b>				Analysis Date: <b>7/23/2025</b>			SeqNo: <b>5690932</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Organic Halides	0.215	0.100	0.2000	0	108	80	120				

Sample ID: <b>25070738-001AMS</b>	SampType: <b>MS</b>	TestCode: <b>TOX_NPW(90</b> Units: <b>mg/L</b>				Prep Date:			RunNo: <b>213024</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R213024</b>	TestNo: <b>SW9020</b>				Analysis Date: <b>7/23/2025</b>			SeqNo: <b>5690934</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Organic Halides	9.04	1.00	10.00	0.1900	88.5	80	120				

Sample ID: <b>25070738-001AMSD</b>	SampType: <b>MSD</b>	TestCode: <b>TOX_NPW(90</b> Units: <b>mg/L</b>				Prep Date:			RunNo: <b>213024</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R213024</b>	TestNo: <b>SW9020</b>				Analysis Date: <b>7/23/2025</b>			SeqNo: <b>5690935</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Organic Halides	10.3	1.00	10.00	0.1900	101	80	120	9.044	13.3	20	

**Qualifiers:** H Holding times for preparation or analysis exceeded  
ND Not Detected  
U Samples with CalcVal < MDL

J Analyte detected below quantitation limits  
PL Permit Limit  
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response  
RL Reporting Detection Limit

Original



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>

## QC SUMMARY REPORT

WO#: 25071502

24-Jul-25

Client: Chemtech

Project: Q2627

BatchID: R213024

Sample ID: 25070738-001AMSD	SampType: MSD	TestCode: TOX_NPW(90	Units: mg/L	Prep Date:	RunNo: 213024
Client ID: BatchQC	Batch ID: R213024	TestNo: SW9020	Analysis Date: 7/23/2025	SeqNo: 5690935	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Sample ID: MB-R213024	SampType: MBLK	TestCode: TOX_NPW(90	Units: mg/L	Prep Date:	RunNo: 213024
Client ID: BatchQC	Batch ID: R213024	TestNo: SW9020	Analysis Date: 7/23/2025	SeqNo: 5690959	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Total Organic Halides	ND	0.100			U

Sample ID: MB-R213024	SampType: MBLK	TestCode: TOX_NPW(90	Units: mg/L	Prep Date:	RunNo: 213024
Client ID: BatchQC	Batch ID: R213024	TestNo: SW9020	Analysis Date: 7/23/2025	SeqNo: 5691050	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Total Organic Halides	ND	0.100			U

Sample ID: 25070888-001AMS	SampType: MS	TestCode: TOX_NPW(90	Units: mg/L	Prep Date:	RunNo: 213024
Client ID: BatchQC	Batch ID: R213024	TestNo: SW9020	Analysis Date: 7/23/2025	SeqNo: 5691056	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Total Organic Halides	9.60	1.00	10.00	0.3840	92.1 80 120

**Qualifiers:** H Holding times for preparation or analysis exceeded  
ND Not Detected  
U Samples with CalcVal < MDL

J Analyte detected below quantitation limits  
PL Permit Limit  
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response  
RL Reporting Detection Limit

Original



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>

## QC SUMMARY REPORT

WO#: 25071502  
24-Jul-25

Client: Chemtech  
Project: Q2627

BatchID: R213024

Sample ID: 25070888-001AMSD	SampType: MSD	TestCode: TOX_NPW(90	Units: mg/L	Prep Date:	RunNo: 213024
Client ID: BatchQC	Batch ID: R213024	TestNo: SW9020	Analysis Date: 7/23/2025	SeqNo: 5691057	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Total Organic Halides	10.7	1.00	10.00	0.3840	104 80 120 9.596 11.3 20

Sample ID: MB-R213024	SampType: MBLK	TestCode: TOX_NPW(90	Units: mg/L	Prep Date:	RunNo: 213024
Client ID: BatchQC	Batch ID: R213024	TestNo: SW9020	Analysis Date: 7/23/2025	SeqNo: 5691088	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Total Organic Halides	ND	0.100			U

Sample ID: MB-R213024	SampType: MBLK	TestCode: TOX_NPW(90	Units: mg/L	Prep Date:	RunNo: 213024
Client ID: BatchQC	Batch ID: R213024	TestNo: SW9020	Analysis Date: 7/23/2025	SeqNo: 5691091	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Total Organic Halides	ND	0.100			U

Qualifiers: H Holding times for preparation or analysis exceeded  
ND Not Detected  
U Samples with CalcVal < MDL  
J Analyte detected below quantitation limits  
PL Permit Limit  
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response  
RL Reporting Detection Limit

Original



284 Sheffield Street, Mountainside, NJ 07092  
(908) 789-8900 Fax (908) 789-8922  
WWW.CHEMTECH.NET

25071502

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION		CLIENT PROJECT INFORMATION		CLIENT BILLING INFORMATION	
COMPANY : Alliance Technical Group - Akron		ORDER ID : Q2627		BILL TO: CHEMTECH PO# : q2627	
ADDRESS : 3310 Win Street		PROJECT ID:Halogens		ADDRESS : 284, Sheffield Street	
CITY:Cuyahoga Fal State :OH ZIP :44223		PROJECT MANAGER YAZMEEN		CITY: Mountainside State : NJ ZIP : 07092	
E-mail :jennifer.woolf@alliancetg.com		E-mail : yazmeen.gomez@alliancetg.com		ATTENTION :YAZMEE	
PHONE :330-253-8211		PHONE : (908) 789 8900	FAX: (908) 789 8922	PHONE : (908) 789 8900 FAX : (908) 789 8922	

EDD : EXCEL NJCLEAN Report : Level 1 Comment : NY. GRAB,

ID	CLIENT SAMPLE IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
						DATE	TIME		
01	MACLEAN-CURTIS	Water	TOX	Conc H2SO4 to pH < 2	9020	07/10/2025	12:00:00	1	5

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATETIME:	RECEIVED BY:	Conditions of bottles or Coolers at receipt:	<input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant	Cooler Temp _____ Ice or Cooler? _____
1.		1. <i>[Signature]</i>	7/11/25		
RELINQUISHED BY:	DATETIME:	RECEIVED BY:	1030 2.8-0.1 = 2.7		
2.		2. <i>[Signature]</i>			
RELINQUISHED BY:	DATETIME:	RECEIVED BY:	Page 1 of 1	<input type="checkbox"/> OVERNIGHT <input type="checkbox"/> OVERNIGHT	Shipment Complete: <input type="checkbox"/> YES <input type="checkbox"/> NO
3. Q2627		3.			





# CHAIN OF CUSTODY

1 of 1

11777

PROJECT REFERENCE				REPORT TO:		INVOICE TO:									
				CLIENT:	Paradigm Environmental Services		CLIENT:	Same							
				ADDRESS:	179 Lake Avenue		ADDRESS:								
				CITY:	Rochester	STATE:	NY	ZIP:	14608	CITY:		STATE:		ZIP:	
				PHONE:			PHONE:								
				ATTN:	Reporting		ATTN:	Accounts Payable							
				<b>Matrix Codes:</b> AQ - Aqueous Liquid      WA - Water      DW - Drinking Water      SO - Soil      SD - Solid      WP - Wipe      OL - Oil NQ - Non-Aqueous Liquid      WG - Groundwater      WW - Wastewater      SL - Sludge      PT - Paint      CK - Caulk      AR - Air											
REQUESTED ANALYSIS															
DATE COLLECTED	TIME COLLECTED	COMPOSITE	GRAB	SAMPLE IDENTIFIER	MATRIX	CONTAINER	Total Halogens					REMARKS	PARADIGM LAB SAMPLE NUMBER		
7/10/25	12:00		X	Maclean Curtis (50 Thielman Dr)	AQ	1	X					253252-01			
												Needs New York State certification			
												Send copy of chain of custody with report.			

Turnaround Time		Report Supplements	
Availability contingent upon lab approval; additional fees may apply.			
Standard 5 day	<input type="checkbox"/>	None Required	<input type="checkbox"/>
10 day	<input type="checkbox"/>	Batch QC	<input type="checkbox"/>
Rush 3 day	<input type="checkbox"/>	Category A	<input type="checkbox"/>
Rush 2 day	<input type="checkbox"/>	Category B	<input type="checkbox"/>
Rush 1 day	<input type="checkbox"/>		
Other	<input type="checkbox"/>	Other	<input type="checkbox"/>
please indicate date needed: <u>Standard</u>		please indicate package needed: _____	

Sampled By	Date/Time
<i>[Signature]</i>	7/14/25 16:00
Relinquished By	Date/Time
<i>[Signature]</i>	7/15/25 <i>[Signature]</i>
Received By	Date/Time
1030	2.8-0.1 = 2.7
Received @ Lab By	Date/Time

Total Cost:

P.I.F.

## Sample Log-In Check List

Client Name: **CHE-NJ-07972**

Work Order Number: **25071502**

RcptNo: **1**

Logged by: **Spencer M. Hartwell** 7/18/2025 10:30:00 AM

*Spencer M. Hartwell*

Completed By: **Spencer M. Hartwell** 7/18/2025 3:53:18 PM

*Spencer M. Hartwell*

Reviewed By: **Jennifer Woolf** 7/18/2025 6:53:48 PM

*Jennifer M. Woolf*

### Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐  
2. How was the sample delivered? UPS

### Log In

3. Coolers are present? Yes ☒ No ☐ NA ☐  
4. Shipping container/cooler in good condition? Yes ☒ No ☐  
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒ NA ☐  
No. Seal Date: Signed By:  
5. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐  
6. Were all samples received at a temperature of >0° C to 6.0°C Yes ☒ No ☐ NA ☐  
7. Sample(s) in proper container(s)? Yes ☒ No ☐  
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐  
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐  
10. Was preservative added to bottles? Yes ☐ No ☒ NA ☐  
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ No VOA Vials ☒  
12. Were any sample containers received broken? Yes ☐ No ☒  
13. Does paperwork match bottle labels? Yes ☒ No ☐  
(Note discrepancies on chain of custody)  
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐  
15. Is it clear what analyses were requested? Yes ☒ No ☐  
16. Were all holding times able to be met? Yes ☒ No ☐  
(If no, notify customer for authorization.)

### Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:  Date:   
By Whom:  Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person  
Regarding:   
Client Instructions:

18. Additional remarks:

### Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	2.7	Good	Not Present			



1 of 1

Q2627

11777



## CHAIN OF CUSTODY

REPORT TO:				INVOICE TO:				
CLIENT: <b>Paradigm Environmental Services</b>				CLIENT: <b>Same</b>				
ADDRESS: <b>179 Lake Avenue</b>				ADDRESS:				
CITY: <b>Rochester</b> STATE: <b>NY</b> ZIP: <b>14608</b>				CITY: STATE: ZIP:				
PHONE:				PHONE:				
ATTN: <b>Reporting</b>				ATTN: <b>Accounts Payable</b>				
<b>Matrix Codes:</b> AQ - Aqueous Liquid      WA - Water      DW - Drinking Water      SO - Soil      SD - Solid      WP - Wipe      OL - Oil NQ - Non-Aqueous Liquid      WG - Groundwater      WW - Wastewater      SL - Sludge      PT - Paint      CK - Caulk      AR - Air				Quotation #:  Email: please email reports to <a href="mailto:reporting@paradigmenv.com">reporting@paradigmenv.com</a>				
<b>REQUESTED ANALYSIS</b>								
DATE COLLECTED	TIME COLLECTED	COMPOSITE	GRAB	SAMPLE IDENTIFIER	MATRIX	CONTAINER	REMARKS	PARADIGM LAB SAMPLE NUMBER
7/10/25	12:00		X	Maclean Curtis (50 Thielman Dr)	AQ	1	253252-01	
							Needs New York State certification	
							Send copy of chain of custody with report.	

Turnaround Time		Report Supplements	
Availability contingent upon lab approval; additional fees may apply.			
Standard 5 day <input type="checkbox"/>	None Required <input type="checkbox"/>	None Required <input type="checkbox"/>	
10 day <input type="checkbox"/>	Batch QC <input type="checkbox"/>	Basic EDD <input type="checkbox"/>	
Rush 3 day <input type="checkbox"/>	Category A <input type="checkbox"/>	NYSDEC EDD <input type="checkbox"/>	
Rush 2 day <input type="checkbox"/>	Category B <input type="checkbox"/>		
Rush 1 day <input type="checkbox"/>			
Other <input type="checkbox"/> please indicate date needed: <u>Standard</u>	Other <input type="checkbox"/> please indicate package needed:	Other EDD <input type="checkbox"/> please indicate EDD needed:	

Sampled By <u>[Signature]</u>	Date/Time <u>7/14/25 16:00</u>
Relinquished By <u>[Signature]</u>	Date/Time <u>7/15/25 Lunch</u>
Received By <u>1030</u>	Date/Time <u>2.8-0.1=2.7</u>
Received @ Lab By	Date/Time

Total Cost:

P.I.F.

By signing this form, client agrees to Paradigm Terms and Conditions (reverse).