

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q2637</u>	Analytical Method:	<u>SW8260-Low</u>
Client:	<u>Chemtech Consulting Group</u>	Datafile :	<u>VX047042.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0718WBSD01	Dichlorodifluoromethane	20	18.3	ug/L	92	1		69	116	19
	Chloromethane	20	16.8	ug/L	84	0		65	116	21
	Vinyl chloride	20	17.1	ug/L	86	1		65	117	19
	Ethyl Acetate	20	21.5	ug/L	108	2		75	115	27
	Bromomethane	20	17.1	ug/L	86	4		58	125	20
	Chloroethane	20	17.1	ug/L	86	3		56	128	20
	Trichlorofluoromethane	20	18.3	ug/L	92	4		73	115	16
	1,1,2-Trichlorotrifluoroethane	20	18.8	ug/L	94	3		80	112	15
	Tert butyl alcohol	100	150	ug/L	150	0	*	48	142	30
	1,1-Dichloroethene	20	17.7	ug/L	89	3		74	110	20
	Acrolein	100	30.7	ug/L	31	7		28	144	30
	Acrylonitrile	100	120	ug/L	120	9	*	73	113	29
	Acetone	100	110	ug/L	110	0		60	125	20
	Carbon disulfide	20	14.3	ug/L	72	0		64	112	20
	Methyl tert-butyl Ether	20	23.1	ug/L	116	4	*	78	114	20
	Methyl Acetate	20	33.1	ug/L	166	5	*	67	125	20
	Methylene Chloride	20	19.4	ug/L	97	1		72	114	20
	trans-1,2-Dichloroethene	20	18.3	ug/L	92	1		75	108	16
	Vinyl Acetate	100	110	ug/L	110	0		76	115	26
	1,1-Dichloroethane	20	19.8	ug/L	99	0		78	112	20
	Cyclohexane	20	18.9	ug/L	95	1		75	110	20
	2-Butanone	100	130	ug/L	130	0	*	65	122	26
	Carbon Tetrachloride	20	19.3	ug/L	97	1		77	113	15
	2,2-Dichloropropane	20	20.3	ug/L	102	2		56	164	20
	cis-1,2-Dichloroethene	20	19.6	ug/L	98	0		77	110	20
	Bromochloromethane	20	21.7	ug/L	109	3		70	124	20
	Chloroform	20	20.2	ug/L	101	0		79	113	20
	1,1,1-Trichloroethane	20	20.1	ug/L	101	1		80	108	20
	Methylcyclohexane	20	17.9	ug/L	90	3		72	115	20
	1,1-Dichloropropene	20	18.6	ug/L	93	4		79	110	16
	Benzene	20	18.7	ug/L	94	4		82	109	15
	1,2-Dichloroethane	20	20.9	ug/L	104	2		80	115	20
	Trichloroethene	20	18.0	ug/L	90	4		77	113	15
	1,2-Dichloropropane	20	19.7	ug/L	99	1		83	111	16
	Dibromomethane	20	19.9	ug/L	100	3		82	110	20
	Bromodichloromethane	20	20.2	ug/L	101	1		83	110	16
	4-Methyl-2-Pentanone	100	130	ug/L	130	8	*	74	118	25
	Toluene	20	19.7	ug/L	99	1		82	110	16
	t-1,3-Dichloropropene	20	21.0	ug/L	105	1		79	110	20
	cis-1,3-Dichloropropene	20	20.5	ug/L	103	0		82	110	16
	1,1,2-Trichloroethane	20	20.9	ug/L	104	2		83	112	20
	1,3-Dichloropropane	20	20.8	ug/L	104	0		83	111	20
	2-Chloroethyl vinyl ether	100	100	ug/L	100	0		75	124	20
	2-Hexanone	100	140	ug/L	140	7	*	73	117	25
	Dibromochloromethane	20	19.8	ug/L	99	0		82	110	20
	1,2-Dibromoethane	20	21.0	ug/L	105	2		81	110	20
	Tetrachloroethene	20	18.2	ug/L	91	6		67	123	15
	Chlorobenzene	20	19.3	ug/L	97	3		82	109	15

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q2637</u>	Analytical Method:	<u>SW8260-Low</u>
Client:	<u>Chemtech Consulting Group</u>	Datafile :	<u>VX047042.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0718WBSD01	1,1,1,2-Tetrachloroethane	20	19.8	ug/L	99	2		84	111	20
	Hexachloroethane	20	19.9	ug/L	100	1		80	113	20
	Ethyl Benzene	20	19.8	ug/L	99	3		83	109	16
	m/p-Xylenes	40	39.3	ug/L	98	4		82	110	15
	o-Xylene	20	20.0	ug/L	100	1		83	109	20
	Styrene	20	20.2	ug/L	101	3		80	111	17
	Bromoform	20	20.3	ug/L	102	1		79	109	20
	Isopropylbenzene	20	20.8	ug/L	104	2		83	112	29
	1,1,2,2-Tetrachloroethane	20	23.1	ug/L	116	4		76	118	20
	1,2,3-Trichloropropane	20	23.7	ug/L	119	3	*	75	112	20
	Bromobenzene	20	20.2	ug/L	101	2		77	116	20
	N-propylbenzene	20	20.5	ug/L	103	1		83	112	20
	2-Chlorotoluene	20	20.6	ug/L	103	3		83	110	20
	1,3,5-Trimethylbenzene	20	21.2	ug/L	106	2		85	112	20
	4-Chlorotoluene	20	21.3	ug/L	106	2		82	110	20
	tert-Butylbenzene	20	20.4	ug/L	102	4		83	112	20
	1,2,4-Trimethylbenzene	20	21.3	ug/L	106	2		85	111	20
	Sec-butylbenzene	20	20.7	ug/L	104	2		81	114	20
	p-Isopropyltoluene	20	20.9	ug/L	104	0		78	116	20
	1,3-Dichlorobenzene	20	20.5	ug/L	103	0		82	108	20
	1,4-Dichlorobenzene	20	20.0	ug/L	100	0		82	107	15
	n-Butylbenzene	20	20.8	ug/L	104	0		75	115	20
	1,2-Dichlorobenzene	20	20.3	ug/L	102	0		82	109	20
	1,2-Dibromo-3-Chloropropane	20	25.2	ug/L	126	1	*	68	112	20
	1,2,4-Trichlorobenzene	20	20.1	ug/L	101	1		75	113	29
	Hexachlorobutadiene	20	20.2	ug/L	101	1		81	121	20
	Naphthalene	20	23.4	ug/L	117	2		78	119	20
	1,2,3-Trichlorobenzene	20	20.7	ug/L	104	1		76	114	29