

Q 2638

Chemtech
 Phone: (908) 789-8900
 Fax: (908) 789-8922

http://www.contestlabs.com

39 Spruce Street
 East Longmeadow, MA 01028

Doc # 381 Rev 4_01/08/2020

Page 1 of 1

284 Sheffield Street, Mountainside, NJ 07092
 Company Name: Nobis Group
 Address: 55 Technology Dr Suite 101, Lowell, MA 01851
 Phone: 978-703-6014
 Project Name: Raymark
 Project Location: Stratford, CT
 Project Number: 95700
 Project Manager: Adam Roy
 Con-Test Quote Name/Number:
 Invoice Recipient:
 Sampled By: A. Brittingham

CHAIN OF CUSTODY RECORD

Requested Turnaround Time
 5-Day 10-Day
 PFAS 10-Day (std) Due Date:

Dissolved Metals Samples
 Field Filtered
 Lab to Filter

Rush-Approval Required
 1-Day 3-Day
 2-Day 4-Day

Orthophosphate Samples
 Field Filtered
 Lab to Filter

Data Delivery
 Format: PDF EXCEL
 Other: **PCB ONLY**
 SOXHLET
 NON SOXHLET
 CLP Like Data Pkg Required: No
 Email To: aroy@nobis-group.com
 Fax To #:

ANALYSIS REQUESTED

M/O	I	I	I	I	I	I	I	I	I

RCP VOCs
 % Solids
 PAHs
 Herbicides
 Pesticides
 PCBs
 Metals ICP + Hg - 6010
 Cyanide
 SPLP RCP Metals - 6020

Preservation Code

Total Number Of:
 VIALS _____
 GLASS _____
 PLASTIC _____
 BACTERIA _____
 ENCORE _____

Glassware in the fridge? Y / N

Glassware in freezer? Y / N

Prepackaged Cooler? Y / N

Con-Test Work Order#	Client Sample ID / Description	Beginning Date/Time	Ending Date/Time	COMP/GRAB	Matrix Code	Conc Code	VIALS	GLASS	PLASTIC	BACTERIA	ENCORE	RCP VOCs	% Solids	PAHs	Herbicides	Pesticides	PCBs	Metals ICP + Hg - 6010	Cyanide	SPLP RCP Metals - 6020	
	OU4-TS-31-071725	7/17/25	10:30	G	SO		3	2				X	X	X	X	X	X	X	X	X	X
	OU4-TS-32-071725	7/17/25	10:40	G	SO		3	2				X	X	X	X	X	X	X	X	X	X
	OU4-TS-33-071725	7/17/25	10:50	G	SO		3	2				X	X	X	X	X	X	X	X	X	X
	OU4-TS-34-071725	7/17/25	11:00	G	SO		3	2				X	X	X	X	X	X	X	X	X	X
	OU4-TS-35-071725	7/17/25	11:10	G	SO		3	2				X	X	X	X	X	X	X	X	X	X
	OU4-TS-36-071725	7/17/25	11:20	G	SO		3	2				X	X	X	X	X	X	X	X	X	X
	OU4-TS-37-071725	7/17/25	11:30	G	SO		3	2				X	X	X	X	X	X	X	X	X	X

*Contest is not responsible for missing samples from prepacked coolers

1 Matrix Codes:
 GW = Ground Water
 WW = Waste Water
 DW = Drinking Water
 A = Air
 S = Soil
 SL = Sludge
 SOL = Solid
 O = Other (please define)

Relinquished by: (signature) [Signature] Date/Time: 7/17/25 1500
 Received by: (signature) [Signature] Date/Time: 7/18/25 0755

Relinquished by: (signature) _____ Date/Time: _____
 Received by: (signature) _____ Date/Time: _____

Relinquished by: (signature) _____ Date/Time: _____
 Received by: (signature) _____ Date/Time: _____

Relinquished by: (signature) _____ Date/Time: _____
 Received by: (signature) _____ Date/Time: _____

Client Comments:

Detection Limit Requirements
 MA
 CT
 Other: _____ PWSID # _____

Special Requirements
 MA MCP Required
 MCP Certification Form Required
 CT RCP Required
 RCP Certification Form Required
 MA State DW Required

Project Entity
 Government Municipality MWRA WRTA
 Federal 21 J School
 City Brownfield MBTA

Other
 Chromatogram
 AIHA-LAP, LLC

2 Preservation Codes:
 I = Iced
 H = HCL
 M = Methanol
 N = Nitric Acid
 S = Sulfuric Acid
 B = Sodium Bisulfate
 X = Sodium Hydroxide
 T = Sodium Thiosulfate
 O = Other (please define)

Lab Comments: 5.1°C - 4.7°C

Disclaimer: Con-Test Labs is not responsible for any omitted information on the Chain of Custody. The Chain of Custody is a legal document that must be complete and accurate and is used to determine what analyses the laboratory will perform. Any missing information is not the laboratory's responsibility. Con-Test values your partnership on each project and will try to assist with missing information, but will not be held accountable.