

Hit Summary Sheet
SW-846

SDG No.: Q2638 **Order ID:** Q2638
Client: Nobis Group **Project ID:** Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-TS-31-071725									
Q2638-02	OU4-TS-31-071725	Water	Antimony	13.4	D	0.55	1.25	10.0	ug/L
Q2638-02	OU4-TS-31-071725	Water	Arsenic	63.3	D	0.45	1.25	5.00	ug/L
Q2638-02	OU4-TS-31-071725	Water	Barium	120	D	1.05	6.25	50.0	ug/L
Q2638-02	OU4-TS-31-071725	Water	Cadmium	8.75	D	1.70	2.50	5.00	ug/L
Q2638-02	OU4-TS-31-071725	Water	Chromium	50.4	D	1.05	3.75	10.0	ug/L
Q2638-02	OU4-TS-31-071725	Water	Copper	381	D	1.50	7.50	10.0	ug/L
Q2638-02	OU4-TS-31-071725	Water	Lead	82.3	D	5.25	18.8	25.0	ug/L
Q2638-02	OU4-TS-31-071725	Water	Nickel	151	D	1.35	3.75	5.00	ug/L
Q2638-02	OU4-TS-31-071725	Water	Mercury	0.081	J	0.076	0.16	0.20	ug/L
Q2638-02	OU4-TS-31-071725	Water	Silver	3.55	JD	0.30	2.50	5.00	ug/L
Q2638-02	OU4-TS-31-071725	Water	Thallium	2.25	JD	1.50	12.5	25.0	ug/L
Q2638-02	OU4-TS-31-071725	Water	Vanadium	126	D	0.39	1.25	25.0	ug/L
Q2638-02	OU4-TS-31-071725	Water	Zinc	1780	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-32-071725									
Q2638-04	OU4-TS-32-071725	Water	Antimony	9.70	JD	0.55	1.25	10.0	ug/L
Q2638-04	OU4-TS-32-071725	Water	Arsenic	111	D	4.45	12.5	50.0	ug/L
Q2638-04	OU4-TS-32-071725	Water	Barium	182	D	1.05	6.25	50.0	ug/L
Q2638-04	OU4-TS-32-071725	Water	Cadmium	11.8	D	1.70	2.50	5.00	ug/L
Q2638-04	OU4-TS-32-071725	Water	Chromium	106	D	1.05	3.75	10.0	ug/L
Q2638-04	OU4-TS-32-071725	Water	Copper	786	D	1.50	7.50	10.0	ug/L
Q2638-04	OU4-TS-32-071725	Water	Lead	147	D	5.25	18.8	25.0	ug/L
Q2638-04	OU4-TS-32-071725	Water	Nickel	282	D	1.35	3.75	5.00	ug/L
Q2638-04	OU4-TS-32-071725	Water	Mercury	0.35		0.076	0.16	0.20	ug/L
Q2638-04	OU4-TS-32-071725	Water	Silver	2.45	JD	0.30	2.50	5.00	ug/L
Q2638-04	OU4-TS-32-071725	Water	Thallium	2.50	JD	1.50	12.5	25.0	ug/L
Q2638-04	OU4-TS-32-071725	Water	Vanadium	200	D	0.39	1.25	25.0	ug/L
Q2638-04	OU4-TS-32-071725	Water	Zinc	1970	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-33-071725									
Q2638-06	OU4-TS-33-071725	Water	Antimony	8.40	JD	0.55	1.25	10.0	ug/L
Q2638-06	OU4-TS-33-071725	Water	Arsenic	70.2	D	0.45	1.25	5.00	ug/L
Q2638-06	OU4-TS-33-071725	Water	Barium	115	D	1.05	6.25	50.0	ug/L
Q2638-06	OU4-TS-33-071725	Water	Cadmium	9.50	D	1.70	2.50	5.00	ug/L
Q2638-06	OU4-TS-33-071725	Water	Chromium	66.0	D	1.05	3.75	10.0	ug/L
Q2638-06	OU4-TS-33-071725	Water	Copper	604	D	1.50	7.50	10.0	ug/L
Q2638-06	OU4-TS-33-071725	Water	Lead	99.8	D	5.25	18.8	25.0	ug/L
Q2638-06	OU4-TS-33-071725	Water	Nickel	205	D	1.35	3.75	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2638

Order ID: Q2638

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2638-06	OU4-TS-33-071725	Water	Silver	1.90	JD	0.30	2.50	5.00	ug/L
Q2638-06	OU4-TS-33-071725	Water	Thallium	2.00	JD	1.50	12.5	25.0	ug/L
Q2638-06	OU4-TS-33-071725	Water	Vanadium	145	D	0.39	1.25	25.0	ug/L
Q2638-06	OU4-TS-33-071725	Water	Zinc	1760	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-34-071725									
Q2638-08	OU4-TS-34-071725	Water	Antimony	7.30	JD	0.55	1.25	10.0	ug/L
Q2638-08	OU4-TS-34-071725	Water	Arsenic	52.5	D	0.45	1.25	5.00	ug/L
Q2638-08	OU4-TS-34-071725	Water	Barium	125	D	1.05	6.25	50.0	ug/L
Q2638-08	OU4-TS-34-071725	Water	Cadmium	11.6	D	1.70	2.50	5.00	ug/L
Q2638-08	OU4-TS-34-071725	Water	Chromium	51.0	D	1.05	3.75	10.0	ug/L
Q2638-08	OU4-TS-34-071725	Water	Copper	371	D	1.50	7.50	10.0	ug/L
Q2638-08	OU4-TS-34-071725	Water	Lead	52.5	D	10.5	37.5	50.0	ug/L
Q2638-08	OU4-TS-34-071725	Water	Nickel	230	D	1.35	3.75	5.00	ug/L
Q2638-08	OU4-TS-34-071725	Water	Silver	1.50	JD	0.30	2.50	5.00	ug/L
Q2638-08	OU4-TS-34-071725	Water	Vanadium	78.8	D	0.39	1.25	25.0	ug/L
Q2638-08	OU4-TS-34-071725	Water	Zinc	2020	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-35-071725									
Q2638-10	OU4-TS-35-071725	Water	Antimony	8.70	JD	0.55	1.25	10.0	ug/L
Q2638-10	OU4-TS-35-071725	Water	Arsenic	42.7	D	0.45	1.25	5.00	ug/L
Q2638-10	OU4-TS-35-071725	Water	Barium	84.6	D	1.05	6.25	50.0	ug/L
Q2638-10	OU4-TS-35-071725	Water	Beryllium	3.05	JD	1.60	3.75	5.00	ug/L
Q2638-10	OU4-TS-35-071725	Water	Cadmium	12.3	D	1.70	2.50	5.00	ug/L
Q2638-10	OU4-TS-35-071725	Water	Chromium	171	D	1.05	3.75	10.0	ug/L
Q2638-10	OU4-TS-35-071725	Water	Copper	1400	D	1.50	7.50	10.0	ug/L
Q2638-10	OU4-TS-35-071725	Water	Lead	240	D	10.5	37.5	50.0	ug/L
Q2638-10	OU4-TS-35-071725	Water	Nickel	227	D	1.35	3.75	5.00	ug/L
Q2638-10	OU4-TS-35-071725	Water	Mercury	0.28		0.076	0.16	0.20	ug/L
Q2638-10	OU4-TS-35-071725	Water	Silver	2.05	JD	0.30	2.50	5.00	ug/L
Q2638-10	OU4-TS-35-071725	Water	Vanadium	204	D	0.39	1.25	25.0	ug/L
Q2638-10	OU4-TS-35-071725	Water	Zinc	1860	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-36-071725									
Q2638-12	OU4-TS-36-071725	Water	Antimony	9.10	JD	0.55	1.25	10.0	ug/L
Q2638-12	OU4-TS-36-071725	Water	Arsenic	45.4	D	0.45	1.25	5.00	ug/L
Q2638-12	OU4-TS-36-071725	Water	Barium	88.1	D	1.05	6.25	50.0	ug/L
Q2638-12	OU4-TS-36-071725	Water	Beryllium	3.50	JD	1.60	3.75	5.00	ug/L
Q2638-12	OU4-TS-36-071725	Water	Cadmium	11.9	D	1.70	2.50	5.00	ug/L
Q2638-12	OU4-TS-36-071725	Water	Chromium	182	D	1.05	3.75	10.0	ug/L
Q2638-12	OU4-TS-36-071725	Water	Copper	1430	D	1.50	7.50	10.0	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2638

Order ID: Q2638

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2638-12	OU4-TS-36-071725	Water	Lead	255	D	10.5	37.5	50.0	ug/L
Q2638-12	OU4-TS-36-071725	Water	Nickel	205	D	1.35	3.75	5.00	ug/L
Q2638-12	OU4-TS-36-071725	Water	Mercury	0.30		0.076	0.16	0.20	ug/L
Q2638-12	OU4-TS-36-071725	Water	Silver	1.95	JD	0.30	2.50	5.00	ug/L
Q2638-12	OU4-TS-36-071725	Water	Vanadium	198	D	0.39	1.25	25.0	ug/L
Q2638-12	OU4-TS-36-071725	Water	Zinc	1820	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-37-071725									
Q2638-14	OU4-TS-37-071725	Water	Antimony	8.90	JD	0.55	1.25	10.0	ug/L
Q2638-14	OU4-TS-37-071725	Water	Arsenic	45.5	D	0.45	1.25	5.00	ug/L
Q2638-14	OU4-TS-37-071725	Water	Barium	87.5	D	1.05	6.25	50.0	ug/L
Q2638-14	OU4-TS-37-071725	Water	Beryllium	3.45	JD	1.60	3.75	5.00	ug/L
Q2638-14	OU4-TS-37-071725	Water	Cadmium	14.9	D	1.70	2.50	5.00	ug/L
Q2638-14	OU4-TS-37-071725	Water	Chromium	193	D	1.05	3.75	10.0	ug/L
Q2638-14	OU4-TS-37-071725	Water	Copper	1650	D	1.50	7.50	10.0	ug/L
Q2638-14	OU4-TS-37-071725	Water	Lead	272	D	5.25	18.8	25.0	ug/L
Q2638-14	OU4-TS-37-071725	Water	Nickel	230	D	1.35	3.75	5.00	ug/L
Q2638-14	OU4-TS-37-071725	Water	Mercury	0.17	J	0.076	0.16	0.20	ug/L
Q2638-14	OU4-TS-37-071725	Water	Silver	2.05	JD	0.30	2.50	5.00	ug/L
Q2638-14	OU4-TS-37-071725	Water	Thallium	1.75	JD	1.50	12.5	25.0	ug/L
Q2638-14	OU4-TS-37-071725	Water	Vanadium	223	D	0.39	1.25	25.0	ug/L
Q2638-14	OU4-TS-37-071725	Water	Zinc	2040	D	6.25	7.50	25.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-31-071725	SDG No.:	Q2638
Lab Sample ID:	Q2638-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	13.4	DN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 17:21	6020B	3010A
7440-38-2	Arsenic	63.3	D	5	0.45	1.25	5.00	ug/L	07/21/25 11:30	07/22/25 17:21	6020B	3010A
7440-39-3	Barium	120	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 17:21	6020B	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:21	6020B	3010A
7440-43-9	Cadmium	8.75	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:21	6020B	3010A
7440-47-3	Chromium	50.4	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 17:21	6020B	3010A
7440-50-8	Copper	381	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 17:21	6020B	3010A
7439-92-1	Lead	82.3	DN	25	5.25	18.8	25.0	ug/L	07/21/25 11:30	07/22/25 22:15	6020B	3010A
7439-97-6	Mercury	0.081	J	1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 15:39	7470A	
7440-02-0	Nickel	151	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:21	6020B	3010A
7782-49-2	Selenium	113	UD	25	72.5	113	125	ug/L	07/21/25 11:30	07/22/25 22:15	6020B	3010A
7440-22-4	Silver	3.55	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:21	6020B	3010A
7440-28-0	Thallium	2.25	JDN	25	1.50	12.5	25.0	ug/L	07/21/25 11:30	07/22/25 22:15	6020B	3010A
7440-62-2	Vanadium	126	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 17:21	6020B	3010A
7440-66-6	Zinc	1780	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 17:21	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-32-071725	SDG No.:	Q2638
Lab Sample ID:	Q2638-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	9.70	JDN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 17:25	6020B	3010A
7440-38-2	Arsenic	111	D	50	4.45	12.5	50.0	ug/L	07/21/25 11:30	07/24/25 12:34	6020B	3010A
7440-39-3	Barium	182	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 17:25	6020B	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:25	6020B	3010A
7440-43-9	Cadmium	11.8	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:25	6020B	3010A
7440-47-3	Chromium	106	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 17:25	6020B	3010A
7440-50-8	Copper	786	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 17:25	6020B	3010A
7439-92-1	Lead	147	DN	25	5.25	18.8	25.0	ug/L	07/21/25 11:30	07/22/25 22:18	6020B	3010A
7439-97-6	Mercury	0.35		1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 15:42	7470A	
7440-02-0	Nickel	282	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:25	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 12:34	6020B	3010A
7440-22-4	Silver	2.45	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:25	6020B	3010A
7440-28-0	Thallium	2.50	JDN	25	1.50	12.5	25.0	ug/L	07/21/25 11:30	07/22/25 22:18	6020B	3010A
7440-62-2	Vanadium	200	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 17:25	6020B	3010A
7440-66-6	Zinc	1970	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 17:25	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-33-071725	SDG No.:	Q2638
Lab Sample ID:	Q2638-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	8.40	JDN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 17:28	6020B	3010A
7440-38-2	Arsenic	70.2	D	5	0.45	1.25	5.00	ug/L	07/21/25 11:30	07/22/25 17:28	6020B	3010A
7440-39-3	Barium	115	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 17:28	6020B	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:28	6020B	3010A
7440-43-9	Cadmium	9.50	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:28	6020B	3010A
7440-47-3	Chromium	66.0	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 17:28	6020B	3010A
7440-50-8	Copper	604	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 17:28	6020B	3010A
7439-92-1	Lead	99.8	DN	25	5.25	18.8	25.0	ug/L	07/21/25 11:30	07/22/25 22:21	6020B	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 15:44	7470A	
7440-02-0	Nickel	205	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:28	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 12:50	6020B	3010A
7440-22-4	Silver	1.90	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:28	6020B	3010A
7440-28-0	Thallium	2.00	JDN	25	1.50	12.5	25.0	ug/L	07/21/25 11:30	07/22/25 22:21	6020B	3010A
7440-62-2	Vanadium	145	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 17:28	6020B	3010A
7440-66-6	Zinc	1760	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 17:28	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-34-071725	SDG No.:	Q2638
Lab Sample ID:	Q2638-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	7.30	JDN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 17:31	6020B	3010A
7440-38-2	Arsenic	52.5	D	5	0.45	1.25	5.00	ug/L	07/21/25 11:30	07/22/25 17:31	6020B	3010A
7440-39-3	Barium	125	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 17:31	6020B	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:31	6020B	3010A
7440-43-9	Cadmium	11.6	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:31	6020B	3010A
7440-47-3	Chromium	51.0	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 17:31	6020B	3010A
7440-50-8	Copper	371	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 17:31	6020B	3010A
7439-92-1	Lead	52.5	DN	50	10.5	37.5	50.0	ug/L	07/21/25 11:30	07/24/25 12:53	6020B	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 15:46	7470A	
7440-02-0	Nickel	230	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:31	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 12:53	6020B	3010A
7440-22-4	Silver	1.50	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:31	6020B	3010A
7440-28-0	Thallium	25.0	UDN	50	3.00	25.0	50.0	ug/L	07/21/25 11:30	07/24/25 12:53	6020B	3010A
7440-62-2	Vanadium	78.8	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 17:31	6020B	3010A
7440-66-6	Zinc	2020	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 17:31	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-35-071725	SDG No.:	Q2638
Lab Sample ID:	Q2638-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	8.70	JDN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 17:34	6020B	3010A
7440-38-2	Arsenic	42.7	D	5	0.45	1.25	5.00	ug/L	07/21/25 11:30	07/22/25 17:34	6020B	3010A
7440-39-3	Barium	84.6	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 17:34	6020B	3010A
7440-41-7	Beryllium	3.05	JD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:34	6020B	3010A
7440-43-9	Cadmium	12.3	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:34	6020B	3010A
7440-47-3	Chromium	171	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 17:34	6020B	3010A
7440-50-8	Copper	1400	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 17:34	6020B	3010A
7439-92-1	Lead	240	DN	50	10.5	37.5	50.0	ug/L	07/21/25 11:30	07/24/25 12:56	6020B	3010A
7439-97-6	Mercury	0.28		1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 15:48	7470A	
7440-02-0	Nickel	227	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:34	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 12:56	6020B	3010A
7440-22-4	Silver	2.05	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:34	6020B	3010A
7440-28-0	Thallium	25.0	UDN	50	3.00	25.0	50.0	ug/L	07/21/25 11:30	07/24/25 12:56	6020B	3010A
7440-62-2	Vanadium	204	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 17:34	6020B	3010A
7440-66-6	Zinc	1860	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 17:34	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-36-071725	SDG No.:	Q2638
Lab Sample ID:	Q2638-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	9.10	JDN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 17:37	6020B	3010A
7440-38-2	Arsenic	45.4	D	5	0.45	1.25	5.00	ug/L	07/21/25 11:30	07/22/25 17:37	6020B	3010A
7440-39-3	Barium	88.1	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 17:37	6020B	3010A
7440-41-7	Beryllium	3.50	JD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:37	6020B	3010A
7440-43-9	Cadmium	11.9	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:37	6020B	3010A
7440-47-3	Chromium	182	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 17:37	6020B	3010A
7440-50-8	Copper	1430	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 17:37	6020B	3010A
7439-92-1	Lead	255	DN	50	10.5	37.5	50.0	ug/L	07/21/25 11:30	07/24/25 12:59	6020B	3010A
7439-97-6	Mercury	0.30		1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 16:01	7470A	
7440-02-0	Nickel	205	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:37	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 12:59	6020B	3010A
7440-22-4	Silver	1.95	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:37	6020B	3010A
7440-28-0	Thallium	25.0	UDN	50	3.00	25.0	50.0	ug/L	07/21/25 11:30	07/24/25 12:59	6020B	3010A
7440-62-2	Vanadium	198	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 17:37	6020B	3010A
7440-66-6	Zinc	1820	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 17:37	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-37-071725	SDG No.:	Q2638
Lab Sample ID:	Q2638-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	8.90	JDN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 17:40	6020B	3010A
7440-38-2	Arsenic	45.5	D	5	0.45	1.25	5.00	ug/L	07/21/25 11:30	07/22/25 17:40	6020B	3010A
7440-39-3	Barium	87.5	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 17:40	6020B	3010A
7440-41-7	Beryllium	3.45	JD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:40	6020B	3010A
7440-43-9	Cadmium	14.9	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:40	6020B	3010A
7440-47-3	Chromium	193	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 17:40	6020B	3010A
7440-50-8	Copper	1650	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 17:40	6020B	3010A
7439-92-1	Lead	272	DN	25	5.25	18.8	25.0	ug/L	07/21/25 11:30	07/22/25 22:24	6020B	3010A
7439-97-6	Mercury	0.17	J	1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 16:03	7470A	
7440-02-0	Nickel	230	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 17:40	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 13:03	6020B	3010A
7440-22-4	Silver	2.05	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 17:40	6020B	3010A
7440-28-0	Thallium	1.75	JDN	25	1.50	12.5	25.0	ug/L	07/21/25 11:30	07/22/25 22:24	6020B	3010A
7440-62-2	Vanadium	223	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 17:40	6020B	3010A
7440-66-6	Zinc	2040	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 17:40	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2638	OrderDate:	7/18/2025 10:07:00 AM
Client:	Nobis Group	Project:	Raymark Superfund Site
Contact:	Adam Roy	Location:	O21,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2638-01	OU4-TS-31-071725	SOIL			07/17/25			07/18/25
			Mercury	7471B		07/18/25	07/21/25	
			Metals ICP-TAL	6010D		07/18/25	07/21/25	
Q2638-02	OU4-TS-31-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
Q2638-03	OU4-TS-32-071725	SOIL			07/17/25			07/18/25
			Mercury	7471B		07/18/25	07/21/25	
			Metals ICP-TAL	6010D		07/18/25	07/21/25	
Q2638-04	OU4-TS-32-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/24/25	
Q2638-05	OU4-TS-33-071725	SOIL			07/17/25			07/18/25
			Mercury	7471B		07/18/25	07/21/25	
			Metals ICP-TAL	6010D		07/18/25	07/21/25	
Q2638-06	OU4-TS-33-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/24/25	
Q2638-07	OU4-TS-34-071725	SOIL			07/17/25			07/18/25
			Mercury	7471B		07/18/25	07/21/25	
			Metals ICP-TAL	6010D		07/18/25	07/21/25	
Q2638-08	OU4-TS-34-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	

LAB CHRONICLE

			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/24/25	
Q2638-09	OU4-TS-35-071725	SOIL			07/17/25			07/18/25
			Mercury	7471B		07/18/25	07/21/25	
			Metals ICP-TAL	6010D		07/18/25	07/21/25	
Q2638-10	OU4-TS-35-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/24/25	
Q2638-11	OU4-TS-36-071725	SOIL			07/17/25			07/18/25
			Mercury	7471B		07/18/25	07/21/25	
			Metals ICP-TAL	6010D		07/18/25	07/21/25	
Q2638-12	OU4-TS-36-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/24/25	
Q2638-13	OU4-TS-37-071725	SOIL			07/17/25			07/18/25
			Mercury	7471B		07/18/25	07/21/25	
			Metals ICP-TAL	6010D		07/18/25	07/21/25	
Q2638-14	OU4-TS-37-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/24/25	