

Analytical Sequence

Client: Nobis Group

SDG No.: Q2638

Project: Raymark Superfund Site

Instrument ID: ECD_L

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 07/07/2025

07/07/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	07/07/2025	10:12	PL096237.D	9.02	3.54
PEM	PEM	07/07/2025	10:26	PL096238.D	9.02	3.54
RESCHK	RESCHK	07/07/2025	10:40	PL096239.D	9.02	3.54
PSTDICCC100	PSTDICCC100	07/07/2025	10:53	PL096240.D	9.02	3.54
PSTDICCC075	PSTDICCC075	07/07/2025	11:09	PL096241.D	9.02	3.54
PSTDICCC050	PSTDICCC050	07/07/2025	11:22	PL096242.D	9.02	3.54
PSTDICCC025	PSTDICCC025	07/07/2025	11:36	PL096243.D	9.02	3.54
PSTDICCC005	PSTDICCC005	07/07/2025	11:49	PL096244.D	9.02	3.54
PCHLORICC500	PCHLORICC500	07/07/2025	12:30	PL096247.D	9.02	3.54
PTOXICC500	PTOXICC500	07/07/2025	13:39	PL096252.D	9.02	3.54
IBLK	IBLK	07/21/2025	11:50	PL096479.D	9.02	3.54
PEM	PEM	07/21/2025	12:30	PL096480.D	9.02	3.54
PSTDCCC050	PSTDCCC050	07/21/2025	12:44	PL096481.D	9.02	3.54
PB168928BL	PB168928BL	07/21/2025	12:57	PL096482.D	9.02	3.54
PB168928BS	PB168928BS	07/21/2025	13:11	PL096483.D	9.02	3.54
RT2286MS	Q2635-01MS	07/21/2025	14:05	PL096485.D	9.02	3.53
RT2286MSD	Q2635-01MSD	07/21/2025	14:19	PL096486.D	9.02	3.53
IBLK	IBLK	07/21/2025	15:40	PL096492.D	9.02	3.54
PSTDCCC050	PSTDCCC050	07/21/2025	16:08	PL096493.D	9.02	3.54
OU4-TS-31-071725	Q2638-01	07/21/2025	16:53	PL096494.D	9.02	3.54
OU4-TS-33-071725	Q2638-05	07/21/2025	17:20	PL096496.D	9.02	3.54
OU4-TS-34-071725	Q2638-07	07/21/2025	17:34	PL096497.D	9.02	3.54
OU4-TS-35-071725	Q2638-09	07/21/2025	17:47	PL096498.D	9.02	3.54
OU4-TS-36-071725	Q2638-11	07/21/2025	18:01	PL096499.D	9.02	3.54
OU4-TS-37-071725	Q2638-13	07/21/2025	18:15	PL096500.D	9.02	3.54
IBLK	IBLK	07/21/2025	18:42	PL096501.D	9.02	3.54
PSTDCCC050	PSTDCCC050	07/21/2025	21:12	PL096502.D	9.02	3.54
IBLK	IBLK	07/22/2025	09:48	PL096504.D	9.02	3.54
PEM	PEM	07/22/2025	10:02	PL096505.D	9.02	3.54
PSTDCCC050	PSTDCCC050	07/22/2025	11:43	PL096506.D	9.02	3.53
OU4-TS-31-071725RE	Q2638-01RE	07/22/2025	12:40	PL096507.D	9.02	3.54
OU4-TS-32-071725	Q2638-03	07/22/2025	12:54	PL096508.D	9.02	3.53
OU4-TS-33-071725RE	Q2638-05RE	07/22/2025	13:07	PL096509.D	9.02	3.54
OU4-TS-34-071725RE	Q2638-07RE	07/22/2025	13:21	PL096510.D	9.02	3.54
IBLK	IBLK	07/22/2025	13:35	PL096511.D	9.02	3.54
PSTDCCC050	PSTDCCC050	07/22/2025	13:48	PL096512.D	9.02	3.54

Analytical Sequence

Client: Nobis Group

SDG No.: Q2638

Project: Raymark Superfund Site

Instrument ID: ECD_L

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 07/07/2025

07/07/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	07/07/2025	10:12	PL096237.D	8.00	2.83
PEM	PEM	07/07/2025	10:26	PL096238.D	8.00	2.83
RESCHK	RESCHK	07/07/2025	10:40	PL096239.D	8.00	2.83
PSTDICCC100	PSTDICCC100	07/07/2025	10:53	PL096240.D	8.00	2.83
PSTDICCC075	PSTDICCC075	07/07/2025	11:09	PL096241.D	8.00	2.83
PSTDICCC050	PSTDICCC050	07/07/2025	11:22	PL096242.D	8.00	2.83
PSTDICCC025	PSTDICCC025	07/07/2025	11:36	PL096243.D	8.00	2.83
PSTDICCC005	PSTDICCC005	07/07/2025	11:49	PL096244.D	8.00	2.83
PCHLORICC500	PCHLORICC500	07/07/2025	12:30	PL096247.D	8.00	2.83
PTOXICC500	PTOXICC500	07/07/2025	13:39	PL096252.D	8.00	2.83
IBLK	IBLK	07/21/2025	11:50	PL096479.D	7.99	2.83
PEM	PEM	07/21/2025	12:30	PL096480.D	7.99	2.83
PSTDCCC050	PSTDCCC050	07/21/2025	12:44	PL096481.D	7.99	2.83
PB168928BL	PB168928BL	07/21/2025	12:57	PL096482.D	7.99	2.83
PB168928BS	PB168928BS	07/21/2025	13:11	PL096483.D	7.99	2.83
RT2286MS	Q2635-01MS	07/21/2025	14:05	PL096485.D	7.99	2.83
RT2286MSD	Q2635-01MSD	07/21/2025	14:19	PL096486.D	7.99	2.83
IBLK	IBLK	07/21/2025	15:40	PL096492.D	7.99	2.83
PSTDCCC050	PSTDCCC050	07/21/2025	16:08	PL096493.D	8.00	2.83
OU4-TS-31-071725	Q2638-01	07/21/2025	16:53	PL096494.D	7.99	2.83
OU4-TS-33-071725	Q2638-05	07/21/2025	17:20	PL096496.D	7.99	2.83
OU4-TS-34-071725	Q2638-07	07/21/2025	17:34	PL096497.D	7.99	2.83
OU4-TS-35-071725	Q2638-09	07/21/2025	17:47	PL096498.D	7.99	2.83
OU4-TS-36-071725	Q2638-11	07/21/2025	18:01	PL096499.D	7.99	2.83
OU4-TS-37-071725	Q2638-13	07/21/2025	18:15	PL096500.D	7.99	2.83
IBLK	IBLK	07/21/2025	18:42	PL096501.D	7.99	2.83
PSTDCCC050	PSTDCCC050	07/21/2025	21:12	PL096502.D	7.99	2.83
IBLK	IBLK	07/22/2025	09:48	PL096504.D	7.99	2.83
PEM	PEM	07/22/2025	10:02	PL096505.D	7.99	2.83
PSTDCCC050	PSTDCCC050	07/22/2025	11:43	PL096506.D	7.99	2.83
OU4-TS-31-071725RE	Q2638-01RE	07/22/2025	12:40	PL096507.D	7.99	2.82
OU4-TS-32-071725	Q2638-03	07/22/2025	12:54	PL096508.D	7.99	2.83
OU4-TS-33-071725RE	Q2638-05RE	07/22/2025	13:07	PL096509.D	7.99	2.83
OU4-TS-34-071725RE	Q2638-07RE	07/22/2025	13:21	PL096510.D	7.99	2.83
IBLK	IBLK	07/22/2025	13:35	PL096511.D	7.99	2.83
PSTDCCC050	PSTDCCC050	07/22/2025	13:48	PL096512.D	7.99	2.83