

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	Q2638	Analytical Method:	SW8260D
Client:	Nobis Group	Datafile :	VY023000.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY0718SBSD01	Dichlorodifluoromethane	20	19.9	ug/Kg	100	2		29	149	20
	Chloromethane	20	22.5	ug/Kg	113	1		50	136	20
	Vinyl chloride	20	21.0	ug/Kg	105	5		56	135	20
	Bromomethane	20	24.6	ug/Kg	123	3		53	143	20
	Chloroethane	20	21.6	ug/Kg	108	2		59	139	20
	Tetrahydrofuran	100	120	ug/Kg	120	9		61	135	20
	Trichlorofluoromethane	20	21.3	ug/Kg	106	2		62	140	20
	1,1,2-Trichlorotrifluoroethane	20	20.2	ug/Kg	101	1		66	136	20
	1,1-Dichloroethene	20	20.3	ug/Kg	102	1		70	131	20
	Acrylonitrile	100	120	ug/Kg	120	18		65	134	20
	Acetone	100	120	ug/Kg	120	18		36	164	20
	Carbon disulfide	20	20.3	ug/Kg	102	0		63	132	20
	Methyl tert-butyl Ether	20	22.6	ug/Kg	113	10		73	125	20
	Methylene Chloride	20	21.5	ug/Kg	108	5		70	128	20
	trans-1,2-Dichloroethene	20	20.5	ug/Kg	103	3		74	125	20
	1,1-Dichloroethane	20	21.1	ug/Kg	106	3		76	125	20
	2-Butanone	100	120	ug/Kg	120	9		51	148	20
	Carbon Tetrachloride	20	19.3	ug/Kg	97	1		70	135	20
	2,2-Dichloropropane	20	19.8	ug/Kg	99	1		67	133	20
	cis-1,2-Dichloroethene	20	20.9	ug/Kg	104	3		77	123	20
	Chloroform	20	20.9	ug/Kg	104	3		78	123	20
	1,1,1-Trichloroethane	20	20.5	ug/Kg	103	3		73	130	20
	1,1-Dichloropropene	20	19.9	ug/Kg	100	0		76	125	20
	Benzene	20	20.4	ug/Kg	102	2		77	121	20
	1,2-Dichloroethane	20	22.3	ug/Kg	112	9		73	128	20
	Trichloroethene	20	19.4	ug/Kg	97	1		77	123	20
	1,2-Dichloropropane	20	20.6	ug/Kg	103	4		76	123	20
	Dibromomethane	20	21.8	ug/Kg	109	7		78	125	20
	Bromodichloromethane	20	21.0	ug/Kg	105	5		75	127	20
	4-Methyl-2-Pentanone	100	120	ug/Kg	120	9		65	135	20
	Toluene	20	20.4	ug/Kg	102	2		77	121	20
	t-1,3-Dichloropropene	20	21.2	ug/Kg	106	8		71	130	20
	cis-1,3-Dichloropropene	20	20.8	ug/Kg	104	5		74	126	20
	1,1,2-Trichloroethane	20	21.9	ug/Kg	110	8		78	121	20
	1,3-Dichloropropane	20	22.1	ug/Kg	111	8		77	121	20
	2-Hexanone	100	120	ug/Kg	120	18		53	145	20
	Dibromochloromethane	20	21.7	ug/Kg	109	9		74	126	20
	1,2-Dibromoethane	20	22.3	ug/Kg	112	11		78	122	20
	Tetrachloroethene	20	18.6	ug/Kg	93	9		73	128	20
	Chlorobenzene	20	19.9	ug/Kg	100	3		79	120	20
	1,1,1,2-Tetrachloroethane	20	19.9	ug/Kg	100	4		78	125	20
	Ethyl Benzene	20	19.2	ug/Kg	96	1		76	122	20
	m/p-Xylenes	40	38.5	ug/Kg	96	1		77	124	20
	o-Xylene	20	19.3	ug/Kg	97	1		77	123	20
	Styrene	20	19.7	ug/Kg	99	3		76	124	20
	Bromoform	20	21.2	ug/Kg	106	10		67	132	20
	Isopropylbenzene	20	19.1	ug/Kg	96	1		68	134	20
	1,1,2,2-Tetrachloroethane	20	22.3	ug/Kg	112	14		70	124	20

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q2638</u>	Analytical Method:	<u>SW8260D</u>
Client:	<u>Nobis Group</u>	Datafile :	<u>VY023000.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY0718SBSD01	1,2,3-Trichloropropane	20	18.2	ug/Kg	91	2		73	125	20
	Bromobenzene	20	19.8	ug/Kg	99	4		78	121	20
	N-propylbenzene	20	19.5	ug/Kg	98	0		73	125	20
	2-Chlorotoluene	20	19.6	ug/Kg	98	1		75	122	20
	1,3,5-Trimethylbenzene	20	19.4	ug/Kg	97	1		73	124	20
	4-Chlorotoluene	20	19.7	ug/Kg	99	0		72	124	20
	tert-Butylbenzene	20	18.9	ug/Kg	95	1		73	125	20
	1,2,4-Trimethylbenzene	20	19.7	ug/Kg	99	2		75	123	20
	Sec-butylbenzene	20	18.9	ug/Kg	95	2		73	126	20
	p-Isopropyltoluene	20	19.3	ug/Kg	97	0		73	127	20
	1,3-Dichlorobenzene	20	19.4	ug/Kg	97	3		77	121	20
	1,4-Dichlorobenzene	20	20.0	ug/Kg	100	4		75	120	20
	n-Butylbenzene	20	19.3	ug/Kg	97	1		70	128	20
	1,2-Dichlorobenzene	20	20.3	ug/Kg	102	6		78	121	20
	1,2-Dibromo-3-Chloropropane	20	23.0	ug/Kg	115	11		61	132	20
	1,2,4-Trichlorobenzene	20	20.9	ug/Kg	104	6		67	129	20
	Hexachlorobutadiene	20	19.6	ug/Kg	98	2		61	135	20
	1,2,3-Trichlorobenzene	20	21.7	ug/Kg	109	10		66	130	20
	trans-1,4-Dichloro-2-butene	20	21.5	ug/Kg	108	11		62	136	20