

Hit Summary Sheet
SW-846

SDG No.: Q2639 **Order ID:** Q2639
Client: Nobis Group **Project ID:** Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-TS-38-071725									
Q2639-02	OU4-TS-38-071725	Water	Antimony	12.5	D	0.55	1.25	10.0	ug/L
Q2639-02	OU4-TS-38-071725	Water	Arsenic	54.0	D	4.45	12.5	50.0	ug/L
Q2639-02	OU4-TS-38-071725	Water	Barium	91.4	D	1.05	6.25	50.0	ug/L
Q2639-02	OU4-TS-38-071725	Water	Beryllium	4.05	JD	1.60	3.75	5.00	ug/L
Q2639-02	OU4-TS-38-071725	Water	Cadmium	18.7	D	1.70	2.50	5.00	ug/L
Q2639-02	OU4-TS-38-071725	Water	Chromium	207	D	1.05	3.75	10.0	ug/L
Q2639-02	OU4-TS-38-071725	Water	Copper	1880	D	1.50	7.50	10.0	ug/L
Q2639-02	OU4-TS-38-071725	Water	Lead	273	D	5.25	18.8	25.0	ug/L
Q2639-02	OU4-TS-38-071725	Water	Nickel	287	D	1.35	3.75	5.00	ug/L
Q2639-02	OU4-TS-38-071725	Water	Mercury	0.19	J	0.076	0.16	0.20	ug/L
Q2639-02	OU4-TS-38-071725	Water	Silver	2.25	JD	0.30	2.50	5.00	ug/L
Q2639-02	OU4-TS-38-071725	Water	Thallium	2.00	JD	1.50	12.5	25.0	ug/L
Q2639-02	OU4-TS-38-071725	Water	Vanadium	246	D	0.39	1.25	25.0	ug/L
Q2639-02	OU4-TS-38-071725	Water	Zinc	2370	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-39-071725									
Q2639-04	OU4-TS-39-071725	Water	Antimony	8.40	JD	0.55	1.25	10.0	ug/L
Q2639-04	OU4-TS-39-071725	Water	Arsenic	47.6	D	0.45	1.25	5.00	ug/L
Q2639-04	OU4-TS-39-071725	Water	Barium	88.4	D	1.05	6.25	50.0	ug/L
Q2639-04	OU4-TS-39-071725	Water	Cadmium	14.3	D	1.70	2.50	5.00	ug/L
Q2639-04	OU4-TS-39-071725	Water	Chromium	193	D	1.05	3.75	10.0	ug/L
Q2639-04	OU4-TS-39-071725	Water	Copper	1520	D	1.50	7.50	10.0	ug/L
Q2639-04	OU4-TS-39-071725	Water	Lead	265	D	5.25	18.8	25.0	ug/L
Q2639-04	OU4-TS-39-071725	Water	Nickel	230	D	1.35	3.75	5.00	ug/L
Q2639-04	OU4-TS-39-071725	Water	Mercury	0.11	J	0.076	0.16	0.20	ug/L
Q2639-04	OU4-TS-39-071725	Water	Silver	1.90	JD	0.30	2.50	5.00	ug/L
Q2639-04	OU4-TS-39-071725	Water	Thallium	1.75	JD	1.50	12.5	25.0	ug/L
Q2639-04	OU4-TS-39-071725	Water	Vanadium	223	D	0.39	1.25	25.0	ug/L
Q2639-04	OU4-TS-39-071725	Water	Zinc	1980	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-40-071725									
Q2639-06	OU4-TS-40-071725	Water	Antimony	9.00	JD	0.55	1.25	10.0	ug/L
Q2639-06	OU4-TS-40-071725	Water	Arsenic	54.5	D	4.45	12.5	50.0	ug/L
Q2639-06	OU4-TS-40-071725	Water	Barium	96.2	D	1.05	6.25	50.0	ug/L
Q2639-06	OU4-TS-40-071725	Water	Beryllium	4.20	JD	1.60	3.75	5.00	ug/L
Q2639-06	OU4-TS-40-071725	Water	Cadmium	16.5	D	1.70	2.50	5.00	ug/L
Q2639-06	OU4-TS-40-071725	Water	Chromium	196	D	1.05	3.75	10.0	ug/L
Q2639-06	OU4-TS-40-071725	Water	Copper	1780	D	1.50	7.50	10.0	ug/L

Hit Summary Sheet
SW-846

SDG No.:	Q2639	Order ID:	Q2639
Client:	Nobis Group	Project ID:	Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2639-06	OU4-TS-40-071725	Water	Lead	265	D	5.25	18.8	25.0	ug/L
Q2639-06	OU4-TS-40-071725	Water	Nickel	265	D	1.35	3.75	5.00	ug/L
Q2639-06	OU4-TS-40-071725	Water	Mercury	0.092	J	0.076	0.16	0.20	ug/L
Q2639-06	OU4-TS-40-071725	Water	Silver	2.05	JD	0.30	2.50	5.00	ug/L
Q2639-06	OU4-TS-40-071725	Water	Thallium	1.75	JD	1.50	12.5	25.0	ug/L
Q2639-06	OU4-TS-40-071725	Water	Vanadium	234	D	0.39	1.25	25.0	ug/L
Q2639-06	OU4-TS-40-071725	Water	Zinc	2250	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-41-071725									
Q2639-08	OU4-TS-41-071725	Water	Antimony	8.85	JD	0.55	1.25	10.0	ug/L
Q2639-08	OU4-TS-41-071725	Water	Arsenic	61.0	D	4.45	12.5	50.0	ug/L
Q2639-08	OU4-TS-41-071725	Water	Barium	98.1	D	1.05	6.25	50.0	ug/L
Q2639-08	OU4-TS-41-071725	Water	Beryllium	2.40	JD	1.60	3.75	5.00	ug/L
Q2639-08	OU4-TS-41-071725	Water	Cadmium	15.2	D	1.70	2.50	5.00	ug/L
Q2639-08	OU4-TS-41-071725	Water	Chromium	214	D	1.05	3.75	10.0	ug/L
Q2639-08	OU4-TS-41-071725	Water	Copper	1710	D	1.50	7.50	10.0	ug/L
Q2639-08	OU4-TS-41-071725	Water	Lead	292	D	5.25	18.8	25.0	ug/L
Q2639-08	OU4-TS-41-071725	Water	Nickel	255	D	1.35	3.75	5.00	ug/L
Q2639-08	OU4-TS-41-071725	Water	Mercury	0.076	J	0.076	0.16	0.20	ug/L
Q2639-08	OU4-TS-41-071725	Water	Silver	2.00	JD	0.30	2.50	5.00	ug/L
Q2639-08	OU4-TS-41-071725	Water	Thallium	2.00	JD	1.50	12.5	25.0	ug/L
Q2639-08	OU4-TS-41-071725	Water	Vanadium	252	D	0.39	1.25	25.0	ug/L
Q2639-08	OU4-TS-41-071725	Water	Zinc	2000	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-42-071725									
Q2639-10	OU4-TS-42-071725	Water	Antimony	6.00	JD	0.55	1.25	10.0	ug/L
Q2639-10	OU4-TS-42-071725	Water	Arsenic	46.8	D	0.45	1.25	5.00	ug/L
Q2639-10	OU4-TS-42-071725	Water	Barium	127	D	1.05	6.25	50.0	ug/L
Q2639-10	OU4-TS-42-071725	Water	Cadmium	13.7	D	1.70	2.50	5.00	ug/L
Q2639-10	OU4-TS-42-071725	Water	Chromium	50.4	D	1.05	3.75	10.0	ug/L
Q2639-10	OU4-TS-42-071725	Water	Copper	299	D	1.50	7.50	10.0	ug/L
Q2639-10	OU4-TS-42-071725	Water	Lead	71.0	D	10.5	37.5	50.0	ug/L
Q2639-10	OU4-TS-42-071725	Water	Nickel	239	D	1.35	3.75	5.00	ug/L
Q2639-10	OU4-TS-42-071725	Water	Silver	1.05	JD	0.30	2.50	5.00	ug/L
Q2639-10	OU4-TS-42-071725	Water	Vanadium	74.2	D	0.39	1.25	25.0	ug/L
Q2639-10	OU4-TS-42-071725	Water	Zinc	2420	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-43-071725									
Q2639-12	OU4-TS-43-071725	Water	Antimony	5.85	JD	0.55	1.25	10.0	ug/L
Q2639-12	OU4-TS-43-071725	Water	Arsenic	66.6	D	0.45	1.25	5.00	ug/L
Q2639-12	OU4-TS-43-071725	Water	Barium	127	D	1.05	6.25	50.0	ug/L

Hit Summary Sheet
SW-846

SDG No.:	Q2639	Order ID:	Q2639
Client:	Nobis Group	Project ID:	Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2639-12	OU4-TS-43-071725	Water	Cadmium	12.5	D	1.70	2.50	5.00	ug/L
Q2639-12	OU4-TS-43-071725	Water	Chromium	59.3	D	1.05	3.75	10.0	ug/L
Q2639-12	OU4-TS-43-071725	Water	Copper	357	D	1.50	7.50	10.0	ug/L
Q2639-12	OU4-TS-43-071725	Water	Lead	73.0	D	10.5	37.5	50.0	ug/L
Q2639-12	OU4-TS-43-071725	Water	Nickel	235	D	1.35	3.75	5.00	ug/L
Q2639-12	OU4-TS-43-071725	Water	Silver	1.00	JD	0.30	2.50	5.00	ug/L
Q2639-12	OU4-TS-43-071725	Water	Vanadium	117	D	0.39	1.25	25.0	ug/L
Q2639-12	OU4-TS-43-071725	Water	Zinc	2390	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-44-071725									
Q2639-14	OU4-TS-44-071725	Water	Antimony	1.50	JD	0.55	1.25	10.0	ug/L
Q2639-14	OU4-TS-44-071725	Water	Arsenic	65.5	D	4.45	12.5	50.0	ug/L
Q2639-14	OU4-TS-44-071725	Water	Barium	123	D	1.05	6.25	50.0	ug/L
Q2639-14	OU4-TS-44-071725	Water	Cadmium	9.95	D	1.70	2.50	5.00	ug/L
Q2639-14	OU4-TS-44-071725	Water	Chromium	40.4	D	1.05	3.75	10.0	ug/L
Q2639-14	OU4-TS-44-071725	Water	Copper	267	D	1.50	7.50	10.0	ug/L
Q2639-14	OU4-TS-44-071725	Water	Lead	64.0	D	10.5	37.5	50.0	ug/L
Q2639-14	OU4-TS-44-071725	Water	Nickel	175	D	1.35	3.75	5.00	ug/L
Q2639-14	OU4-TS-44-071725	Water	Silver	0.55	JD	0.30	2.50	5.00	ug/L
Q2639-14	OU4-TS-44-071725	Water	Vanadium	106	D	0.39	1.25	25.0	ug/L
Q2639-14	OU4-TS-44-071725	Water	Zinc	1950	D	6.25	7.50	25.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-38-071725	SDG No.:	Q2639
Lab Sample ID:	Q2639-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	12.5	DN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 18:07	6020B	3010A
7440-38-2	Arsenic	54.0	D	50	4.45	12.5	50.0	ug/L	07/21/25 11:30	07/24/25 13:06	6020B	3010A
7440-39-3	Barium	91.4	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 18:07	6020B	3010A
7440-41-7	Beryllium	4.05	JD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:07	6020B	3010A
7440-43-9	Cadmium	18.7	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:07	6020B	3010A
7440-47-3	Chromium	207	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 18:07	6020B	3010A
7440-50-8	Copper	1880	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 18:07	6020B	3010A
7439-92-1	Lead	273	DN	25	5.25	18.8	25.0	ug/L	07/21/25 11:30	07/22/25 21:32	6020B	3010A
7439-97-6	Mercury	0.19	J	1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 16:06	7470A	
7440-02-0	Nickel	287	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:07	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 13:06	6020B	3010A
7440-22-4	Silver	2.25	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:07	6020B	3010A
7440-28-0	Thallium	2.00	JDN	25	1.50	12.5	25.0	ug/L	07/21/25 11:30	07/22/25 21:32	6020B	3010A
7440-62-2	Vanadium	246	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 18:07	6020B	3010A
7440-66-6	Zinc	2370	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 18:07	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-39-071725	SDG No.:	Q2639
Lab Sample ID:	Q2639-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	8.40	JDN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 18:11	6020B	3010A
7440-38-2	Arsenic	47.6	D	5	0.45	1.25	5.00	ug/L	07/21/25 11:30	07/22/25 18:11	6020B	3010A
7440-39-3	Barium	88.4	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 18:11	6020B	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:11	6020B	3010A
7440-43-9	Cadmium	14.3	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:11	6020B	3010A
7440-47-3	Chromium	193	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 18:11	6020B	3010A
7440-50-8	Copper	1520	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 18:11	6020B	3010A
7439-92-1	Lead	265	DN	25	5.25	18.8	25.0	ug/L	07/21/25 11:30	07/22/25 21:35	6020B	3010A
7439-97-6	Mercury	0.11	J	1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 16:08	7470A	
7440-02-0	Nickel	230	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:11	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 13:09	6020B	3010A
7440-22-4	Silver	1.90	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:11	6020B	3010A
7440-28-0	Thallium	1.75	JDN	25	1.50	12.5	25.0	ug/L	07/21/25 11:30	07/22/25 21:35	6020B	3010A
7440-62-2	Vanadium	223	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 18:11	6020B	3010A
7440-66-6	Zinc	1980	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 18:11	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-40-071725	SDG No.:	Q2639
Lab Sample ID:	Q2639-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	9.00	JDN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 18:14	6020B	3010A
7440-38-2	Arsenic	54.5	D	50	4.45	12.5	50.0	ug/L	07/21/25 11:30	07/24/25 13:12	6020B	3010A
7440-39-3	Barium	96.2	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 18:14	6020B	3010A
7440-41-7	Beryllium	4.20	JD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:14	6020B	3010A
7440-43-9	Cadmium	16.5	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:14	6020B	3010A
7440-47-3	Chromium	196	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 18:14	6020B	3010A
7440-50-8	Copper	1780	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 18:14	6020B	3010A
7439-92-1	Lead	265	DN	25	5.25	18.8	25.0	ug/L	07/21/25 11:30	07/22/25 21:38	6020B	3010A
7439-97-6	Mercury	0.092	J	1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 16:10	7470A	
7440-02-0	Nickel	265	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:14	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 13:12	6020B	3010A
7440-22-4	Silver	2.05	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:14	6020B	3010A
7440-28-0	Thallium	1.75	JDN	25	1.50	12.5	25.0	ug/L	07/21/25 11:30	07/22/25 21:38	6020B	3010A
7440-62-2	Vanadium	234	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 18:14	6020B	3010A
7440-66-6	Zinc	2250	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 18:14	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-41-071725	SDG No.:	Q2639
Lab Sample ID:	Q2639-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	8.85	JDN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 18:17	6020B	3010A
7440-38-2	Arsenic	61.0	D	50	4.45	12.5	50.0	ug/L	07/21/25 11:30	07/24/25 13:16	6020B	3010A
7440-39-3	Barium	98.1	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 18:17	6020B	3010A
7440-41-7	Beryllium	2.40	JD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:17	6020B	3010A
7440-43-9	Cadmium	15.2	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:17	6020B	3010A
7440-47-3	Chromium	214	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 18:17	6020B	3010A
7440-50-8	Copper	1710	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 18:17	6020B	3010A
7439-92-1	Lead	292	DN	25	5.25	18.8	25.0	ug/L	07/21/25 11:30	07/22/25 21:41	6020B	3010A
7439-97-6	Mercury	0.076	J	1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 16:12	7470A	
7440-02-0	Nickel	255	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:17	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 13:16	6020B	3010A
7440-22-4	Silver	2.00	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:17	6020B	3010A
7440-28-0	Thallium	2.00	JDN	25	1.50	12.5	25.0	ug/L	07/21/25 11:30	07/22/25 21:41	6020B	3010A
7440-62-2	Vanadium	252	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 18:17	6020B	3010A
7440-66-6	Zinc	2000	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 18:17	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-42-071725	SDG No.:	Q2639
Lab Sample ID:	Q2639-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	6.00	JDN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 18:20	6020B	3010A
7440-38-2	Arsenic	46.8	D	5	0.45	1.25	5.00	ug/L	07/21/25 11:30	07/22/25 18:20	6020B	3010A
7440-39-3	Barium	127	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 18:20	6020B	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:20	6020B	3010A
7440-43-9	Cadmium	13.7	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:20	6020B	3010A
7440-47-3	Chromium	50.4	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 18:20	6020B	3010A
7440-50-8	Copper	299	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 18:20	6020B	3010A
7439-92-1	Lead	71.0	DN	50	10.5	37.5	50.0	ug/L	07/21/25 11:30	07/24/25 13:19	6020B	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 16:15	7470A	
7440-02-0	Nickel	239	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:20	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 13:19	6020B	3010A
7440-22-4	Silver	1.05	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:20	6020B	3010A
7440-28-0	Thallium	25.0	UDN	50	3.00	25.0	50.0	ug/L	07/21/25 11:30	07/24/25 13:19	6020B	3010A
7440-62-2	Vanadium	74.2	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 18:20	6020B	3010A
7440-66-6	Zinc	2420	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 18:20	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-43-071725	SDG No.:	Q2639
Lab Sample ID:	Q2639-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	5.85	JDN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 18:23	6020B	3010A
7440-38-2	Arsenic	66.6	D	5	0.45	1.25	5.00	ug/L	07/21/25 11:30	07/22/25 18:23	6020B	3010A
7440-39-3	Barium	127	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 18:23	6020B	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:23	6020B	3010A
7440-43-9	Cadmium	12.5	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:23	6020B	3010A
7440-47-3	Chromium	59.3	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 18:23	6020B	3010A
7440-50-8	Copper	357	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 18:23	6020B	3010A
7439-92-1	Lead	73.0	DN	50	10.5	37.5	50.0	ug/L	07/21/25 11:30	07/24/25 13:30	6020B	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 16:17	7470A	
7440-02-0	Nickel	235	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:23	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 13:30	6020B	3010A
7440-22-4	Silver	1.00	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:23	6020B	3010A
7440-28-0	Thallium	25.0	UDN	50	3.00	25.0	50.0	ug/L	07/21/25 11:30	07/24/25 13:30	6020B	3010A
7440-62-2	Vanadium	117	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 18:23	6020B	3010A
7440-66-6	Zinc	2390	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 18:23	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/17/25
Project:	Raymark Superfund Site	Date Received:	07/18/25
Client Sample ID:	OU4-TS-44-071725	SDG No.:	Q2639
Lab Sample ID:	Q2639-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.50	JDN	5	0.55	1.25	10.0	ug/L	07/21/25 11:30	07/22/25 18:26	6020B	3010A
7440-38-2	Arsenic	65.5	D	50	4.45	12.5	50.0	ug/L	07/21/25 11:30	07/24/25 13:34	6020B	3010A
7440-39-3	Barium	123	DN	5	1.05	6.25	50.0	ug/L	07/21/25 11:30	07/22/25 18:26	6020B	3010A
7440-41-7	Beryllium	3.75	UD	5	1.60	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:26	6020B	3010A
7440-43-9	Cadmium	9.95	D	5	1.70	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:26	6020B	3010A
7440-47-3	Chromium	40.4	DN	5	1.05	3.75	10.0	ug/L	07/21/25 11:30	07/22/25 18:26	6020B	3010A
7440-50-8	Copper	267	D	5	1.50	7.50	10.0	ug/L	07/21/25 11:30	07/22/25 18:26	6020B	3010A
7439-92-1	Lead	64.0	DN	50	10.5	37.5	50.0	ug/L	07/21/25 11:30	07/24/25 13:34	6020B	3010A
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	07/21/25 13:30	07/22/25 16:19	7470A	
7440-02-0	Nickel	175	D	5	1.35	3.75	5.00	ug/L	07/21/25 11:30	07/22/25 18:26	6020B	3010A
7782-49-2	Selenium	225	UD	50	145	225	250	ug/L	07/21/25 11:30	07/24/25 13:34	6020B	3010A
7440-22-4	Silver	0.55	JDN	5	0.30	2.50	5.00	ug/L	07/21/25 11:30	07/22/25 18:26	6020B	3010A
7440-28-0	Thallium	25.0	UDN	50	3.00	25.0	50.0	ug/L	07/21/25 11:30	07/24/25 13:34	6020B	3010A
7440-62-2	Vanadium	106	DN	5	0.39	1.25	25.0	ug/L	07/21/25 11:30	07/22/25 18:26	6020B	3010A
7440-66-6	Zinc	1950	D	5	6.25	7.50	25.0	ug/L	07/21/25 11:30	07/22/25 18:26	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2639	OrderDate:	7/18/2025 10:22:00 AM
Client:	Nobis Group	Project:	Raymark Superfund Site
Contact:	Adam Roy	Location:	O13,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2639-02	OU4-TS-38-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/24/25	
Q2639-04	OU4-TS-39-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/24/25	
Q2639-06	OU4-TS-40-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/24/25	
Q2639-08	OU4-TS-41-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/24/25	
Q2639-10	OU4-TS-42-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/24/25	
Q2639-12	OU4-TS-43-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/22/25	
			SPLP MetalGroup3	6020B		07/21/25	07/24/25	
Q2639-14	OU4-TS-44-071725	Water			07/17/25			07/18/25
			SPLP Mercury	7470A		07/21/25	07/22/25	

LAB CHRONICLE

SPLP MetalGroup3	6020B	07/21/25	07/22/25
SPLP MetalGroup3	6020B	07/21/25	07/24/25