

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF072225\
 Data File : BF143178.D
 Acq On : 22 Jul 2025 09:15
 Operator : RC/JU
 Sample : PB168929BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB168929BL

Quant Time: Jul 22 11:12:51 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 15:14:05 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	144783	20.000	ng	0.00
21) Naphthalene-d8	8.240	136	553185	20.000	ng	0.00
39) Acenaphthene-d10	9.998	164	297105	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	537789	20.000	ng	0.00
76) Chrysene-d12	14.121	240	319412	20.000	ng	0.00
86) Perylene-d12	15.627	264	277367	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.604	112	1037560	113.404	ng	0.02
7) Phenol-d6	6.581	99	1297756	112.692	ng	0.00
23) Nitrobenzene-d5	7.516	82	867504	78.170	ng	0.00
42) 2,4,6-Tribromophenol	10.786	330	402512	131.143	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	1596254	73.478	ng	0.00
79) Terphenyl-d14	13.075	244	1717493	80.016	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF072225\
Data File : BF143178.D
Acq On : 22 Jul 2025 09:15
Operator : RC/JU
Sample : PB168929BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB168929BL

Quant Time: Jul 22 11:12:51 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 15:14:05 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF143178.D
Acq: 22 Jul 2025 09:15




Instrument :
BNA_F
ClientSampleId :
PB168929BL

Tgt Ion:152 Resp: 144783
Ion Ratio Lower Upper
152 100
150 154.6 128.2 192.4
115 59.3 47.9 71.9



#5
2-Fluorophenol
Concen: 113.404 ng
RT: 5.604 min Scan# 580
Delta R.T. 0.018 min
Lab File: BF143178.D
Acq: 22 Jul 2025 09:15

Tgt Ion:112 Resp: 1037560
Ion Ratio Lower Upper
112 100
64 64.6 53.1 79.7
63 32.6 26.6 40.0









#7
Phenol-d6
Concen: 112.692 ng
RT: 6.581 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF143178.D
Acq: 22 Jul 2025 09:15




Instrument :
BNA_F
ClientSampleId :
PB168929BL


Tgt Ion: 99 Resp: 1297756
Ion Ratio Lower Upper
99 100
42 21.6 17.0 25.6
71 34.9 27.7 41.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.240 min Scan# 1028
Delta R.T. -0.005 min
Lab File: BF143178.D
Acq: 22 Jul 2025 09:15

Tgt Ion: 136 Resp: 553185
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 10.7 8.2 12.2
68 6.7 5.4 8.2









#23
 Nitrobenzene-d5
 Concen: 78.170 ng
 RT: 7.516 min Scan# 906
 Delta R.T. -0.006 min
 Lab File: BF143178.D
 Acq: 22 Jul 2025 09:15




Instrument :
 BNA_F
 ClientSampleId :
 PB168929BL


Tgt Ion: 82 Resp: 867504
 Ion Ratio Lower Upper
 82 100
 128 42.3 33.6 50.4
 54 59.8 47.1 70.7



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.998 min Scan# 1327
 Delta R.T. 0.000 min
 Lab File: BF143178.D
 Acq: 22 Jul 2025 09:15


Tgt Ion: 164 Resp: 297105
 Ion Ratio Lower Upper
 164 100
 162 97.7 79.0 118.6
 160 43.0 35.1 52.7








#42
2,4,6-Tribromophenol
Concen: 131.143 ng
RT: 10.786 min Scan# 1461
Delta R.T. 0.000 min
Lab File: BF143178.D
Acq: 22 Jul 2025 09:15

Instrument :
BNA_F
ClientSampleId :
PB168929BL







Tgt Ion: 330 Resp: 402512
Ion Ratio Lower Upper
330 100
332 96.6 76.7 115.1
141 27.6 23.3 34.9



#45
2-Fluorobiphenyl
Concen: 73.478 ng
RT: 9.322 min Scan# 1212
Delta R.T. 0.000 min
Lab File: BF143178.D
Acq: 22 Jul 2025 09:15

Tgt Ion: 172 Resp: 1596254
Ion Ratio Lower Upper
172 100
171 35.7 28.6 42.8
170 23.6 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.486 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143178.D
Acq: 22 Jul 2025 09:15




Instrument :
BNA_F
ClientSampleId :
PB168929BL


Tgt Ion:188 Resp: 537789
Ion Ratio Lower Upper
188 100
94 10.4 8.3 12.5
80 11.3 9.0 13.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.121 min Scan# 2028
Delta R.T. 0.000 min
Lab File: BF143178.D
Acq: 22 Jul 2025 09:15


Tgt Ion:240 Resp: 319412
Ion Ratio Lower Upper
240 100
120 12.3 9.4 14.2
236 24.5 20.2 30.4








#79
 Terphenyl-d14
 Concen: 80.016 ng
 RT: 13.075 min Scan# 1849
 Delta R.T. 0.006 min
 Lab File: BF143178.D
 Acq: 22 Jul 2025 09:15

Instrument :
 BNA_F
 ClientSampleId :
 PB168929BL



Tgt Ion:244 Resp: 1717493
 Ion Ratio Lower Upper
 244 100
 212 6.4 5.2 7.8
 122 10.1 8.2 12.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.627 min Scan# 2284
 Delta R.T. 0.006 min
 Lab File: BF143178.D
 Acq: 22 Jul 2025 09:15

Tgt Ion:264 Resp: 277367
 Ion Ratio Lower Upper
 264 100
 260 23.2 18.5 27.7
 265 21.5 17.4 26.2

