

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071825\
 Data File : VY022998.D
 Acq On : 18 Jul 2025 15:10
 Operator : SY/MD
 Sample : VY0718SBL01
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 ClientSampleId :
 VY0718SBL01

Quant Time: Jul 19 02:10:31 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071825S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 19 01:50:49 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.707	168	356999	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.610	114	626641	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.414	117	573852	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.346	152	242761	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.061	65	205368	56.825	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	113.660%
35) Dibromofluoromethane	7.634	113	192849	48.515	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	97.040%
50) Toluene-d8	10.103	98	726905	46.114	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	92.220%
62) 4-Bromofluorobenzene	12.402	95	251781	50.741	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	101.480%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY071825\
Data File : VY022998.D
Acq On : 18 Jul 2025 15:10
Operator : SY/MD
Sample : VY0718SBL01
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_Y
ClientSampleId :
VY0718SBL01

Quant Time: Jul 19 02:10:31 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y071825S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 19 01:50:49 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.707 min Scan# 982
Delta R.T. 0.000 min
Lab File: VY022998.D
Acq: 18 Jul 2025 15:10




Instrument :
MSVOA_Y
ClientSampleId :
VY0718SBL01


Tgt Ion:168 Resp: 356999
Ion Ratio Lower Upper
168 100
99 54.7 44.4 66.6



#33
1,2-Dichloroethane-d4
Concen: 56.825 ug/l
RT: 8.061 min Scan# 1040
Delta R.T. 0.000 min
Lab File: VY022998.D
Acq: 18 Jul 2025 15:10

Tgt Ion: 65 Resp: 205368
Ion Ratio Lower Upper
65 100
67 52.1 0.0 107.4









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.610 min Scan# 1131
Delta R.T. -0.006 min
Lab File: VY022998.D
Acq: 18 Jul 2025 15:10




Instrument :
MSVOA_Y
ClientSampleId :
VY0718SBL01


Tgt Ion:114 Resp: 626641
Ion Ratio Lower Upper
114 100
63 20.5 0.0 38.8
88 15.2 0.0 30.2



#35
Dibromofluoromethane
Concen: 48.515 ug/l
RT: 7.634 min Scan# 970
Delta R.T. 0.000 min
Lab File: VY022998.D
Acq: 18 Jul 2025 15:10

Tgt Ion:113 Resp: 192849
Ion Ratio Lower Upper
113 100
111 102.6 83.2 124.8
192 19.2 15.3 22.9









#50
Toluene-d8
Concen: 46.114 ug/l
RT: 10.103 min Scan# 1375
Delta R.T. 0.000 min
Lab File: VY022998.D
Acq: 18 Jul 2025 15:10




Instrument :
MSVOA_Y
ClientSampleId :
VY0718SBL01


Tgt Ion: 98 Resp: 726905
Ion Ratio Lower Upper
98 100
100 65.0 52.2 78.2



#62
4-Bromofluorobenzene
Concen: 50.741 ug/l
RT: 12.402 min Scan# 1752
Delta R.T. 0.000 min
Lab File: VY022998.D
Acq: 18 Jul 2025 15:10

Tgt Ion: 95 Resp: 251781
Ion Ratio Lower Upper
95 100
174 84.6 0.0 170.8
176 82.2 0.0 163.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.414 min Scan# 11
Delta R.T. 0.000 min
Lab File: VY022998.D
Acq: 18 Jul 2025 15:10

Instrument :
MSVOA_Y
ClientSampleId :
VY0718SBL01

Tgt Ion:117 Resp: 573852
Ion Ratio Lower Upper
117 100
82 55.2 44.3 66.5
119 30.9 25.8 38.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.346 min Scan# 1907
Delta R.T. 0.006 min
Lab File: VY022998.D
Acq: 18 Jul 2025 15:10

Tgt Ion:152 Resp: 242761
Ion Ratio Lower Upper
152 100
115 56.9 29.4 88.2
150 157.8 0.0 350.0

