

DATA PACKAGE GENERAL CHEMISTRY

PROJECT NAME : NWIRP BETHPAGE 112G08005-WE13

TETRA TECH NUS, INC.

661 Andersen Drive

Suite 200

Pittsburgh, PA - 15220-2745

Phone No: 412-921-7090

ORDER ID : Q2644

ATTENTION : Ernie Wu



Laboratory Certification ID # 20012



1) GENERAL CHEMISTRY DATA	2
2) Signature Page	3
3) Case Narrative	4
4) Qualifier Page	5
5) Conformance/Non Conformance	6
6) QA Checklist	7
7) Chronicle	8
8) Sample Data	9
8.1) RW8-SP100-20250717	10
8.2) RW8-SP303-20250717	11
9) QC Data Summary For Genchem	12
9.1) Preparation Blank Summary	13
9.2) Duplicate Sample Summary	14
9.3) Laboratory Control Sample Summary	16
10) GENCHEM RAW DATA	18
10.1) GENCHEM RAW DATA - ANALYTICAL	19
10.1.1) LB136545	19
10.1.2) LB136573	21
11) Analytical Runlogs	23
12) Standard Prep Logs	25
13) Shipping Document	27
13.1) Chain Of Custody	28
13.2) Lab Certificate	29

1
2
3
4
5
6
7
8
9
10
11
12
13

Cover Page

Order ID : Q2644

Project ID : NWIRP Bethpage 112G08005-WE13

Client : Tetra Tech NUS, Inc.

Lab Sample Number

Q2644-01
Q2644-02

Client Sample Number

RW8-SP100-20250717
RW8-SP303-20250717

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 3:55 pm, Jul 28, 2025

Date: 7/25/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Tetra Tech NUS, Inc.

Project Name: NWIRP Bethpage 112G08005-WE13

Project Manager : Ernie Wu

Order ID # Q2644

Test Name: TDS,TSS

A. Number of Samples and Date of Receipt:

2 Water samples were received on 07/18/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: TDS,TSS. This data package contains results for TDS,TSS.

C. Analytical Techniques:

The analysis of TDS was based on method SM2540 C and The analysis of TSS was based on method SM2540 D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

The laboratory certifies that the all-electronic diskette deliverable exactly match the data summary forms (i.e. Form Is).

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

Signature_____

By Nimisha Pandya, QA/QC Supervisor at 3:55 pm, Jul 28, 2025

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

GENERAL CHEMISTRY CONFORMANCE/NON-CONFORMANCE SUMMARY

ORDER ID: Q2644

MATRIX: Water

METHOD: SM2540 C,SM2540 D

	NA	NO	YES
1. Blank Contamination - If yes, list compounds and concentrations in each blank:		✓	
2. The Blank Spike met requirements for all compounds.			✓
3. Sample Duplicate Analysis Met QC Criteria			✓
If not met, list those compounds and their recoveries which fall outside the acceptable range.			
4. Digestion Holding Time Met			✓
If not met, list number of days exceeded for each sample:			

ADDITIONAL COMMENTS:

The laboratory certifies that the all-electronic diskette deliverable exactly match the data summary forms (i.e. Form Is).

QA REVIEW

REVIEWED

By *Sohil Jodhani, QA/QC Director* at 3:54 pm, Jul 28, 2025

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2644

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 07/25/2025

LAB CHRONICLE

OrderID:	Q2644	OrderDate:	7/18/2025 11:21:00 AM
Client:	Tetra Tech NUS, Inc.	Project:	NWIRP Bethpage 112G08005-WE13
Contact:	Ernie Wu	Location:	O33

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2644-01	RW8-SP100-2025071 7	WATER			07/17/25 13:05			07/18/25
			TDS	SM2540 C			07/18/25 17:00	
			TSS	SM2540 D			07/23/25 09:30	
Q2644-02	RW8-SP303-2025071 7	WATER			07/17/25 13:13			07/18/25
			TDS	SM2540 C			07/18/25 17:00	
			TSS	SM2540 D			07/23/25 09:30	



SAMPLE DATA

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Report of Analysis

Client:	Tetra Tech NUS, Inc.	Date Collected:	07/17/25 13:05
Project:	NWIRP Bethpage 112G08005-WE13	Date Received:	07/18/25
Client Sample ID:	RW8-SP100-20250717	SDG No.:	Q2644
Lab Sample ID:	Q2644-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TDS	43.0		1	1.00	10.0	10.0	mg/L		07/18/25 17:00	SM 2540 C-20
TSS	4.00	U	1	1.00	4.00	4.00	mg/L		07/23/25 09:30	SM 2540 D-20

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Tetra Tech NUS, Inc.	Date Collected:	07/17/25 13:13
Project:	NWIRP Bethpage 112G08005-WE13	Date Received:	07/18/25
Client Sample ID:	RW8-SP303-20250717	SDG No.:	Q2644
Lab Sample ID:	Q2644-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TDS	42.0		1	1.00	10.0	10.0	mg/L		07/18/25 17:00	SM 2540 C-20
TSS	4.00	U	1	1.00	4.00	4.00	mg/L		07/23/25 09:30	SM 2540 D-20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



QC RESULT SUMMARY

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Preparation Blank Summary

Client: Tetra Tech NUS, Inc.

SDG No.: Q2644

Project: NWIRP Bethpage 112G08005-WE13

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: LB136545BL							
TDS	mg/L	< 5.0000	5.0000	U	1.0	10	07/18/2025
Sample ID: LB136573BL							
TSS	mg/L	1	2.0000	J	1	4	07/23/2025

Duplicate Sample Summary

Client:	Tetra Tech NUS, Inc.	SDG No.:	Q2644
Project:	NWIRP Bethpage 112G08005-WE13	Sample ID:	Q2644-02
Client ID:	RW8-SP303-20250717DUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
TDS	mg/L	+/-5	42.0		40.0		1	4.88		07/18/2025

Duplicate Sample Summary

Client:	Tetra Tech NUS, Inc.	SDG No.:	Q2644
Project:	NWIRP Bethpage 112G08005-WE13	Sample ID:	Q2646-01
Client ID:	FRAC TANKDUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
TSS	mg/L	+/-5	562		559		1	0.54		07/23/2025

Laboratory Control Sample Summary

Client:	Tetra Tech NUS, Inc.	SDG No.:	Q2644
Project:	NWIRP Bethpage 112G08005-WE13	Run No.:	LB136545

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136545BS							
TDS	mg/L	100	95.0		95	1	90-110	07/18/2025

Laboratory Control Sample Summary

Client:	Tetra Tech NUS, Inc.	SDG No.:	Q2644
Project:	NWIRP Bethpage 112G08005-WE13	Run No.:	LB136573

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136573BS							
TSS	mg/L	550	533		97	1	90-110	07/23/2025



RAW DATA

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

TOTAL Dissolved Solids - SM2540C

Run Number: LB136545

Date: 07/21/2025

SUPERVISOR: Iwona

ANALYST: jignesh

BalanceID: WC SC-6

Filter ID: 17416528

EMPTY DISH				EMPTY DISH				OvenID:	WC OVEN-1	Thermo ID:	WET OVEN#1
TEMP IN:	104 °C	07/18/2025	11:00	TEMP OUT:	104 °C	07/18/2025	12:00	OvenID1:	WC OVEN-1	Thermo ID1:	WET OVEN#1
TEMP1 IN:	104 °C	07/18/2025	12:30	TEMP1 OUT:	104 °C	07/18/2025	13:30	OvenID2:	WC OVEN-2	Thermo ID2:	WET OVEN#2
TEMP2 IN:	103 °C	07/18/2025	17:00	TEMP2 OUT:	103 °C	07/21/2025	07:00	OvenID3:	WC OVEN-2	Thermo ID3:	WET OVEN#2
TEMP3 IN:	180 °C	07/21/2025	07:05	TEMP3 OUT:	180 °C	07/21/2025	09:00				

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Volume (ml)	1st Empty Dish+Sample weight after 1.5hr drying @180(±2) °C (g)	2nd Empty Dish+Sample weight after 1.5hr drying @180(±2) °C (g)	Final Empty Dish+Sample weight after 1.5hr drying @180(±2) °C (g)	Weight (g)	Result mg/L
1	LB136545BL	LB136545BL	79.6325	79.6325	100	79.6325	79.6325	79.6325	0.0000	0
2	LB136545BS	LB136545BS	105.2366	105.2366	100	105.2461	105.2461	105.2461	0.0095	95
3	Q2644-01	RW8-SP100-20250717	106.1527	106.1526	100	106.1569	106.1569	106.1569	0.0043	43
4	Q2644-02	RW8-SP303-20250717	108.7413	108.7413	100	108.7455	108.7455	108.7455	0.0042	42
5	Q2644-02DUP	RW8-SP303-20250717DUP	142.7993	142.7993	100	142.8033	142.8033	142.8033	0.0040	40

A = Sample Volume (ml)

B = Empty Dish Weight (g)

C = 2nd Empty Dish + Sample weight after 1.5 hr drying @180(±2) °C(g)

D = Weight (g)

$$\text{Weight (g)} = C - B$$

$$\text{Result mg/L} = \frac{D}{A} * 1000 * 1000$$

WORKLIST(Hardcopy Internal Chain)

VF 136545

WorkList Name : TDS Q2644

WorkList ID : 190823

Department : Wet-Chemistry

Date : 07-18-2025 13:12:58

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2644-01	17 RW8-SP100-20250717	Water	TDS	Cool 4 deg C	TETR06	O33	07/17/2025	SM2540 C
Q2644-02	17 RW8-SP303-20250717	Water	TDS	Cool 4 deg C	TETR06	O33	07/17/2025	SM2540 C

Date/Time 07/18/25 13:30

Raw Sample Received by: SA WWC

Raw Sample Relinquished by: JTCM

Date/Time 07/18/25 17:30

Raw Sample Received by: JTCM

Raw Sample Relinquished by: JTCM

TOTAL SUSPENDED SOLIDS - SM2540D

SUPERVISOR: Iwona

ANALYST: jignesh

Date: 07/22/2025

Run Number: LB136573

BalanceID: WC SC-6

OvenID: WC OVEN-1

FilterID: 17416528

ThermometerID: WET OVEN#1

TEMP1 IN: 103 °C 07/22/2025 15:00 TEMP1 OUT: 103 °C 07/22/2025 16:00
 TEMP2 IN: 104 °C 07/22/2025 16:30 TEMP2 OUT: 103 °C 07/22/2025 17:30
 TEMP3 IN: 104 °C 07/23/2025 09:30 TEMP3 OUT: 103 °C 07/23/2025 11:15
 TEMP4 IN: 103 °C 07/23/2025 12:00 TEMP4 OUT: 104 °C 07/23/2025 13:35

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Volume (ml)	1st Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	2nd Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Final Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Weight (g)	Result mg/L
1	LB136573BL	LB136573BL	1.3562	1.3562	100	1.3563	1.3563	1.3563	0.0001	1
2	LB136573BS	LB136573BS	1.4877	1.4877	100	1.5410	1.5410	1.5410	0.0533	533
3	Q2644-01	RW8-SP100-20250717	1.4851	1.4851	450	1.4854	1.4854	1.4854	0.0003	0.7
4	Q2644-02	RW8-SP303-20250717	1.4803	1.4803	350	1.4806	1.4806	1.4806	0.0003	0.9
5	Q2646-01	FRAC TANK	1.4848	1.4848	100	1.5410	1.5410	1.5410	0.0562	562
6	Q2646-01DUP	FRAC TANKDUP	1.4670	1.4670	100	1.5229	1.5229	1.5229	0.0559	559
7	Q2669-01	001 WILLETS PT BLVD (JUNE)	1.4894	1.4894	300	1.5140	1.5140	1.5140	0.0246	82
8	Q2669-02	002 35th Ave (JUNE)	1.4695	1.4695	300	1.4955	1.4955	1.4955	0.0260	86.7

A = Sample Volume (ml)

B = Final Empty Dish Weight (g)

C = Final Empty Dish + Sample weight after 1.5 hr drying @105°C(g)

D = Weight (g)

Weight (g) = C - B

Result mg/L = $\frac{D}{A} \times 1000 \times 1000$

WORKLIST(Hardcopy Internal Chain)

136573

WorkList Name : tss q2669

WorkList ID : 190886

Department : Wet-Chemistry

Date : 07-23-2025 07:41:52

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2644-01 B ₁ A	RW8-SP100-20250717	Water	TSS	Cool 4 deg C	TETR06	O33	07/17/2025	SM2540 D
Q2644-02 B ₁ A	RW8-SP303-20250717	Water	TSS	Cool 4 deg C	TETR06	O33	07/17/2025	SM2540 D
Q2646-01 H	FRAC TANK	Water	TSS	Cool 4 deg C	ENVI60	O11	07/18/2025	SM2540 D
Q2669-01 D	001 WILLETS PT BLVD (JUNE)	Water	TSS	Cool 4 deg C	TULL01	O33	07/21/2025	SM2540 D
Q2669-02 D	002 35th Ave (JUNE)	Water	TSS	Cool 4 deg C	TULL01	O33	07/21/2025	SM2540 D

Date/Time

07/23/25 08:00

Raw Sample Received by:

SP WOC

Raw Sample Relinquished by:

CP SM

Date/Time

07/23/25

Raw Sample Received by:

CP SM

Raw Sample Relinquished by:

SP WOC

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB136545

Review By	jignesh	Review On	7/25/2025 8:38:13 AM
Supervise By	Iwona	Supervise On	7/25/2025 11:18:46 AM
SubDirectory	LB136545	Test	TDS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB136545BL	LB136545BL	MB	07/18/25 17:00		jignesh	OK
2	LB136545BS	LB136545BS	LCS	07/18/25 17:00		jignesh	OK
3	Q2644-01	RW8-SP100-2025071	SAM	07/18/25 17:00		jignesh	OK
4	Q2644-02	RW8-SP303-2025071	SAM	07/18/25 17:00		jignesh	OK
5	Q2644-02DUP	RW8-SP303-2025071	DUP	07/18/25 17:00		jignesh	OK

Instrument ID: WC SC-3

Daily Analysis Runlog For Sequence/QC Batch ID # LB136573

Review By	jignesh	Review On	7/23/2025 10:17:52 AM
Supervise By	Iwona	Supervise On	7/23/2025 11:03:13 AM
SubDirectory	LB136573	Test	TSS
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB136573BL	LB136573BL	MB	07/23/25 09:30		jignesh	OK
2	LB136573BS	LB136573BS	LCS	07/23/25 09:30	55 MG W3186 + 100 ML W3112	jignesh	OK
3	Q2644-01	RW8-SP100-2025071	SAM	07/23/25 09:30		jignesh	OK
4	Q2644-02	RW8-SP303-2025071	SAM	07/23/25 09:30		jignesh	OK
5	Q2646-01	FRAC TANK	SAM	07/23/25 09:30		jignesh	OK
6	Q2646-01DUP	FRAC TANKDUP	DUP	07/23/25 09:30		jignesh	OK
7	Q2669-01	001 WILLETS PT BLV	SAM	07/23/25 09:30		jignesh	OK
8	Q2669-02	002 35th Ave (JUNE)	SAM	07/23/25 09:30		jignesh	OK

Prep Standard - Chemical Standard Summary

Order ID : Q2644

Test : TDS,TSS

Prepbatch ID :

Sequence ID/Qc Batch ID: LB136545, LB136573,

Standard ID :

Chemical ID :

1
2
3
4
5
6
7
8
9
10
11
12
13

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
				/	/	

1
2
3
4
5
6
7
8
9
10
11
12
13



SHIPPING DOCUMENTS

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

CHEMTECH CHAIN OF CUSTODY RECORD		284 Sheffield Street, Mountainside, NJ 07092 (908) 789-8900 Fax: (908) 78-8922 www.chemtech.net		Chemtech Project Number: Q 2644																					
				COC Number:																					
CLIENT INFORMATION		PROJECT INFORMATION		BILLING INFORMATION																					
COMPANY: Tetra Tech		PROJECT NAME: NWIRP Bethpage		BILL TO: PO#																					
ADDRESS: 4433 Corporation Ln, Suite 300		PROJECT #: 112G08005-WE13 LOCATION: RW8		ADDRESS:																					
CITY: Virginia Beach STATE: VA ZIP: 23462		PROJECT MANAGER: Ernie Wu		CITY: STATE: ZIP:																					
ATTENTION: Ernie Wu		E-MAIL: ernie.wu@tetrattech.com		ATTENTION: PHONE:																					
PHONE: 757-466-4901 FAX: 757-461-4148		PHONE: 757-466-4901 FAX: 757-461-4148																							
DATA TURNAROUND INFORMATION		DATA DELIVERABLE INFORMATION		ANALYSIS																					
FAX: 10 DAYS* HARD COPY: 10 DAYS* EDD 10 DAYS* * TO BE APPROVED BY CHEMTECH STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS		☐ RESULTS ONLY ☐ USEPA CLP ☐ RESULTS + QC ☐ New York State ASP "B" ☐ New Jersey REDUCED ☐ New York State ASP "A" ☐ New Jersey CLP ☐ Other _____ ☐ EDD Format _____		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>1/4-Dioxane SW846 8270</td> <td>Iron, Total</td> <td>TSS</td> <td>TDS</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td></td> </tr> </table>		1/4-Dioxane SW846 8270	Iron, Total	TSS	TDS							1	2	3	4	5	6	7	8	9	
1/4-Dioxane SW846 8270	Iron, Total	TSS	TDS																						
1	2	3	4	5	6	7	8	9																	
				PRESERVATIVES																					
				COMMENTS																					
CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE COMP GRAB	SAMPLE COLLECTION DATE TIME	# of Bottles																				
1.	RW8-SP100-20250717	GW		7/17/25 13:05	4																				
2.	RW8-SP303-20250717	GW		7/17/25 13:13	4																				
3.																									
4.																									
5.																									
6.																									
7.																									
8.																									
9.																									
10.																									

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE PROSESSION INCLUDING COURIER DELIVERY					
RELINQUISHED BY SAMPLER	DATE/TIME	RECEIVED BY	Conditions of bottles or coolers at receipt: ☐ Compliant ☐ Non Compliant ☐ Cooler Temp <u>23-1</u> MeOH extraction requires an additional 4oz. Jar for percent solid ☐ Ice in Cooler?: <u>yes</u>		
1. <u>[Signature]</u>	7/17/25 12:00	1. <u>[Signature]</u>	Comments: <u>If Cont.</u>		
RELINQUISHED BY	DATE/TIME	RECEIVED BY			
2. <u>[Signature]</u>	7/18/25 9:55	2. <u>[Signature]</u>			
RELINQUISHED BY	DATE/TIME	RECEIVED FOR LAB BY	SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight CHEMTECH: ☐ Picked Up ☐ Overnight		
3.		3.	Shipment Complete ☐ YES ☐ NO		

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT
YELLOW - CHEMTECH COPY
PINK - SAMPLER COPY

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488