

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL073125\
 Data File : PL096667.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Jul 2025 14:49
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 01 02:49:26 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL072825.M
 Quant Title : GC Extractables
 QLast Update : Tue Jul 29 08:58:13 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.535	2.827	171.7E6	260.2E6	53.967	54.462
2)	SA Decachlor...	9.015	7.992	131.5E6	252.5E6	55.132	58.199
Target Compounds							
2)	A alpha-BHC	3.982	3.333	251.9E6	391.4E6	54.459	55.310
3)	MA gamma-BHC...	4.310	3.665	238.1E6	362.4E6	53.830	54.886
4)	MA Heptachlor	4.902	4.014	226.1E6	357.2E6	54.408	53.611
5)	MB Aldrin	5.242	4.297	229.4E6	340.4E6	53.331	54.837
6)	B beta-BHC	4.497	3.961	99250015	151.8E6	54.987	53.812
7)	B delta-BHC	0.000	4.194	0	353.5E6	N.D.	54.604 #
8)	B Heptachlo...	5.662	4.799	212.5E6	313.3E6	55.111	54.859
9)	A Endosulfan I	6.043	5.170	194.9E6	289.5E6	54.197	52.331
10)	B gamma-Chl...	5.916	5.051	210.5E6	323.7E6	55.318	55.044
11)	B alpha-Chl...	5.996	5.115	208.4E6	315.7E6	54.070	53.516
12)	B 4,4'-DDE	6.166	5.303	174.7E6	299.6E6	54.399	54.329
13)	MA Dieldrin	6.315	5.434	203.7E6	325.9E6	54.884	55.177
14)	MA Endrin	6.542	5.709	157.8E6	282.3E6	52.122	52.213
15)	B Endosulfa...	6.755	6.001	169.7E6	282.5E6	52.990	55.002
16)	A 4,4'-DDD	6.675	5.856	145.9E6	264.7E6	57.719	56.248
17)	MA 4,4'-DDT	6.989	6.108	146.9E6	254.6E6	51.227	50.326
18)	B Endrin al...	6.884	6.179	124.3E6	216.3E6	57.944	58.826
19)	B Endosulfa...	7.117	6.402	159.2E6	286.4E6	55.397	56.318
20)	A Methoxychlor	7.461	6.681	73647725	140.7E6	50.157	51.327
21)	B Endrin ke...	7.597	6.907	172.5E6	311.8E6	57.375	55.975
22)	Mirex	8.076	7.097	140.5E6	240.6E6	56.651	55.181
24)	Chlordane-2	5.242f	0.000	229.4E6	0	1310.667	N.D. #
25)	Chlordane-3	5.916	5.051	210.5E6	323.7E6	315.146	465.499 #
26)	Chlordane-4	5.996	5.115	208.4E6	315.7E6	251.806	507.260 #
27)	Chlordane-5	0.000	6.001	0	282.5E6	N.D.	1107.370 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL073125\
Data File : PL096667.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Jul 2025 14:49
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 01 02:49:26 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL072825.M
Quant Title : GC Extractables
QLast Update : Tue Jul 29 08:58:13 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.535 min
Delta R.T.: 0.000 min
Response: 171656819
Conc: 53.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.827 min
Delta R.T.: 0.000 min
Response: 260209207
Conc: 54.46 ng/ml




#2 alpha-BHC

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 251948849
Conc: 54.46 ng/ml



#2 alpha-BHC


R.T.: 3.333 min
Delta R.T.: 0.000 min
Response: 391433436
Conc: 55.31 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.310 min
Delta R.T.: 0.000 min
Response: 238112499
Conc: 53.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.665 min
Delta R.T.: 0.000 min
Response: 362432837
Conc: 54.89 ng/ml




#4 Heptachlor

R.T.: 4.902 min
Delta R.T.: 0.000 min
Response: 226104060
Conc: 54.41 ng/ml



#4 Heptachlor


R.T.: 4.014 min
Delta R.T.: 0.000 min
Response: 357153475
Conc: 53.61 ng/ml



#5 Aldrin


R.T.: 5.242 min
Delta R.T.: 0.000 min
Response: 229375771
Conc: 53.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.297 min
Delta R.T.: 0.000 min
Response: 340378017
Conc: 54.84 ng/ml




#6 beta-BHC

R.T.: 4.497 min
Delta R.T.: 0.000 min
Response: 99250015
Conc: 54.99 ng/ml



#6 beta-BHC


R.T.: 3.961 min
Delta R.T.: 0.000 min
Response: 151797462
Conc: 53.81 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.743 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.194 min
Delta R.T.: 0.000 min
Response: 353486916
Conc: 54.60 ng/ml




#8 Heptachlor epoxide

R.T.: 5.662 min
Delta R.T.: 0.000 min
Response: 212536913
Conc: 55.11 ng/ml



#8 Heptachlor epoxide


R.T.: 4.799 min
Delta R.T.: 0.000 min
Response: 313319168
Conc: 54.86 ng/ml



#9 Endosulfan I


R.T.: 6.043 min
Delta R.T.: 0.000 min
Response: 194910951
Conc: 54.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 289461788
Conc: 52.33 ng/ml




#10 gamma-Chlordane

R.T.: 5.916 min
Delta R.T.: 0.000 min
Response: 210497570
Conc: 55.32 ng/ml



#10 gamma-Chlordane


R.T.: 5.051 min
Delta R.T.: 0.000 min
Response: 323662301
Conc: 55.04 ng/ml



#11 alpha-Chlordane


R.T.: 5.996 min
Delta R.T.: 0.000 min
Response: 208419563
Conc: 54.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.115 min
Delta R.T.: 0.000 min
Response: 315684354
Conc: 53.52 ng/ml




#12 4,4'-DDE

R.T.: 6.166 min
Delta R.T.: 0.000 min
Response: 174690316
Conc: 54.40 ng/ml



#12 4,4'-DDE


R.T.: 5.303 min
Delta R.T.: 0.000 min
Response: 299589989
Conc: 54.33 ng/ml



#13 Dieldrin


R.T.: 6.315 min
Delta R.T.: 0.000 min
Response: 203683629
Conc: 54.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.434 min
Delta R.T.: 0.000 min
Response: 325905752
Conc: 55.18 ng/ml




#14 Endrin

R.T.: 6.542 min
Delta R.T.: 0.000 min
Response: 157761700
Conc: 52.12 ng/ml



#14 Endrin


R.T.: 5.709 min
Delta R.T.: 0.000 min
Response: 282260144
Conc: 52.21 ng/ml



#15 Endosulfan II


R.T.: 6.755 min
Delta R.T.: 0.000 min
Response: 169709495
Conc: 52.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.001 min
Delta R.T.: 0.000 min
Response: 282503257
Conc: 55.00 ng/ml




#16 4,4'-DDD

R.T.: 6.675 min
Delta R.T.: 0.000 min
Response: 145933690
Conc: 57.72 ng/ml



#16 4,4'-DDD


R.T.: 5.856 min
Delta R.T.: 0.000 min
Response: 264663929
Conc: 56.25 ng/ml



#17 4,4'-DDT


R.T.: 6.989 min
Delta R.T.: 0.000 min
Response: 146902408
Conc: 51.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.108 min
Delta R.T.: 0.000 min
Response: 254565415
Conc: 50.33 ng/ml




#18 Endrin aldehyde

R.T.: 6.884 min
Delta R.T.: 0.000 min
Response: 124342966
Conc: 57.94 ng/ml



#18 Endrin aldehyde


R.T.: 6.179 min
Delta R.T.: 0.000 min
Response: 216296178
Conc: 58.83 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.117 min
Delta R.T.: 0.000 min
Response: 159194520
Conc: 55.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.402 min
Delta R.T.: 0.000 min
Response: 286442999
Conc: 56.32 ng/ml




#20 Methoxychlor

R.T.: 7.461 min
Delta R.T.: -0.001 min
Response: 73647725
Conc: 50.16 ng/ml



#20 Methoxychlor


R.T.: 6.681 min
Delta R.T.: 0.000 min
Response: 140660531
Conc: 51.33 ng/ml



#21 Endrin ketone


R.T.: 7.597 min
Delta R.T.: 0.000 min
Response: 172510144
Conc: 57.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.907 min
Delta R.T.: 0.000 min
Response: 311765026
Conc: 55.97 ng/ml




#22 Mirex

R.T.: 8.076 min
Delta R.T.: 0.000 min
Response: 140458536
Conc: 56.65 ng/ml



#22 Mirex


R.T.: 7.097 min
Delta R.T.: 0.000 min
Response: 240635793
Conc: 55.18 ng/ml



#24 Chlordane-2


R.T.: 5.242 min
Delta R.T.: 0.029 min
Response: 229375771
Conc: 1310.67 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.418 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.916 min
Delta R.T.: -0.001 min
Response: 210497570
Conc: 315.15 ng/ml



#25 Chlordane-3


R.T.: 5.051 min
Delta R.T.: 0.000 min
Response: 323662301
Conc: 465.50 ng/ml



#26 Chlordane-4


R.T.: 5.996 min
Delta R.T.: -0.005 min
Response: 208419563
Conc: 251.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.115 min
Delta R.T.: 0.000 min
Response: 315684354
Conc: 507.26 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.838 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.001 min
Delta R.T.: -0.008 min
Response: 282503257
Conc: 1107.37 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.015 min
Delta R.T.: 0.000 min
Response: 131471393
Conc: 55.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.992 min
Delta R.T.: 0.000 min
Response: 252485433
Conc: 58.20 ng/ml