

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: Alliance

Contract: ENVI60

Lab Code: ACE

SDG No.: Q2646

Instrument ID: BNA_F

Calibration Date(s): 07/17/2025 07/17/2025

Calibration Time(s): 11:04 14:34

LAB FILE ID:		RRF2.5 = BF143140.D			RRF005 = BF143141.D		RRF010 = BF143142.D	
		RRF020 = BF143143.D			RRF040 = BF143144.D		RRF050 = BF143145.D	
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
Pyridine		1.631	1.557	1.551	1.530	1.618	1.552	3.9
2-Fluorophenol		1.385	1.313	1.319	1.231	1.284	1.264	7.0
Phenol-d6		1.733	1.640	1.657	1.554	1.632	1.591	6.7
1,4-Dichlorobenzene		1.602	1.518	1.502	1.418	1.473	1.449	7.5
2-Methylphenol		1.178	1.111	1.141	1.097	1.160	1.114	4.6
3+4-Methylphenols			1.467	1.469	1.341	1.402	1.351	8.9
Nitrobenzene-d5		0.407	0.394	0.417	0.399	0.417	0.401	3.5
Hexachloroethane		0.522	0.498	0.522	0.495	0.525	0.502	4.7
Nitrobenzene		0.380	0.370	0.388	0.375	0.388	0.374	3.9
Hexachlorobutadiene		0.193	0.190	0.191	0.181	0.188	0.184	4.6
2,4,6-Trichlorophenol		0.391	0.406	0.412	0.384	0.429	0.400	4.6
2-Fluorobiphenyl		1.761	1.644	1.547	1.358	1.414	1.462	13.6
2,4,5-Trichlorophenol		0.404	0.387	0.411	0.405	0.411	0.400	2.8
2,4-Dinitrotoluene		0.269	0.296	0.342	0.354	0.372	0.333	11.0
2,4,6-Tribromophenol		0.200	0.202	0.212	0.210	0.218	0.207	3.5
Hexachlorobenzene		0.269	0.248	0.252	0.239	0.258	0.249	4.8
Pentachlorophenol			0.119	0.146	0.148	0.160	0.147	9.7
Terphenyl-d14		1.567	1.456	1.419	1.311	1.342	1.344	11.4

All other compounds must meet a minimum RRF of 0.010.

Form VI SV-1