

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143146.D
 Acq On : 17 Jul 2025 14:04
 Operator : RC/JU
 Sample : SSTDICC060
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC060

Quant Time: Jul 17 15:05:08 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	153150	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	573541	20.000	ng	0.00
39) Acenaphthene-d10	10.004	164	286544	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	442888	20.000	ng	0.00
76) Chrysene-d12	14.121	240	264384	20.000	ng	0.00
86) Perylene-d12	15.621	264	315904	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.587	112	1096776	113.327	ng	0.00
7) Phenol-d6	6.587	99	1384010	113.616	ng	0.00
23) Nitrobenzene-d5	7.528	82	1367018	118.809	ng	0.00
42) 2,4,6-Tribromophenol	10.792	330	354678	119.817	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	2274500	108.558	ng	0.00
79) Terphenyl-d14	13.069	244	1888544	106.298	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.805	88	268511	58.635	ng	99
3) Pyridine	3.581	79	700860	58.965	ng	99
4) n-Nitrosodimethylamine	3.534	42	369452	60.203	ng	99
6) Aniline	6.628	93	982918	57.896	ng	100
8) 2-Chlorophenol	6.751	128	589870	58.147	ng	98
9) Benzaldehyde	6.516	77	515585	56.445	ng	99
10) Phenol	6.604	94	797860	60.123	ng	96
11) bis(2-Chloroethyl)ether	6.698	93	588491	57.918	ng	99
12) 1,3-Dichlorobenzene	6.910	146	625605	56.769	ng	99
13) 1,4-Dichlorobenzene	6.981	146	623375	56.171	ng	98
14) 1,2-Dichlorobenzene	7.140	146	598571	56.708	ng	99
15) Benzyl Alcohol	7.098	79	548155	58.934	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.240	45	1076628	57.120	ng	98
17) 2-Methylphenol	7.210	107	498077	58.393	ng	99
18) Hexachloroethane	7.481	117	225488	58.691	ng	99
19) n-Nitroso-di-n-propyla...	7.381	70	437750	56.012	ng	100
20) 3+4-Methylphenols	7.363	107	582354	56.273	ng	96
22) Acetophenone	7.375	105	760969	56.041	ng	99
24) Nitrobenzene	7.545	77	641832	59.832	ng	99
25) Isophorone	7.787	82	1202506	59.202	ng	99
26) 2-Nitrophenol	7.857	139	304218	65.345	ng	97
27) 2,4-Dimethylphenol	7.892	122	548823	57.833	ng	99
28) bis(2-Chloroethoxy)met...	7.992	93	696403	57.184	ng	99
29) 2,4-Dichlorophenol	8.098	162	466809	58.329	ng	98
30) 1,2,4-Trichlorobenzene	8.187	180	498478	57.653	ng	99
31) Naphthalene	8.269	128	1575696	55.784	ng	99
32) Benzoic acid	8.010	122	321703	58.961	ng	99
33) 4-Chloroaniline	8.310	127	659467	57.178	ng	99
34) Hexachlorobutadiene	8.392	225	307552	58.230	ng	99
35) Caprolactam	8.692	113	145894	60.327	ng	100
36) 4-Chloro-3-methylphenol	8.787	107	506142	58.186	ng	99
37) 2-Methylnaphthalene	8.957	142	966031	56.203	ng	99
38) 1-Methylnaphthalene	9.057	142	997009	56.329	ng	100
40) 1,2,4,5-Tetrachloroben...	9.128	216	479450	57.955	ng	99
41) Hexachlorocyclopentadiene	9.116	237	337833	62.761	ng	99
43) 2,4,6-Trichlorophenol	9.234	196	344941	60.246	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143146.D
 Acq On : 17 Jul 2025 14:04
 Operator : RC/JU
 Sample : SSTDICC060
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC060

Quant Time: Jul 17 15:05:08 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.269	196	339656	59.305	ng	99
46) 1,1'-Biphenyl	9.422	154	1265588	56.610	ng	100
47) 2-Chloronaphthalene	9.451	162	948912	57.364	ng	100
48) 2-Nitroaniline	9.534	65	331501	63.904	ng	99
49) Acenaphthylene	9.863	152	1576240	56.860	ng	100
50) Dimethylphthalate	9.722	163	1075052	57.558	ng	100
51) 2,6-Dinitrotoluene	9.775	165	238103	62.665	ng	97
52) Acenaphthene	10.039	154	930883	56.814	ng	98
53) 3-Nitroaniline	9.945	138	273506	61.542	ng	100
54) 2,4-Dinitrophenol	10.045	184	101491	60.690	ng	72
55) Dibenzofuran	10.210	168	1364531	56.093	ng	100
56) 4-Nitrophenol	10.092	139	203477	61.312	ng	99
57) 2,4-Dinitrotoluene	10.181	165	304460	63.868	ng	97
58) Fluorene	10.551	166	997710	54.647	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.322	232	283124	59.678	ng	99
60) Diethylphthalate	10.422	149	1057851	57.301	ng	100
61) 4-Chlorophenyl-phenyle...	10.539	204	516980	56.867	ng	99
62) 4-Nitroaniline	10.563	138	232488	61.037	ng	98
63) Azobenzene	10.698	77	1098772	57.107	ng	99
65) 4,6-Dinitro-2-methylph...	10.592	198	144751	60.728	ng	98
66) n-Nitrosodiphenylamine	10.657	169	910468	58.380	ng	98
67) 4-Bromophenyl-phenylether	11.028	248	318085	60.266	ng	99
68) Hexachlorobenzene	11.104	284	325779	59.054	ng	96
69) Atrazine	11.181	200	262374	61.024	ng	100
70) Pentachlorophenol	11.286	266	206417	63.625	ng	98
71) Phenanthrene	11.510	178	1331485	56.620	ng	100
72) Anthracene	11.563	178	1379601	57.522	ng	100
73) Carbazole	11.710	167	1194026	57.015	ng	100
74) Di-n-butylphthalate	12.045	149	1392335	58.757	ng	100
75) Fluoranthene	12.698	202	1232952	57.122	ng	99
77) Benzidine	12.810	184	476553	46.785	ng	100
78) Pyrene	12.927	202	1207978	53.536	ng	99
80) Butylbenzylphthalate	13.539	149	441334	63.875	ng	99
81) Benzo(a)anthracene	14.110	228	1041236	58.825	ng	99
82) 3,3'-Dichlorobenzidine	14.069	252	348979	59.155	ng	100
83) Chrysene	14.151	228	930545	58.472	ng	100
84) Bis(2-ethylhexyl)phtha...	14.098	149	655482	62.678	ng	100
85) Di-n-octyl phthalate	14.716	149	1196044	63.095	ng	100
87) Indeno(1,2,3-cd)pyrene	17.168	276	1337361	60.037	ng	99
88) Benzo(b)fluoranthene	15.180	252	1125667	58.328	ng	100
89) Benzo(k)fluoranthene	15.216	252	1023132	59.411	ng	99
90) Benzo(a)pyrene	15.563	252	1062049	59.730	ng	99
91) Dibenzo(a,h)anthracene	17.192	278	1080768	59.610	ng	98
92) Benzo(g,h,i)perylene	17.639	276	1055168	60.163	ng	99





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:152 Resp: 153150
Ion Ratio Lower Upper
152 100
150 158.5 128.2 192.4
115 60.7 47.9 71.9



#2
1,4-Dioxane
Concen: 58.635 ng
RT: 2.805 min Scan# 104
Delta R.T. -0.018 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion: 88 Resp: 268511
Ion Ratio Lower Upper
88 100
58 88.2 70.2 105.2
43 34.2 27.1 40.7





#3

Pyridine

Concen: 58.965 ng

RT: 3.581 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion: 79 Resp: 700860

Ion Ratio Lower Upper

79 100

52 85.7 69.4 104.2

51 41.4 33.5 50.3



#4

n-Nitrosodimethylamine

Concen: 60.203 ng

RT: 3.534 min Scan# 228

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion: 42 Resp: 369452

Ion Ratio Lower Upper

42 100

74 115.5 91.7 137.5

44 7.2 5.6 8.4









#5
2-Fluorophenol
Concen: 113.327 ng
RT: 5.587 min Scan# 51
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:112 Resp: 1096776
Ion Ratio Lower Upper
112 100
64 66.5 53.1 79.7
63 33.4 26.6 40.0



#6
Aniline
Concen: 57.896 ng
RT: 6.628 min Scan# 754
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion: 93 Resp: 982918
Ion Ratio Lower Upper
93 100
66 41.4 33.2 49.8
65 21.0 16.9 25.3








#7
Phenol-d6
Concen: 113.616 ng
RT: 6.587 min Scan# 747
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion: 99 Resp: 1384010
Ion Ratio Lower Upper
99 100
42 21.4 17.0 25.6
71 35.3 27.7 41.5



#8
2-Chlorophenol
Concen: 58.147 ng
RT: 6.751 min Scan# 775
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:128 Resp: 589870
Ion Ratio Lower Upper
128 100
130 32.3 12.3 52.3
64 54.0 35.9 75.9









#9
Benzaldehyde
Concen: 56.445 ng
RT: 6.516 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion: 77 Resp: 515585
Ion Ratio Lower Upper
77 100
105 96.1 76.8 116.8
106 92.7 74.4 114.4



#10
Phenol
Concen: 60.123 ng
RT: 6.604 min Scan# 750
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion: 94 Resp: 797860
Ion Ratio Lower Upper
94 100
65 31.5 10.0 50.0
66 44.0 20.8 60.8









#11
bis(2-Chloroethyl)ether
Concen: 57.918 ng
RT: 6.698 min Scan# 766
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion: 93 Resp: 588491
Ion Ratio Lower Upper
93 100
63 82.9 63.4 103.4
95 32.8 12.4 52.4



#12
1,3-Dichlorobenzene
Concen: 56.769 ng
RT: 6.910 min Scan# 802
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:146 Resp: 625605
Ion Ratio Lower Upper
146 100
148 63.1 50.6 76.0
75 33.2 27.4 41.2





#13

1,4-Dichlorobenzene

Concen: 56.171 ng

RT: 6.981 min Scan# 814

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:146 Resp: 623375

Ion Ratio Lower Upper

146 100

148 63.6 50.3 75.5

111 44.7 34.4 51.6



#14

1,2-Dichlorobenzene

Concen: 56.708 ng

RT: 7.140 min Scan# 841

Delta R.T. 0.006 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:146 Resp: 598571


Ion Ratio Lower Upper

146 100

148 63.6 50.7 76.1

111 44.8 36.6 54.8





#15
Benzyl Alcohol
Concen: 58.934 ng
RT: 7.098 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04





Instrument :

BNA_F

ClientSampleId :




SSTDICC060


Tgt Ion: 79 Resp: 548155
Ion Ratio Lower Upper
79 100
108 74.2 61.1 91.7
77 61.2 48.9 73.3



#16
2,2'-oxybis(1-Chloropropane)
Concen: 57.120 ng
RT: 7.240 min Scan# 858
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion: 45 Resp: 1076628
Ion Ratio Lower Upper
45 100
77 11.8 0.0 31.2
79 9.0 0.0 28.5









#17
2-Methylphenol
Concen: 58.393 ng
RT: 7.210 min Scan# 853
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:	107	Resp:	498077
Ion	Ratio	Lower	Upper
107	100		
108	113.6	91.8	137.6
77	45.6	37.0	55.6
79	46.1	36.9	55.3



#18
Hexachloroethane
Concen: 58.691 ng
RT: 7.481 min Scan# 899
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:	117	Resp:	225488
Ion	Ratio	Lower	Upper
117	100		
119	96.5	77.8	116.8
201	94.6	77.0	115.4









#19
n-Nitroso-di-n-propylamine
Concen: 56.012 ng
RT: 7.381 min Scan# 881
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 70 Resp: 437750




Ion	Ratio	Lower	Upper
70	100		
42	65.7	52.5	78.7
101	9.7	7.6	11.4
130	20.7	16.1	24.1



#20
3+4-Methylphenols
Concen: 56.273 ng
RT: 7.363 min Scan# 879
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion: 107 Resp: 582354

Ion	Ratio	Lower	Upper
107	100		
108	90.1	70.0	110.0
77	86.3	57.8	97.8
79	29.5	9.5	49.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1029
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt	Ion:136	Resp:	573541
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.6	13.0
54	10.6	8.2	12.2
68	7.0	5.4	8.2



#22
Acetophenone
Concen: 56.041 ng
RT: 7.375 min Scan# 881
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt	Ion:105	Resp:	760969
Ion	Ratio	Lower	Upper
105	100		
71	6.9	5.8	8.6
51	37.4	30.2	45.2
120	23.2	18.2	27.4





#23

Nitrobenzene-d5

Concen: 118.809 ng

RT: 7.528 min Scan# 906

Delta R.T. 0.006 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :





BNA_F

ClientSampleId :

SSTDICC060

Tgt Ion: 82 Resp: 1367018

Ion	Ratio	Lower	Upper
82	100		
128	43.1	33.6	50.4
54	58.9	47.1	70.7



#24

Nitrobenzene

Concen: 59.832 ng

RT: 7.545 min Scan# 910




Delta R.T. 0.000 min


Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Tgt Ion: 77 Resp: 641832

Ion	Ratio	Lower	Upper
77	100		
123	44.3	36.1	54.1
65	14.4	11.4	17.2








#25
Isophorone
Concen: 59.202 ng
RT: 7.787 min Scan# 951
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion: 82 Resp: 1202506
Ion Ratio Lower Upper
82 100
95 7.1 5.5 8.3
138 17.9 13.8 20.8



#26
2-Nitrophenol
Concen: 65.345 ng
RT: 7.857 min Scan# 963
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:139 Resp: 304218
Ion Ratio Lower Upper
139 100
109 29.8 23.6 35.4
65 56.0 42.6 64.0









#27
2,4-Dimethylphenol
Concen: 57.833 ng
RT: 7.892 min Scan# 90
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:122 Resp: 548823
Ion Ratio Lower Upper
122 100
107 116.0 91.8 137.6
121 58.4 46.3 69.5



#28
bis(2-Chloroethoxy)methane
Concen: 57.184 ng
RT: 7.992 min Scan# 986
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion: 93 Resp: 696403
Ion Ratio Lower Upper
93 100
95 32.6 25.8 38.6
123 12.4 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 58.329 ng

RT: 8.098 min Scan# 1004

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060




Tgt Ion:162 Resp: 466809

Ion Ratio Lower Upper

162 100

164 64.9 44.2 84.2

98 39.9 17.9 57.9



#30

1,2,4-Trichlorobenzene

Concen: 57.653 ng

RT: 8.187 min Scan# 1019

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:180 Resp: 498478

Ion Ratio Lower Upper

180 100

182 94.2 76.2 114.2

145 31.8 25.0 37.6








#31
Naphthalene
Concen: 55.784 ng
RT: 8.269 min Scan# 1033
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:128 Resp: 1575696
Ion Ratio Lower Upper
128 100
129 11.4 9.0 13.4
127 13.5 10.6 16.0



#32
Benzoic acid
Concen: 58.961 ng
RT: 8.010 min Scan# 989
Delta R.T. 0.018 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:122 Resp: 321703
Ion Ratio Lower Upper
122 100
105 126.3 104.8 144.8
77 96.5 77.6 117.6








#33
4-Chloroaniline
Concen: 57.178 ng
RT: 8.310 min Scan# 1040
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:	127	Resp:	659467
Ion	Ratio	Lower	Upper
127	100		
129	32.4	26.0	39.0
65	35.3	27.4	41.2
92	21.5	16.8	25.2



#34
Hexachlorobutadiene
Concen: 58.230 ng
RT: 8.392 min Scan# 1054
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:	225	Resp:	307552
Ion	Ratio	Lower	Upper
225	100		
223	63.0	49.8	74.6
227	63.7	50.2	75.4








#35
 Caprolactam
 Concen: 60.327 ng
 RT: 8.692 min Scan# 1105
 Delta R.T. 0.012 min
 Lab File: BF143146.D
 Acq: 17 Jul 2025 14:04




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC060

Tgt Ion:113 Resp: 145894
 Ion Ratio Lower Upper
 113 100
 55 193.5 174.0 214.0
 56 146.9 126.6 166.6



#36
 4-Chloro-3-methylphenol
 Concen: 58.186 ng
 RT: 8.787 min Scan# 1121
 Delta R.T. 0.006 min
 Lab File: BF143146.D
 Acq: 17 Jul 2025 14:04

Tgt Ion:107 Resp: 506142
 Ion Ratio Lower Upper
 107 100
 144 24.7 19.8 29.6
 142 76.9 60.6 90.8





#37

2-Methylnaphthalene

Concen: 56.203 ng

RT: 8.957 min Scan# 1150

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :





SSTDICC060

Tgt Ion:142 Resp: 966031

Ion Ratio Lower Upper

142 100

141 87.9 69.9 104.9



#38

1-Methylnaphthalene

Concen: 56.329 ng

RT: 9.057 min Scan# 1167

Delta R.T. 0.000 min

Lab File: BF143146.D




Acq: 17 Jul 2025 14:04

Tgt Ion:142 Resp: 997009

Ion Ratio Lower Upper

142 100

141 90.1 72.3 108.5









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.004 min Scan# 1178
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:164 Resp: 286544
Ion Ratio Lower Upper
164 100
162 99.1 79.0 118.6
160 44.6 35.1 52.7



#40
1,2,4,5-Tetrachlorobenzene
Concen: 57.955 ng
RT: 9.128 min Scan# 1179
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:216 Resp: 479450
Ion Ratio Lower Upper
216 100
214 78.4 63.8 95.8
179 20.4 16.4 24.6
108 19.4 15.6 23.4








#41
Hexachlorocyclopentadiene
Concen: 62.761 ng
RT: 9.116 min Scan# 1177
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:237 Resp: 337833
Ion Ratio Lower Upper
237 100
235 63.4 43.0 83.0
272 13.2 0.0 33.3



#42
2,4,6-Tribromophenol
Concen: 119.817 ng
RT: 10.792 min Scan# 1462
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:330 Resp: 354678
Ion Ratio Lower Upper
330 100
332 96.5 76.7 115.1
141 28.9 23.3 34.9





#43

2,4,6-Trichlorophenol

Concen: 60.246 ng

RT: 9.234 min Scan# 1196

Delta R.T. 0.006 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060




Tgt Ion:196 Resp: 344941

Ion Ratio Lower Upper

196 100

198 95.8 76.2 114.2

200 30.7 23.9 35.9



#44

2,4,5-Trichlorophenol

Concen: 59.305 ng

RT: 9.269 min Scan# 1203

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Tgt Ion:196 Resp: 339656




Ion Ratio Lower Upper


196 100

198 96.9 77.3 115.9

97 52.6 40.3 60.5

132 30.0 23.1 34.7









#45
2-Fluorobiphenyl
Concen: 108.558 ng
RT: 9.322 min Scan# 1212
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:172 Resp: 2274500
Ion Ratio Lower Upper
172 100
171 36.0 28.6 42.8
170 23.7 18.8 28.2



#46
1,1'-Biphenyl
Concen: 56.610 ng
RT: 9.422 min Scan# 1229
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:154 Resp: 1265588
Ion Ratio Lower Upper
154 100
153 40.5 20.3 60.3
76 13.7 0.0 33.3





#47

2-Chloronaphthalene

Concen: 57.364 ng

RT: 9.451 min Scan# 1233

Delta R.T. 0.006 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:162 Resp: 948912

Ion Ratio Lower Upper

162 100

127 41.5 33.4 50.2

164 32.6 26.2 39.2



#48

2-Nitroaniline

Concen: 63.904 ng

RT: 9.534 min Scan# 1248

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion: 65 Resp: 331501


Ion Ratio Lower Upper

65 100

92 65.8 52.4 78.6

138 101.5 82.3 123.5








#49
Acenaphthylene
Concen: 56.860 ng
RT: 9.863 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:152 Resp: 1576240
Ion Ratio Lower Upper
152 100
151 20.3 16.2 24.2
153 13.5 10.6 16.0



#50
Dimethylphthalate
Concen: 57.558 ng
RT: 9.722 min Scan# 1280
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:163 Resp: 1075052
Ion Ratio Lower Upper
163 100
194 4.4 3.4 5.2
164 10.3 8.3 12.5









#51
2,6-Dinitrotoluene
Concen: 62.665 ng
RT: 9.775 min Scan# 1289
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:165 Resp: 238103
Ion Ratio Lower Upper
165 100
63 64.4 49.4 74.2
89 59.1 46.2 69.2



#52
Acenaphthene
Concen: 56.814 ng
RT: 10.039 min Scan# 1334
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:154 Resp: 930883
Ion Ratio Lower Upper
154 100
153 105.6 86.6 129.8
152 49.9 40.4 60.6









#53
3-Nitroaniline
Concen: 61.542 ng
RT: 9.945 min Scan# 1318
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:138 Resp: 273506
Ion Ratio Lower Upper
138 100
108 11.1 9.0 13.6
92 116.5 93.0 139.4



#54
2,4-Dinitrophenol
Concen: 60.690 ng
RT: 10.045 min Scan# 1335
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:184 Resp: 101491
Ion Ratio Lower Upper
184 100
63 115.6 81.8 122.6
154 603.3 412.2 618.4









#55
Dibenzenofuran
Concen: 56.093 ng
RT: 10.210 min Scan# 1362
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:168 Resp: 1364531
Ion Ratio Lower Upper
168 100
139 36.7 29.5 44.3
169 13.4 10.9 16.3



#56
4-Nitrophenol
Concen: 61.312 ng
RT: 10.092 min Scan# 1343
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:139 Resp: 203477
Ion Ratio Lower Upper
139 100
109 68.7 48.5 88.5
65 102.2 83.4 123.4









#57
2,4-Dinitrotoluene
Concen: 63.868 ng
RT: 10.181 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:165 Resp: 304460
Ion Ratio Lower Upper
165 100
63 48.7 41.0 61.4
89 73.4 61.1 91.7
182 2.9 2.3 3.5



#58
Fluorene
Concen: 54.647 ng
RT: 10.551 min Scan# 1421
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:166 Resp: 997710
Ion Ratio Lower Upper
166 100
165 91.6 73.7 110.5
167 13.6 10.6 16.0









#59
2,3,4,6-Tetrachlorophenol
Concen: 59.678 ng
RT: 10.322 min Scan# 1382
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:232 Resp: 283124
Ion Ratio Lower Upper
232 100
131 44.2 35.3 52.9
130 2.1 1.7 2.5
166 28.5 23.4 35.2



#60
Diethylphthalate
Concen: 57.301 ng
RT: 10.422 min Scan# 1399
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:149 Resp: 1057851
Ion Ratio Lower Upper
149 100
177 22.1 17.5 26.3
150 12.6 10.2 15.2









#61
4-Chlorophenyl-phenylether
Concen: 56.867 ng
RT: 10.539 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:204 Resp: 516980
Ion Ratio Lower Upper
204 100
206 31.8 25.8 38.8
141 59.0 47.0 70.4



#62
4-Nitroaniline
Concen: 61.037 ng
RT: 10.563 min Scan# 1423
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:138 Resp: 232488
Ion Ratio Lower Upper
138 100
92 50.2 29.3 69.3
108 69.9 48.3 88.3









#63
Azobenzene
Concen: 57.107 ng
RT: 10.698 min Scan# 1446
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 77 Resp: 1098772




Ion	Ratio	Lower	Upper
77	100		
182	23.6	4.6	44.6
105	21.4	1.4	41.4
51	34.1	13.7	53.7




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.486 min Scan# 1580
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion: 188 Resp: 442888

Ion	Ratio	Lower	Upper
188	100		
94	10.6	8.3	12.5
80	11.5	9.0	13.6









#65
4,6-Dinitro-2-methylphenol
Concen: 60.728 ng
RT: 10.592 min Scan# 1428
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:198 Resp: 144751
Ion Ratio Lower Upper
198 100
51 55.6 37.2 77.2
105 43.9 24.8 64.8



#66
n-Nitrosodiphenylamine
Concen: 58.380 ng
RT: 10.657 min Scan# 1439
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:169 Resp: 910468
Ion Ratio Lower Upper
169 100
168 66.6 52.1 78.1
167 35.8 28.2 42.2









#67
4-Bromophenyl-phenylether
Concen: 60.266 ng
RT: 11.028 min Scan# 1102
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:248 Resp: 318085
Ion Ratio Lower Upper
248 100
250 97.9 78.3 117.5
141 75.0 59.2 88.8



#68
Hexachlorobenzene
Concen: 59.054 ng
RT: 11.104 min Scan# 1515
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:284 Resp: 325779
Ion Ratio Lower Upper
284 100
142 30.9 27.0 40.6
249 30.1 25.0 37.6





#69

Atrazine

Concen: 61.024 ng

RT: 11.181 min Scan# 1528

Delta R.T. 0.006 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:200 Resp: 262374

Ion Ratio Lower Upper

200 100

173 27.6 7.9 47.9

215 50.1 30.1 70.1



#70

Pentachlorophenol

Concen: 63.625 ng

RT: 11.286 min Scan# 1546

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:266 Resp: 206417


Ion Ratio Lower Upper

266 100

268 63.3 51.9 77.9

264 62.5 51.0 76.6









#71
Phenanthrene
Concen: 56.620 ng
RT: 11.510 min Scan# 11584
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDIC060


Tgt Ion:178 Resp: 1331485
Ion Ratio Lower Upper
178 100
176 19.4 15.3 22.9
179 15.7 12.5 18.7



#72
Anthracene
Concen: 57.522 ng
RT: 11.563 min Scan# 1593
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:178 Resp: 1379601
Ion Ratio Lower Upper
178 100
176 18.6 15.0 22.4
179 15.8 12.5 18.7









#73
 Carbazole
 Concen: 57.015 ng
 RT: 11.710 min Scan# 1618
 Delta R.T. 0.000 min
 Lab File: BF143146.D
 Acq: 17 Jul 2025 14:04




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC060


Tgt Ion:167 Resp: 1194026
 Ion Ratio Lower Upper
 167 100
 166 21.2 17.0 25.6
 139 12.9 10.0 15.0



#74
 Di-n-butylphthalate
 Concen: 58.757 ng
 RT: 12.045 min Scan# 1675
 Delta R.T. 0.006 min
 Lab File: BF143146.D
 Acq: 17 Jul 2025 14:04

Tgt Ion:149 Resp: 1392335
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.4 11.2
 104 4.7 3.8 5.8





#75

Fluoranthene

Concen: 57.122 ng

RT: 12.698 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:202 Resp: 1232952

Ion Ratio Lower Upper

202 100

101 11.8 0.0 31.7

203 17.8 0.0 37.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.121 min Scan# 2028

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:240 Resp: 264384


Ion Ratio Lower Upper

240 100

120 11.9 9.4 14.2

236 25.1 20.2 30.4





#77

Benzidine

Concen: 46.785 ng

RT: 12.810 min Scan# 1805

Delta R.T. -0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:184 Resp: 476553

Ion Ratio Lower Upper

184 100

185 15.1 12.2 18.4

183 11.0 9.0 13.4



#78

Pyrene

Concen: 53.536 ng

RT: 12.927 min Scan# 1825

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:202 Resp: 1207978


Ion Ratio Lower Upper

202 100

200 20.0 15.7 23.5

203 18.0 14.2 21.2





#79

Terphenyl-d14

Concen: 106.298 ng

RT: 13.069 min Scan# 1849

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:244 Resp: 1888544

Ion Ratio Lower Upper

244 100

212 6.5 5.2 7.8

122 10.4 8.2 12.2



#80

Butylbenzylphthalate

Concen: 63.875 ng

RT: 13.539 min Scan# 1929

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:149 Resp: 441334


Ion Ratio Lower Upper

149 100

91 71.6 57.9 86.9

206 21.5 17.0 25.4









#81
 Benzo(a)anthracene
 Concen: 58.825 ng
 RT: 14.110 min Scan# 2019
 Delta R.T. 0.000 min
 Lab File: BF143146.D
 Acq: 17 Jul 2025 14:04

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC060

Tgt Ion:228 Resp: 1041236




Ion	Ratio	Lower	Upper
228	100		
226	27.0	21.7	32.5
229	20.2	15.8	23.6




#82
 3,3'-Dichlorobenzidine
 Concen: 59.155 ng
 RT: 14.069 min Scan# 2019
 Delta R.T. 0.000 min
 Lab File: BF143146.D
 Acq: 17 Jul 2025 14:04

Tgt Ion:252 Resp: 348979

Ion	Ratio	Lower	Upper
252	100		
254	64.4	51.7	77.5
126	12.0	9.4	14.0





#83

Chrysene

Concen: 58.472 ng

RT: 14.151 min Scan# 2033

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:228 Resp: 930545

Ion Ratio Lower Upper

228 100

226 29.9 23.8 35.8

229 19.6 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 62.678 ng

RT: 14.098 min Scan# 2024

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:149 Resp: 655482


Ion Ratio Lower Upper

149 100

167 27.9 22.3 33.5

279 4.3 3.6 5.4









#85
Di-n-octyl phthalate
Concen: 63.095 ng
RT: 14.716 min Scan# 2129
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:149 Resp: 1196044
Ion Ratio Lower Upper
149 100
167 1.5 1.1 1.7
43 12.0 9.7 14.5



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.621 min Scan# 2283
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:264 Resp: 315904
Ion Ratio Lower Upper
264 100
260 22.7 18.5 27.7
265 21.5 17.4 26.2









#87
Indeno(1,2,3-cd)pyrene
Concen: 60.037 ng
RT: 17.168 min Scan# 21
Delta R.T. 0.006 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04




Instrument :
BNA_F
ClientSampleId :
SSTDICC060


Tgt Ion:276 Resp: 1337361
Ion Ratio Lower Upper
276 100
138 26.9 21.8 32.6
277 25.4 20.0 30.0



#88
Benzo(b)fluoranthene
Concen: 58.328 ng
RT: 15.180 min Scan# 2208
Delta R.T. 0.000 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:252 Resp: 1125667
Ion Ratio Lower Upper
252 100
253 21.8 17.5 26.3
125 10.3 8.0 12.0





#89

Benzo(k)fluoranthene

Concen: 59.411 ng

RT: 15.216 min Scan# 2213

Delta R.T. 0.006 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04

Instrument :

BNA_F

ClientSampleId :

SSTDICC060





Tgt Ion:252 Resp: 1023132

Ion Ratio Lower Upper

252 100

253 21.8 17.8 26.6

125 9.9 8.1 12.1



#90

Benzo(a)pyrene

Concen: 59.730 ng

RT: 15.563 min Scan# 2273

Delta R.T. 0.000 min

Lab File: BF143146.D

Acq: 17 Jul 2025 14:04




Tgt Ion:252 Resp: 1062049


Ion Ratio Lower Upper

252 100

253 21.8 17.3 25.9

125 11.5 8.6 13.0









#91
Dibenzo(a,h)anthracene
Concen: 59.610 ng
RT: 17.192 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:278 Resp: 1080768
Ion Ratio Lower Upper
278 100
139 16.6 14.1 21.1
279 24.0 18.6 28.0



#92
Benzo(g,h,i)perylene
Concen: 60.163 ng
RT: 17.639 min Scan# 2626
Delta R.T. 0.012 min
Lab File: BF143146.D
Acq: 17 Jul 2025 14:04

Tgt Ion:276 Resp: 1055168
Ion Ratio Lower Upper
276 100
277 23.7 19.1 28.7
138 24.2 18.9 28.3

