

Report of Analysis

Client:	Earth Engineering Inc.		Date Collected:	07/17/25	
Project:	Leon Avenue		Date Received:	07/17/25	
Client Sample ID:	RT2286MS		SDG No.:	Q2651	
Lab Sample ID:	Q2635-01MS		Matrix:	SOIL	
Analytical Method:	8081B		% Solid:	84.8	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL096485.D	1	07/21/25 08:30	07/21/25 14:05	PB168928

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	18.9		0.15	2.00	ug/kg
319-85-7	beta-BHC	16.9		0.21	2.00	ug/kg
319-86-8	delta-BHC	18.2		0.46	2.00	ug/kg
58-89-9	gamma-BHC (Lindane)	18.5		0.16	2.00	ug/kg
76-44-8	Heptachlor	18.9		0.14	2.00	ug/kg
309-00-2	Aldrin	19.0		0.14	2.00	ug/kg
1024-57-3	Heptachlor epoxide	21.0		0.22	2.00	ug/kg
959-98-8	Endosulfan I	18.9		0.16	2.00	ug/kg
60-57-1	Dieldrin	20.1		0.16	2.00	ug/kg
72-55-9	4,4-DDE	17.2		0.16	2.00	ug/kg
72-20-8	Endrin	21.0		0.16	2.00	ug/kg
33213-65-9	Endosulfan II	19.4		0.34	2.00	ug/kg
72-54-8	4,4-DDD	24.9	P	0.18	2.00	ug/kg
1031-07-8	Endosulfan Sulfate	20.6		0.15	2.00	ug/kg
50-29-3	4,4-DDT	19.4		0.16	2.00	ug/kg
72-43-5	Methoxychlor	20.8		0.44	2.00	ug/kg
53494-70-5	Endrin ketone	25.6	P	0.22	2.00	ug/kg
7421-93-4	Endrin aldehyde	23.0		0.44	2.00	ug/kg
5103-71-9	alpha-Chlordane	18.4		0.14	2.00	ug/kg
5103-74-2	gamma-Chlordane	19.0		0.18	2.00	ug/kg
8001-35-2	Toxaphene	6.40	U	6.40	38.9	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	17.1		20 - 144	86%	SPK: 20
877-09-8	Tetrachloro-m-xylene	17.9		19 - 148	90%	SPK: 20

Report of Analysis

Client:	Earth Engineering Inc.		Date Collected:	07/17/25	
Project:	Leon Avenue		Date Received:	07/17/25	
Client Sample ID:	RT2286MS		SDG No.:	Q2651	
Lab Sample ID:	Q2635-01MS		Matrix:	SOIL	
Analytical Method:	8081B		% Solid:	84.8	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL096485.D	1	07/21/25 08:30	07/21/25 14:05	PB168928

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit