

Report of Analysis

Client:	Earth Engineering Inc.		Date Collected:	07/17/25	
Project:	Leon Avenue		Date Received:	07/18/25	
Client Sample ID:	MH 2-1		SDG No.:	Q2651	
Lab Sample ID:	Q2651-01		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	94.5	
Sample Wt/Vol:	5.18	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023043.D	1	07/22/25 14:01	VY072225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.20	U	1.20	5.10	ug/Kg
74-87-3	Chloromethane	1.20	U	1.20	5.10	ug/Kg
75-01-4	Vinyl Chloride	0.81	U	0.81	5.10	ug/Kg
74-83-9	Bromomethane	1.10	U	1.10	5.10	ug/Kg
75-00-3	Chloroethane	1.30	U	1.30	5.10	ug/Kg
75-69-4	Trichlorofluoromethane	1.20	U	1.20	5.10	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.10	U	1.10	5.10	ug/Kg
75-35-4	1,1-Dichloroethene	1.00	U	1.00	5.10	ug/Kg
67-64-1	Acetone	4.80	U	4.80	25.5	ug/Kg
75-15-0	Carbon Disulfide	1.10	U	1.10	5.10	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.75	U	0.75	5.10	ug/Kg
79-20-9	Methyl Acetate	1.60	U	1.60	5.10	ug/Kg
75-09-2	Methylene Chloride	3.60	U	3.60	10.2	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.88	U	0.88	5.10	ug/Kg
75-34-3	1,1-Dichloroethane	0.82	U	0.82	5.10	ug/Kg
110-82-7	Cyclohexane	0.81	U	0.81	5.10	ug/Kg
78-93-3	2-Butanone	6.70	U	6.70	25.5	ug/Kg
56-23-5	Carbon Tetrachloride	0.99	U	0.99	5.10	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.77	U	0.77	5.10	ug/Kg
74-97-5	Bromochloromethane	1.20	U	1.20	5.10	ug/Kg
67-66-3	Chloroform	0.86	U	0.86	5.10	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.95	U	0.95	5.10	ug/Kg
108-87-2	Methylcyclohexane	0.93	U	0.93	5.10	ug/Kg
71-43-2	Benzene	0.81	U	0.81	5.10	ug/Kg
107-06-2	1,2-Dichloroethane	0.81	U	0.81	5.10	ug/Kg
79-01-6	Trichloroethene	0.83	U	0.83	5.10	ug/Kg
78-87-5	1,2-Dichloropropane	0.93	U	0.93	5.10	ug/Kg
75-27-4	Bromodichloromethane	0.80	U	0.80	5.10	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.70	U	3.70	25.5	ug/Kg
108-88-3	Toluene	0.80	U	0.80	5.10	ug/Kg

Report of Analysis

Client:	Earth Engineering Inc.		Date Collected:	07/17/25	
Project:	Leon Avenue		Date Received:	07/18/25	
Client Sample ID:	MH 2-1		SDG No.:	Q2651	
Lab Sample ID:	Q2651-01		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	94.5	
Sample Wt/Vol:	5.18	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023043.D	1	07/22/25 14:01	VY072225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.66	U	0.66	5.10	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.63	U	0.63	5.10	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.94	U	0.94	5.10	ug/Kg
591-78-6	2-Hexanone	3.80	U	3.80	25.5	ug/Kg
124-48-1	Dibromochloromethane	0.89	U	0.89	5.10	ug/Kg
106-93-4	1,2-Dibromoethane	0.90	U	0.90	5.10	ug/Kg
127-18-4	Tetrachloroethene	1.10	U	1.10	5.10	ug/Kg
108-90-7	Chlorobenzene	0.93	U	0.93	5.10	ug/Kg
100-41-4	Ethyl Benzene	0.68	U	0.68	5.10	ug/Kg
179601-23-1	m/p-Xylenes	1.30	U	1.30	10.2	ug/Kg
95-47-6	o-Xylene	0.84	U	0.84	5.10	ug/Kg
100-42-5	Styrene	0.73	U	0.73	5.10	ug/Kg
75-25-2	Bromoform	0.88	U	0.88	5.10	ug/Kg
98-82-8	Isopropylbenzene	0.80	U	0.80	5.10	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.20	U	1.20	5.10	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.70	U	1.70	5.10	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.60	U	1.60	5.10	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.50	U	1.50	5.10	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.90	U	1.90	5.10	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.00	U	3.00	5.10	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.20	U	3.20	5.10	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.7		63 - 155	113%	SPK: 50
1868-53-7	Dibromofluoromethane	51.3		70 - 134	103%	SPK: 50
2037-26-5	Toluene-d8	49.3		74 - 123	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	54.7		17 - 146	109%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	284000	7.713			
540-36-3	1,4-Difluorobenzene	534000	8.616			
3114-55-4	Chlorobenzene-d5	538000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	227000	13.346			

Report of Analysis

Client:	Earth Engineering Inc.		Date Collected:	07/17/25	
Project:	Leon Avenue		Date Received:	07/18/25	
Client Sample ID:	MH 2-1		SDG No.:	Q2651	
Lab Sample ID:	Q2651-01		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	94.5	
Sample Wt/Vol:	5.18	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023043.D	1	07/22/25 14:01	VY072225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products