

Report of Analysis

Client:	G Environmental	Date Collected:	
Project:	Nelson	Date Received:	
Client Sample ID:	PB168971BS	SDG No.:	Q2664
Lab Sample ID:	PB168971BS	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group2
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143271.D	1	07/23/25 09:00	07/30/25 16:22	PB168971

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	29.7		3.90	10.0	ug/L
111-44-4	bis(2-Chloroethyl)ether	40.4		0.81	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	39.2		1.30	5.00	ug/L
98-86-2	Acetophenone	41.0		0.74	5.00	ug/L
621-64-7	n-Nitroso-di-n-propylamine	40.6		1.40	2.50	ug/L
67-72-1	Hexachloroethane	43.3		0.65	5.00	ug/L
98-95-3	Nitrobenzene	42.7		0.76	5.00	ug/L
78-59-1	Isophorone	41.3		0.75	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	40.9		0.68	5.00	ug/L
91-20-3	Naphthalene	41.9		0.50	5.00	ug/L
106-47-8	4-Chloroaniline	21.6		0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	42.6		0.54	5.00	ug/L
105-60-2	Caprolactam	48.7		1.10	10.0	ug/L
91-57-6	2-Methylnaphthalene	42.5		0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	79.0		3.60	10.0	ug/L
92-52-4	1,1-Biphenyl	42.4		0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	41.9		0.61	5.00	ug/L
88-74-4	2-Nitroaniline	47.3		1.30	5.00	ug/L
131-11-3	Dimethylphthalate	44.9		0.61	5.00	ug/L
208-96-8	Acenaphthylene	42.6		0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	48.9		0.92	5.00	ug/L
99-09-2	3-Nitroaniline	31.8		1.10	5.00	ug/L
83-32-9	Acenaphthene	47.6		0.55	5.00	ug/L
132-64-9	Dibenzofuran	42.1		0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	53.1		1.20	5.00	ug/L
84-66-2	Diethylphthalate	45.7		0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	43.5		0.68	5.00	ug/L
86-73-7	Fluorene	43.8		0.63	5.00	ug/L
100-01-6	4-Nitroaniline	51.1		1.50	5.00	ug/L

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Nelson		Date Received:	
Client Sample ID:	PB168971BS		SDG No.:	Q2664
Lab Sample ID:	PB168971BS		Matrix:	Water
Analytical Method:	8270E		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group2
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143271.D	1	07/23/25 09:00	07/30/25 16:22	PB168971

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
86-30-6	n-Nitrosodiphenylamine	40.2		0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	41.6		0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	41.5		0.52	5.00	ug/L
1912-24-9	Atrazine	47.9		1.00	5.00	ug/L
85-01-8	Phenanthrene	42.5		0.50	5.00	ug/L
120-12-7	Anthracene	42.2		0.61	5.00	ug/L
86-74-8	Carbazole	44.5		0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	47.5		1.20	5.00	ug/L
206-44-0	Fluoranthene	48.2		0.82	5.00	ug/L
129-00-0	Pyrene	44.1		0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	56.6		1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	25.8		0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	44.2		0.45	5.00	ug/L
218-01-9	Chrysene	43.3		0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	48.0		1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	41.1		2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	44.8		0.49	5.00	ug/L
207-08-9	Benzo(k)fluoranthene	50.0		0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	46.3		0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	43.6		0.59	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	43.7		0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	43.7		0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	41.7		0.52	5.00	ug/L
123-91-1	1,4-Dioxane	32.5		1.00	5.00	ug/L
SURROGATES						
4165-60-0	Nitrobenzene-d5	74.9		67 - 132	75%	SPK: 100
321-60-8	2-Fluorobiphenyl	72.7		52 - 132	73%	SPK: 100
1718-51-0	Terphenyl-d14	75.8		42 - 152	76%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	111000	6.963			

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Nelson		Date Received:	
Client Sample ID:	PB168971BS		SDG No.:	Q2664
Lab Sample ID:	PB168971BS		Matrix:	Water
Analytical Method:	8270E		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group2
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143271.D	1	07/23/25 09:00	07/30/25 16:22	PB168971

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
1146-65-2	Naphthalene-d8	434000	8.245			
15067-26-2	Acenaphthene-d10	230000	10.004			
1517-22-2	Phenanthrene-d10	408000	11.486			
1719-03-5	Chrysene-d12	252000	14.133			
1520-96-3	Perylene-d12	223000	15.633			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products