



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Century Management Services, Inc

SDG No.: Q2666

Contract: CENT03

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB37	Mercury	0.076	+/-0.2	U	0.20	CV	07/23/2025	12:32	LB136585

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Century Management Services, Inc

SDG No.: Q2666

Contract: CENT03

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB40	Mercury	0.076	+/-0.2	U	0.20	CV	07/23/2025	12:37	LB136585
CCB41	Mercury	0.076	+/-0.2	U	0.20	CV	07/23/2025	13:13	LB136585
CCB42	Mercury	0.076	+/-0.2	U	0.20	CV	07/23/2025	13:41	LB136585
CCB43	Mercury	0.076	+/-0.2	U	0.20	CV	07/23/2025	14:14	LB136585

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Century Management Services, Inc

SDG No.: Q2666

Contract: CENT03

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB01	Aluminum	11.3	+/-50	U	100	P	07/23/2025	13:16	LB136588
	Antimony	6.76	+/-25	U	50.0	P	07/23/2025	13:16	LB136588
	Arsenic	5.12	+/-10	U	20.0	P	07/23/2025	13:16	LB136588
	Barium	14.6	+/-50	U	100	P	07/23/2025	13:16	LB136588
	Beryllium	0.56	+/-3	U	6.00	P	07/23/2025	13:16	LB136588
	Cadmium	0.50	+/-3	U	6.00	P	07/23/2025	13:16	LB136588
	Calcium	234	+/-1000	U	2000	P	07/23/2025	13:16	LB136588
	Chromium	2.12	+/-5	U	10.0	P	07/23/2025	13:16	LB136588
	Cobalt	2.26	+/-15	U	30.0	P	07/23/2025	13:16	LB136588
	Copper	4.60	+/-10	U	20.0	P	07/23/2025	13:16	LB136588
	Iron	23.4	+/-50	U	100	P	07/23/2025	13:16	LB136588
	Lead	2.30	+/-6	U	12.0	P	07/23/2025	13:16	LB136588
	Magnesium	244	+/-1000	U	2000	P	07/23/2025	13:16	LB136588
	Manganese	5.94	+/-10	U	20.0	P	07/23/2025	13:16	LB136588
	Nickel	3.06	+/-20	U	40.0	P	07/23/2025	13:16	LB136588
	Potassium	918	+/-1000	U	2000	P	07/23/2025	13:16	LB136588
	Selenium	9.64	+/-10	U	20.0	P	07/23/2025	13:16	LB136588
	Silver	1.62	+/-5	U	10.0	P	07/23/2025	13:16	LB136588
	Sodium	868	+/-1000	U	2000	P	07/23/2025	13:16	LB136588
	Thallium	4.38	+/-20	U	40.0	P	07/23/2025	13:16	LB136588
	Vanadium	6.26	+/-20	U	40.0	P	07/23/2025	13:16	LB136588
	Zinc	16.7	+/-20	U	40.0	P	07/23/2025	13:16	LB136588

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Century Management Services, Inc

SDG No.: Q2666

Contract: CENT03

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB01	Aluminum	11.6	+/-50	J	100	P	07/23/2025	13:46	LB136588
	Antimony	6.76	+/-25	U	50.0	P	07/23/2025	13:46	LB136588
	Arsenic	5.12	+/-10	U	20.0	P	07/23/2025	13:46	LB136588
	Barium	14.6	+/-50	U	100	P	07/23/2025	13:46	LB136588
	Beryllium	0.56	+/-3	U	6.00	P	07/23/2025	13:46	LB136588
	Cadmium	0.50	+/-3	U	6.00	P	07/23/2025	13:46	LB136588
	Calcium	234	+/-1000	U	2000	P	07/23/2025	13:46	LB136588
	Chromium	2.12	+/-5	U	10.0	P	07/23/2025	13:46	LB136588
	Cobalt	2.26	+/-15	U	30.0	P	07/23/2025	13:46	LB136588
	Copper	4.60	+/-10	U	20.0	P	07/23/2025	13:46	LB136588
	Iron	23.4	+/-50	U	100	P	07/23/2025	13:46	LB136588
	Lead	2.30	+/-6	U	12.0	P	07/23/2025	13:46	LB136588
	Magnesium	244	+/-1000	U	2000	P	07/23/2025	13:46	LB136588
	Manganese	5.94	+/-10	U	20.0	P	07/23/2025	13:46	LB136588
	Nickel	3.06	+/-20	U	40.0	P	07/23/2025	13:46	LB136588
	Potassium	918	+/-1000	U	2000	P	07/23/2025	13:46	LB136588
	Selenium	9.64	+/-10	U	20.0	P	07/23/2025	13:46	LB136588
	Silver	1.62	+/-5	U	10.0	P	07/23/2025	13:46	LB136588
	Sodium	868	+/-1000	U	2000	P	07/23/2025	13:46	LB136588
	Thallium	4.38	+/-20	U	40.0	P	07/23/2025	13:46	LB136588
	Vanadium	6.26	+/-20	U	40.0	P	07/23/2025	13:46	LB136588
	Zinc	16.7	+/-20	U	40.0	P	07/23/2025	13:46	LB136588
CCB02	Aluminum	11.3	+/-50	U	100	P	07/23/2025	14:44	LB136588
	Antimony	6.76	+/-25	U	50.0	P	07/23/2025	14:44	LB136588
	Arsenic	5.12	+/-10	U	20.0	P	07/23/2025	14:44	LB136588
	Barium	14.6	+/-50	U	100	P	07/23/2025	14:44	LB136588
	Beryllium	0.56	+/-3	U	6.00	P	07/23/2025	14:44	LB136588
	Cadmium	0.50	+/-3	U	6.00	P	07/23/2025	14:44	LB136588
	Calcium	234	+/-1000	U	2000	P	07/23/2025	14:44	LB136588
	Chromium	2.12	+/-5	U	10.0	P	07/23/2025	14:44	LB136588
	Cobalt	2.26	+/-15	U	30.0	P	07/23/2025	14:44	LB136588
	Copper	4.60	+/-10	U	20.0	P	07/23/2025	14:44	LB136588
	Iron	23.4	+/-50	U	100	P	07/23/2025	14:44	LB136588
	Lead	2.30	+/-6	U	12.0	P	07/23/2025	14:44	LB136588
	Magnesium	244	+/-1000	U	2000	P	07/23/2025	14:44	LB136588
	Manganese	5.94	+/-10	U	20.0	P	07/23/2025	14:44	LB136588
	Nickel	3.06	+/-20	U	40.0	P	07/23/2025	14:44	LB136588
	Potassium	918	+/-1000	U	2000	P	07/23/2025	14:44	LB136588
	Selenium	9.64	+/-10	U	20.0	P	07/23/2025	14:44	LB136588

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Century Management Services, Inc

SDG No.: Q2666

Contract: CENT03

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB02	Silver	1.62	+/-5	U	10.0	P	07/23/2025	14:44	LB136588
	Sodium	868	+/-1000	U	2000	P	07/23/2025	14:44	LB136588
	Thallium	4.38	+/-20	U	40.0	P	07/23/2025	14:44	LB136588
	Vanadium	6.26	+/-20	U	40.0	P	07/23/2025	14:44	LB136588
	Zinc	16.7	+/-20	U	40.0	P	07/23/2025	14:44	LB136588
CCB03	Aluminum	11.3	+/-50	U	100	P	07/23/2025	16:01	LB136588
	Antimony	6.76	+/-25	U	50.0	P	07/23/2025	16:01	LB136588
	Arsenic	5.12	+/-10	U	20.0	P	07/23/2025	16:01	LB136588
	Barium	14.6	+/-50	U	100	P	07/23/2025	16:01	LB136588
	Beryllium	0.56	+/-3	U	6.00	P	07/23/2025	16:01	LB136588
	Cadmium	0.50	+/-3	U	6.00	P	07/23/2025	16:01	LB136588
	Calcium	234	+/-1000	U	2000	P	07/23/2025	16:01	LB136588
	Chromium	2.12	+/-5	U	10.0	P	07/23/2025	16:01	LB136588
	Cobalt	2.26	+/-15	U	30.0	P	07/23/2025	16:01	LB136588
	Copper	4.60	+/-10	U	20.0	P	07/23/2025	16:01	LB136588
	Iron	23.4	+/-50	U	100	P	07/23/2025	16:01	LB136588
	Lead	2.30	+/-6	U	12.0	P	07/23/2025	16:01	LB136588
	Magnesium	244	+/-1000	U	2000	P	07/23/2025	16:01	LB136588
	Manganese	5.94	+/-10	U	20.0	P	07/23/2025	16:01	LB136588
	Nickel	3.06	+/-20	U	40.0	P	07/23/2025	16:01	LB136588
	Potassium	918	+/-1000	U	2000	P	07/23/2025	16:01	LB136588
	Selenium	9.64	+/-10	U	20.0	P	07/23/2025	16:01	LB136588
	Silver	1.62	+/-5	U	10.0	P	07/23/2025	16:01	LB136588
	Sodium	868	+/-1000	U	2000	P	07/23/2025	16:01	LB136588
	Thallium	4.38	+/-20	U	40.0	P	07/23/2025	16:01	LB136588
	Vanadium	6.26	+/-20	U	40.0	P	07/23/2025	16:01	LB136588
	Zinc	16.7	+/-20	U	40.0	P	07/23/2025	16:01	LB136588
CCB04	Aluminum	11.3	+/-50	U	100	P	07/23/2025	17:04	LB136588
	Antimony	6.76	+/-25	U	50.0	P	07/23/2025	17:04	LB136588
	Arsenic	5.12	+/-10	U	20.0	P	07/23/2025	17:04	LB136588
	Barium	14.6	+/-50	U	100	P	07/23/2025	17:04	LB136588
	Beryllium	0.56	+/-3	U	6.00	P	07/23/2025	17:04	LB136588
	Cadmium	0.50	+/-3	U	6.00	P	07/23/2025	17:04	LB136588
	Calcium	234	+/-1000	U	2000	P	07/23/2025	17:04	LB136588
	Chromium	2.12	+/-5	U	10.0	P	07/23/2025	17:04	LB136588
	Cobalt	2.26	+/-15	U	30.0	P	07/23/2025	17:04	LB136588
	Copper	4.60	+/-10	U	20.0	P	07/23/2025	17:04	LB136588
	Iron	26.5	+/-50	J	100	P	07/23/2025	17:04	LB136588
	Lead	2.30	+/-6	U	12.0	P	07/23/2025	17:04	LB136588

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Century Management Services, Inc

SDG No.: Q2666

Contract: CENT03

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB04	Magnesium	244	+/-1000	U	2000	P	07/23/2025	17:04	LB136588
	Manganese	5.94	+/-10	U	20.0	P	07/23/2025	17:04	LB136588
	Nickel	3.06	+/-20	U	40.0	P	07/23/2025	17:04	LB136588
	Potassium	918	+/-1000	U	2000	P	07/23/2025	17:04	LB136588
	Selenium	9.64	+/-10	U	20.0	P	07/23/2025	17:04	LB136588
	Silver	1.62	+/-5	U	10.0	P	07/23/2025	17:04	LB136588
	Sodium	868	+/-1000	U	2000	P	07/23/2025	17:04	LB136588
	Thallium	4.44	+/-20	J	40.0	P	07/23/2025	17:04	LB136588
	Vanadium	6.26	+/-20	U	40.0	P	07/23/2025	17:04	LB136588
	Zinc	16.7	+/-20	U	40.0	P	07/23/2025	17:04	LB136588
CCB05	Aluminum	11.3	+/-50	U	100	P	07/23/2025	17:57	LB136588
	Antimony	6.76	+/-25	U	50.0	P	07/23/2025	17:57	LB136588
	Arsenic	5.12	+/-10	U	20.0	P	07/23/2025	17:57	LB136588
	Barium	14.6	+/-50	U	100	P	07/23/2025	17:57	LB136588
	Beryllium	0.56	+/-3	U	6.00	P	07/23/2025	17:57	LB136588
	Cadmium	0.50	+/-3	U	6.00	P	07/23/2025	17:57	LB136588
	Calcium	234	+/-1000	U	2000	P	07/23/2025	17:57	LB136588
	Chromium	2.12	+/-5	U	10.0	P	07/23/2025	17:57	LB136588
	Cobalt	2.26	+/-15	U	30.0	P	07/23/2025	17:57	LB136588
	Copper	4.60	+/-10	U	20.0	P	07/23/2025	17:57	LB136588
	Iron	23.4	+/-50	U	100	P	07/23/2025	17:57	LB136588
	Lead	2.30	+/-6	U	12.0	P	07/23/2025	17:57	LB136588
	Magnesium	244	+/-1000	U	2000	P	07/23/2025	17:57	LB136588
	Manganese	5.94	+/-10	U	20.0	P	07/23/2025	17:57	LB136588
	Nickel	3.06	+/-20	U	40.0	P	07/23/2025	17:57	LB136588
	Potassium	918	+/-1000	U	2000	P	07/23/2025	17:57	LB136588
	Selenium	9.64	+/-10	U	20.0	P	07/23/2025	17:57	LB136588
	Silver	1.62	+/-5	U	10.0	P	07/23/2025	17:57	LB136588
	Sodium	868	+/-1000	U	2000	P	07/23/2025	17:57	LB136588
	Thallium	4.38	+/-20	U	40.0	P	07/23/2025	17:57	LB136588
	Vanadium	6.26	+/-20	U	40.0	P	07/23/2025	17:57	LB136588
	Zinc	16.7	+/-20	U	40.0	P	07/23/2025	17:57	LB136588
CCB06	Aluminum	11.3	+/-50	U	100	P	07/23/2025	18:51	LB136588
	Antimony	6.76	+/-25	U	50.0	P	07/23/2025	18:51	LB136588
	Arsenic	5.12	+/-10	U	20.0	P	07/23/2025	18:51	LB136588
	Barium	14.6	+/-50	U	100	P	07/23/2025	18:51	LB136588
	Beryllium	0.56	+/-3	U	6.00	P	07/23/2025	18:51	LB136588
	Cadmium	0.50	+/-3	U	6.00	P	07/23/2025	18:51	LB136588
	Calcium	234	+/-1000	U	2000	P	07/23/2025	18:51	LB136588

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Century Management Services, Inc

SDG No.: Q2666

Contract: CENT03

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB06	Chromium	2.12	+/-5	U	10.0	P	07/23/2025	18:51	LB136588
	Cobalt	2.26	+/-15	U	30.0	P	07/23/2025	18:51	LB136588
	Copper	4.60	+/-10	U	20.0	P	07/23/2025	18:51	LB136588
	Iron	23.4	+/-50	U	100	P	07/23/2025	18:51	LB136588
	Lead	2.30	+/-6	U	12.0	P	07/23/2025	18:51	LB136588
	Magnesium	244	+/-1000	U	2000	P	07/23/2025	18:51	LB136588
	Manganese	5.94	+/-10	U	20.0	P	07/23/2025	18:51	LB136588
	Nickel	3.06	+/-20	U	40.0	P	07/23/2025	18:51	LB136588
	Potassium	918	+/-1000	U	2000	P	07/23/2025	18:51	LB136588
	Selenium	9.64	+/-10	U	20.0	P	07/23/2025	18:51	LB136588
	Silver	1.62	+/-5	U	10.0	P	07/23/2025	18:51	LB136588
	Sodium	868	+/-1000	U	2000	P	07/23/2025	18:51	LB136588
	Thallium	4.38	+/-20	U	40.0	P	07/23/2025	18:51	LB136588
	Vanadium	6.26	+/-20	U	40.0	P	07/23/2025	18:51	LB136588
	Zinc	16.7	+/-20	U	40.0	P	07/23/2025	18:51	LB136588
CCB07	Aluminum	11.3	+/-50	U	100	P	07/23/2025	19:47	LB136588
	Antimony	6.76	+/-25	U	50.0	P	07/23/2025	19:47	LB136588
	Arsenic	5.12	+/-10	U	20.0	P	07/23/2025	19:47	LB136588
	Barium	14.6	+/-50	U	100	P	07/23/2025	19:47	LB136588
	Beryllium	0.56	+/-3	U	6.00	P	07/23/2025	19:47	LB136588
	Cadmium	0.50	+/-3	U	6.00	P	07/23/2025	19:47	LB136588
	Calcium	234	+/-1000	U	2000	P	07/23/2025	19:47	LB136588
	Chromium	2.12	+/-5	U	10.0	P	07/23/2025	19:47	LB136588
	Cobalt	2.26	+/-15	U	30.0	P	07/23/2025	19:47	LB136588
	Copper	4.60	+/-10	U	20.0	P	07/23/2025	19:47	LB136588
	Iron	23.4	+/-50	U	100	P	07/23/2025	19:47	LB136588
	Lead	2.30	+/-6	U	12.0	P	07/23/2025	19:47	LB136588
	Magnesium	244	+/-1000	U	2000	P	07/23/2025	19:47	LB136588
	Manganese	5.94	+/-10	U	20.0	P	07/23/2025	19:47	LB136588
	Nickel	3.06	+/-20	U	40.0	P	07/23/2025	19:47	LB136588
	Potassium	918	+/-1000	U	2000	P	07/23/2025	19:47	LB136588
	Selenium	9.64	+/-10	U	20.0	P	07/23/2025	19:47	LB136588
	Silver	1.62	+/-5	U	10.0	P	07/23/2025	19:47	LB136588
	Sodium	868	+/-1000	U	2000	P	07/23/2025	19:47	LB136588
	Thallium	4.38	+/-20	U	40.0	P	07/23/2025	19:47	LB136588
	Vanadium	6.26	+/-20	U	40.0	P	07/23/2025	19:47	LB136588
	Zinc	16.7	+/-20	U	40.0	P	07/23/2025	19:47	LB136588
CCB08	Aluminum	11.3	+/-50	U	100	P	07/23/2025	20:04	LB136588
	Antimony	6.76	+/-25	U	50.0	P	07/23/2025	20:04	LB136588

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Century Management Services, Inc

SDG No.: Q2666

Contract: CENT03

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB08	Arsenic	5.12	+/-10	U	20.0	P	07/23/2025	20:04	LB136588
	Barium	14.6	+/-50	U	100	P	07/23/2025	20:04	LB136588
	Beryllium	0.56	+/-3	U	6.00	P	07/23/2025	20:04	LB136588
	Cadmium	0.50	+/-3	U	6.00	P	07/23/2025	20:04	LB136588
	Calcium	234	+/-1000	U	2000	P	07/23/2025	20:04	LB136588
	Chromium	2.12	+/-5	U	10.0	P	07/23/2025	20:04	LB136588
	Cobalt	2.26	+/-15	U	30.0	P	07/23/2025	20:04	LB136588
	Copper	4.60	+/-10	U	20.0	P	07/23/2025	20:04	LB136588
	Iron	23.4	+/-50	U	100	P	07/23/2025	20:04	LB136588
	Lead	2.30	+/-6	U	12.0	P	07/23/2025	20:04	LB136588
	Magnesium	244	+/-1000	U	2000	P	07/23/2025	20:04	LB136588
	Manganese	5.94	+/-10	U	20.0	P	07/23/2025	20:04	LB136588
	Nickel	3.06	+/-20	U	40.0	P	07/23/2025	20:04	LB136588
	Potassium	918	+/-1000	U	2000	P	07/23/2025	20:04	LB136588
	Selenium	9.64	+/-10	U	20.0	P	07/23/2025	20:04	LB136588
	Silver	1.62	+/-5	U	10.0	P	07/23/2025	20:04	LB136588
	Sodium	868	+/-1000	U	2000	P	07/23/2025	20:04	LB136588
	Thallium	4.38	+/-20	U	40.0	P	07/23/2025	20:04	LB136588
	Vanadium	6.26	+/-20	U	40.0	P	07/23/2025	20:04	LB136588
	Zinc	16.7	+/-20	U	40.0	P	07/23/2025	20:04	LB136588

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Century Management Services, Inc

SDG No.: Q2666

Contract: CENT03

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB01	Aluminum	11.3	+/-50	U	100	P	07/24/2025	13:57	LB136611
	Antimony	6.76	+/-25	U	50.0	P	07/24/2025	13:57	LB136611
	Arsenic	5.12	+/-10	U	20.0	P	07/24/2025	13:57	LB136611
	Barium	14.6	+/-50	U	100	P	07/24/2025	13:57	LB136611
	Beryllium	0.56	+/-3	U	6.00	P	07/24/2025	13:57	LB136611
	Cadmium	0.50	+/-3	U	6.00	P	07/24/2025	13:57	LB136611
	Calcium	234	+/-1000	U	2000	P	07/24/2025	13:57	LB136611
	Chromium	2.12	+/-5	U	10.0	P	07/24/2025	13:57	LB136611
	Cobalt	2.26	+/-15	U	30.0	P	07/24/2025	13:57	LB136611
	Copper	4.60	+/-10	U	20.0	P	07/24/2025	13:57	LB136611
	Iron	23.4	+/-50	U	100	P	07/24/2025	13:57	LB136611
	Lead	2.30	+/-6	U	12.0	P	07/24/2025	13:57	LB136611
	Magnesium	244	+/-1000	U	2000	P	07/24/2025	13:57	LB136611
	Manganese	5.94	+/-10	U	20.0	P	07/24/2025	13:57	LB136611
	Nickel	3.06	+/-20	U	40.0	P	07/24/2025	13:57	LB136611
	Potassium	918	+/-1000	U	2000	P	07/24/2025	13:57	LB136611
	Selenium	9.64	+/-10	U	20.0	P	07/24/2025	13:57	LB136611
	Silver	1.62	+/-5	U	10.0	P	07/24/2025	13:57	LB136611
	Sodium	868	+/-1000	U	2000	P	07/24/2025	13:57	LB136611
	Thallium	4.38	+/-20	U	40.0	P	07/24/2025	13:57	LB136611
	Vanadium	6.26	+/-20	U	40.0	P	07/24/2025	13:57	LB136611
	Zinc	16.7	+/-20	U	40.0	P	07/24/2025	13:57	LB136611

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Century Management Services, Inc

SDG No.: Q2666

Contract: CENT03

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB01	Aluminum	11.3	+/-50	U	100	P	07/24/2025	14:49	LB136611
	Antimony	6.76	+/-25	U	50.0	P	07/24/2025	14:49	LB136611
	Arsenic	5.12	+/-10	U	20.0	P	07/24/2025	14:49	LB136611
	Barium	14.6	+/-50	U	100	P	07/24/2025	14:49	LB136611
	Beryllium	0.56	+/-3	U	6.00	P	07/24/2025	14:49	LB136611
	Cadmium	0.50	+/-3	U	6.00	P	07/24/2025	14:49	LB136611
	Calcium	234	+/-1000	U	2000	P	07/24/2025	14:49	LB136611
	Chromium	2.12	+/-5	U	10.0	P	07/24/2025	14:49	LB136611
	Cobalt	2.26	+/-15	U	30.0	P	07/24/2025	14:49	LB136611
	Copper	4.60	+/-10	U	20.0	P	07/24/2025	14:49	LB136611
	Iron	23.4	+/-50	U	100	P	07/24/2025	14:49	LB136611
	Lead	2.30	+/-6	U	12.0	P	07/24/2025	14:49	LB136611
	Magnesium	244	+/-1000	U	2000	P	07/24/2025	14:49	LB136611
	Manganese	5.94	+/-10	U	20.0	P	07/24/2025	14:49	LB136611
	Nickel	3.06	+/-20	U	40.0	P	07/24/2025	14:49	LB136611
	Potassium	918	+/-1000	U	2000	P	07/24/2025	14:49	LB136611
	Selenium	9.64	+/-10	U	20.0	P	07/24/2025	14:49	LB136611
	Silver	1.62	+/-5	U	10.0	P	07/24/2025	14:49	LB136611
	Sodium	868	+/-1000	U	2000	P	07/24/2025	14:49	LB136611
	Thallium	4.38	+/-20	U	40.0	P	07/24/2025	14:49	LB136611
	Vanadium	6.26	+/-20	U	40.0	P	07/24/2025	14:49	LB136611
	Zinc	16.7	+/-20	U	40.0	P	07/24/2025	14:49	LB136611
CCB02	Aluminum	11.3	+/-50	U	100	P	07/24/2025	15:43	LB136611
	Antimony	6.76	+/-25	U	50.0	P	07/24/2025	15:43	LB136611
	Arsenic	5.12	+/-10	U	20.0	P	07/24/2025	15:43	LB136611
	Barium	14.6	+/-50	U	100	P	07/24/2025	15:43	LB136611
	Beryllium	0.56	+/-3	U	6.00	P	07/24/2025	15:43	LB136611
	Cadmium	0.51	+/-3	J	6.00	P	07/24/2025	15:43	LB136611
	Calcium	234	+/-1000	U	2000	P	07/24/2025	15:43	LB136611
	Chromium	2.12	+/-5	U	10.0	P	07/24/2025	15:43	LB136611
	Cobalt	2.26	+/-15	U	30.0	P	07/24/2025	15:43	LB136611
	Copper	4.60	+/-10	U	20.0	P	07/24/2025	15:43	LB136611
	Iron	23.4	+/-50	U	100	P	07/24/2025	15:43	LB136611
	Lead	2.30	+/-6	U	12.0	P	07/24/2025	15:43	LB136611
	Magnesium	244	+/-1000	U	2000	P	07/24/2025	15:43	LB136611
	Manganese	5.94	+/-10	U	20.0	P	07/24/2025	15:43	LB136611
	Nickel	3.06	+/-20	U	40.0	P	07/24/2025	15:43	LB136611
	Potassium	918	+/-1000	U	2000	P	07/24/2025	15:43	LB136611
	Selenium	9.64	+/-10	U	20.0	P	07/24/2025	15:43	LB136611

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: Century Management Services, Inc

SDG No.: Q2666

Contract: CENT03

Lab Code: ACE

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB02	Silver	1.62	+/-5	U	10.0	P	07/24/2025	15:43	LB136611
	Sodium	868	+/-1000	U	2000	P	07/24/2025	15:43	LB136611
	Thallium	4.38	+/-20	U	40.0	P	07/24/2025	15:43	LB136611
	Vanadium	6.26	+/-20	U	40.0	P	07/24/2025	15:43	LB136611
	Zinc	16.7	+/-20	U	40.0	P	07/24/2025	15:43	LB136611
CCB03	Aluminum	11.3	+/-50	U	100	P	07/24/2025	16:38	LB136611
	Antimony	6.76	+/-25	U	50.0	P	07/24/2025	16:38	LB136611
	Arsenic	5.12	+/-10	U	20.0	P	07/24/2025	16:38	LB136611
	Barium	14.6	+/-50	U	100	P	07/24/2025	16:38	LB136611
	Beryllium	0.56	+/-3	U	6.00	P	07/24/2025	16:38	LB136611
	Cadmium	0.50	+/-3	U	6.00	P	07/24/2025	16:38	LB136611
	Calcium	234	+/-1000	U	2000	P	07/24/2025	16:38	LB136611
	Chromium	2.12	+/-5	U	10.0	P	07/24/2025	16:38	LB136611
	Cobalt	2.26	+/-15	U	30.0	P	07/24/2025	16:38	LB136611
	Copper	4.60	+/-10	U	20.0	P	07/24/2025	16:38	LB136611
	Iron	23.4	+/-50	U	100	P	07/24/2025	16:38	LB136611
	Lead	2.30	+/-6	U	12.0	P	07/24/2025	16:38	LB136611
	Magnesium	244	+/-1000	U	2000	P	07/24/2025	16:38	LB136611
	Manganese	5.94	+/-10	U	20.0	P	07/24/2025	16:38	LB136611
	Nickel	3.06	+/-20	U	40.0	P	07/24/2025	16:38	LB136611
	Potassium	918	+/-1000	U	2000	P	07/24/2025	16:38	LB136611
	Selenium	9.64	+/-10	U	20.0	P	07/24/2025	16:38	LB136611
	Silver	1.62	+/-5	U	10.0	P	07/24/2025	16:38	LB136611
	Sodium	868	+/-1000	U	2000	P	07/24/2025	16:38	LB136611
	Thallium	4.38	+/-20	U	40.0	P	07/24/2025	16:38	LB136611
	Vanadium	6.26	+/-20	U	40.0	P	07/24/2025	16:38	LB136611
	Zinc	16.7	+/-20	U	40.0	P	07/24/2025	16:38	LB136611