

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: **PSEG** Date Collected: 07/21/25 11:15 Project: Washington St- Bay St OP Date Received: 07/21/25 Client Sample ID: TP-2 SDG No.: Q2668 Lab Sample ID: Q2668-01 Matrix: SOIL % Solid: 78.5

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh	it) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.50	U	1	0.087	0.50	mg/Kg	07/24/25 08:45	07/24/25 12:44	7196A
Ignitability	NO		1	0	0	oC		07/23/25 09:30	1030
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		07/23/25 08:30	9095B

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits