




SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2507027				Courier :				1 of 5 COCs																			
Client ID : RTPE01 Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis				Matrix																			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																							
				Phone Number : 732-968-9600																											
				Fax Number :																											
				Site Details:																											
				Analysis Turnaround Time																											
Standard : 10 business days OR				Data Package Type :																											
Rush (Specify): _____ Days				EDD Type :																											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min).	Can Cert ID	TO-15					Indoor/Ambient Air	Soil Gas										
118-AAI	7/24/25	9:36	9:56	-30	-7	72	72	-30	-5.9	10567	10599	6 L	4.16	VL042600.D	X						X										
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings:																															
Sampling site (State):																															
Quick Connector required : NO																															
Canisters Shipped by: scm				Date/Time: 7/22/25				Canisters Received by: scm				Date/Time: 7/22/25				B2507027 - 5															
Samples Relinquished by: scm				Date/Time: 7/22/25				Received by: scm				Date/Time: 7/22/25 1226																			
Relinquished by:				Date/Time:				Received by:				Date/Time:																			

Client Contact Information				Bottle Order ID : B2507027				Courier :				2 of 5 COCs								
Client ID : RTPE01 Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis				Matrix								
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified												
				Phone Number : 732-968-9600																
				Fax Number :																
				Site Details: <i>118 West 22nd back house</i>																
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :												
Rush (Specify): Days				EDD Type :																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas
<i>118-1A-1</i>	<i>7-21 to 7-22</i>	<i>9:50</i>	<i>9:50</i>	<i>~30</i>	<i>-7</i>	<i>72</i>	<i>72</i>	<i>-30</i>	<i>-75</i>	<i>10476</i>	<i>10154</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042600.D</i>	<i>X</i>			<i>X</i>		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 										
		Ambient		Maximum		Minimum														
Start																				
Stop																				
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.										
		Ambient		Maximum		Minimum														
Start																				
Stop																				
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings:																				
Sampling site (State):																				
Quick Connector required : <i>NO</i>																				
Canisters Shipped by: <i>Scm</i>				Date/Time: <i>07/21/15</i>				Canisters Received by: <i>CW</i>				Date/Time: <i>7/21/15</i>				B2507027 - 1				
Samples Relinquished by: <i>Scm</i>				Date/Time: <i>7/21/15</i>				Received by: <i>CP</i>				Date/Time: <i>7/21/15 12:00</i>								
Relinquished by:				Date/Time:				Received by:				Date/Time:								



Q 267

Client Contact Information				Bottle Order ID : B2507027				Courier :				3 of 5 COCs								
Client ID : RTPE01 Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis				Matrix								
Customer RTP Environmental Name : Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified												
				Phone Number : 732-968-9600																
				Fax Number :																
				Site Details: 118 W-22nd Street front.																
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :												
Rush (Specify): Days				EDD Type :																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas
118 JAP	7-21-24 to 7-22-24	9:52	9:52	-30	-7	72	72	-30	6.3	10183	10294	6 L	4.16	VL042600.D	X				X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Special Instructions/QC Requirements & Comments :																				
Suspected Contamination: High Medium Low PID Readings:																				
Sampling site (State):																				
Quick Connector required : No																				
Canisters Shipped by: serm				Date/Time: 7/21/24				Canisters Received by: EW				Date/Time: 7/21/25				B2507027 - 4				
Samples Relinquished by: EW				Date/Time: 7/21/25				Received by: CR				Date/Time: 7/21/25 12:00								
Relinquished by:				Date/Time:				Received by:				Date/Time:								

Client Contact Information				Bottle Order ID : B2507027				Courier :				4 of 5 COCs																			
Client ID : RTPE01 Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis				Matrix																			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																							
				Phone Number : 732-968-9600																											
				Fax Number :																											
				Site Details:																											
				Analysis Turnaround Time																											
Standard : 10 business days OR				Data Package Type :																											
Rush (Specify): Days				EDD Type :																											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15				Indoor/Ambient Air	Soil Gas											
118-562	7/22/15	10:30	11:30	30	-7	72	72	-30	7.5	10188	10197	6 L	100	VL042600.D	X					X											
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings:																															
Sampling site (State):																															
Quick Connector required : NO																															
Canisters Shipped by: Scm				Date/Time: 07/21/15				Canisters Received by: CW				Date/Time: 7/21/25																			
Samples Relinquished by: CW				Date/Time: 7/22/15				Received by: CW				Date/Time: 7/22/15 12:20																			
Relinquished by:				Date/Time:				Received by:				Date/Time:																			
B2507027 - 2																															

Client Contact Information				Bottle Order ID : B2507027				Courier :				<u>5</u> of <u>5</u> COCs										
Client ID : RTPE01				Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis		Matrix								
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified														
				Phone Number : 732-968-9600																		
				Fax Number :																		
				Site Details:																		
				Analysis Turnaround Time				Data Package Type : <i>Full data deliverables</i>														
				Standard : 10 business days OR				EDD Type : <i>Go2/Excel w/ conversion</i>														
Sample Identification		Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas				
118561		7/22/25	10:07	11:07	-30	-10	72	72	-30	-8.6	10202	10267	6 L	100	VL042600.D	X		X				
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>												
		Ambient		Maximum		Minimum																
Start																						
Stop																						
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.												
		Ambient		Maximum		Minimum																
Start																						
Stop																						
Special Instructions/QC Requirements & Comments :																						
Suspected Contamination: High Medium Low PID Readings:																						
Sampling site (State):																						
Quick Connector required : <i>NO</i>																						
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>07/21/25</i>				Canisters Received by: <i>CW</i>				Date/Time: <i>7/21/25</i>				B2507027 - 3						
Samples Relinquished by: <i>CW</i>				Date/Time: <i>7/22/25</i>				Received by: <i>CD</i>				Date/Time: <i>7/22/25 12:00</i>										
Relinquished by:				Date/Time:				Received by:				Date/Time:										

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: Supervisor Signature: 

METHOD: TO-15

Pressure Gauge ID: A 255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
6/18/25	Q2359-01	10280	10.6	-8.4				sy
6/19/25	Q2368-01	10606	12.4	-4.7				↓
	Q2368-02	10321	11.8	-5.9				↓
	Q2369-01	10153	12.4	-4.7				↓
	Q2369-02	10590	12.0	-5.5				↓
6/20/25	Q2390-01	10598	12.8	-3.9				sy
6/23/25	Q2390-01	10724	1.0		10		10X	sy
6/26/25	Q2432-01	10311	11.4	-6.7				sy
6/27/25	Q2432-01	10039	1.0		10.0		10X	sy
7/8/25	Q2518-01	10281	11.2	-7.1				sy
	Q2518-02	10602	11.2	-7.1				sy
7/16/25	Q2617-01	10331	12.2	-5.1				sy
	Q2617-02	10283	12.8	-3.9				↓
	Q2617-03	10608	11.4	-6.7				↓
7/17/25	Q2632-01	10595	13.6	-2.2				sy
	Q2632-02	10332	11.6	-6.3				sy
7/22/25	Q2671-01	10599 10557	11.8 10.8	-5.9				sy
	Q2671-02	10154	11.0	-7.5				↓
	Q2671-03	10294	11.6	-6.3				↓
	Q2671-04	10197	11.0	-7.5				↓
	Q2671-05	10267	10.4	-8.6				↓

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 118-AA1
 Client Name: Yellow Cab
 Project Name: Yellow Cab
 Date: 7/21/25 Time: 9:50
 Analysis: 10-15
 Comments: 10-15

Storage Location: Air Lab
Sample: Q2671-02
Cust #: 118-AA-1

CHEMTECH'S SAMPLE ID: _____
 Date Received: _____ Expiration: _____

7.5-
10154

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 118-AA2
 Client Name: Yellow Cab
 Project Name: Yellow Cab
 Date: 7/21/25 Time: 9:56
 Analysis: 10-15
 Comments: Am 51 cent

Storage Location: Air Lab
Sample: Q2671-01
Cust #: 118-AAI

CHEMTECH'S SAMPLE ID: _____
 Date Received: _____ Expiration: _____

6.5-
10599

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 118-AA2
 Client Name: Yellow Cab
 Project Name: Yellow Cab
 Date: 7/21/25 Time: 9:52
 Analysis: 10-15
 Comments: 10-15

Storage Location: Air Lab
Sample: Q2671-03
Cust #: 118-AA-2

CHEMTECH'S SAMPLE ID: _____
 Date Received: _____ Expiration: _____

6.3-
10294

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 118-SG1
Client Name: REP Yellow Cab
Project Name: 16-125
Date: 10-16-16 Time: 10:30
Analysis: Flow Meter
Comments: Flow Meter

Storage Location: Air Lab
Sample: Q2671-05
Cust #: 118-SG1

CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 118-SG2
Client Name: REP Yellow Cab
Project Name: 16-125
Date: 10-16-16 Time: 10:30
Analysis: Flow Meter
Comments: Flow Meter

Storage Location: Air Lab
Sample: Q2671-04
Cust #: 118-SG2

CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488


New Jersey Department of Environmental Protection

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample	
Laboratory: <u>Chemtech</u> QA/QC: Field Sample Seal No. <u>Q2671</u> Case No.: <u>Yellow Cab - TO-15</u>	Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u> Title: <u>Sample Custodian</u> Date Broken: <u>7/22/2025</u> Analytical Parameter/Fraction: <u>TO-15</u> Military Time Seal Broken: <u>12:26:00</u>

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q2671-01	118-AA1		
Q2671-02	118-1A-1		
Q2671-03	118-1A-2		
Q2671-04	118-SG2		
Q2671-05	118-SG1		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
7-22-25	1345	Signature		Signature		
		Printed Name	Sahmit Davis	Printed Name	Sarah J. Galt	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy