





Client Contact Information				Bottle Order ID : B2507027				Courier :				1 of 5 COCs																			
Client ID : RTPE01 Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis				Matrix																			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				Indoor/Ambient Air Soil Gas																			
				Phone Number : 732-968-9600																											
				Fax Number :																											
				Site Details:																											
Analysis Turnaround Time				Data Package Type :				EDD Type :																							
Standard : 10 business days OR				Rush (Specify): Days																											
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15																
118-AAI	7/24/25	9:36	9:56	-30	-7	72	72	-30	-5.9	10567	10599	6 L	4.16	VL042600.D	X						X										
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings:																															
Sampling site (State):																															
Quick Connector required : NO																															
Canisters Shipped by: 				Date/Time: 7/22/25				Canisters Received by: 				Date/Time: 7/22/25																			
Samples Relinquished by: 				Date/Time: 7/22/25				Received by: 				Date/Time: 7/22/25 1226																			
Relinquished by:				Date/Time:				Received by:				Date/Time:																			
B2507027 - 5																															

Client Contact Information				Bottle Order ID : B2507027				Courier :				2 of 5 COCs									
Client ID : RTPE01 Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis				Matrix									
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified													
				Phone Number : 732-968-9600																	
				Fax Number :																	
				Site Details: <i>118 West 22nd back house</i>																	
Analysis Turnaround Time				Data Package Type :																	
Standard : 10 business days OR				EDD Type :																	
Rush (Specify): Days																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15					Indoor/Ambient Air	Soil Gas
<i>118-1A-1</i>	<i>7-21 to 7-22</i>	<i>9:50</i>	<i>9:50</i>	<i>~30</i>	<i>-7</i>	<i>72</i>	<i>72</i>	<i>-30</i>	<i>-75</i>	<i>10476</i>	<i>10154</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042600.D</i>	<i>X</i>				<i>X</i>		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 											
		Ambient		Maximum		Minimum															
Start																					
Stop																					
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.											
		Ambient		Maximum		Minimum															
Start																					
Stop																					
Special Instructions/QC Requirements & Comments :																					
Suspected Contamination: High Medium Low PID Readings:																					
Sampling site (State):																					
Quick Connector required : <i>NO</i>																					
Canisters Shipped by: <i>Scm</i>				Date/Time: <i>07/21/15</i>				Canisters Received by: <i>CW</i>				Date/Time: <i>7/21/15</i>				B2507027 - 1					
Samples Relinquished by: <i>Scm</i>				Date/Time: <i>7/21/15</i>				Received by: <i>CP</i>				Date/Time: <i>7/21/15 12:00</i>									
Relinquished by:				Date/Time:				Received by:				Date/Time:									

Client Contact Information						Bottle Order ID : B2507027				Courier :				3 of 5 COCs															
Client ID : RTPE01 Project ID : Yellow Cab - TO-15						Sampler Name(s) :				Analysis				Matrix															
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15 Indoor/Ambient Air Soil Gas															
						Phone Number : 732-968-9600																							
						Fax Number :																							
						Site Details: <i>118 W-22nd Street front.</i>																							
Analysis Turnaround Time						Data Package Type :				EDD Type :																			
Standard : 10 business days OR						Rush (Specify): Days																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID															
<i>118 JA</i>	<i>7-21-25 to 7-22-25</i>	<i>9:52</i>	<i>9:53</i>	<i>-30</i>	<i>-7</i>	<i>72</i>	<i>72</i>	<i>-30</i>	<i>6.3</i>	<i>10183</i>	<i>10294</i>	<i>6 L</i>	<i>4.16</i>	<i>VL042600.D</i>	<i>X</i>														
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : <i>No</i>																													
Canisters Shipped by: <i>Seam</i>				Date/Time: <i>7/21/25</i>				Canisters Received by: <i>CW</i>				Date/Time: <i>7/21/25</i>																	
Samples Relinquished by: <i>CW</i>				Date/Time: <i>7/21/25</i>				Received by: <i>CR</i>				Date/Time: <i>7/21/25 12:00</i>																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2507027				Courier :				4 of 5 COCs																	
Client ID : RTPE01 Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis				Matrix																	
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 732-968-9600																									
				Fax Number :																									
				Site Details:																									
				Analysis Turnaround Time																									
Standard : 10 business days OR				Data Package Type :																									
Rush (Specify): Days				EDD Type :																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
118-562	7/22/15	10:30	11:30	30	-7	72	72	-30	7.5	10188	10197	6 L	100	VL042600.D	X		X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15)							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop											
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: Scm				Date/Time: 07/21/15				Canisters Received by: CW				Date/Time: 7/21/25																	
Samples Relinquished by: CW				Date/Time: 7/22/15				Received by: CW				Date/Time: 7/22/15 12:20																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	
B2507027 - 2																													

Client Contact Information				Bottle Order ID : B2507027				Courier :				<u>5</u> of <u>5</u> COCs					
Client ID : RTPE01				Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis		Matrix			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 732-968-9600													
				Fax Number :													
				Site Details:													
				Analysis Turnaround Time				Data Package Type : <i>Full data deliverables</i>									
				Standard : 10 business days OR				EDD Type : <i>Go2/Excel w/ conversion</i>									
				Rush (Specify): Days													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<i>118561</i>	<i>7/22/25</i>	<i>10:07</i>	<i>11:07</i>	<i>-30</i>	<i>-10</i>	<i>72</i>	<i>72</i>	<i>-30</i>	<i>-8.6</i>	<i>10202</i>	<i>10267</i>	<i>6 L</i>	<i>100</i>	<i>VL042600.D</i>	<i>X</i>		<i>X</i>
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : <i>NO</i>																	
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>07/21/25</i>				Canisters Received by: <i>CW</i>				Date/Time: <i>7/21/25</i>				B2507027 - 3	
Samples Relinquished by: <i>CW</i>				Date/Time: <i>7/22/25</i>				Received by: <i>CD</i>				Date/Time: <i>7/22/25 12:00</i>					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: Supervisor Signature: 

METHOD: TO-15

Pressure Gauge ID: A 255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
6/18/25	Q2359-01	10280	10.6	-8.4				sy
6/19/25	Q2368-01	10606	12.4	-4.7				↓
	Q2368-02	10321	11.8	-5.9				↓
	Q2369-01	10153	12.4	-4.7				↓
	Q2369-02	10590	12.0	-5.5				↓
6/20/25	Q2390-01	10598	12.8	-3.9				sy
6/23/25	Q2390-01	10724	1.0		10		10X	sy
6/26/25	Q2432-01	10311	11.4	-6.7				sy
6/27/25	Q2432-01	10039	1.0		10.0		10X	sy
7/8/25	Q2518-01	10281	11.2	-7.1				sy
	Q2518-02	10602	11.2	-7.1				sy
7/16/25	Q2617-01	10331	12.2	-5.1				sy
	Q2617-02	10283	12.8	-3.9				↓
	Q2617-03	10608	11.4	-6.7				↓
7/17/25	Q2632-01	10595	13.6	-2.2				sy
	Q2632-02	10332	11.6	-6.3				sy
7/22/25	Q2671-01	10599 10557	11.8 10.8	-5.9				sy
	Q2671-02	10154	11.0	-7.5				↓
	Q2671-03	10294	11.6	-6.3				↓
	Q2671-04	10197	11.0	-7.5				↓
	Q2671-05	10267	10.4	-8.6				↓

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 118-AA1
 Client Name: Yellow Cab
 Project Name: Yellow Cab
 Date: 7/21/25 Time: 9:50
 Analysis: 10-15
 Comments: 10-15

Storage Location: Air Lab
Sample: Q2671-02
Cust #: 118-AA-1

CHEMTECH'S SAMPLE ID: _____
 Date Received: _____ Expiration: _____

7.5-18154

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 118-AA2
 Client Name: Yellow Cab
 Project Name: Yellow Cab
 Date: 7/21/25 Time: 9:56
 Analysis: 10-15
 Comments: Am 5 tent

Storage Location: Air Lab
Sample: Q2671-01
Cust #: 118-AAI

CHEMTECH'S SAMPLE ID: _____
 Date Received: _____ Expiration: _____

6.5-10599

CHEMTECH
284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 118-AA2
 Client Name: Yellow Cab
 Project Name: Yellow Cab
 Date: 7/21/25 Time: 9:52
 Analysis: 10-15
 Comments: 10-15

Storage Location: Air Lab
Sample: Q2671-03
Cust #: 118-AA-2

CHEMTECH'S SAMPLE ID: _____
 Date Received: _____ Expiration: _____

6.3-10294

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 118-SG1
Client Name: REP Yellow Cab
Project Name: 16-125
Date: 10-16-16 Time: 10:30
Analysis: Flow Meter
Comments: Flow Meter

Storage Location: Air Lab
Sample: Q2671-05
Cust #: 118-SG1

CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 118-SG2
Client Name: REP Yellow Cab
Project Name: 16-125
Date: 10-16-16 Time: 10:30
Analysis: Flow Meter
Comments: Flow Meter

Storage Location: Air Lab
Sample: Q2671-04
Cust #: 118-SG2

CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____