

Hit Summary Sheet SW-846

SDG No.: Q2671

Client: RTP Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	118-AAI							
Q2671-01	118-AAI	Air	Dichlorodifluoromethane	2.23	J	0.54	2.47	ug/m3
Q2671-01	118-AAI	Air	Chloromethane	0.95	J	0.21	1.03	ug/m3
Q2671-01	118-AAI	Air	Trichlorofluoromethane	1.12	J	0.96	2.81	ug/m3
Q2671-01	118-AAI	Air	Acetone	11.6		0.43	1.19	ug/m3
Q2671-01	118-AAI	Air	2-Butanone	1.06	J	0.18	1.47	ug/m3
Q2671-01	118-AAI	Air	Carbon Tetrachloride	0.38		0.19	0.19	ug/m3
Q2671-01	118-AAI	Air	Benzene	0.38	J	0.26	1.60	ug/m3
Q2671-01	118-AAI	Air	Toluene	0.83	J	0.60	1.88	ug/m3
Q2671-01	118-AAI	Air	Hexane	26.8		0.56	1.76	ug/m3
			Total Voc :			45.4		
			Total Concentration:			45.4		
Client ID:	118-IA-1							
Q2671-02	118-IA-1	Air	Dichlorodifluoromethane	1.98	J	0.54	2.47	ug/m3
Q2671-02	118-IA-1	Air	Chloromethane	1.16		0.21	1.03	ug/m3
Q2671-02	118-IA-1	Air	Trichlorofluoromethane	1.12	J	0.96	2.81	ug/m3
Q2671-02	118-IA-1	Air	Heptane	1.35	J	0.70	2.05	ug/m3
Q2671-02	118-IA-1	Air	Acetone	55.4	E	0.43	1.19	ug/m3
Q2671-02	118-IA-1	Air	2-Butanone	1.98		0.18	1.47	ug/m3
Q2671-02	118-IA-1	Air	Carbon Tetrachloride	0.57		0.19	0.19	ug/m3
Q2671-02	118-IA-1	Air	Chloroform	2.30	J	0.49	2.44	ug/m3
Q2671-02	118-IA-1	Air	1,1,1-Trichloroethane	1.09		0.11	0.16	ug/m3
Q2671-02	118-IA-1	Air	Benzene	0.70	J	0.26	1.60	ug/m3
Q2671-02	118-IA-1	Air	1,2-Dichloroethane	1.66	J	0.36	2.02	ug/m3
Q2671-02	118-IA-1	Air	Toluene	3.05		0.60	1.88	ug/m3
Q2671-02	118-IA-1	Air	Tetrachloroethene	1.15		0.14	0.20	ug/m3
Q2671-02	118-IA-1	Air	Styrene	0.77	J	0.68	2.13	ug/m3
Q2671-02	118-IA-1	Air	1,2,4-Trimethylbenzene	0.88	J	0.88	2.46	ug/m3
Q2671-02	118-IA-1	Air	Naphthalene	2.52		0.050	0.52	ug/m3
Q2671-02	118-IA-1	Air	Hexane	30.3		0.56	1.76	ug/m3
			Total Voc :			108		
			Total Concentration:			108		
Client ID:	118-IA-1DL							
Q2671-02DL	118-IA-1DL	Air	Acetone	57.0	D	4.28	11.9	ug/m3
Q2671-02DL	118-IA-1DL	Air	Hexane	24.0	D	5.64	17.6	ug/m3
			Total Voc :			81.0		
			Total Concentration:			81.0		
Client ID:	118-IA-2							

Hit Summary Sheet
SW-846

SDG No.: Q2671

Client: RTP Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q2671-03	118-IA-2	Air	Dichlorodifluoromethane	2.03	J	0.54	2.47	ug/m3
Q2671-03	118-IA-2	Air	Chloromethane	1.61		0.21	1.03	ug/m3
Q2671-03	118-IA-2	Air	Trichlorofluoromethane	1.29	J	0.96	2.81	ug/m3
Q2671-03	118-IA-2	Air	Heptane	3.03		0.70	2.05	ug/m3
Q2671-03	118-IA-2	Air	Acetone	107	E	0.43	1.19	ug/m3
Q2671-03	118-IA-2	Air	Methylene Chloride	2.08		0.80	1.74	ug/m3
Q2671-03	118-IA-2	Air	2-Butanone	3.24		0.18	1.47	ug/m3
Q2671-03	118-IA-2	Air	Carbon Tetrachloride	0.69		0.19	0.19	ug/m3
Q2671-03	118-IA-2	Air	Chloroform	3.22		0.49	2.44	ug/m3
Q2671-03	118-IA-2	Air	1,1,1-Trichloroethane	1.42		0.11	0.16	ug/m3
Q2671-03	118-IA-2	Air	Benzene	0.83	J	0.26	1.60	ug/m3
Q2671-03	118-IA-2	Air	1,2-Dichloroethane	4.45		0.36	2.02	ug/m3
Q2671-03	118-IA-2	Air	Toluene	6.03		0.60	1.88	ug/m3
Q2671-03	118-IA-2	Air	Tetrachloroethene	3.05		0.14	0.20	ug/m3
Q2671-03	118-IA-2	Air	Ethyl Benzene	0.91	J	0.83	2.17	ug/m3
Q2671-03	118-IA-2	Air	m/p-Xylene	2.22	J	1.78	4.34	ug/m3
Q2671-03	118-IA-2	Air	o-Xylene	1.00	J	0.91	2.17	ug/m3
Q2671-03	118-IA-2	Air	Styrene	2.47		0.68	2.13	ug/m3
Q2671-03	118-IA-2	Air	1,2,4-Trimethylbenzene	1.13	J	0.88	2.46	ug/m3
Q2671-03	118-IA-2	Air	Naphthalene	2.78		0.050	0.52	ug/m3
Q2671-03	118-IA-2	Air	Hexane	22.6		0.56	1.76	ug/m3
Total Voc :					173			
Total Concentration:					173			
Client ID:	118-IA-2DL							
Q2671-03DL	118-IA-2DL	Air	Acetone	106	D	4.28	11.9	ug/m3
Q2671-03DL	118-IA-2DL	Air	2-Butanone	3.83	JD	1.65	14.8	ug/m3
Q2671-03DL	118-IA-2DL	Air	1,1,1-Trichloroethane	1.91	D	0.87	1.64	ug/m3
Q2671-03DL	118-IA-2DL	Air	1,2-Dichloroethane	4.86	JD	3.76	20.2	ug/m3
Q2671-03DL	118-IA-2DL	Air	Tetrachloroethene	4.00	D	1.02	2.03	ug/m3
Q2671-03DL	118-IA-2DL	Air	Hexane	19.4	D	5.64	17.6	ug/m3
Total Voc :					140			
Total Concentration:					140			
Client ID:	118-SG2							
Q2671-04	118-SG2	Air	Dichlorodifluoromethane	2.23	J	0.54	2.47	ug/m3
Q2671-04	118-SG2	Air	Trichlorofluoromethane	1.69	J	0.96	2.81	ug/m3
Q2671-04	118-SG2	Air	tert-Butyl alcohol	1.79		0.49	1.52	ug/m3
Q2671-04	118-SG2	Air	Heptane	2.58		0.70	2.05	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q2671

Client: RTP Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q2671-04	118-SG2	Air	Acetone	51.8	E	0.43	1.19	ug/m3
Q2671-04	118-SG2	Air	Carbon Disulfide	7.16		0.25	1.56	ug/m3
Q2671-04	118-SG2	Air	2-Butanone	45.7	E	0.18	1.47	ug/m3
Q2671-04	118-SG2	Air	Carbon Tetrachloride	2.08		0.19	0.19	ug/m3
Q2671-04	118-SG2	Air	cis-1,2-Dichloroethene	0.83	J	0.40	1.98	ug/m3
Q2671-04	118-SG2	Air	Chloroform	98.7	E	0.49	2.44	ug/m3
Q2671-04	118-SG2	Air	1,1,1-Trichloroethane	2.18		0.11	0.16	ug/m3
Q2671-04	118-SG2	Air	Benzene	0.86	J	0.26	1.60	ug/m3
Q2671-04	118-SG2	Air	Trichloroethene	118	E	0.11	0.16	ug/m3
Q2671-04	118-SG2	Air	Bromodichloromethane	1.47	J	0.40	3.35	ug/m3
Q2671-04	118-SG2	Air	4-Methyl-2-Pentanone	0.94	J	0.41	2.05	ug/m3
Q2671-04	118-SG2	Air	Toluene	1.24	J	0.60	1.88	ug/m3
Q2671-04	118-SG2	Air	Tetrachloroethene	136	E	0.14	0.20	ug/m3
Q2671-04	118-SG2	Air	Naphthalene	2.57		0.050	0.52	ug/m3
Q2671-04	118-SG2	Air	Hexane	8.46		0.56	1.76	ug/m3
			Total Voc :		486			
			Total Concentration:		486			
Client ID:	118-SG2DL							
Q2671-04DL	118-SG2DL	Air	Acetone	50.8	D	4.28	11.9	ug/m3
Q2671-04DL	118-SG2DL	Air	2-Butanone	43.4	D	1.65	14.8	ug/m3
Q2671-04DL	118-SG2DL	Air	Carbon Tetrachloride	2.14	D	1.57	1.89	ug/m3
Q2671-04DL	118-SG2DL	Air	Chloroform	101	D	4.69	24.4	ug/m3
Q2671-04DL	118-SG2DL	Air	1,1,1-Trichloroethane	2.35	D	0.87	1.64	ug/m3
Q2671-04DL	118-SG2DL	Air	Trichloroethene	110	D	1.29	1.61	ug/m3
Q2671-04DL	118-SG2DL	Air	Tetrachloroethene	128	D	1.02	2.03	ug/m3
Q2671-04DL	118-SG2DL	Air	Hexane	8.11	JD	5.64	17.6	ug/m3
			Total Voc :		446			
			Total Concentration:		446			
Client ID:	118-SG1							
Q2671-05	118-SG1	Air	Dichlorodifluoromethane	2.32	J	1.09	4.94	ug/m3
Q2671-05	118-SG1	Air	Chloromethane	4.96		0.41	2.07	ug/m3
Q2671-05	118-SG1	Air	Tetrahydrofuran	9.73		0.47	2.95	ug/m3
Q2671-05	118-SG1	Air	tert-Butyl alcohol	1.52	J	0.97	3.03	ug/m3
Q2671-05	118-SG1	Air	Acetone	106	E	0.86	2.38	ug/m3
Q2671-05	118-SG1	Air	2-Butanone	46.3		0.32	2.95	ug/m3
Q2671-05	118-SG1	Air	Carbon Tetrachloride	0.63		0.31	0.38	ug/m3
Q2671-05	118-SG1	Air	1,1,1-Trichloroethane	0.55		0.16	0.33	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q2671

Client: RTP Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q2671-05	118-SG1	Air	Benzene	0.93	J	0.51	3.19	ug/m3
Q2671-05	118-SG1	Air	Trichloroethene	1.88		0.27	0.32	ug/m3
Q2671-05	118-SG1	Air	Toluene	1.32	J	1.21	3.77	ug/m3
Q2671-05	118-SG1	Air	Tetrachloroethene	4.27		0.20	0.41	ug/m3
Q2671-05	118-SG1	Air	Naphthalene	4.77		0.16	1.05	ug/m3
Q2671-05	118-SG1	Air	Hexane	2.29	J	1.13	3.52	ug/m3
Total Voc :					187			
Total Concentration:					187			
Client ID:	118-SG1DL							
Q2671-05DL	118-SG1DL	Air	Chloromethane	5.37	JD	2.02	10.3	ug/m3
Q2671-05DL	118-SG1DL	Air	Acetone	112	D	4.28	11.9	ug/m3
Q2671-05DL	118-SG1DL	Air	2-Butanone	42.2	D	1.65	14.8	ug/m3
Q2671-05DL	118-SG1DL	Air	Trichloroethene	2.42	D	1.29	1.61	ug/m3
Q2671-05DL	118-SG1DL	Air	Tetrachloroethene	5.76	D	1.02	2.03	ug/m3
Total Voc :					168			
Total Concentration:					168			