

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Sewaren Laydown Yard	Date Received:	
Client Sample ID:	PB169045BL	SDG No.:	Q2706
Lab Sample ID:	PB169045BL	Matrix:	TCLP
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025262.D	1	07/29/25 09:44	07/29/25 15:16	PB169045

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	5.00	U	1.30	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	5.00	U	0.53	5.00	ug/L
95-48-7	2-Methylphenol	5.00	U	1.10	5.00	ug/L
65794-96-9	3+4-Methylphenols	10.0	U	1.10	10.0	ug/L
67-72-1	Hexachloroethane	5.00	U	0.65	5.00	ug/L
98-95-3	Nitrobenzene	5.00	U	0.76	5.00	ug/L
87-68-3	Hexachlorobutadiene	5.00	U	0.54	5.00	ug/L
88-06-2	2,4,6-Trichlorophenol	5.00	U	0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	5.00	U	0.62	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	5.00	U	1.20	5.00	ug/L
118-74-1	Hexachlorobenzene	5.00	U	0.52	5.00	ug/L
87-86-5	Pentachlorophenol	10.0	U	1.60	10.0	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	134		23 - 138	89%	SPK: 150
13127-88-3	Phenol-d6	131		10 - 134	87%	SPK: 150
4165-60-0	Nitrobenzene-d5	82.2		67 - 132	82%	SPK: 100
321-60-8	2-Fluorobiphenyl	85.1		52 - 132	85%	SPK: 100
118-79-6	2,4,6-Tribromophenol	128		44 - 137	85%	SPK: 150
1718-51-0	Terphenyl-d14	86.6		42 - 152	87%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	366000	7.401			
1146-65-2	Naphthalene-d8	1410000	10.143			
15067-26-2	Acenaphthene-d10	921000	14.042			
1517-22-2	Phenanthrene-d10	1910000	16.866			
1719-03-5	Chrysene-d12	2110000	21.307			
1520-96-3	Perylene-d12	2470000	24.424			

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Sewaren Laydown Yard	Date Received:	
Client Sample ID:	PB169045BL	SDG No.:	Q2706
Lab Sample ID:	PB169045BL	Matrix:	TCLP
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	TCLP BNA
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025262.D	1	07/29/25 09:44	07/29/25 15:16	PB169045

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products