

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	07/23/25	
Project:	Hazmat Survey JFK Airport - Building 14		Date Received:	07/28/25	
Client Sample ID:	PCB15-33		SDG No.:	Q2711	
Lab Sample ID:	Q2711-01		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	3.75	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO112605.D	1	07/30/25 08:45	07/30/25 12:55	PB169057

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	31.6	U	31.6	136	ug/kg
11104-28-2	Aroclor-1221	32.2	U	32.2	136	ug/kg
11141-16-5	Aroclor-1232	29.8	U	29.8	136	ug/kg
53469-21-9	Aroclor-1242	32.1	U	32.1	136	ug/kg
12672-29-6	Aroclor-1248	47.4	U	47.4	136	ug/kg
11097-69-1	Aroclor-1254	831		25.7	136	ug/kg
37324-23-5	Aroclor-1262	40.2	U	40.2	136	ug/kg
11100-14-4	Aroclor-1268	28.8	U	28.8	136	ug/kg
11096-82-5	Aroclor-1260	25.8	U	25.8	136	ug/kg
Total PCBs	Total PCBs	831		25.7	136	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.7		32 - 144	99%	SPK: 20
2051-24-3	Decachlorobiphenyl	20.7		32 - 175	104%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit